



Bid Number: GEM/2022/B/1978311

Dated: 23-02-2022

Bid Document

| Bid Details | |
|---|---|
| Bid End Date/Time | 07-03-2022 16:00:00 |
| Bid Opening Date/Time | 07-03-2022 16:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 75 (Days) |
| Ministry/State Name | Ministry Of Heavy Industries And Public Enterprises |
| Department Name | Department Of Heavy Industry |
| Organisation Name | Bharat Heavy Electricals Limited (bhel) |
| Office Name | 10340020-tbg, Noida |
| Total Quantity | 158 |

Bid Details

Item Category

SUPPLY- AC & VENTILATION SYSTEM : SPLIT AC UNIT - 2 TR (HIGH WALL TYPE SPLIT UNIT OF 2TR CAPACITY (MINIMUM COOLING CAPACITY OF 21000BTU/HR, MINIMUM AIR FLOW OF 600CFM, R-32 OR EQUIVALENT ECOFRIENDLY REFRIGERANT AND ENERGY EFFICIENCY RATING OF 5 STAR) EACH , SUPPLY- AC & VENTILATION SYSTEM : MS BRACKETS AND M.S. FRAME FOR INDOOR & OUTDOOR UNITS AND FIXING HARDWARE (COMPLETE WITH FIXING HARDWARE LIKE ANCHOR BOLTS, NUTS, FITTINGS ETC. AS WOULD BE NECESSARY FOR INSTALLATION OF ABOVE EQUIPMENT) , SUPPLY- AC & VENTILATION SYSTEM : ECU / CONTROL PANEL FOR SPLIT AIR CONDITIONER (IN BAY CONTROL ROOM (AS PER DETAILS GIVEN IN EQUIPMENT SPECIFICATION ATTACHED TO SECTION-2) , SUPPLY- AC & VENTILATION SYSTEM : AXIAL FLOW SUPPLY FANS - 6500 CMH (AXIAL FLOW SUPPLY AIR FAN OF 6500CMH @ 30MM WG FOR LT SWITCHGEAR ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAINPROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT D , SUPPLY- AC & VENTILATION SYSTEM : AXIAL FLOW SUPPLY FANS - 3500 CMH (AXIAL FLOW SUPPLY AIR FAN OF 3500CMH @ 30MM WG FOR BATTERYCHARGER & DCDB ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BAC , SUPPLY- AC & VENTILATION SYSTEM : AXIAL FLOW EXHAUST FANS WITH FLP MOTOR - 8500 CMH (AXIAL FLOW EXHAUST AIR FAN OF 8500CMH @ 30MM WG, BIFURCATED TYPE WITH FLAMEPROOF MOTOR FOR BATTERY ROOM COMPLETE WITH, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRAN , SUPPLY- AC & VENTILATION SYSTEM : PDB FOR AXIAL FLOW EXHAUST FANS (IN BATTERY ROOM) , ETC- AC & VENTILATION SYSTEM : SPLIT AC UNIT - 2 TR (HIGH WALL TYPE SPLIT UNIT OF 2TR CAPACITY (MINIMUM COOLING CAPACITY OF 21000BTU/HR, MINIMUM AIR FLOW OF 600CFM, R-32 OR EQUIVALENT ECOFRIENDLY REFRIGERANT AND ENERGY EFFICIENCY RATING OF 5 STAR) EACH CO , ETC- AC & VENTILATION SYSTEM : MS BRACKETS AND M.S. FRAME FOR INDOOR & OUTDOOR UNITS AND FIXING HARDWARE (COMPLETE WITH FIXING HARDWARE LIKE ANCHOR BOLTS, NUTS, FITTINGS ETC. AS WOULD BE NECESSARY FOR INSTALLATION OF ABOVE EQUIPMENT) , ETC- AC & VENTILATION SYSTEM : ECU / CONTROL PANEL FOR SPLIT AIR CONDITIONER (IN BAY CONTROL ROOM (AS PER DETAILS GIVEN IN EQUIPMENT SPECIFICATION ATTACHED TO SECTION-2) , ETC- AC & VENTILATION SYSTEM : AXIAL FLOW ETC FANS - 6500 CMH (AXIAL FLOW ETC AIR FAN OF 6500CMH @ 30MM WG FOR LT SWITCHGEAR ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAINPROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT DAMPERS FO , ETC- AC & VENTILATION SYSTEM : AXIAL FLOW ETC FANS - 3500 CMH (AXIAL FLOW ETC AIR FAN OF 3500CMH @ 30MM WG FOR BATTERYCHARGER & DCDB ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT D , ETC- AC & VENTILATION SYSTEM : AXIAL FLOW EXHAUST FANS WITH FLP MOTOR -8500 CMH (AXIAL FLOW EXHAUST AIR FAN OF 8500CMH @ 30MM WG, BIFURCATED TYPE WITH FLAMEPROOF MOTOR FOR BATTERY ROOM COMPLETE WITH, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEM , ETC- AC & VENTILATION SYSTEM : PDB FOR AXIAL FLOW EXHAUST FANS (IN BATTERY ROOM) , ETC - CABINET LAYING ALONGWITH ACCESSORIES

| Bid Details | |
|--|--|
| BOQ Title | Air Conditioning and Ventilation System for WBPDC Sagardighi Project |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Document required from seller | Experience Criteria, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Bid to RA enabled | Yes |
| RA Qualification Rule | 50% Lowest Priced Technically Qualified Bidders |
| Primary product category | ETC - CABLE LAYING ALONGWITH ACCESSORIES |
| Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| Payment Timelines | Payments shall be made to the Seller within 60 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| Evaluation Method | Total value wise evaluation |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|-------------------------------------|---------------------|
| Advisory Bank | State Bank of India |
| ePBG Percentage(%) | 10.00 |
| Duration of ePBG required (Months). | 39 |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

AGM
10340020-TBG, Noida, Department of Heavy Industry, Bharat Heavy Electricals Limited (BHEL), Ministry of Heavy Industries and Public Enterprises
(Bhel Tbg Finance)

Splitting

Bid splitting not applied.

Reserved for Make In India products

| | |
|-------------------------------------|-----|
| Reserved for Make In India products | Yes |
|-------------------------------------|-----|

MSE Purchase Preference

| | |
|-------------------------|-----|
| MSE Purchase Preference | Yes |
|-------------------------|-----|

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

SUPPLY- AC & VENTILATION SYSTEM : SPLIT AC UNIT - 2 TR (HIGH WALL TYPE SPLIT UNIT OF 2TR CAPACITY (MINIMUM COOLING CAPACITY OF 21000BTU/HR, MINIMUM AIR FLOW OF 600CFM, R-32 OR EQUIVALENT ECOFRIENDLY REFRIGERANT AND ENERGY EFFICIENCY RATING OF 5 STAR) EACH (8)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 8 | 147 |

SUPPLY- AC & VENTILATION SYSTEM : MS BRACKETS AND M.S. FRAME FOR INDOOR & OUTDOOR UNITS AND FIXING HARDWARE (COMPLETE WITH FIXING HARDWARE LIKE ANCHOR BOLTS, NUTS, FITTINGS ETC. AS WOULD BE NECESSARY FOR INSTALLATION OF ABOVE EQUIPMENT) (8)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 8 | 147 |

SUPPLY- AC & VENTILATION SYSTEM : ECU / CONTROL PANEL FOR SPLIT AIR CONDITIONER (IN BAY CONTROL ROOM (AS PER DETAILS GIVEN IN EQUIPMENT SPECIFICATION ATTACHED TO SECTION-2) (4)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 4 | 147 |

SUPPLY- AC & VENTILATION SYSTEM : AXIAL FLOW SUPPLY FANS - 6500 CMH (AXIAL FLOW SUPPLY AIR FAN OF 6500CMH @ 30MM WG FOR LT SWITCHGEAR ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAINPROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT D (2)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist-Murshidabad Pin-742237 West Bengal | 2 | 147 |

SUPPLY- AC & VENTILATION SYSTEM : AXIAL FLOW SUPPLY FANS - 3500 CMH (AXIAL FLOW SUPPLY AIR FAN OF 3500CMH @ 30MM WG FOR BATTERYCHARGER & DCDB ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BAC (2)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 2 | 147 |

SUPPLY- AC & VENTILATION SYSTEM : AXIAL FLOW EXHAUST FANS WITH FLP MOTOR - 8500 CMH (AXIAL FLOW EXHAUST AIR FAN OF 8500CMH @ 30MM WG, BIFURCATED TYPE WITH FLAMEPROOF MOTOR FOR BATTERY ROOM COMPLETE WITH, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRAN (4)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 4 | 147 |

SUPPLY- AC & VENTILATION SYSTEM : PDB FOR AXIAL FLOW EXHAUST FANS (IN BATTERY ROOM) (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
|-------------------------------|---------------------------|

BOQ Detail Document

[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist-Murshidabad Pin-742237 West Bengal | 1 | 147 |

ETC- AC & VENTILATION SYSTEM : SPLIT AC UNIT - 2 TR (HIGH WALL TYPE SPLIT UNIT OF 2TR CAPACITY (MINIMUM COOLING CAPACITY OF 21000BTU/HR, MINIMUM AIR FLOW OF 600CFM, R-32 OR EQUIVALENT ECOFRIENDLY REFRIGERANT AND ENERGY EFFICIENCY RATING OF 5 STAR) EACH CO (8)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document

[View File](#)

BOQ Detail Document

[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 8 | 231 |

ETC- AC & VENTILATION SYSTEM : MS BRACKETS AND M.S. FRAME FOR INDOOR & OUTDOOR UNITS AND FIXING HARDWARE (COMPLETE WITH FIXING HARDWARE LIKE ANCHOR BOLTS, NUTS, FITTINGS ETC. AS WOULD BE NECESSARY FOR INSTALLATION OF ABOVE EQUIPMENT) (8)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 8 | 231 |

ETC- AC & VENTILATION SYSTEM : ECU / CONTROL PANEL FOR SPLIT AIR CONDITIONER (IN BAY CONTROL ROOM (AS PER DETAILS GIVEN IN EQUIPMENT SPECIFICATION ATTACHED TO SECTION-2) (4)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist-Murshidabad Pin-742237 West Bengal | 4 | 231 |

ETC- AC & VENTILATION SYSTEM : AXIAL FLOW ETC FANS - 6500 CMH (AXIAL FLOW ETC AIR FAN OF 6500CMH @ 30MM WG FOR LT SWITCHGEAR ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAINPROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT DAMPERS FO (2)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 2 | 231 |

ETC- AC & VENTILATION SYSTEM : AXIAL FLOW ETC FANS - 3500 CMH (AXIAL FLOW ETC AIR FAN OF 3500CMH @ 30MM WG FOR BATTERYCHARGER & DCDB ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT D (2)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 2 | 231 |

ETC- AC & VENTILATION SYSTEM : AXIAL FLOW EXHAUST FANS WITH FLP MOTOR - 8500 CMH (AXIAL FLOW EXHAUST AIR FAN OF 8500CMH @ 30MM WG, BIFURCATED TYPE WITH FLAMEPROOF MOTOR FOR BATTERY ROOM COMPLETE WITH, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEM (4)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist-Murshidabad Pin-742237 West Bengal | 4 | 231 |

ETC- AC & VENTILATION SYSTEM : PDB FOR AXIAL FLOW EXHAUST FANS (IN BATTERY ROOM) (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 1 | 231 |

ETC - CABLE LAYING ALONGWITH ACCESSORIES (100)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | SUBIR KUMAR DHAL | 742237,Deputy General Manager (I/C-Projects) Sagardighi Thermal Power Project P.O.- Manigram, Dist- Murshidabad Pin-742237 West Bengal | 100 | 231 |

Buyer Added Bid Specific Terms and Conditions

1. Generic

After award of contract - Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 15 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay

in approval of Drawing.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Bidders need to submit NIT signed copy along with bid.

.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

4. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

5. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

6. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---