



Bid Number: GEM/2022/B/2009530

Dated: 05-03-2022

Bid Document

Bid Details	
Bid End Date/Time	15-03-2022 18:00:00
Bid Opening Date/Time	15-03-2022 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
Department Name	Department Of Heavy Industry
Organisation Name	Bharat Heavy Electricals Limited (bhel)
Office Name	10140027-hppb Trichy
Total Quantity	131

Bid Details**Item Category**

Electrically operated Trolley With Hoist capacity 2 Ton, Material code- L182319960001001 , DSL system- Cable trolley type, Curved Length 186 M, Material Code- L182319960001002 , Mandatory Spares for Electrically Operated Trolley with Hoist of 2 Ton capacity Material Code- L1823S9960001001 to L1823S9960001013 , Electrically operated Trolley With Hoist capacity 2T, Lift 31M, Material Code- L182319940001001 , DSL for Air pre heater Elements Handling, Cable trolley type Length 61 M, Material Code- L182319940001002 , Mandatory Spares for Electrically Operated Trolley with Hoist of 2 Ton capacity, Material Code- L1823S9940001001 to L1823S9940001013 , Electrically operated Trolley With Hoist capacity 2500KG, Material Code L182319940002001 , DSL system-Cable Trolley type, Length 32,250 mm, Material Code L182319940002002 , Mandatory Spares for Electrically operated Trolley With Hoist capacity 2500KG, Material code L1823S9940002001 to L1823S9940002013 , Electrically operated Trolley With Hoist capacity 5 Ton, Lift 11,500 mm, Material Code L182319910001003 , DSL system- Cable Trolley type, Length 21,362 mm, Material Code L182319910001004 , Mandatory Spares for Electrically operated Trolley With Hoist capacity 5 Ton, Material code L1823S9910001001 to L1823S9910001013 , Electrically operated Under Hung Crane of Capacity 12T Span, 7,500 mm, Material code L182319950201001 , Electrically Operated Trolley With Hoist of Capacity 12T, Material Code L182319950201002 , DSL-Cable Trolley Type Travel Length 58 M, Material Code L182319950201003 , WIRE ROPE DIA 28mm, Length 35M, Material Code L182319950201004 , Mandatory Spares for Electrically operated Under Hung Crane of Capacity 12T, Material Code L1823S9950205001 to L1823S9950205012 , Mandatory Spares for Electrically Operated Trolley With Hoist of Capacity 12T, Material Code L1823S9950205013 to L1823S9950205025 , Electrically Operated Trolley with Hoist capacity 20 T, Material Code L182319910001001 , DSL system- Cable Trolley type, Length 21,340mm, Material Code L182319910001002 , Mandatory Spares for Electrically Operated Trolley With Hoist of Capacity 20T, LIFT 7500mm, Material code L1823S9910002001 to L1823S9910002013 , Electrically operated Trolley With Hoist capacity 22T, Material Code L182319910002001 , DSL system-Cable Trolley type, Length- 64,400mm, Material Code L182319910002002 , Mandatory Spares for Electrically Operated Trolley With Hoist of Capacity 22T, Material Code L1823S9910003001 to L1823S9910003013 , Electrically operated Trolley with Hoist capacity 58T, Lift 9,200mm, Material Code L182319910003001 , DSL system- Cable Trolley type Length 64,800mm, Material Code L182319910003002 , Mandatory Spares for Electrically Operated Trolley With Hoist of Capacity 58T, LIFT 9,200mm, Material Code L1823S9910004001 to L1823S9910004013

BOQ Title

Electrical Handling Equipment for Yadadri Project

MSE Exemption for Years of Experience and Turnover

No

Startup Exemption for Years of Experience and Turnover

No

Bid Details	
Document required from seller	Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Primary product category	Electrically operated Trolley with Hoist capacity 58T, Lift 9,200mm, Material Code L182319910003001
Time allowed for Technical Clarifications during technical evaluation	2 Days
Payment Timelines	Payments shall be made to the Seller within 60 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
Evaluation Method	Group wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

(a). The EMD % will be applicable for each schedule/group selected during Bid creation.

Splitting

Bid splitting not applied.

Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to

qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluati on Schedul es	Item/Category	Consi gnee/ Repor ting Office r	Consignee Address	Q u a n t i t y
	Electrically Operated Trolley With Hoist Capacity 2 Ton, Material Code- L182319960001001	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Dsl System- Cable Trolley Type, Curved Length 186 M, Material Code- L182319960001002	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1

Package-I; Hoists up to 20-ton capacity

Mandatory Spares For Electrically Operated Trolley With Hoist Of 2 Ton Capacity Material Code- L1823s9960001001 To L1823s9960001013	Rajesh Kumm ar.S B	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
Electrically Operated Trolley With Hoist Capacity 2t, Lift 31m, Material Code- L182319940001001	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5
Dsl For Air Pre Heater Elements Handling, Cable Trolley Type Length 61 M, Material Code- L182319940001002	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5
Mandatory Spares For Electrically Operated Trolley With Hoist Of 2 Ton Capacity, Material Code- L1823s9940001001 To L1823s9940001013	Rajesh Kumm ar.S B	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
Electrically Operated Trolley With Hoist Capacity 2500kg, Material Code L182319940002001	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5
Dsl System-cable Trolley Type, Length 32,250 Mm, Material Code L182319940002002	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5
Mandatory Spares For Electrically Operated Trolley With Hoist Capacity 2500kg, Material Code L1823s9940002001 To L1823s9940002013	Rajesh Kumm ar.S B	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
Electrically Operated Trolley With Hoist Capacity 5 Ton, Lift 11,500 Mm, Material Code L182319910001003	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	10
Dsl System- Cable Trolley Type, Length 21,362 Mm, Material Code L182319910001004	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	10
Mandatory Spares For Electrically Operated Trolley With Hoist Capacity 5 Ton, Material Code L1823s9910001001 To L1823s9910001013	Rajesh Kumm ar.S B	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
Electrically Operated Under Hung Crane Of Capacity 12t Span, 7,500 Mm, Material Code L182319950201001	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5
Electrically Operated Trolley With Hoist Of Capacity 12t, Material Code L182319950201002	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5

	Dsl-cable Trolley Type Travel Length 58 M, Material Code L182319950201003	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5
	Wire Rope Dia 28mm, Length 35m, Material Code L182319950201004	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	25
	Mandatory Spares For Electrically Operated Under Hung Crane Of Capacity 12t, Material Code L1823s9950205001 To L1823s9950205012	Rajesh Kumm ar.S B	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
	Mandatory Spares For Electrically Operated Trolley With Hoist Of Capacity 12t, Material Code L1823s9950205013 To L1823s9950205025	Rajesh Kumm ar.S B	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
	Electrically Operated Trolley With Hoist Capacity 20 T, Material Code L182319910001001	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	10
	Dsl System- Cable Trolley Type, Length 21,340mm, Material Code L182319910001002	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	10
	Mandatory Spares For Electrically Operated Trolley With Hoist Of Capacity 20t, Lift 7500mm, Material Code L1823s9910002001 To L1823s9910002013	Rajesh Kumm ar.S B	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
Package-II: Hoists of 22-ton capacity	Electrically Operated Trolley With Hoist Capacity 22t, Material Code L182319910002001	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5
	Dsl System-cable Trolley Type, Length- 64,400mm, Material Code L182319910002002	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5
	Mandatory Spares For Electrically Operated Trolley With Hoist Of Capacity 22t, Material Code L1823s9910003001 To L1823s9910003013	Rajesh Kumm ar.S B	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
Package-III: Hoists of 58-ton capacity	Electrically Operated Trolley With Hoist Capacity 58t, Lift 9,200mm, Material Code L182319910003001	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5
	Dsl System- Cable Trolley Type Length 64,800mm, Material Code L182319910003002	Kavila Mohan Prabha kar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	5

Mandatory Spares For Electrically Operated Trolley With Hoist Of Capacity 58t, Lift 9,200mm, Material Code L1823s9910004001 To L1823s9910004013	Rajesh Kumm ar.S B	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
---	--------------------	--	---

Electrically Operated Trolley With Hoist Capacity 2 Ton, Material Code- L182319960001001 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	120

DSL System- Cable Trolley Type, Curved Length 186 M, Material Code- L182319960001002 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	120

Mandatory Spares For Electrically Operated Trolley With Hoist Of 2 Ton Capacity Material Code- L1823S9960001001 To L1823S9960001013 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kummar.S B	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	120

Electrically Operated Trolley With Hoist Capacity 2T, Lift 31M, Material Code- L182319940001001 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

DSL For Air Pre Heater Elements Handling, Cable Trolley Type Length 61 M, Material Code- L182319940001002 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

Mandatory Spares For Electrically Operated Trolley With Hoist Of 2 Ton Capacity, Material Code- L1823S9940001001 To L1823S9940001013 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kummar.S B	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	120

Electrically Operated Trolley With Hoist Capacity 2500KG, Material Code L182319940002001 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

DSL System-Cable Trolley Type, Length 32,250 Mm, Material Code L182319940002002 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

Mandatory Spares For Electrically Operated Trolley With Hoist Capacity 2500KG, Material Code L1823S9940002001 To L1823S9940002013 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kummar.S B	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	120

Electrically Operated Trolley With Hoist Capacity 5 Ton, Lift 11,500 Mm, Material Code L182319910001003 (10)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	10	120

DSL System- Cable Trolley Type, Length 21,362 Mm, Material Code L182319910001004 (10)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	10	120

Mandatory Spares For Electrically Operated Trolley With Hoist Capacity 5 Ton, Material Code L1823S9910001001 To L1823S9910001013 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kummar.S B	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	120

Electrically Operated Under Hung Crane Of Capacity 12T Span, 7,500 Mm, Material Code L182319950201001 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

Electrically Operated Trolley With Hoist Of Capacity 12T, Material Code L182319950201002 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

DSL-Cable Trolley Type Travel Length 58 M, Material Code L182319950201003 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

WIRE ROPE DIA 28mm, Length 35M, Material Code L182319950201004 (25)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	25	120

Mandatory Spares For Electrically Operated Under Hung Crane Of Capacity 12T, Material Code L1823S9950205001 To L1823S9950205012 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kummar.S B	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	120

Mandatory Spares For Electrically Operated Trolley With Hoist Of Capacity 12T, Material Code L1823S9950205013 To L1823S9950205025 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kummar.S B	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	120

Electrically Operated Trolley With Hoist Capacity 20 T, Material Code L182319910001001 (10)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	10	120

DSL System- Cable Trolley Type, Length 21,340mm, Material Code L182319910001002 (10)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	10	120

Mandatory Spares For Electrically Operated Trolley With Hoist Of Capacity 20T, LIFT 7500mm, Material Code L1823S9910002001 To L1823S9910002013 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kummar.S B	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	120

Electrically Operated Trolley With Hoist Capacity 22T, Material Code L182319910002001 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

DSL System-Cable Trolley Type, Length- 64,400mm, Material Code L182319910002002 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

Mandatory Spares For Electrically Operated Trolley With Hoist Of Capacity 22T, Material Code L1823S9910003001 To L1823S9910003013 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kummar.S B	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	120

Electrically Operated Trolley With Hoist Capacity 58T, Lift 9,200mm, Material Code L182319910003001 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

DSL System- Cable Trolley Type Length 64,800mm, Material Code L182319910003002 (5)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	5	120

Mandatory Spares For Electrically Operated Trolley With Hoist Of Capacity 58T, LIFT 9,200mm, Material Code L1823S9910004001 To L1823S9910004013 (1)

(Minimum 60% Local content required for qualifying as Class 1 Local Supplier)

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kummar.S B	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	120

Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Kindly submit all documents as mentioned against clause no. 9 of Annexure-T.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---