

Bid Document

Bid Details	
Bid End Date/Time	28-06-2022 14:00:00
Bid Opening Date/Time	28-06-2022 14:30:00
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
Department Name	Department Of Heavy Industry
Organisation Name	Bharat Heavy Electricals Limited (bhel)
Office Name	10040025-c F P Rudrapur
Total Quantity	138
Item Category	Safety Footwear - Bis Specification-IS:15298 Part 2 (Q3)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Time allowed for Technical Clarifications during technical evaluation	2 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	No
-------------------------	----

MSE Purchase Preference

MSE Purchase Preference

Yes

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Safety Footwear - Bis Specification-IS:15298 Part 2 (138 pairs)

Brand Type

Registered Brand

Technical Specifications

* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
SPECIFICATION	Technical Specification of the Product	Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 (Part 2): 2016, Latest, Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 (Part 2): 2016, Latest along with Dte. General of Mines Safety (DGMS) approval
CERTIFICATION	BIS Certification	Yes, No
UTILITY	Utility	Men, Women
CLASSIFICATION	Classification	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear), Class II (All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear), Classification II Hybrid Footwear
DESIGN	Design	A (Low shoe), B (Ankle boot), C (Half-knee boot), D (Knee-height boot), E (Thigh boot), Knee-height boot (design D) equipped with a thin impermeable material which extends the upper to give Design E, and which can be cut to adapt the boot to the wearer
SIZE	Size	Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements
Material	Upper for Class 1 Footwear	Leather

Specification	Specification Name	Bid Requirement (Allowed Values)
	Surface Finish of Upper Leather for Class 1 Footwear	Full Grain Upper Leather, Corrected Grain Upper Leather, Buff Barton Print, Zuggrain Print, Not applicable
	Material for Class II Footwear	All Rubber, All Polyurethane, All Poly Vinyl Chloride, Any other Polymeric Material, Not applicable
	Vamp Lining	With (Classification I and Classification II Footwear), Without (Classification II Footwear)
	Vamp Lining Material	Leather, Textile, Coated Fabric, Not Applicable
	Quarter Lining	Yes, No
	Quarter Lining Material	Leather, Textile, Coated Fabric, Not Applicable
	Toe Cap	(Steel) Metallic
COLOUR	Colour	Black
OTHER REQUIREMENTS	Insole	Yes, No
	Insocks	No Insocks, Seat Insock, Full Insocks Non Removable, Full Insocks Removable and water permeable, Full Insocks Removable and not water permeable
	Tongue (For Designation I Footwear)	Full Bellow Tongue, No, Not Applicable for Designation II Footwear
	Collar	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter, Collar with PU Foam padding, 15 mm thick, density 40 kg per cubic meter, Collar with PU Foam padding, 15 mm thick, density 60 kg per cubic meter, Collar with PU Foam padding, 12 mm thick, density 25 kg per cubic meter, Collar with PU Foam padding, 12 mm thick, density 40 kg per cubic meter, Collar with PU Foam padding, 12 mm thick, density 60 kg per cubic meter, Without
LACING/ CLOSING OF SHOES	Closing (Tieg)	Laces, Strap with Hook and Loop Fastener (Velcro)
	Lacing of Shoes	Holes without Eyelets, Eyelets, Not applicable for Boots without Laces
	Eyelets (Pairs)	4 pairs, 5 pairs, 6 pairs, Not applicable for Boots without Laces/ Eyelets
	Material of Eyelets	Brass Eyelets, Aluminium, Powder Coated "D" type steel ring eyelets, riveted
	Laces	Polyester, Nylon
	Cross Section Shape of Laces	Round
	Breaking Load of Laces (min)	600 N, 750 N
	Length of Laces	90 cm, 130 cm

Specification	Specification Name	Bid Requirement (Allowed Values)
SOLE	Sole Description/ Material	Direct Moulded Single Density Polyurethane, Direct Moulded Double Density Polyurethane, Direct Moulded Rubber, Direct Moulded Polyvinyl Chloride, Leather, Direct Moulded Polyurethane Mid sole and Thermoplastic Polyurethane (TPU) Outsole, Direct Moulded Polyurethane Midsole and Rubber Outsole, Direct Moulded Nitrile Rubber, Polyurethane Midsole and Nitrile Rubber Outsole, Any Other Material as per buyer's requirements (meeting the requirements of IS 15298 Part 2)
	Sole Design	Cleated, Non Cleated, Sole should withstand a temperature of 120 degree Celsius for one minute exposure [Method as per IS-15298 (part-1) is only for reference]
	Construction	Multi layer, Single, Direct Injection Process (DIP)
SLIP RESISTANT	Slip Resistant	As per clause 5.3.5.2 of IS 15298 (Part 2) - Slip resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution, As per clause 5.3.5.3 of IS 15298 (Part 2) - Slip resistance on steel floor with glycerine, As per clause 5.3.5.4 of IS 15298 (Part 2) - Slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS- WHOLE FOOTWEAR	Additional Requirements for Special Applications- Whole Footwear	Penetration Resistance (Metallic anti-penetration insert), Penetration Resistance (Non-metallic anti-penetration insert), Electrical Properties- Conductive Footwear, Anti-static Footwear, Electrically Insulating Footwear, Heat Insulation of Sole Complex, Cold Insulation of Sole Complex, Energy absorption of seat region, Water resistance, Metatarsal protection, Ankle protection, Cut resistance
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS (UPPER)	Water penetration and absorption	Yes, No
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS (OUTSOLE)	Additional Requirements for Special Applications- Outsole	Resistance to hot contact, Resistance to fuel oil
LOGO AND MARKING	Logo/ Totem/ Emblem Marking	As per buyer's requirements, No
Test Report	Availability of Test Report from Designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes, No
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes

Specification	Specification Name	Bid Requirement (Allowed Values)
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes, No, Not Applicable

Additional Specification Parameters - Safety Footwear - Bis Specification-IS:15298 Part 2 (138 pairs)

Specification Parameter Name	Bid Requirement (Allowed Values)
SHOES SPECIFICATION	ITEM SHUOLD BE AS PER ATTACHED BHEL CORPORATE STANDERED REV 01 30.05.2012 AS ATTACHED.
MAKE	LIBERTY/ALLEN COOPER/RED CHIEF/WOODLAND/LEE COOPER
WARRNATY	MINIMUM 1 YEAR
TEST CERTIFICATE	REQUIRED

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Amit Kumar Rana	263153,BHEL Rudrapur, Kichha By Paas Road Near- FCI Godown, Distt- Udham Singh Nagar, Uttarakhand	138	30

Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

PLEASE NOTE:

MAKE SHOULD BE : LIBERTY/ALLEN COOPER/RED CHIEF/WOOD LAND/LEE COOPER.

WARRANTY SHUOLD BE MINIMUM 1 YEAR.

SIZE CHART

SL NO ITEM SHOES SIZE QTY.

1	SAFTEY SHOES 5	6
2	SAFTEY SHOES 6	20
3	SAFTEY SHOES 7	46
4	SAFTEY SHOES 8	40
5	SAFTEY SHOES 9	21
6	SAFTEY SHOES 10	3
7	SAFTEY SHOES 11	2

TOTAL SHOES = 138 Nos.

ATC

1. Inspection of material after receipt shall be carried out by BHEL at BHEL premises as per attached specification, however bidders to submit a sample of safety shoes for obtaining dispatch clearance for entire lot.

2. Any deviation regarding extra GST on quoted rates, payment term, delivery schedule, LD shall not be considered in any circumstances. Delivery schedule as mentioned in GeM-bid shall only be applicable. GST, payment, LD terms shall be applicable only of GeM.

3. It is to be noted that as per cl. 8 of General Terms & Conditions of GeM, quoted rates in bid/RA are inclusive of taxes, freight, insurance etc. If any bidder mentions extra GST, freight, insurance in technical bid/catalogue, this shall not be considered valid and no further clarifications shall be sought thereof.

4. The price quoted are inclusive of Packing and Forwarding Charges.

5. Delivery of Items at CFP BHEL Rudrapur.

6. Payment Terms: 100% payment subject to receipt and acceptance within days as applicable as per below categories.

Type of Bidder	Payment Terms (Number of days)
Micro & Small Enterprises (MSEs)	45 days

Medium Enterprises	60 days
Non MSME	90 days

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---