



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2023/B/3601894
Dated/दिनांक : 22-06-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	03-07-2023 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	03-07-2023 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises
Department Name/विभाग का नाम	Department Of Heavy Industry
Organisation Name/संगठन का नाम	Bharat Heavy Electricals Limited (bhel)
Office Name/कार्यालय का नाम	10140027-hpbp Trichy
Total Quantity/कुल मात्रा	56
Item Category/मद केटेगरी	Ammonia Injection Control Valve , ACTUATOR DIAPHRAGM FOR INJ CTRL VLV , GLAND PACKING FOR INJ CTRL VLV , GLAND PACKING , TRIM SET STEM PLUG SEAT CAGE RET AND SEAL RI , GASKET , SMART POSITIONER , PNEUMATIC DIAPHRAGM , ACTUATOR SEAL KIT , ACTUATOR DIAPHRAGM FOR AMM INJECTION CV , GLAND PACKING FOR AMM INJECTION CTRL VL , ACTUATOR DIAPHRAGM FOR AMON INJ CTRL VLV , GLAND PACKING FOR AMMONIA INJ CTRL VLV , GASKET SET FOR PNEUMATIC ACTUATORS , SMART POSITIONER FOR AMMONIA INJ CTRL VL , PNM DIAPHRAGM FOR AMMONIA INJ CTRL VLV , Mandatory Spares Amm Inj Control Vlv
BOQ Title/बीओक्यू शीर्षक	AMMONIA INJECTION CONTROLS VALVES
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

Bid Details/बिड विवरण	
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Ammonia Injection Control Valve
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
Evaluation Method/मूल्यांकन पद्धति	Group wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or

through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee/Reporting Officer	Consignee Address	Quantity
Yadadri Project	Ammonia Injection Control Valve	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	4
	Ammonia Injection Control Valve	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	4
	Ammonia Injection Control Valve	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	4
	Ammonia Injection Control Valve	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	4
	Ammonia Injection Control Valve	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	4
	Actuator Diaphragm For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Gland Packing For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Actuator Diaphragm For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Gland Packing For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Actuator Diaphragm For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Gland Packing For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Actuator Diaphragm For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Gland Packing For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Actuator Diaphragm For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1
	Gland Packing For Inj Ctrl Vlv	Kavila Mohan Prabhakar	The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana 508355	1

	Mandatory Spares Amm Inj Control Vlv	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
Sagardi ghi Project	Ammonia Injection Control Valve	Pratap Sarkar	1x660 MW Sagardighi Thermal Project, Monigram Post, Murshidabad West Bengal - 742237 742237	4
	Gland Packing	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
	Trim Set Stem Plug Seat Cage Ret And Seal Ri	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
	Gasket	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	2
	Smart Positioner	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
	Pneumatic Diaphragm	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	2
	Actuator Seal Kit	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	2
	Actuator Diaphragm For Amm Injection Cv	Pratap Sarkar	1x660 MW Sagardighi Thermal Project, Monigram Post, Murshidabad West Bengal - 742237 742237	1
	Gland Packing For Amm Injection Ctrl Vl	Pratap Sarkar	1x660 MW Sagardighi Thermal Project, Monigram Post, Murshidabad West Bengal - 742237 742237	1
PANKI PROJEC T	Actuator Diaphragm For Amon Inj Ctrl Vlv	Satender Kumar	1 X 660 MW PANKI EXTN. THERMAL POWER STATION. UP RAJYA VIDYUT UTPADAN NIGAM LTD (UPRVUNL) PANKI KANPUR - 208020 208020	1
	Gland Packing For Ammonia Inj Ctrl Vlv	Satender Kumar	1 X 660 MW PANKI EXTN. THERMAL POWER STATION. UP RAJYA VIDYUT UTPADAN NIGAM LTD (UPRVUNL) PANKI KANPUR - 208020 208020	1
	Gasket Set For Pneumatic Actuators	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
	Smart Positioner For Ammonia Inj Ctrl Vl	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
	Pnm Diaphragm For Ammonia Inj Ctrl Vlv	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1
	Gland Packing For Ammonia Inj Ctrl Vlv	Akhil K Das	HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA. 620014	1

Ammonia Injection Control Valve	Satender Kumar	1 X 660 MW PANKI EXTN. THERMAL POWER STATION. UP RAJYA VIDYUT UTPADAN NIGAM LTD (UPRVUNL) PANKI KANPUR - 208020 208020	4
---------------------------------	----------------	--	---

Ammonia Injection Control Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	4	150

Ammonia Injection Control Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	4	150

Ammonia Injection Control Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	4	150

Ammonia Injection Control Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	4	150

Ammonia Injection Control Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	4	150

ACTUATOR DIAPHRAGM FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

GLAND PACKING FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355,The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

ACTUATOR DIAPHRAGM FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

GLAND PACKING FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

ACTUATOR DIAPHRAGM FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

GLAND PACKING FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

ACTUATOR DIAPHRAGM FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

GLAND PACKING FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

ACTUATOR DIAPHRAGM FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

GLAND PACKING FOR INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kavila Mohan Prabhakar	508355, The Divisional Engineer (Stores) Construction Division, Yadadri Thermal Power Station, Veeralapalem village, Damaracherla mandal, Nalagonda District, Telangana	1	150

Ammonia Injection Control Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pratap Sarkar	742237,1x660 MW Sagardighi Thermal Project, Monigram Post, Murshidabad West Bengal - 742237	4	150

GLAND PACKING

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	180

TRIM SET STEM PLUG SEAT CAGE RET AND SEAL RI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	180

GASKET

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	180

SMART POSITIONER

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	180

PNEUMATIC DIAPHRAGM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	180

ACTUATOR SEAL KIT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	180

ACTUATOR DIAPHRAGM FOR AMM INJECTION CV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pratap Sarkar	742237,1x660 MW Sagardighi Thermal Project, Monigram Post, Murshidabad West Bengal - 742237	1	150

GLAND PACKING FOR AMM INJECTION CTRL VL

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pratap Sarkar	742237,1x660 MW Sagardighi Thermal Project, Monigram Post, Murshidabad West Bengal - 742237	1	150

ACTUATOR DIAPHRAGM FOR AMON INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Satender Kumar	208020,1 X 660 MW PANKI EXTN. THERMAL POWER STATION. UP RAJYA VIDYUT UTPADAN NIGAM LTD (UPRVUNL) PANKI KANPUR - 208020	1	150

GLAND PACKING FOR AMMONIA INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Satender Kumar	208020,1 X 660 MW PANKI EXTN. THERMAL POWER STATION. UP RAJYA VIDYUT UTPADAN NIGAM LTD (UPRVUNL) PANKI KANPUR - 208020	1	150

GASKET SET FOR PNEUMATIC ACTUATORS

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	180

SMART POSITIONER FOR AMMONIA INJ CTRL VL

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	180

PNM DIAPHRAGM FOR AMMONIA INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	180

GLAND PACKING FOR AMMONIA INJ CTRL VLV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	180

Ammonia Injection Control Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Satender Kumar	208020,1 X 660 MW PANKI EXTN. THERMAL POWER STATION. UP RAJYA VIDYUT UTPADAN NIGAM LTD (UPRVUNL) PANKI KANPUR - 208020	4	150

Mandatory Spares Amm Inj Control Vlv

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akhil K Das	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	1	180

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 15 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 7 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

4. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

AT VENDOR WORK BY BHEL TPIA

Post Receipt Inspection at consignee site before acceptance of stores:
AT BHEL STORES BY BHEL QC

5. Purchase Preference (Centre)

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated

23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 100% of total value.

6. Purchase Preference (Centre)

Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding "Preference to Make In India products" stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as "Non Local Supplier". The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

7. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

8. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---