



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2023/B/3734942
Dated/दिनांक : 26-07-2023

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|--|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 03-08-2023 18:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 03-08-2023 18:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 75 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Heavy Industries And Public Enterprises |
| Department Name/विभाग का नाम | Department Of Heavy Industry |
| Organisation Name/संगठन का नाम | Bharat Heavy Electricals Limited (bhel) |
| Office Name/कार्यालय का नाम | 10020009-cffp Haridwar |
| Total Quantity/कुल मात्रा | 1000 |
| Item Category/मद केटेगरी | Electrodes for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814 (Q3) |
| MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट | No |
| Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट | No |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | Yes |
| RA Qualification Rule | H1-Highest Priced Bid Elimination |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | Electrodes for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814 |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |

Bid Details/बिड विवरण

| | |
|---|--|
| Payment Timelines | Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| Evaluation Method/मूल्यांकन पद्धति | Item wise evaluation/ |

EMD Detail/ईएमडी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

ePBG Detail/ईपीबीजी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

| | |
|--|-----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | Yes |
|--|-----|

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued

by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| Evaluation Schedules | Item/Category | Quantity |
|-----------------------------|--|-----------------|
| Schedule 1 | Electrodes For Manual Metal Arc Welding Of Carbon And Carbon Manganese Steel As Per Is 814 | 200 |
| Schedule 2 | Electrodes For Manual Metal Arc Welding Of Carbon And Carbon Manganese Steel As Per Is 814 | 400 |
| Schedule 3 | Electrodes For Manual Metal Arc Welding Of Carbon And Carbon Manganese Steel As Per Is 814 | 400 |

Electrodes For Manual Metal Arc Welding Of Carbon And Carbon Manganese Steel As Per IS 814 (200 packet)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|------------------------|---|--|
| Standard Parameters | BIS Marked | Yes Or higher |
| Performance Parameters | Type of covering provided with designation letter | Rutile- R |
| | Ultimate tensile strength (UTS) in combination with the yield stress of the weld metal deposited in Mpa with designation digit | 4 for 410-510 Mpa UTS with 300 Mpa Yield stress, 5 for 511-610 Mpa UTS with 400 Mpa Yield stress |
| | Welding current and voltage condition with designation digit | 0 for positive polarity with no recommended voltage, 1 for positive polarity or negative polarity with 50 V, 2 for negative polarity with 50 V, 3 for positive polarity with 50 V, 4 for positive polarity or negative polarity with 70 V, 5 for negative polarity with 70 V, 6 for positive polarity polarity with 70 V, 7 for positive polarity or negative polarity with 90 V, 8 for negative polarity with 90 V, 9 for positive polarity with 90 V |
| | Welding positions for metal arc welding with designation digit | 1 for All positions |
| | Diffusible hydrogen in ml/100 gram as per IS 11802 | Up to 15 ml diffusible hydrogen (H1), Up to 10 ml diffusible hydrogen (H2), Up to 5 ml diffusible hydrogen (H3), Not applicable |
| | Increased Metal recovery in percentage with designation letter | J for 110-129 %, K for 130-149 %, L for 150 or above %, Not Applicable |
| | Size of electrode core wire in mm with tolerance $\pm 1/20$ mm | 3.15 |
| | Length of electrode in mm with ± 3 mm tolerance | 450 |
| | Electrode bare length in mm | 15 to 30 mm (for 1.6 to 3.15 mm electrode size), 20 to 40 mm (for 4.0 to 8.0 mm electrode size) |
| | Number of Electrodes in per packet | 50 |
| | The Packings should be suitable to ensure that under normal store room conditions, the electrodes should capable of giving results in accordance with the provisions of standard for a period of 6 months after the receipt of material by consignee | Yes |

Additional Specification Parameters - Electrodes For Manual Metal Arc Welding Of Carbon And Carbon Manganese Steel As Per IS 814 (200 packet)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|--|
| Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) | Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) |
| FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. | FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. |
| PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. | PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. |
| Quantity Variation +/-5% | Quantity Variation +/-5% |
| Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) | Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) |
| FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. | FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. |
| PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. | PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. |
| Quantity Variation +/-5% | Quantity Variation +/-5% |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Kumar Siddhartha | 249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar | 200 | 15 |

Electrodes For Manual Metal Arc Welding Of Carbon And Carbon Manganese Steel As Per IS 814 (400 packet)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|------------------------|---|--|
| Standard Parameters | BIS Marked | Yes Or higher |
| Performance Parameters | Type of covering provided with designation letter | Rutile- R |
| | Ultimate tensile strength (UTS) in combination with the yield stress of the weld metal deposited in Mpa with designation digit | 4 for 410-510 Mpa UTS with 300 Mpa Yield stress, 5 for 511-610 Mpa UTS with 400 Mpa Yield stress |
| | Welding current and voltage condition with designation digit | 0 for positive polarity with no recommended voltage, 1 for positive polarity or negative polarity with 50 V, 2 for negative polarity with 50 V, 3 for positive polarity with 50 V, 4 for positive polarity or negative polarity with 70 V, 5 for negative polarity with 70 V, 6 for positive polarity polarity with 70 V, 7 for positive polarity or negative polarity with 90 V, 8 for negative polarity with 90 V, 9 for positive polarity with 90 V |
| | Welding positions for metal arc welding with designation digit | 1 for All positions, 2 for All positions except vertical down, 3 for Flat butt , Flat fillet weld & , horizontal / vertical fillet weld, 4 for Flat butt weld , Flat fillet weld), 5 for Vertical downward, Flat butt , flat fillet and horizontal and vertical fillet weld, 6 for Any other position or combinations of positionare not classified in welding position |
| | Diffusible hydrogen in ml/100 gram as per IS 11802 | Up to 15 ml diffusible hydrogen (H1), Up to 10 ml diffusible hydrogen (H2), Up to 5 ml diffusible hydrogen (H3), Not applicable |
| | Increased Metal recovery in percentage with designation letter | J for 110-129 %, K for 130-149 %, L for 150 or above %, Not Applicable |
| | Size of electrode core wire in mm with tolerance $\pm 1/20$ mm | 4.0 |
| | Length of electrode in mm with ± 3 mm tolerance | 450 |
| | Electrode bare length in mm | 15 to 30 mm (for 1.6 to 3.15 mm electrode size), 20 to 40 mm (for 4.0 to 8.0 mm electrode size) |
| | Number of Electrodes in per packet | 50 |
| | The Packings should be suitable to ensure that under normal store room conditions, the electrodes should capable of giving results in accordance with the provisions of standard for a period of 6 months after the receipt of material by consignee | Yes |

Additional Specification Parameters - Electrodes For Manual Metal Arc Welding Of Carbon And Carbon Manganese Steel As Per IS 814 (400 packet)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|--|
| PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. | PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. |
| Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) | Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) |
| FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. | FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. |
| Quantity Variation +/-5% | Quantity Variation +/-5% |
| PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. | PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. |
| Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) | Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) |
| FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. | FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. |
| Quantity Variation +/-5% | Quantity Variation +/-5% |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|----------------|------------------------------|
| 1 | Kumar Siddhartha | 249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar | 400 | 15 |

Electrodes For Manual Metal Arc Welding Of Carbon And Carbon Manganese Steel As Per IS 814 (400 packet)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---|---|--|
| Standard Parameters | BIS Marked | Yes Or higher |
| Performance Parameters | Type of covering provided with designation letter | Rutile- R |
| | Ultimate tensile strength (UTS) in combination with the yield stress of the weld metal deposited in Mpa with designation digit | 4 for 410-510 Mpa UTS with 300 Mpa Yield stress, 5 for 511-610 Mpa UTS with 400 Mpa Yield stress |
| | Welding current and voltage condition with designation digit | 0 for positive polarity with no recommended voltage, 1 for positive polarity or negative polarity with 50 V, 2 for negative polarity with 50 V, 3 for positive polarity with 50 V, 4 for positive polarity or negative polarity with 70 V, 5 for negative polarity with 70 V, 6 for positive polarity polarity with 70 V, 7 for positive polarity or negative polarity with 90 V, 8 for negative polarity with 90 V, 9 for positive polarity with 90 V |
| | Welding positions for metal arc welding with designation digit | 1 for All positions, 2 for All positions except vertical down, 3 for Flat butt , Flat fillet weld & , horizontal / vertical fillet weld, 4 for Flat butt weld , Flat fillet weld), 5 for Vertical downward, Flat butt , flat fillet and horizontal and vertical fillet weld, 6 for Any other position or combinations of positionare not classified in welding position |
| | Diffusible hydrogen in ml/100 gram as per IS 11802 | Up to 15 ml diffusible hydrogen (H1), Up to 10 ml diffusible hydrogen (H2), Up to 5 ml diffusible hydrogen (H3), Not applicable |
| | Increased Metal recovery in percentage with designation letter | J for 110-129 %, K for 130-149 %, L for 150 or above %, Not Applicable |
| | Size of electrode core wire in mm with tolerance $\pm 1/20$ mm | 5.0 |
| | Length of electrode in mm with ± 3 mm tolerance | 450 |
| | Electrode bare length in mm | 15 to 30 mm (for 1.6 to 3.15 mm electrode size), 20 to 40 mm (for 4.0 to 8.0 mm electrode size) |
| | Number of Electrodes in per packet | 50 |
| The Packings should be suitable to ensure that under normal store room conditions, the electrodes should capable of giving results in accordance with the provisions of standard for a period of 6 months after the receipt of material by consignee | Yes | |

Additional Specification Parameters - Electrodes For Manual Metal Arc Welding Of Carbon And Carbon Manganese Steel As Per IS 814 (400 packet)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|--|
| PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. | PRE-QUALIFICATION CRITERIA (PQC) applicable as per ATC. |
| Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) | Item shall be as per SPEC: AA 7710103 REV: 01.TEST CERTIFICATE ARE REQUIRED AS PER IS (LATEST EDITION) |
| FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. | FINAL INSPECTION WILL BE DONE AT CFFP STORE. EARLY DELIVERY ACCEPTABLE. |
| Quantity Variation +/-5% | Quantity Variation +/-5% |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|----------------|------------------------------|
| 1 | Kumar Siddhartha | 249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar | 400 | 15 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

4. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

5. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

7. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

8. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

By seller

Post Receipt Inspection at consignee site before acceptance of stores:
By CFFP BHEL Haridwar

9. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum

issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---