



Bid Number/बोली क्रमांक (बिड संख्या)<sup>:</sup> GEM/2024/B/4592879 Dated/दिनांक : 07-02-2024

# Bid Document/ बिड दस्तावेज़

Bid D	Petails/बिड विवरण
Bid End Date/Time/बिड बंद होने की तारीख/समय	17-02-2024 14:00:00
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	17-02-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	60 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises
Department Name/विभाग का नाम	Department Of Heavy Industry
Organisation Name/संगठन का नाम	Bharat Heavy Electricals Limited (bhel)
Office Name/कार्यालय का नाम	10020009-cffp Haridwar
Total Quantity/कुल मात्रा	6110
ltem Category/मद केटेगरी	Stud with Nuts (Q3) , High Strength Structural Nuts - IS 6623 (Q3) , Plain Washer as per IS 2016 (Q4)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिंड का प्रकार	Two Packet Bid
Primary product category	Stud with Nuts
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre- registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within <b>90</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

EMD Detail/ईएमडी विवरण		
Required/आवश्यकता	No	
ePBG Detail/ईपीबीजी विवरण		
Required/आवश्यकता	No	
Splitting/विभाजन		
Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.		
MII Purchase Preference/एमआईआई खरीद वरीयता		
MII Purchase Preference/एमआईआई खरीद वरीयता Yes		
MSE Purchase Preference/एमएसई खरीद वरीयता		
MSE Purchase Preference/एमएसई खरीद वरीयता	Yes	

- 1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

  OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy

for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

- 4. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.
- 5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
  - i. If number of technically qualified bidders are only 2 or 3.
  - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
  - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
  - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
  - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

#### **Evaluation Method** ( Item Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Stud With Nuts	800
Schedule 2	Stud With Nuts	700
Schedule 3	Stud With Nuts	200
Schedule 4	Stud With Nuts	80
Schedule 5	Stud With Nuts	80
Schedule 6	Stud With Nuts	600
Schedule 7	Stud With Nuts	300
Schedule 8	Stud With Nuts	50
Schedule 9	Stud With Nuts	500
Schedule 10	High Strength Structural Nuts - Is 6623	2500
Schedule 11	Plain Washer As Per Is 2016	300

#### Stud With Nuts (800 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Technical Parameters	Design Standard	As per ASME B18.2.1 latest for Studs, As per ASME B18.2.2 latest for Nuts, NA
	Size of Stud (in mm)	M12
	Protective Coating	Black Oxidised
	Heat treatment	Hardening and Tempering
	Material (NUT)	ASTM A194 M 2H
	Length of Stud	110.0 (millimeter)
	Material (STUD)	ASTM A193 M B5, ASTM A193 M B6, ASTM A193 M B6X, ASTM A193 M B7, ASTM A193 M B7M, ASTM A193 M B16, ASTM A193 M B8, ASTM A193 M B8B, ASTM A193 M B8CA, ASTM A193 M BM, CL 10.9 IS 1367-02

# Additional Specification Parameters - Stud With Nuts (800 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)	
BOLT (STUD) 110X12 MM.	MS STUDS HAVING 55 MM LONG STANDARD THREADED PORTION ALONGWITH ONE NUT & WASHER EACH ON BOTH ENDS. THE OUTER DIAMETER OF WASHER SHOULD BE 34 MM +/- 1 MM AND 3 MM THICK.	
Additional parameters	1. Size of stud should be as per attached description. 2. Each stud should be supplied with duly fitted Nuts (2 nos) and Washers (2 nos). 3. Studs should be standard threaded upto length 55 mm (minimum) on both ends.	

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )
-------------------	--	-------------	---

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्राDelivery to start after/प्रारंभ होने की तारीख से डिलीवरीDelivery to be completed by/डिलीवरी — तक पूरी कर ली जाए800130

## Stud With Nuts (700 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
Technical Parameters	Design Standard	As per ASME B18.2.1 latest for Studs, As per ASME B18.2.2 latest for Nuts, NA	
	Size of Stud (in mm)	M12	
	Protective Coating	Black Oxidised	
	Heat treatment	Hardening and Tempering	
	Material (NUT)	ASTM A194 M 2H	
	Length of Stud	150.0 (millimeter)	
	Material (STUD)	ASTM A193 M B5, ASTM A193 M B6, ASTM A193 M B6X, ASTM A193 M B7, ASTM A193 M B7M, ASTM A193 M B16, ASTM A193 M B8, ASTM A193 M B8B, ASTM A193 M B8CA, ASTM A193 M BM, CL 10.9 IS 1367-02	

## Additional Specification Parameters - Stud With Nuts ( 700 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)	ement (Allowed Values)	
		l	

Specification Parameter Name	MS STUDS HAVING 55 MM LONG STANDARD THREADED PORTION ALONGWITH ONE NUT & WASHER EACH ON BOTH ENDS. THE OUTER DIAMETER OF WASHER SHOULD BE 34 MM +/- 1 MM AND 3 MM THICK.	
BOLT (STUD) 150X12 MM.		
Additional parameters	1. Size of stud should be as per attached description. 2. Each stud should be supplied with duly fitted Nuts (2 nos) and Washers (2 nos). 3. Studs should be standard threaded upto length 55 mm (minimum) on both ends.	

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	number	of days from	गिवरी अनुसूची (In contract start होने की तारीख से में )
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा 700	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी तक पूरी कर ली जाए

### Stud With Nuts ( 200 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

## Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Technical Parameters	Design Standard	As per ASME B18.2.1 latest for Studs, As per ASME B18.2.2 latest for Nuts, NA
	Size of Stud (in mm)	M12
	Protective Coating	Black Oxidised
	Heat treatment	Hardening and Tempering
	Material (NUT)	ASTM A194 M 2H

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Length of Stud	60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 780 (millimeter)
	Material (STUD)	ASTM A193 M B5, ASTM A193 M B6, ASTM A193 M B6X, ASTM A193 M B7, ASTM A193 M B7M, ASTM A193 M B16, ASTM A193 M B8, ASTM A193 M B8B, ASTM A193 M B8CA, ASTM A193 M BM, CL 10.9 IS 1367-02

# Additional Specification Parameters - Stud With Nuts ( 200 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
BOLT (STUD) 350X12 MM.	MS STUDS HAVING 55 MM LONG STANDARD THREADED PORTION ALONGWITH ONE NUT & WASHER EACH ON BOTH ENDS. THE OUTER DIAMETER OF WASHER SHOULD BE 34 MM +/- 1 MM AND 3 MM THICK.
Additional parameters	1. Size of stud should be as per attached description. 2. Each stud should be supplied with duly fitted Nuts (2 nos) and Washers (2 nos). 3. Studs should be standard threaded upto length 55 mm (minimum) on both ends.

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

# Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

Consignee S.No./क्र. सं. परेषिती/रिपोर्टिंग अधिकारी		Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )			
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा 200	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी तक पूरी कर ली जाए

# Stud With Nuts (80 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Technical Parameters	Design Standard	As per ASME B18.2.1 latest for Studs, As per ASME B18.2.2 latest for Nuts, NA
	Size of Stud (in mm)	M12
	Protective Coating	Black Oxidised
	Heat treatment	Hardening and Tempering
	Material (NUT)	ASTM A194 M 2H
	Length of Stud	60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 780 (millimeter)
	Material (STUD)	ASTM A193 M B5, ASTM A193 M B6, ASTM A193 M B6X, ASTM A193 M B7, ASTM A193 M B7M, ASTM A193 M B16, ASTM A193 M B8, ASTM A193 M B8B, ASTM A193 M B8CA, ASTM A193 M BM, CL 10.9 IS 1367-02

#### Additional Specification Parameters - Stud With Nuts (80 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)		
BOLT (STUD) 400X12 MM.	MS STUDS HAVING 55 MM LONG STANDARD THREADED PORTION ALONGWITH ONE NUT & WASHER EACH ON BOTH ENDS. THE OUTER DIAMETER OF WASHER SHOULD BE 34 MM +/- 1 MM AND 3 MM THICK.		
Additional parameters	1. Size of stud should be as per attached description. 2. Each stud should be supplied with duly fitted Nuts (2 nos) and Washers (2 nos). 3. Studs should be standard threaded upto length 55 mm (minimum) on both ends.		

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )		contract start होने की तारीख से
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा 80	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी तक पूरी कर ली जाए

#### Stud With Nuts (80 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Technical Parameters	Design Standard	As per ASME B18.2.1 latest for Studs, As per ASME B18.2.2 latest for Nuts, NA
	Size of Stud (in mm)	M12
	Protective Coating	Black Oxidised
	Heat treatment	Hardening and Tempering
	Material (NUT)	ASTM A194 M 2H
	Length of Stud	60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 780 (millimeter)
	Material (STUD)	ASTM A193 M B5, ASTM A193 M B6, ASTM A193 M B6X, ASTM A193 M B7, ASTM A193 M B7M, ASTM A193 M B16, ASTM A193 M B8, ASTM A193 M B8B, ASTM A193 M B8CA, ASTM A193 M BM, CL 10.9 IS 1367-02

Additional Specification Parameters - Stud With Nuts (80 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
BOLT (STUD) 500X12 MM.	MS STUDS HAVING 55 MM LONG STANDARD THREADED PORTION ALONGWITH ONE NUT & WASHER EACH ON BOTH ENDS. THE OUTER DIAMETER OF WASHER SHOULD BE 34 MM +/- 1 MM AND 3 MM THICK.
Additional parameters	1. Size of stud should be as per attached description. 2. Each stud should be supplied with duly fitted Nuts (2 nos) and Washers (2 nos). 3. Studs should be standard threaded upto length 55 mm (minimum) on both ends.

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (II number of days from contract stai days/अनुबंध prarambh होने की तारीख र दिनों की संख्या में )		contract start होने की तारीख से
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा 80	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरीतक पूरी कर ली जाए

## Stud With Nuts (600 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Technical Parameters	Design Standard	As per ASME B18.2.1 latest for Studs, As per ASME B18.2.2 latest for Nuts, NA
	Size of Stud (in mm)	M12
	Protective Coating	Black Oxidised
	Heat treatment	Hardening and Tempering
	Material (NUT)	ASTM A194 M 2H
	Length of Stud	200.0, 190.0 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
		ASTM A193 M B5, ASTM A193 M B6, ASTM A193 M B6X, ASTM A193 M B7, ASTM A193 M B7M, ASTM A193 M B16, ASTM A193 M B8, ASTM A193 M B8B, ASTM A193 M B8CA, ASTM A193 M BM, CL 10.9 IS 1367-02

### Additional Specification Parameters - Stud With Nuts ( 600 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
BOLT (STUD) 200X12 MM.	MS STUDS HAVING 55 MM LONG STANDARD THREADED PORTION ALONGWITH ONE NUT & WASHER EACH ON BOTH ENDS. THE OUTER DIAMETER OF WASHER SHOULD BE 34 MM +/- 1 MM AND 3 MM THICK.
Additional Parameters	1. Size of stud should be as per attached description. 2. Each stud should be supplied with duly fitted Nuts (2 nos) and Washers (2 nos). 3. Studs should be standard threaded upto length 55 mm (minimum) on both ends.

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/ਧਗ	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )		
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरीतक पूरी कर ली जाए

### Stud With Nuts (300 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Technical Parameters	Design Standard	As per ASME B18.2.1 latest for Studs, As per ASME B18.2.2 latest for Nuts, NA
	Size of Stud (in mm)	M12
	Protective Coating	Black Oxidised
	Heat treatment	Hardening and Tempering
	Material (NUT)	ASTM A194 M 2H
	Length of Stud	60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 780 (millimeter)
	Material (STUD)	ASTM A193 M B5, ASTM A193 M B6, ASTM A193 M B6X, ASTM A193 M B7, ASTM A193 M B7M, ASTM A193 M B16, ASTM A193 M B8, ASTM A193 M B8B, ASTM A193 M B8CA, ASTM A193 M BM, CL 10.9 IS 1367-02

## Additional Specification Parameters - Stud With Nuts ( 300 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
BOLT (STUD) 300X12 MM.	MS STUDS HAVING 55 MM LONG STANDARD THREADED PORTION ALONGWITH ONE NUT & WASHER EACH ON BOTH ENDS. THE OUTER DIAMETER OF WASHER SHOULD BE 34 MM +/- 1 MM AND 3 MM THICK.
Additional Parameters	1. Size of stud should be as per attached description. 2. Each stud should be supplied with duly fitted Nuts (2 nos) and Washers (2 nos). 3. Studs should be standard threaded upto length 55 mm (minimum) on both ends.

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )
-------------------	--	-------------	---

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )		
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी तक पूरी कर ली जाए
			300	1	30

# Stud With Nuts (50 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

# Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Technical Parameters	Design Standard	As per ASME B18.2.1 latest for Studs, As per ASME B18.2.2 latest for Nuts, NA
	Size of Stud (in mm)	M12
	Protective Coating	Black Oxidised
	Heat treatment	Hardening and Tempering
	Material (NUT)	ASTM A194 M 2H
	Length of Stud	60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 780 (millimeter)
	Material (STUD)	ASTM A193 M B5, ASTM A193 M B6, ASTM A193 M B6X, ASTM A193 M B7, ASTM A193 M B7M, ASTM A193 M B16, ASTM A193 M B8, ASTM A193 M B8B, ASTM A193 M B8C, ASTM A193 M B8CA, ASTM A193 M BM, CL 10.9 IS 1367-02

## Additional Specification Parameters - Stud With Nuts ( 50 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
BOLT (STUD) 450X12 MM.	MS STUDS HAVING 55 MM LONG STANDARD THREADED PORTION ALONGWITH ONE NUT & WASHER EACH ON BOTH ENDS. THE OUTER DIAMETER OF WASHER SHOULD BE 34 MM +/- 1 MM AND 3 MM THICK.
Additional parameters	1. Size of stud should be as per attached description. 2. Each stud should be supplied with duly fitted Nuts (2 nos) and Washers (2 nos). 3. Studs should be standard threaded upto length 55 mm (minimum) on both ends.

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )		contract start होने की तारीख से
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा 50	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी तक पूरी कर ली जाए

### Stud With Nuts (500 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
Technical Parameters				
	Size of Stud (in mm)	M12		
	Protective Coating	Black Oxidised		
	Heat treatment	Hardening and Tempering		
	Material (NUT)	ASTM A194 M 2H		

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Length of Stud	60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 780 (millimeter)
	Material (STUD)	ASTM A193 M B5, ASTM A193 M B6, ASTM A193 M B6X, ASTM A193 M B7, ASTM A193 M B7M, ASTM A193 M B16, ASTM A193 M B8, ASTM A193 M B8B, ASTM A193 M B8CA, ASTM A193 M BM, CL 10.9 IS 1367-02

## Additional Specification Parameters - Stud With Nuts ( 500 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)	
BOLT (STUD) 250X12 MM.	MS STUDS HAVING 55 MM LONG STANDARD THREADED PORTION ALONGWITH ONE NUT & WASHER EACH ON BOTH ENDS. THE OUTER DIAMETER OF WASHER SHOULD BE 34 MM +/- 1 MM AND 3 MM THICK.	
Additional parameters	1. Size of stud should be as per attached description. 2. Each stud should be supplied with duly fitted Nuts (2 nos) and Washers (2 nos). 3. Studs should be standard threaded upto length 55 mm (minimum) on both ends.	

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

# Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )		
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा 500	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी तक पूरी कर ली जाए

# High Strength Structural Nuts - IS 6623 ( 2500 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

### \* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Specification	Product Grade	А
	Thread Size	M12, M16, M20, M22, M24, M27, M30, M36
	Property Class and Finish Nut	8S Dull black
Packaging	Packing	As per IS 1367(Part18)

### Additional Specification Parameters - High Strength Structural Nuts - IS 6623 ( 2500 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)	
MS NUT FOR 12X1.75 MM BOLT.	MILD STEEL NUT FOR 12X1.75 MM BOLT. DIA 12MM, PITCH 1.75 MM, MATERIAL MILD STEEL.	
Additional parameters	1. Nuts should be Hexagonal and Fit for M12 threaded Bolt.	

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )		
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा 2500	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरीतक पूरी कर ली जाए

#### Plain Washer As Per IS 2016 (300 kilogram)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

## Technical Specifications/तकनीकी विशिष्टियाँ

# \* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Plain Washer	Punched Washer (Type A) for for Black Grade general Purpose Hexagonal Bolt and Screw
SPECIFICATION	Conformity to Specification	IS 2016 latest
MATERIAL	Material of Plain Washer	Steel
DIMENSION	Size(d) for (Bolt or Screw Size)	14(M12)
FINISH	FINISH	Galvanized
PACKING	Number of Washer in One Boxes	100, 500, 1000

# Additional Specification Parameters - Plain Washer As Per IS 2016 ( 300 kilogram )

Specification Parameter Name	Bid Requirement (Allowed Values)		
MS WASHER FOR 12MM BOLT.	MILD STEEL WASHER FOR 12 MM BOLT. INNER DIA 14MM, OUTER DIA 34MM, THICKNESS 3MM, MATERIAL MILD STEEL.		
Additional parameters	Washer should have thickness of 3 mm (minimum).		

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध prarambh होने की तारीख से दिनों की संख्या में )		
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	Quantit y/मात्रा 300	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरीतक पूरी कर ली जाए

# Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

#### 4. Scope of Supply

Scope of supply (Bid price to include all cost components): Only supply of Goods

#### 5. Purchase Preference (Centre)

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

#### 6. Inspection

**Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

by Seller at Seller Works

Post Receipt Inspection at consignee site before acceptance of stores: by CFFP at CFFP BHEL Haridwar

#### 7. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

#### 8. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 9. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. RISK PURCHASE. In case of abnormal delays (beyond the maximum late delivery period as per LD cla use) in supplies/defective supplies or non-fulfilment of any other terms and conditions given in Purchase O rder, BHEL may cancel the Purchase Order in full or part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier. BHEL will take all reasona ble steps to get the material from alternate source at optimum cost. If bidder does not agree to the above Risk Purchase Clause, BHEL reserves the right to reject the offer. In case for compelling reasons BHEL acce pts the offer without acceptance of this clause by the bidder and in the eventuality of Risk Purchase, appro priate action will be taken as per BHEL extant rules. This will be without prejudice to any other right of BH EL under the contract or under General Law.

#### 2. PAYMENT TERMS:

Type of vendor	Payment term (No. of days)
Micro & Small Enterp rises (MSEs)	100% payment within 45 days after receipt; subject to acceptan ce of material at CFFP / BHEL, Haridwar through e-payment.
Medium Enterprises	100% payment within 60 days after receipt; subject to acceptan ce of material at CFFP / BHEL, Haridwar through e-payment.
Non MSMEs	100% payment within 90 days after receipt; subject to acceptan ce of material at CFFP / BHEL, Haridwar through e-payment.

### 2.1 MSME bidders can avail benefits of payment through TReDS.

- **2.2** The vendors claiming MSME benefits in the bid, but not registered with CFF P/BHEL Haridwar as MSME are required to submit Udyam Certificate and audite d balance sheet including Profit and Loss statement of last financial year along with bid. In case vendor does not submit these documents within due course of time, payment preference will not be given to MSME bidders.
- 3. Original Manufacturer's Test certificate & Guarantee Certificate required along with dispatches.
- **4.** Quantity variation +/-5% is acceptable.
- **5.** Final inspection at CFFP, BHEL Haridwar.

- 6. Early delivery is acceptable.
- **7.** Conflict of Interest: A bidder shall not have conflict of interest with other bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of Procuring Entity's interests. The bidder found to have a conflict of interest shall be disqualified. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:
- a) They have controlling partner (s) in common; or
- b) They received or have received any direct or indirect subsidy/financial stake from any of them; or
- c) They have the same legal representative/agent for purposes of this bid; or
- d) They have relationship with each other, directly or through common third parties, that puts them in a p osition to have access to information about or influence on the bid of another bidder: or
- e) Bidder participates in more than one bid in this bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components/sub-assembly/Assemblies from one bidding manufacturer in more than one bid: or
- f) In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one age nt cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufa cturer can also authorise only one agent/dealer. There can be only one bid form the following:
- 1. The principal manufacturer directly or through one Indian agent on his behalf; and
- 2. Indian/foreign agent on behalf of only one principal;

Or

- a) A Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid; or
- b) In case of a holding company having more than one independently manufacturing units, or more than o ne unit having common business ownership/management, only one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister/common bus iness/management units in same/similar line of business.

#### 10. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

#### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

#### This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---