

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	29-07-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	29-07-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises
Department Name/विभाग का नाम	Department Of Heavy Industry
Organisation Name/संगठन का नाम	Bharat Heavy Electricals Limited (bhel)
Office Name/कार्यालय का नाम	10020009-cffp Haridwar
Total Quantity/कुल मात्रा	281
Item Category/मद केटेगरी	V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 (Q3) , V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261 (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
ITC available to buyer/क्रेता के लिए उपलब्ध आईटीसी	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)

Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	11
Schedule 2	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	4
Schedule 3	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	10
Schedule 4	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	8
Schedule 5	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	10
Schedule 6	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	18
Schedule 7	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	8
Schedule 8	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	4
Schedule 9	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	6
Schedule 10	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	6
Schedule 11	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	2
Schedule 12	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	10
Schedule 13	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	4
Schedule 14	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	5
Schedule 15	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	4
Schedule 16	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	18
Schedule 17	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	4
Schedule 18	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	4
Schedule 19	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	8
Schedule 20	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	18
Schedule 21	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	29
Schedule 22	V - Belts - Endless Narrow V - Belts For Industrial Use As Per Is 14261	30
Schedule 23	V - Belts - Endless Narrow V - Belts For Industrial Use As Per Is 14261	30
Schedule 24	V - Belts - Endless Narrow V - Belts For Industrial Use As Per Is 14261	20

Schedule 25	V - Belts - Endless V - Belt For Industrial Purposes As Per Is 2494	10
-------------	---	----

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (11 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	A
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	13.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	8.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	700, 630, 790, 890, 990, 1250, 1430, 1550, 1640, 1750, 1940, 2050, 2200, 2480, 2570, 2910, 3290, 3540, 646, 696, 747, 798, 823, 849, 925, 950, 976, 1001, 1027, 1052, 1103, 1128, 1204, 1230, 1255, 1331, 1406, 1433, 1458, 1509, 1560, 1585, 1636, 1662, 1687, 1763, 1814, 1941, 1992, 2017, 2068, 2093, 2195, 2322, 2474, 2500, 2576, 2703, 2881, 3084, 3135, 3186, 3287, 3414, 3440, 3694, 1100, 2300, 2700, 3080
	Total Measuring Force (N) as per Table 2B of IS 2494	200.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (11 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	A-48

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	11	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	A
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	13.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	8.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	700, 630, 790, 890, 990, 1250, 1430, 1550, 1640, 1750, 1940, 2050, 2200, 2480, 2570, 2910, 3290, 3540, 646, 696, 747, 798, 823, 849, 925, 950, 976, 1001, 1027, 1052, 1103, 1128, 1204, 1230, 1255, 1331, 1406, 1433, 1458, 1509, 1560, 1585, 1636, 1662, 1687, 1763, 1814, 1941, 1992, 2017, 2068, 2093, 2195, 2322, 2474, 2500, 2576, 2703, 2881, 3084, 3135, 3186, 3287, 3414, 3440, 3694, 1100, 2300, 2700, 3080
	Total Measuring Force (N) as per Table 2B of IS 2494	200.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	A-51

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	4	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-57

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	10	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (8 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-60

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	8	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-62

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	10	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (18 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (18 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-78

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	18	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (8 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	C
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	19.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	22.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 1760, 1950, 4060, 2190, 2420, 2720, 2880, 3080, 3310, 3520, 4600, 5380, 6820, 7600, 9100, 10700, 1275, 1351, 1428, 1453, 1478, 1529, 1580, 1605, 1682, 1707, 1783, 1834, 1961, 2012, 2037, 2088, 2113, 2215, 2342, 2494, 2520, 2596, 2723, 2901, 3104, 3155, 3206, 3307, 3434, 3460, 3714, 3993, 4069, 4171, 4450, 4628, 5009, 5390, 6101, 6660, 6863, 7625, 8387, 9149, 6100
	Total Measuring Force (N) as per Table 2B of IS 2494	750.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	C-78

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	8	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-59

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	4	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (6 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-65

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	6	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (6 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-70

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	6	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (2 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-124

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	2	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (10 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	C
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	19.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	22.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 1760, 1950, 4060, 2190, 2420, 2720, 2880, 3080, 3310, 3520, 4600, 5380, 6820, 7600, 9100, 10700, 1275, 1351, 1428, 1453, 1478, 1529, 1580, 1605, 1682, 1707, 1783, 1834, 1961, 2012, 2037, 2088, 2113, 2215, 2342, 2494, 2520, 2596, 2723, 2901, 3104, 3155, 3206, 3307, 3434, 3460, 3714, 3993, 4069, 4171, 4450, 4628, 5009, 5390, 6101, 6660, 6863, 7625, 8387, 9149, 6100
	Total Measuring Force (N) as per Table 2B of IS 2494	750.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	C-104

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	10	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-112

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	4	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (5 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	A
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	13.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	8.0

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	700, 630, 790, 890, 990, 1250, 1430, 1550, 1640, 1750, 1940, 2050, 2200, 2480, 2570, 2910, 3290, 3540, 646, 696, 747, 798, 823, 849, 925, 950, 976, 1001, 1027, 1052, 1103, 1128, 1204, 1230, 1255, 1331, 1406, 1433, 1458, 1509, 1560, 1585, 1636, 1662, 1687, 1763, 1814, 1941, 1992, 2017, 2068, 2093, 2195, 2322, 2474, 2500, 2576, 2703, 2881, 3084, 3135, 3186, 3287, 3414, 3440, 3694, 1100, 2300, 2700, 3080
	Total Measuring Force (N) as per Table 2B of IS 2494	200.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	A-58

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	5	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	C
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	19.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	22.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 1760, 1950, 4060, 2190, 2420, 2720, 2880, 3080, 3310, 3520, 4600, 5380, 6820, 7600, 9100, 10700, 1275, 1351, 1428, 1453, 1478, 1529, 1580, 1605, 1682, 1707, 1783, 1834, 1961, 2012, 2037, 2088, 2113, 2215, 2342, 2494, 2520, 2596, 2723, 2901, 3104, 3155, 3206, 3307, 3434, 3460, 3714, 3993, 4069, 4171, 4450, 4628, 5009, 5390, 6101, 6660, 6863, 7625, 8387, 9149, 6100
	Total Measuring Force (N) as per Table 2B of IS 2494	750.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	C-102

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	4	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (18 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	A
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	13.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	8.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	700, 630, 790, 890, 990, 1250, 1430, 1550, 1640, 1750, 1940, 2050, 2200, 2480, 2570, 2910, 3290, 3540, 646, 696, 747, 798, 823, 849, 925, 950, 976, 1001, 1027, 1052, 1103, 1128, 1204, 1230, 1255, 1331, 1406, 1433, 1458, 1509, 1560, 1585, 1636, 1662, 1687, 1763, 1814, 1941, 1992, 2017, 2068, 2093, 2195, 2322, 2474, 2500, 2576, 2703, 2881, 3084, 3135, 3186, 3287, 3414, 3440, 3694, 1100, 2300, 2700, 3080
	Total Measuring Force (N) as per Table 2B of IS 2494	200.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (18 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	A-28

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	18	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	C
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	19.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	22.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	14.0

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 1760, 1950, 4060, 2190, 2420, 2720, 2880, 3080, 3310, 3520, 4600, 5380, 6820, 7600, 9100, 10700, 1275, 1351, 1428, 1453, 1478, 1529, 1580, 1605, 1682, 1707, 1783, 1834, 1961, 2012, 2037, 2088, 2113, 2215, 2342, 2494, 2520, 2596, 2723, 2901, 3104, 3155, 3206, 3307, 3434, 3460, 3714, 3993, 4069, 4171, 4450, 4628, 5009, 5390, 6101, 6660, 6863, 7625, 8387, 9149, 6100
	Total Measuring Force (N) as per Table 2B of IS 2494	750.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	C-80

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	4	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	A
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	13.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	8.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	700, 630, 790, 890, 990, 1250, 1430, 1550, 1640, 1750, 1940, 2050, 2200, 2480, 2570, 2910, 3290, 3540, 646, 696, 747, 798, 823, 849, 925, 950, 976, 1001, 1027, 1052, 1103, 1128, 1204, 1230, 1255, 1331, 1406, 1433, 1458, 1509, 1560, 1585, 1636, 1662, 1687, 1763, 1814, 1941, 1992, 2017, 2068, 2093, 2195, 2322, 2474, 2500, 2576, 2703, 2881, 3084, 3135, 3186, 3287, 3414, 3440, 3694, 1100, 2300, 2700, 3080
	Total Measuring Force (N) as per Table 2B of IS 2494	200.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	A-46

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	4	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (8 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	B
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	17.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	11.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 2500, 930, 1000, 1100, 1210, 1370, 1690, 1760, 1950, 2180, 2300, 2700, 2870, 3200, 3600, 4060, 4430, 4820, 5370, 6070, 932, 957, 983, 1008, 1034, 1059, 1110, 1135, 1211, 1237, 1262, 1338, 1415, 1440, 1465, 1516, 1567, 1592, 1643, 1669, 1694, 1770, 1821, 1948, 1999, 2024, 2075, 2100, 2202, 2329, 2481, 2507, 2583, 2710, 2888, 3091, 3142, 3193, 3294, 3421, 3447, 3701, 3980, 4056, 4158, 4437, 4615, 4996, 5377, 6088
	Total Measuring Force (N) as per Table 2B of IS 2494	300.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	B-75

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	8	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (18 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	C
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	19.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	22.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	14.0

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 1760, 1950, 4060, 2190, 2420, 2720, 2880, 3080, 3310, 3520, 4600, 5380, 6820, 7600, 9100, 10700, 1275, 1351, 1428, 1453, 1478, 1529, 1580, 1605, 1682, 1707, 1783, 1834, 1961, 2012, 2037, 2088, 2113, 2215, 2342, 2494, 2520, 2596, 2723, 2901, 3104, 3155, 3206, 3307, 3434, 3460, 3714, 3993, 4069, 4171, 4450, 4628, 5009, 5390, 6101, 6660, 6863, 7625, 8387, 9149, 6100
	Total Measuring Force (N) as per Table 2B of IS 2494	750.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (18 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	C-151

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स चार्ज (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	18	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (29 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	C
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	19.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	22.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 1760, 1950, 4060, 2190, 2420, 2720, 2880, 3080, 3310, 3520, 4600, 5380, 6820, 7600, 9100, 10700, 1275, 1351, 1428, 1453, 1478, 1529, 1580, 1605, 1682, 1707, 1783, 1834, 1961, 2012, 2037, 2088, 2113, 2215, 2342, 2494, 2520, 2596, 2723, 2901, 3104, 3155, 3206, 3307, 3434, 3460, 3714, 3993, 4069, 4171, 4450, 4628, 5009, 5390, 6101, 6660, 6863, 7625, 8387, 9149, 6100
	Total Measuring Force (N) as per Table 2B of IS 2494	750.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (29 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	C-150

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	29	60

V - Belts - Endless Narrow V - Belts For Industrial Use As Per IS 14261 (30 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	ISI Marked	Yes, No
Generic	Cross section symbol as per TABLE 1 of IS 14261	SPZ, SPA, SPB, SPC
Dimensions	Nominal Top Width (mm) as per Table 1 of IS 14261	9.7, 12.7, 16.3, 22
	Pitch Width (mm) as per Table 1 of IS 14261	8.5, 11, 14, 19
	Pitch Length (mm) as per Table 3 of IS 14261	1-250, 251-315, 316-400, 401-500, 501-630, 631-800, 801-1000, 1001-1250, 1251-1600, 1601-2000, 2001-2500, 2501-3150, 3151-4000, 4001-5000, 5001-6300, 6301-8000, 8001-10000, 10001-12500
	Nominal Height (mm) as per Table 1 of IS 14261	8, 10, 13, 18
	Total tension on Belt (N) as per Table 2A of IS 14261	360, 560, 900, 1500
Test Reports	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be submitted to the Buyer on Demand	Yes, No

Additional Specification Parameters - V - Belts - Endless Narrow V - Belts For Industrial Use As Per IS 14261 (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	SPB-3350
ISO	4184
DIN	7753

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	30	60

V - Belts - Endless Narrow V - Belts For Industrial Use As Per IS 14261 (30 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	ISI Marked	Yes, No
Generic	Cross section symbol as per TABLE 1 of IS 14261	SPB
Dimensions	Nominal Top Width (mm) as per Table 1 of IS 14261	16.3
	Pitch Width (mm) as per Table 1 of IS 14261	14.0
	Pitch Length (mm) as per Table 3 of IS 14261	1-250, 251-315, 316-400, 401-500, 501-630, 631-800, 801-1000, 1001-1250, 1251-1600, 1601-2000, 2001-2500, 2501-3150, 3151-4000, 4001-5000, 5001-6300, 6301-8000, 8001-10000, 10001-12500

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal Height (mm) as per Table 1 of IS 14261	13.0
	Total tension on Belt (N) as per Table 2A of IS 14261	900.0
Test Reports	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be submitted to the Buyer on Demand	Yes, No

Additional Specification Parameters - V - Belts - Endless Narrow V - Belts For Industrial Use As Per IS 14261 (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	SPB-3150
ISO	4184
DIN	7753

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	30	60

V - Belts - Endless Narrow V - Belts For Industrial Use As Per IS 14261 (20 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	ISI Marked	Yes, No
Generic	Cross section symbol as per TABLE 1 of IS 14261	SPB
Dimensions	Nominal Top Width (mm) as per Table 1 of IS 14261	16.3
	Pitch Width (mm) as per Table 1 of IS 14261	14.0
	Pitch Length (mm) as per Table 3 of IS 14261	1-250, 251-315, 316-400, 401-500, 501-630, 631-800, 801-1000, 1001-1250, 1251-1600, 1601-2000, 2001-2500, 2501-3150, 3151-4000, 4001-5000, 5001-6300, 6301-8000, 8001-10000, 10001-12500
	Nominal Height (mm) as per Table 1 of IS 14261	13.0
	Total tension on Belt (N) as per Table 2A of IS 14261	900.0
Test Reports	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be submitted to the Buyer on Demand	Yes, No

Additional Specification Parameters - V - Belts - Endless Narrow V - Belts For Industrial Use As Per IS 14261 (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	SPB-3000
ISO	4184
DIN	7753

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	20	60

V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (10 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Weather ISI Marked	Yes, No
GENERIC	Belt Cross Section Symbol as per Table 1 of IS 2494	C
Dimension	Pitch Width Wp (mm) as per TABLE 1 of IS 2494	19.0
	Nominal Top Width W (mm) as per TABLE 1 of IS 2494	22.0
	Nominal Height T (mm) as per TABLE 1 of IS 2494	14.0
	Nominal Pitch Length for V-belt (cross sections wise) as per Table 3A of IS 2494 (in mm.)	1560, 1760, 1950, 4060, 2190, 2420, 2720, 2880, 3080, 3310, 3520, 4600, 5380, 6820, 7600, 9100, 10700, 1275, 1351, 1428, 1453, 1478, 1529, 1580, 1605, 1682, 1707, 1783, 1834, 1961, 2012, 2037, 2088, 2113, 2215, 2342, 2494, 2520, 2596, 2723, 2901, 3104, 3155, 3206, 3307, 3434, 3460, 3714, 3993, 4069, 4171, 4450, 4628, 5009, 5390, 6101, 6660, 6863, 7625, 8387, 9149, 6100
	Total Measuring Force (N) as per Table 2B of IS 2494	750.0
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes, No
	Test Report to be furnished to the buyer on demand	Yes, No

Additional Specification Parameters - V - Belts - Endless V - Belt For Industrial Purposes As Per IS 2494 (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	C-162

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	10	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

4. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Vendor should confirm & submit of following a duly filled, signed and stamped copy of this document with offer.

S. No.	Item Description	Offered Item as per Description	Quantity required	Quantity offered	Delivery required	Delivery offered	Remarks
1	Material Code: FF8301100486 V BELT SIZE: A48		11 Nos		60 Days		
2	Material Code: FF8301100516 V BELT SIZE: A51		4 Nos		60 Days		
3	Material Code: FF8301130571 V BELT SIZE: B57		10 Nos		60 Days		
4	Material Code: FF8301130601 V BELT SIZE: B60		08 Nos		60 Days		
5	Material Code: FF8301130628 V BELT SIZE: B62		10 Nos		60 Days		
6	Material Code: FF8301130784 V BELT SIZE: B78		18 Nos		60 Days		
7	Material Code: FF8301150785 V BELT SIZE: B78		08 Nos		60 Days		
8	Material Code: FF8301130598 V BELT SIZE: SIZE: B-59		04 Nos		60 Days		

9	Material Code: FF8301130652 V BELT SIZE: B-65		06 Nos		60 Days		
10	Material Code: FF8301130709 V BELT SIZE: B70		06 Nos		60 Days		
11	Material Code: FF8301131241 V BELT SIZE: B124		02 Nos		60 Days		
12	Material Code: FF8301151048 V BELT SIZE: C-104		10 Nos		60 Days		
13	Material Code: FF8301131128 V BELT SIZE: B112		04 Nos		60 Days		
14	Material Code: FF8301100583 V BELT SIZE: A58		05 Nos		60 Days		
15	Material Code: FF8301151021 V BELT SIZE: C102		04 Nos		60 Days		
16	Material Code: FF8301100281 V BELT SIZE: A28		18 Nos		60 Days		

S. No	Item Description	Offered Item as per Description	Quantity required	Quantity offered	Delivery required	Delivery offered	Remarks
17	Material Code: FF8301100486 V BELT SIZE: C80		04 Nos		60 Days		

18	Material Code: FF8301 100516 V BELT SIZE: A46		04 Nos		60 Days		
19	Material Code: FF8301 130750 V BELT SIZE: B75		08 Nos		60 Days		
20	Material Code: FF8301 151013 V BELT SIZE: C 151		18 Nos		60 Days		
21	Material Code: FF8301 151064 V- BELT FOR SWING FRAME GRINDERS DIM.: C-150		29 Nos		60 Days		
22	Material Code: FF8301 180145 SPB 3350 V-BELT FOR THE TRANSMISSION OF INCREASED POWER AND SPEEDS WRAPPED ACCORDING TO ISO 4184 (DIN 7753).		30 Nos		60 Days		

23	Material Code: FF8301 180153 SPB 3150 V-B ELT FOR THE TRANSMISSIO N OF INCREA SED POWER AND SPEEDS WRA PPED ACCORDING TO ISO 4184 (DIN 7753).		30 Nos		60 Days		
24	Material Code: FF8301 180137 SPB 3000 V-B ELT FOR THE TRANSMISSIO N OF INCREA SED POWER AND SPEEDS WRA PPED ACCORDING TO ISO 4184 (DIN 7753)		20 Nos		60 Days		
25	Material Code: FF8301 151625 V BELT SIZE: C162		10 Nos		60 Days		

2. Prequalification criteria for participating in this bid as follows.

Sl.No.	Description	Instruction	Supplier's Response
--------	-------------	-------------	---------------------

1	Supplier must be manufacturer or authorised dealer/distributor of the supplied make of V Belts.	a-For manufacturer: Enclosed supporting documents to being a manufacturer of V-Belts. B -For authorised dealers: Enclosed authorization certificate from manufacturer certificate of OEM.	-
---	---	--	---

3. Test certificate required from original manufacturer along with supply.
4. Items should be supply as per additional parameters & as per table place at sl no. 1 .
5. Item no. 22-24 required as per ISO 4184(DIN 7753) and vendor to confirm the same.
6. Guarantee certificate against manufacturing defect is required for period of one year from supply date.
7. Early delivery is acceptable.
8. Final inspection will be done at CFFP Store
9. **Payment terms:** Payment shall be made through e-payment, subject to acceptance of material and submission of the required documents, complete in all respects, as per following details:

Type of Bidder	Payment Terms (Number of Days)
Micro & Small Enterprises (MSEs)	45 days
Medium Enterprises	60 days
Non MSME	90 days

The vendors who wish to avail benefit of payment terms for MSEs need to apply for MSE purchase preference in the bids. MSME bidders can also avail benefits of payment through TReDS (RXIL).

10. **Breach of contract, Remedies and Termination :**

In case of breach of contract, recovery of 10% of total contract value shall be applicable. Recovery shall be done by encashing security instruments like Contract Execution Bank Guarantee, performance bank guarantee, EMD. In case value of security instruments available is less than 10% of the contract value, the balance amount be recovered from other financial remedies (i.e. available bills of the contractor, retention amount, etc. with BHEL) or legal remedies shall be pursued. Further, levy of liquidated damages, debarment, termination, de-scoping, short-closure, etc., shall be applied as per provisions of the contract.

11. Suppliers/Contractors may track **payment status** of their invoices using BHEL Unified Supplier Payment (USP) Portal - <https://uspp.bhel.in>.
12. **Conflict of Interest:** A bidder shall not have conflict of interest with other bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of Procuring Entity's interests. The bidder found to have a conflict of interest shall be disqualified. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:
 - a) They have controlling partner (s) in common; or

- b) They received or have received any Direct or indirect subsidy/financial stake from any of them; or
- c) They have the same legal representative/agent for purposes of this bid; or
- d) They have relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder; or
- e) Bidder participates in more than one bid in this bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components/sub-assembly/Assemblies from one bidding manufacturer in more than one bid; or
- f) In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorise only one agent/dealer. There can be only one bid form the following:
 - 1. The principal manufacturer directly or through one Indian agent on his behalf; and
 - 2. Indian/foreign agent on behalf of only one principal;

or
- g) A Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid; or
- h) In case of a holding company having more than one independently manufacturing units, or more than one unit having common business ownership/management, only one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister/common business/management units in same/similar line of business.

13. The offers of the **bidders who are under suspension** as also the offers of the bidders, who engage the services of the firms debarred across BHEL, shall be rejected. The list of firms debarred across BHEL is available on BHEL website: www.bhel.com.

11.0 Integrity commitment, performance of contract and punitive action thereof:

11.1 Commitment by BHEL:

BHEL commits to take all measures necessary to prevent corruption in connection with the tender process and execution of the contract. BHEL will during the tender process treat all bidder(s) in a transparent and fair manner, and with equity.

11.2 Commitment by Bidder/Supplier/Contractor:

- a. The Bidder/Supplier/Contractor commit to take all measures to prevent corruption and will not directly or indirectly influence any decision or benefit which he is not legally entitled to nor will act or omit in any manner which tantamount to an offence punishable under any provision of the Indian penal code, 1860 or any other law in force in India.

- b. The Bidder/Supplier/Contractor will, when presenting his bid, disclose any and all payments he has made, and is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract and shall adhere to relevant guidelines issued from time to time by Govt. of India/BHEL.
- c. The Bidder/Supplier/Contractor will perform/execute the contract as per the contract terms & conditions and will not default without any reasonable cause, which causes loss of business/money/reputation, to BHEL.

If any Bidder/Supplier/Contractor during pre-tendering/tendering/post tendering/award/execution/post-execution stage indulges in mal-practices, cheating, bribery, fraud or and other misconduct or formation of cartel so as to influence the bidding process or influence the price or acts or omits in any manner which tantamount to an offence punishable under any provision of the Indian Penal Code, 1860 or any other law in force in India then, action may be taken against such bidder/supplier/contractor as per extant guidelines of the company available on www.bhel.com and/or under applicable legal provisions."

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty

bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---