



Bid Number/बोली क्रमांक (बिड संख्या): GEM/2024/B/5424914 Dated/दिनांक : 21-09-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	12-10-2024 14:00:00	
Bid Opening Date/Time/बिड खुलने की तारीख/समय	12-10-2024 14:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	75 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises	
Department Name/विभाग का नाम	Department Of Heavy Industry	
Organisation Name/संगठन का नाम	Bharat Heavy Electricals Limited (bhel)	
Office Name/कार्यालय का नाम	10320027-sstp Trichy	
Total Quantity/कुल मात्रा	20398	
ltem Category/मद केटेगरी	BURNER BLOCK GUARD-OW-MULLITE- 201197RHF, BURNER BLOCK GUARD IW-MULLITE-201199RHF, BURNER BLOCK GUARD OW-MULLITE- 201196RHF, BURNER BLOCK GUARD IW-MULLITE- 201198RHF, ANCHOR BRICK 406311 RHF, OUTER WALL SUPPORTING BRICK-1 406301RHF, SKEW BACK - RH 406284 RHF, SKEW BACK - LH 406285 RHF, SKEW BACK-LH 404457 RHF, SIDE BLOCK 304699RHF, SILL BLOCK 406288RHF, END ARCH 406286 RHF, END ARCH 406287 RHF, INNER WALL SUPPORTING BRICK 406305 RHF, ANCHOR BRICK 406311 RHF INNER WALL, INNER WALL SHAPE BRICK-I 406312 RHF, INNER WALL SHAPE BRICK-II 406313 RHF, INNER WALL SHAPE BRICK-III 406314 RHF, INNER WALL SHAPE BRICK-IV 406315 RHF, SKEW BACK-LH 404457 RHF D, STD END ARCH 230X113X75-65 RHF, STD END ARCH 230X113X75 RHF, H F INSULATION STD BRICK GEN, CFI BRICKS 230X115X75MM GEN	

Bid Details/बिड विवरण BURNER BLOCK GUARD-OW-MULLITE- 201197RHF, BURNER BLOCK GUARD IW-MULLITE-201199RHF, BURNER BLOCK GUARD OW-MULLITE- 201196RHF, BURNER BLOCK GUARD IW-MULLITE-201198RHF, ANCHOR BRICK 406311 RHF, OUTER WALL SUPPORTING BRICK-1 406301RHF, SKEW BACK - RH 406284 RHF, SKEW BACK - LH 406285 RHF, SKEW BACK-LH 404457 RHF, SIDE BLOCK 304699RHF, SILL BLOCK 406288RHF, END ARCH 406286 RHF, END ARCH 406287 GeMARPTS में खोजी गई स्टिंग / Searched RHF, INNER WALL SUPPORTING BRICK 406305 RHF, Strings used in GeMARPTS ANCHOR BRICK 406311 RHF INNER WALL, INNER WALL SHAPE BRICK-I 406312 RHF, INNER WALL SHAPE BRICK-II 406313 RHF, INNER WALL SHAPE BRICK-III 406314 RHF, INNER WALL SHAPE BRICK-IV 406315 RHF, SKEW BACK-LH 404457 RHF D, STD END ARCH 230X113X75/65 RHF, STD END ARCH 230X113X75/50 RHF, STRAIGHT BRICK 230X113X75 RHF, H F INSULATION STD BRICK GEN, CFI BRICKS 230X115X75MM GEN Searched String: BURNER BLOCK GUARD-OW-MULLITE-201197RHF Category not available on GeM for the text string uploaded by the buyer Searched String: BURNER BLOCK GUARD IW-MULLITE-201199RHF Category not available on GeM for the text string uploaded by the buyer Searched String: BURNER BLOCK GUARD OW-MULLITE-201196RHF Category not available on GeM for the text string uploaded by the buyer Searched String: BURNER BLOCK GUARD IW-MULLITE-201198RHF Category not available on GeM for the text string uploaded by the buyer Searched String: ANCHOR BRICK 406311 RHF Category not available on GeM for the text string uploaded by the buyer Searched String: OUTER WALL SUPPORTING BRICK-1 406301RHF Gloves ECW (Modified) - Outer and Gloves ECW Inner (Defence) Searched String: SKEW BACK - RH 406284 RHF Category not available on GeM for the text string uploaded by the buyer Searched String: SKEW BACK - LH 406285 RHF Category not available on GeM for the text string uploaded by the buyer Searched String: SKEW BACK-LH 404457 RHF

Bid Details/las laavailable on GeM for the text string uploaded by the buyer

Searched String: SIDE BLOCK 304699RHF

Side Table, Executive Table (V2), Bed Side Table, Alphabet Block Set / Number Block Set (Preschool Kit), Wooden block, Steel Tables as per IS 8126, Double side Steel Bookcase, Block Printing Products from Farrukhabad - ODOP, Modular Side Storage Unit, Toilet Brush (V2)

Searched String: SILL BLOCK 406288RHF

Wooden block, Air Freshener Solid and Gel, Dry Block Heater, Alphabet Block Set / Number Block Set (Preschool Kit), Plummer Block Assembly, Urinal Cubes - Deodorizer Block (V2), Block Printing Products from Farrukhabad -ODOP, Terminal Block Assembly - BHEL, Commercial Idli Steamer, Tamarind Block Making Machine

Searched String: END ARCH 406286 RHF

Category not available on GeM for the text string uploaded by the buyer

Searched String: END ARCH 406287 RHF

Category not available on GeM for the text string uploaded by the buyer

Searched String: INNER WALL SUPPORTING BRICK 406305

Category not available on GeM for the text string uploaded by the buyer

Searched String: ANCHOR BRICK 406311 RHF INNER WALL

Category not available on GeM for the text string uploaded by the buyer

Searched String: INNER WALL SHAPE BRICK-I 406312 RHF

FRP Urinal Cabin

Searched String: INNER WALL SHAPE BRICK-II 406313 RHF

Category not available on GeM for the text string uploaded by the buyer

Searched String: INNER WALL SHAPE BRICK-III 406314

Category not available on GeM for the text string uploaded by the buyer

Searched String: INNER WALL SHAPE BRICK-IV 406315

Category not available on GeM for the text string uploaded by the buyer

Searched String: SKEW BACK-LH 404457 RHF D

Category not available on GeM for the text string uploaded by the buyer

Searched String: STD END ARCH 230X113X75/65 RHF

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

	Lever Arch File, Non Sparking Double Open Ended Spanner etails (185 Idatu). Non Sparking Double Ended Ring Spanner as per IS 4595, Central Venous Catheters (V2), Inflatable Tent, Non Sparking Double Ended Ring Spanner (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1
	Convoluted Christian CTD END ADOLL 220V112V7E/E0 DUE
	Searched String: STD END ARCH 230X113X75/50 RHF
	Lever Arch File, Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner as per IS 4595, Central Venous Catheters (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Non Sparking Double Ended Ring Spanner (V2), Inflatable Tent, General Purpose Ball Valves (V2)
	Searched String: STRAIGHT BRICK 230X113X75 RHF
	Cardiopulmonary Bypass Connectors (V2), Surgical Instruments - Artery Forceps, Funnel, Mayo Scissors, Guidewires (V2), Fly Ash Bricks as per IS 13757, IS 12894, Pins, Paper, Straight as per IS 5653
	Searched String: H F INSULATION STD BRICK GEN
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: CFI BRICKS 230X115X75MM GEN
	Fly Ash Bricks as per IS 13757, IS 12894
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Furnace Roller
BOQ Title/बीओक्यू शीर्षक	BURNER BLOCK GUARD
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिंड का प्रकार	Two Packet Bid
Primary product category	BURNER BLOCK GUARD-OW-MULLITE- 201197RHF

	etails/बिंड विवरण		
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days		
Inspection Required (By Empanelled Inspection Authority / Agencies pre- registered with GeM)	No		
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)		
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/		
Arbitration Clause	No		
Mediation Clause	No		
Required/आवश्यकता PBG Detail/ईपीबीजी विवरण			
<u> </u>	No		
<u> </u>	No No		
PBG Detail/ईपीबीजी विवरण Required/आवश्यकता MII Purchase Preference/एमआईआई खरीद वरीयता	No		
ePBG Detail/ईपीबीजी विवरण Required/आवश्यकता			
PBG Detail/ईपीबीजी विवरण Required/आवश्यकता MII Purchase Preference/एमआईआई खरीद वरीयता	No		

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The

buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

- 2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Burner Block Guard-ow-mullite- 201197rhf	8
Schedule 2	Burner Block Guard Iw-mullite-201199rhf	6
Schedule 3	Burner Block Guard Ow-mullite- 201196rhf	15
Schedule 4	Burner Block Guard Iw-mullite-201198rhf	8
Schedule 5	Anchor Brick 406311 Rhf	300
Schedule 6	Outer Wall Supporting Brick-1 406301rhf	4000
Schedule 7	Skew Back - Rh 406284 Rhf	2

Schedule 8 Skew Back - Lh 406285 Rhf 2 Schedule 9 Skew Back-lh 404457 Rhf 56 Schedule 10 Side Block 304699rhf 56 Schedule 11 Sill Block 406288rhf 50 Schedule 12 End Arch 406286 Rhf 10 Schedule 13 End Arch 406287 Rhf 22 Schedule 14 Inner Wall Supporting Brick 406305 Rhf 320 Schedule 15 Anchor Brick 406311 Rhf Inner Wall 200 Schedule 16 Inner Wall Shape Brick-i 406312 Rhf 220 Schedule 17 Inner Wall Shape Brick-ii 406313 Rhf 575 Schedule 18 Inner Wall Shape Brick-ii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-iv 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700 Schedule 25 Cfi Bricks 230x115x75mm Gen			
Schedule 10 Side Block 304699rhf 56 Schedule 11 Sill Block 406288rhf 50 Schedule 12 End Arch 406286 Rhf 10 Schedule 13 End Arch 406287 Rhf 22 Schedule 14 Inner Wall Supporting Brick 406305 Rhf 320 Schedule 15 Anchor Brick 406311 Rhf Inner Wall 200 Schedule 16 Inner Wall Shape Brick-i 406312 Rhf 220 Schedule 17 Inner Wall Shape Brick-ii 406313 Rhf 575 Schedule 18 Inner Wall Shape Brick-iii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-ii 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 8	Skew Back - Lh 406285 Rhf	2
Schedule 11 Sill Block 406288rhf 50 Schedule 12 End Arch 406286 Rhf 10 Schedule 13 End Arch 406287 Rhf 22 Schedule 14 Inner Wall Supporting Brick 406305 Rhf 320 Schedule 15 Anchor Brick 406311 Rhf Inner Wall 200 Schedule 16 Inner Wall Shape Brick-i 406312 Rhf 220 Schedule 17 Inner Wall Shape Brick-ii 406313 Rhf 575 Schedule 18 Inner Wall Shape Brick-iii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-iv 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 9	Skew Back-Ih 404457 Rhf	56
Schedule 12 End Arch 406286 Rhf 10 Schedule 13 End Arch 406287 Rhf 22 Schedule 14 Inner Wall Supporting Brick 406305 Rhf 320 Schedule 15 Anchor Brick 406311 Rhf Inner Wall 200 Schedule 16 Inner Wall Shape Brick-i 406312 Rhf 220 Schedule 17 Inner Wall Shape Brick-ii 406313 Rhf 575 Schedule 18 Inner Wall Shape Brick-iii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-iv 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 10	Side Block 304699rhf	56
Schedule 13 End Arch 406287 Rhf 22 Schedule 14 Inner Wall Supporting Brick 406305 Rhf 320 Schedule 15 Anchor Brick 406311 Rhf Inner Wall 200 Schedule 16 Inner Wall Shape Brick-i 406312 Rhf 220 Schedule 17 Inner Wall Shape Brick-ii 406313 Rhf 575 Schedule 18 Inner Wall Shape Brick-iii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-ii 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 11	Sill Block 406288rhf	50
Schedule 14 Inner Wall Supporting Brick 406305 Rhf 320 Schedule 15 Anchor Brick 406311 Rhf Inner Wall 200 Schedule 16 Inner Wall Shape Brick-i 406312 Rhf 220 Schedule 17 Inner Wall Shape Brick-ii 406313 Rhf 575 Schedule 18 Inner Wall Shape Brick-ii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-iv 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 12	End Arch 406286 Rhf	10
Schedule 15 Anchor Brick 406311 Rhf Inner Wall 200 Schedule 16 Inner Wall Shape Brick-i 406312 Rhf 220 Schedule 17 Inner Wall Shape Brick-ii 406313 Rhf 575 Schedule 18 Inner Wall Shape Brick-iii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-iv 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 13	End Arch 406287 Rhf	22
Schedule 16 Inner Wall Shape Brick-i 406312 Rhf 220 Schedule 17 Inner Wall Shape Brick-ii 406313 Rhf 575 Schedule 18 Inner Wall Shape Brick-iii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-iv 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 14	Inner Wall Supporting Brick 406305 Rhf	320
Schedule 17 Inner Wall Shape Brick-ii 406313 Rhf 575 Schedule 18 Inner Wall Shape Brick-iii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-iv 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 15	Anchor Brick 406311 Rhf Inner Wall	200
Schedule 18 Inner Wall Shape Brick-iii 406314 Rhf 620 Schedule 19 Inner Wall Shape Brick-iv 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 16	Inner Wall Shape Brick-i 406312 Rhf	220
Schedule 19 Inner Wall Shape Brick-iv 406315 Rhf 2850 Schedule 20 Skew Back-lh 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 17	Inner Wall Shape Brick-ii 406313 Rhf	575
Schedule 20 Skew Back-Ih 404457 Rhf D 50 Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 18	Inner Wall Shape Brick-iii 406314 Rhf	620
Schedule 21 Std End Arch 230x113x75-65 Rhf 88 Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 19	Inner Wall Shape Brick-iv 406315 Rhf	2850
Schedule 22 Std End Arch 230x113x75-50 Rhf 190 Schedule 23 Straight Brick 230x113x75 Rhf 550 Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 20	Skew Back-Ih 404457 Rhf D	50
Schedule 23Straight Brick 230x113x75 Rhf550Schedule 24H F Insulation Std Brick Gen4700	Schedule 21	Std End Arch 230x113x75-65 Rhf	88
Schedule 24 H F Insulation Std Brick Gen 4700	Schedule 22	Std End Arch 230x113x75-50 Rhf	190
	Schedule 23	Straight Brick 230x113x75 Rhf	550
Schedule 25 Cfi Bricks 230x115x75mm Gen 5500	Schedule 24	H F Insulation Std Brick Gen	4700
	Schedule 25	Cfi Bricks 230x115x75mm Gen	5500

BURNER BLOCK GUARD-OW-MULLITE- 201197RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	8	90

BURNER BLOCK GUARD IW-MULLITE-201199RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	6	90

BURNER BLOCK GUARD OW-MULLITE- 201196RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	15	90

BURNER BLOCK GUARD IW-MULLITE-201198RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	8	90

ANCHOR BRICK 406311 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	300	90

OUTER WALL SUPPORTING BRICK-1 406301RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	4000	90

SKEW BACK - RH 406284 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	2	90

SKEW BACK - LH 406285 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	2	90

SKEW BACK-LH 404457 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	56	90

SIDE BLOCK 304699RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	56	90

SILL BLOCK 406288RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	50	90

END ARCH 406286 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	10	90

END ARCH 406287 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	22	90

INNER WALL SUPPORTING BRICK 406305 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	320	90

ANCHOR BRICK 406311 RHF INNER WALL

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	200	90

INNER WALL SHAPE BRICK-I 406312 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	220	90

INNER WALL SHAPE BRICK-II 406313 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	575	90

INNER WALL SHAPE BRICK-III 406314 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	620	90

INNER WALL SHAPE BRICK-IV 406315 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Docu	ıment	View File
BOQ Detail Docum	ent	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	2850	90

SKEW BACK-LH 404457 RHF D

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	50	90

STD END ARCH 230X113X75-65 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	88	90

STD END ARCH 230X113X75-50 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

:	Specification Document	View File
	BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	190	90

STRAIGHT BRICK 230X113X75 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	550	90

H F INSULATION STD BRICK GEN

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	4700	90

CFI BRICKS 230X115X75MM GEN

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	5500	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---