

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-10-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-10-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	75 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises
Department Name/विभाग का नाम	Department Of Heavy Industry
Organisation Name/संगठन का नाम	Bharat Heavy Electricals Limited (bhel)
Office Name/कार्यालय का नाम	10320027-sstp Trichy
Total Quantity/कुल मात्रा	4235
Item Category/मद केटेगरी	HYD HOSE ID 8 MM -FITTING M18x1.5 L-10 M , HYD HOSE ID 12.5 MM -FITTING M24x1.5 , HYD HOSE ID 12.5 MM -FITTING M24x1.5-90 , HYD HOSE ID 19 MM -FITTING M30x2 L-1000mm , HYD HOSE ID 19 MM -FITTING M30x2-90 Bend , HYD HOSE ID 19 MM -FITTING M30x2 L-10 M , HYD HOSE ID 19 MM -FITTING M30x2 L-1500mm , HYD HOSE ID 19 MM -FITTING M30x2 L-2000mm , HYD HOSE ID 19 MM -FITTING M30x2 L-2300mm , HYD HOSE ID 19 MM -FITTING M36x2 L-1500mm , HYD HOSE ID 25 MM -FITTING M42x2 L-1500mm , HYD HOSE ID 25 MM -FITTING M42x2 L-3000mm , HYD HOSE ID 25 MM -FITTING M42x2 L-1000mm , HYD HOSE ID 25 MM -FITTING M42x2 L-2300mm , HYD HOSE ID 38 MM -FITTING M52x2 L-1000mm , HYD HOSE ID 38 MM -FITTING M52x2-90 bend , HYD HOSE ID 38 MM -FITTING M52x2 L-2000mm , HYD HOSE ID 38 MM -FITTING M52x2 L-3000mm , S.S FLEXIBLE FUEL HOSE1 BY 2 inchx1000 RHF , WATER HOSE - STAND COOLING L-1500 mm , HYD HOSE ID 12.5 MM -FITTING M18x1.5 L-10 , PVC WITH NYLON BRAIDED HOSE-1 by 2 inch , PVC WITH NYLON BRAIDED HOSE- 3 by 4 inch , WORM andWORM WHEEL TYPE HOSE CLIPS-1 by 2 inch , WORM andWORM WHEEL TYPE HOSE CLIPS-3 by 4 inch , WORM and WORM WHEEL TYPE HOSE CLIP-1 inch , WORM and WORM WHEEL TYPE HOSE CLIP-1 1 by 4 inch , WORM and WORM WHEEL TYPE HOSE CLIP-1 1 by 2 inch

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>HYD HOSE ID 8 MM(FITTING M18x1.5)L-10 M, HYD HOSE ID 12.5 MM(FITTING M24x1.5), HYD HOSE ID 12.5 MM(FITTING M24x1.5-90', HYD HOSE ID 12.5 MM(FITTING M24x1.5), HYD HOSE ID 19 MM(FITTING M30x2)L-1000mm, HYD HOSE ID 19 MM(FITTING M30x2-90' Bend, HYD HOSE ID 19 MM(FITTING M30x2)L-10 M, HYD HOSE ID 19 MM(FITTING M30x2)L-1500mm, HYD HOSE ID 19 MM(FITTING M30x2)L-2000mm, HYD HOSE ID 19 MM(FITTING M30x2)L-2300mm, HYD HOSE ID 19 MM(FITTING M36x2)L-1500mm, HYD HOSE ID 25 MM(FITTING M42x2)L-1500mm, HYD HOSE ID 25 MM(FITTING M42x2)L-3000mm, HYD HOSE ID 25 MM(FITTING M42x2)L-1000mm, HYD HOSE ID 25 MM(FITTING M42x2)L-2300mm, HYD HOSE ID 38 MM(FITTING M52x2)L-1000mm, HYD HOSE ID 38 MM(FITTING M52x2-90'bend), HYD HOSE ID 38 MM(FITTING M52x2)L-2000mm, HYD HOSE ID 38 MM(FITTING M52x2)L-3000mm, S.S FLEXIBLE FUEL HOSE 1/2"x1000 RHF, WATER HOSE - STAND COOLING L-1500 mm, HYD HOSE ID 12.5 MM(FITTING M18x1.5)L-10, PVC WITH NYLON BRAIDED HOSE-1/2", PVC WITH NYLON BRAIDED HOSE-3/4", WORM&WORM WHEEL TYPE HOSE CLIPS-1/2", WORM&WORM WHEEL TYPE HOSE CLIPS-3/4", WORM & WORM WHEEL TYPE HOSE CLIP-1", WORM & WORM WHEEL TYPE HOSE CLIP-1 1/4", WORM & WORM WHEEL TYPE HOSE CLIP-1/1/2"</p>
	<p>Searched String: HYD HOSE ID 8 MM(FITTING M18x1.5)L-10 M</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, water baths, Double sided tape, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Prefab Shelters with PUF Panel of Size 7.620 M X 18.491 M (as per GeM Drawing), Non Sparking Ring Slugging Spanners (V2), Equipment Camouflage Nets (Jute)</p> <p>Searched String: HYD HOSE ID 12.5 MM(FITTING M24x1.5)</p> <p>Customised Envelopes, Rubberized Weight Dumbbells, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Classroom Chairs, patient care mattresses, rubber bands, Endotracheal Tubes (V2), Bone Screw (V2), Locking Compression Plates (V2), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374</p> <p>Searched String: HYD HOSE ID 12.5 MM(FITTING M24x1.5-90'</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Customised Envelopes, Rubberized Weight Dumbbells, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Classroom Chairs, patient care mattresses, rubber bands, Endotracheal Tubes (V2), Bone Screw (V2), Locking Compression Plates (V2)</p> <p>Searched String: HYD HOSE ID 12.5 MM(FITTING M24x1.5)</p> <p>Customised Envelopes, Rubberized Weight Dumbbells, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Classroom Chairs, patient care mattresses, rubber bands, Endotracheal Tubes (V2), Bone Screw (V2), Locking Compression Plates (V2), Electric</p>

Bid Details/As per	Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374
	<p>Searched String: HYD HOSE ID 19 MM(FITTING M30x2)L-1000mm</p> <p>Executive Computer Table, Mobile Toilet, Classroom Chairs, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Customised Envelopes, Sofa Set (Steel Tube), Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, Dry Erase Writing Boards (V3)</p> <p>Searched String: HYD HOSE ID 19 MM(FITTING M30x2-90' Bend</p> <p>Commercial CPVC Pipe Fittings, Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Flexible Quick Coupling GI Pipe and Fittings as per DGS&D Drawing</p> <p>Searched String: HYD HOSE ID 19 MM(FITTING M30x2)L-10 M</p> <p>Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Mild Steel Sheet, HF RFID Integrated Reader, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Double sided tape</p> <p>Searched String: HYD HOSE ID 19 MM(FITTING M30x2)L-1500mm</p> <p>Executive Computer Table, Carbon Tape 19 MM(OFB-DEFENCE), Classroom Chairs, Scalp Vein Infusion Set, Customised Envelopes, Sofa Set (Steel Tube), Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, Dry Erase Writing Boards (V3)</p> <p>Searched String: HYD HOSE ID 19 MM(FITTING M30x2)L-2000mm</p> <p>Executive Computer Table, Mobile Toilet, Classroom Chairs, Customised Envelopes, Sofa Set (Steel Tube), Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, Dry Erase Writing Boards (V3), Dak Pad (V2)</p> <p>Searched String: HYD HOSE ID 19 MM(FITTING M30x2)L-2300mm</p> <p>Executive Computer Table, Carbon Tape 19 MM(OFB-DEFENCE), Classroom Chairs, Scalp Vein Infusion Set, Customised Envelopes, Sofa Set (Steel Tube), Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, Dry Erase Writing Boards (V3)</p> <p>Searched String: HYD HOSE ID 19 MM(FITTING M36x2)L-1500mm</p> <p>Executive Computer Table, Carbon Tape 19 MM(OFB-DEFENCE), Classroom Chairs, Scalp Vein Infusion Set, Customised Envelopes, Sofa Set (Steel Tube), Lever Arch</p>

Bid Details/As per	File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, Dry Erase Writing Boards (V3)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: HYD HOSE ID 25 MM(FITTING M42x2)L-1500mm</p>
	<p>Executive Computer Table, Air Hoses as per IS 446:1987, Classroom Chairs, Cartridge Filter for Lean Amine Filtration (MRPL), Customised Envelopes, Laboratory Vials (V2), Sofa Set (Steel Tube), Parallel Bar - Outdoor Gym Equipment, Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories</p>
	<p>Searched String: HYD HOSE ID 25 MM(FITTING M42x2)L-3000mm</p>
	<p>Executive Computer Table, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Classroom Chairs, Customised Envelopes, Sofa Set (Steel Tube), Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Dry Erase Writing Boards (V3)</p>
	<p>Searched String: HYD HOSE ID 25 MM(FITTING M42x2)L-1000mm</p>
	<p>Executive Computer Table, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Classroom Chairs, Customised Envelopes, Sofa Set (Steel Tube), Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Dry Erase Writing Boards (V3)</p>
	<p>Searched String: HYD HOSE ID 25 MM(FITTING M42x2)L-2300mm</p>
	<p>Executive Computer Table, Air Hoses as per IS 446:1987, Classroom Chairs, Cartridge Filter for Lean Amine Filtration (MRPL), Customised Envelopes, Laboratory Vials (V2), Sofa Set (Steel Tube), Parallel Bar - Outdoor Gym Equipment, Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories</p>
	<p>Searched String: HYD HOSE ID 38 MM(FITTING M52x2)L-1000mm</p>
	<p>Executive Computer Table, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Classroom Chairs, Sterile Hypodermic Needles for Single use (V2), Customised Envelopes, Sofa Set (Steel Tube), Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, Dry Erase Writing Boards (V3)</p>
	<p>Searched String: HYD HOSE ID 38 MM(FITTING M52x2-90'bend)</p>
	<p>Sterile Hypodermic Needles for Single use (V2), Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Corrugated Boxes, Modular Toilet</p>
	<p>Searched String: HYD HOSE ID 38 MM(FITTING M52x2)L-2000mm</p>

Bid Details/As per	Executive Computer Table, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Classroom Chairs, Mobile Toilet, Customised Envelopes, Sofa Set (Steel Tube), Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, Dry Erase Writing Boards (V3)
	<p>Searched String: HYD HOSE ID 38 MM(FITTING M52x2)L-3000mm</p> <p>Executive Computer Table, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Classroom Chairs, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Customised Envelopes, Sofa Set (Steel Tube), Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories, Fabric Pin Up Notice Boards, Dry Erase Writing Boards (V3)</p> <p>Searched String: S.S FLEXIBLE FUEL HOSE 1/2"x1000 RHF</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Black Flexible Rubber Hose Pipe</p> <p>Searched String: WATER HOSE - STAND COOLING L-1500 mm</p> <p>Cast Iron Bench</p> <p>Searched String: HYD HOSE ID 12.5 MM(FITTING M18x1.5)L-10</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Desktop Computers, Air Hoses as per IS 446:1987, Customised Envelopes, Rubberized Weight Dumbbells, All in One PC, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Classroom Chairs, patient care mattresses, Ring Binder - File Folder</p> <p>Searched String: PVC WITH NYLON BRAIDED HOSE-1/2"</p> <p>Cotton braided pneumatic rubber hose, PVC Coated Nylon Fabric for Awning and Gun Covers, Connection Pipe with Nuts (V2), Coolant Hose, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), Nylon Life Jacket (MHA), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE)</p> <p>Searched String: PVC WITH NYLON BRAIDED HOSE-3/4"</p> <p>Cotton braided pneumatic rubber hose, PVC Floor Tiles (With Or Without Asbestos) - IS 3461, Connection Pipe with Nuts (V2), Fire Hose (Type - 3) with Instantaneous Male / Female Coupling (PNG), Coolant Hose, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Climbing Rope Nylon, Glacier Region (Defence), Nylon Life Jacket (MHA), PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Coated Nylon Fabric for Awning and Gun Covers</p>

Bid Details/बिड विवरण	Searched String: WORM&WORM WHEEL TYPE HOSE CLIPS-1/2"
	<p>Wheel Worm, Mobile Containers For Solid Waste (Industrial) - IS 12402, Worm Gear Box, First - Aid Hose - Reel For Fire Fighting as per IS 884, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Fire Hose (Type - 3) with Instantaneous Male / Female Coupling (PNG), Electric Potters Wheel as per IS 302 - 1, Self Propelled Combine Harvester Wheel Type, AC Type 2 Charging Station, Back Extension (Version 2)</p> <p>Searched String: WORM&WORM WHEEL TYPE HOSE CLIPS-3/4"</p> <p>Wheel Worm, Fire Hose (Type - 3) with Instantaneous Male / Female Coupling (PNG), Worm Gear Box, First - Aid Hose - Reel For Fire Fighting as per IS 884, Self Propelled Combine Harvester Wheel Type, Wheelbarrows (Two Wheels Type) as per IS 4184, Black Japan, Type A, Type B, Type C as per IS 341, Wheelbarrows (Single Wheel Type) (V2) as per IS 2431, Dental stone - Type IV, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG)</p> <p>Searched String: WORM & WORM WHEEL TYPE HOSE CLIP-1"</p> <p>Wheel Worm, Worm Gear Box</p> <p>Searched String: WORM & WORM WHEEL TYPE HOSE CLIP-1 1/4"</p> <p>Wheel Worm, Mobile Containers For Solid Waste (Industrial) - IS 12402, Worm Gear Box, Electric Potters Wheel as per IS 302 - 1, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), First - Aid Hose - Reel For Fire Fighting as per IS 884, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Elastomer Insulated, Unkinkable Flexible Cords (Domestic Type) - IS 9968 (Part 1)</p> <p>Searched String: WORM & WORM WHEEL TYPE HOSE CLIP-1/1/2"</p> <p>Wheel Worm, Worm Gear Box, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Hydraulic Hose
BOQ Title/बीओक्यू शीर्षक	HYDRAULIC HOSE
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	HYD HOSE ID 8 MM -FITTING M18x1.5 L-10 M
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Hyd Hose Id 8 Mm -fitting M18x1.5 L-10 M	10
Schedule 2	Hyd Hose Id 12.5 Mm -fitting M24x1.5	70
Schedule 3	Hyd Hose Id 12.5 Mm -fitting M24x1.5-90	70
Schedule 4	Hyd Hose Id 12.5 Mm -fitting M24x1.5	80
Schedule 5	Hyd Hose Id 19 Mm -fitting M30x2 L-1000mm	60
Schedule 6	Hyd Hose Id 19 Mm -fitting M30x2-90 Bend	50
Schedule 7	Hyd Hose Id 19 Mm -fitting M30x2 L-10 M	25
Schedule 8	Hyd Hose Id 19 Mm -fitting M30x2 L-1500mm	50
Schedule 9	Hyd Hose Id 19 Mm -fitting M30x2 L-2000mm	20
Schedule 10	Hyd Hose Id 19 Mm -fitting M30x2 L-2300mm	20
Schedule 11	Hyd Hose Id 19 Mm -fitting M36x2 L-1500mm	40
Schedule 12	Hyd Hose Id 25 Mm -fitting M42x2 L-1500mm	40
Schedule 13	Hyd Hose Id 25 Mm -fitting M42x2 L-3000mm	20
Schedule 14	Hyd Hose Id 25 Mm -fitting M42x2 L-1000mm	30
Schedule 15	Hyd Hose Id 25 Mm -fitting M42x2 L-2300mm	20
Schedule 16	Hyd Hose Id 38 Mm -fitting M52x2 L-1000mm	40
Schedule 17	Hyd Hose Id 38 Mm -fitting M52x2-90 Bend	30
Schedule 18	Hyd Hose Id 38 Mm -fitting M52x2 L-2000mm	25
Schedule 19	Hyd Hose Id 38 Mm -fitting M52x2 L-3000mm	15
Schedule 20	S.s Flexible Fuel Hose1 By 2 Inchx1000 Rhf	200
Schedule 21	Water Hose - Stand Cooling L-1500 Mm	10
Schedule 22	Hyd Hose Id 12.5 Mm -fitting M18x1.5 L-10	10
Schedule 23	Pvc With Nylon Braided Hose-1 By 2 Inch	800
Schedule 24	Pvc With Nylon Braided Hose- 3 By 4 Inch	300
Schedule 25	Worm Andworm Wheel Type Hose Clips-1 By 2 Inch	700
Schedule 26	Worm Andworm Wheel Type Hose Clips-3 By 4 Inch	400
Schedule 27	Worm And Worm Wheel Type Hose Clip-1 Inch	300
Schedule 28	Worm And Worm Wheel Type Hose Clip-1 1 By 4 Inch	600
Schedule 29	Worm And Worm Wheel Type Hose Clip-1 1 By 2 Inch	200

HYD HOSE ID 8 MM -FITTING M18x1.5 L-10 M

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	10	90

HYD HOSE ID 12.5 MM -FITTING M24x1.5

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	70	90

HYD HOSE ID 12.5 MM -FITTING M24x1.5-90

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	70	90

HYD HOSE ID 12.5 MM -FITTING M24x1.5

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	80	90

HYD HOSE ID 19 MM -FITTING M30x2 L-1000mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	60	90

HYD HOSE ID 19 MM -FITTING M30x2-90 Bend

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	50	90

HYD HOSE ID 19 MM -FITTING M30x2 L-10 M

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	25	90

HYD HOSE ID 19 MM -FITTING M30x2 L-1500mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	50	90

HYD HOSE ID 19 MM -FITTING M30x2 L-2000mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	20	90

HYD HOSE ID 19 MM -FITTING M30x2 L-2300mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	20	90

HYD HOSE ID 19 MM -FITTING M36x2 L-1500mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	40	90

HYD HOSE ID 25 MM -FITTING M42x2 L-1500mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	40	90

HYD HOSE ID 25 MM -FITTING M42x2 L-3000mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	20	90

HYD HOSE ID 25 MM -FITTING M42x2 L-1000mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	30	90

HYD HOSE ID 25 MM -FITTING M42x2 L-2300mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	20	90

HYD HOSE ID 38 MM -FITTING M52x2 L-1000mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	40	90

HYD HOSE ID 38 MM -FITTING M52x2-90 Bend

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	30	90

HYD HOSE ID 38 MM -FITTING M52x2 L-2000mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	25	90

HYD HOSE ID 38 MM -FITTING M52x2 L-3000mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	15	90

S.S FLEXIBLE FUEL HOSE1 BY 2 Inchx1000 RHF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	200	90

WATER HOSE - STAND COOLING L-1500 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	10	90

HYD HOSE ID 12.5 MM -FITTING M18x1.5 L-10

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	10	90

PVC WITH NYLON BRAIDED HOSE-1 By 2 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	800	90

PVC WITH NYLON BRAIDED HOSE- 3 By 4 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	300	90

WORM AndWORM WHEEL TYPE HOSE CLIPS-1 By 2 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	700	90

WORM AndWORM WHEEL TYPE HOSE CLIPS-3 By 4 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	400	90

WORM And WORM WHEEL TYPE HOSE CLIP-1 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	300	90

WORM And WORM WHEEL TYPE HOSE CLIP-1 1 By 4 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	600	90

WORM And WORM WHEEL TYPE HOSE CLIP-1 1 By 2 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nagalingam V	620014,SSTP TRICHY	200	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in

the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---