

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	23-01-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	23-01-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम/Department Name	Department Of Heavy Industry
संगठन का नाम/Organisation Name	Bharat Heavy Electricals Limited (bhel)
कार्यालय का नाम/Office Name	10340020-tbg, Noida
कुल मात्रा/Total Quantity	551
	HVDC KHAVDA-SUPPLY-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC KHAVDA-SUPPLY-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC KHAVDA-SUPPLY-ISOLATOR-400KV,63KA FOR 1S,3-PH, FREE STANDING EARTH SWITCHES,MOTOR OPERATED,ELECTRICALLY GANGED WITHOUT INSULATOR AND STRUCTURE BUT WITH MOM BOX AND ACCESSORIES , HVDC KHAVDA-SUPPLY-ISOLATOR-72.5KV,1250A,3-PH,HDB TYPE ISOLATOR WITH 1-ES,MECHANICALLY GANGED MANUAL OPERATED ALONG WITH MOM BOX AND OTHER ACCESSORIES AS PER TS , HVDC KHAVDA-SUPPLY-ISOLATOR-72.5KV,1250A,25KA FOR 3S,3-PH,HDB TYPE ISOLATOR WITHOUT EARTH SWITCH,MECHANICALLY GANGED MOTOR OPERATED ALONG WITH MOM BOX AND OTHER ACCESSORIES AS PER TS , HVDC KHAVDA-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,ALONG WITH OPERATING MECHANISM AND OTHER ACCESSORIES AS PER TS , HVDC KHAVDA-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-ES,ALONG WITH OPERATING MECHANISM AND OTHER ACCESSORIES AS PER TS , HVDC KHAVDA-SPARES-ISOLATOR-420KV,2000A,COPPER CONTACT FINGERS FOR FEMALE AND MALE CONTACTS , HVDC KHAVDA-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,HDB TYPE ISOLATOR-OPEN OR CLOSE CONTACTOR ASSEMBLY,TIMERS,KEY INTERLOCK ,

बिड विवरण / Bid Details	HVDC KHAVDA-SPARES-ISOLATOR-420KV,PUSH BUTTON , HVDC KHAVDA-SPARES-ISOLATOR-400KV,LIMIT SWITCH
	<p>AND AUX. SWITCH , HVDC KHAVDA-SPARES-ISOLATOR-420KV,ROTOR HOUSING BEARING ASSEMBLY , HVDC KHAVDA-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,HDB TYPE ISOLATOR-TERMINAL PADS , HVDC KHAVDA-SPARES-ISOLATOR-400KV,MOTOR WITH GEAR ASSEMBLY AND BEVEL GEAR ASSEMBLY , HVDC KHAVDA-SPARES-ISOLATOR-420KV,CORONA SHIELDING RING , HVDC KHAVDA-SPARES-ISOLATOR-400KV,HINGE PIN , HVDC KHAVDA-SPARES-ISOLATOR-400KV,SUPPORT BEARING , HVDC KHAVDA-SPARES-ISOLATOR-420KV,2000A,ISOLATOR ARMS WITH FINGER CONTACTS AND CURRENT CARRYING ASSEMBLY , HVDC KHAVDA-SPARES-ISOLATOR-400KV,INTERLOCKING COIL WITH RESISTOR , HVDC KHAVDA-SPARES-ISOLATOR-400KV,OPERATING MECHANISM BOX FOR EARTH SWITCH , HVDC KHAVDA-SPARES-ISOLATOR-400KV,EARTH BLADE FOR EARTH SWITCH , HVDC KHAVDA-SPARES-ISOLATOR-400KV,EARTH SWITCH FIXED CONTACT ASSEMBLY , HVDC KHAVDA-SPARES-ISOLATOR-400KV,AUXILIARY CONTACT ASSEMBLY , HVDC KHAVDA-SPARES-ISOLATOR-400KV,SET OF CONTACTORS,RELAY,LIMIT SWITCH,CONTROL SWITCHES,SOLENOID ETC , HVDC KHAVDA-SPARES-ISOLATOR-400KV,63KA FOR 1S,FREE STANDING EARTH SWITCHES-ONE COMPLETE POLE ALONG WITH OPERATING MECHANISM AND OTHER ACCESSORIES AS PER TS , HVDC KHAVDA-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF HDB TYPE ISOLATOR AND EARTHSWITCH , HVDC KHAVDA-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF 3-PH FREE STANDING EARTH SWITCH , HVDC KHAVDA-SERVICES-ISOLATOR-72.5KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF HDB TYPE ISOLATOR AND EARTHSWITCH , HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,4000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,3150A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,4000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,3150A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,63KA FOR 1S,3-PH,FREE STANDING EARTH SWITCHES,MOTOR OPERATED,ELECTRICALLY GANGED WITHOUT INSULATOR AND STRUCTURE BUT WITH MOM BOX AND ACCESSORIES ,</p>

वस्तु श्रणा /Item Category	बिड विवरण / Bid Details
	<p>HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,3150A,63KA FOR 1S,1-PH,HDB TYPE ISOLATOR MOTOR OPERATED WITHOUT EARTH SWITCH ALONG WITH OPERATING MECHANISM AS PER TS , HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,3150A,63KA FOR 1S,1-PH,HDB TYPE ISOLATOR MOTOR OPERATED WITH 1-ES MOTOR OPERATED ALONG WITH OPERATING MECHANISM AS PER TS , HVDC NAGPUR-SUPPLY-ISOLATOR-72.5KV,1250A,3-PH,HDB TYPE ISOLATOR WITH 1-ES,THREE POLE MECHANICALLY GANGED MOTOR OPERATED ALONG WITH MOM BOX AS PER TS , HVDC NAGPUR-SUPPLY-ISOLATOR-72.5KV,1250A,25KA FOR 3S,3-PH,HDB TYPE ISOLATOR WITHOUT EARTH SWITCH,MECHANICALLY GANGED MOTOR OPERATED ALONG WITH MOM BOX AS PER TS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,4000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,4000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,1-PH,HDB TYPE ISOLATOR MOTOR OPERATED WITHOUT EARTH SWITCH ALONG WITH OPERATING MECHANISM AND OTHER ACCESSORIES,BUT WITHOUT INSULATOR, AS PER TS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,1-PH,HDB TYPE ISOLATOR MOTOR OPERATED WITH 1-ES MOTOR OPERATED ALONG WITH OPERATING MECHANISM AND OTHER ACCESSORIES,BUT WITHOUT INSULATOR,AS PER TS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS , HVDC NAGPUR-SPARES-ISOLATOR-420KV,4000A,COPPER CONTACT FINGERS FOR FEMALE AND MALE CONTACTS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,HDB TYPE ISOLATOR-COPPER CONTACT FINGERS FOR FEMALE AND MALE CONTACTS FOR ONE POLE , HVDC NAGPUR-SPARES-ISOLATOR-420KV,2000A,COPPER CONTACT FINGERS FOR FEMALE AND MALE CONTACTS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,HDB TYPE ISOLATOR-OPEN OR CLOSE CONTACTOR ASSEMBLY,TIMERS,KEY INTERLOCK , HVDC NAGPUR-SPARES-ISOLATOR-420KV,PUSH BUTTON , HVDC NAGPUR-SPARES-ISOLATOR-400KV,LIMIT SWITCH AND AUX. SWITCH , HVDC NAGPUR-SPARES-ISOLATOR-420KV,ROTOR HOUSING BEARING ASSEMBLY , HVDC NAGPUR-SPARES-ISOLATOR-400KV,4000A,63KA FOR 1S,HDB TYPE ISOLATOR-TERMINAL PADS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,HDB TYPE ISOLATOR-TERMINAL PADS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,HDB TYPE ISOLATOR-TERMINAL PADS , HVDC NAGPUR-SPARES-ISOLATOR-400KV,MOTOR WITH GEAR ASSEMBLY AND BEVEL GEAR ASSEMBLY , HVDC</p>

बिड विवरण / Bid Details	NAGPUR-SPARES-ISOLATOR-420KV,CORONA SHIELDING RING , HVDC NAGPUR-SPARES-ISOLATOR-400KV,HINGE PIN ,
	HVDC NAGPUR-SPARES-ISOLATOR-400KV,SUPPORT BEARING , HVDC NAGPUR-SPARES-ISOLATOR-420KV,4000A,ISOLATOR ARMS WITH FINGER CONTACTS AND CURRENT CARRYING ASSEMBLY , HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,ISOLATOR ARMS WITH FINGER CONTACTS AND CURRENT CARRYING ASSEMBLY , HVDC NAGPUR-SPARES-ISOLATOR-420KV,2000A,ISOLATOR ARMS WITH FINGER CONTACTS AND CURRENT CARRYING ASSEMBLY , HVDC NAGPUR-SPARES-ISOLATOR-400KV,INTERLOCKING COIL WITH RESISTOR , HVDC NAGPUR-SPARES-ISOLATOR-400KV,OPERATING MECHANISM BOX FOR EARTH SWITCH , HVDC NAGPUR-SPARES-ISOLATOR-400KV,EARTH BLADE FOR EARTH SWITCH , HVDC NAGPUR-SPARES-ISOLATOR-400KV,EARTH SWITCH FIXED CONTACT ASSEMBLY , HVDC NAGPUR-SPARES-ISOLATOR-400KV,AUXILIARY CONTACT ASSEMBLY , HVDC NAGPUR-SPARES-ISOLATOR-400KV,SET OF CONTACTORS,RELAY,LIMIT SWITCH,CONTROL SWITCHES,SOLENOID ETC , HVDC NAGPUR-SPARES-ISOLATOR-400KV,63KA FOR 1S,FREE STANDING EARTH SWITCHES-ONE COMPLETE POLE ALONG WITH OPERATING MECHANISM AND OTHER ACCESSORIES AS PER TS , HVDC NAGPUR-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF HDB TYPE ISOLATOR AND EARTH SWITCH , HVDC NAGPUR-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF 1-PH,HDB TYPE ISOLATOR AND EARTH SWITCH , HVDC NAGPUR-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF 3-PH FREE STANDING EARTH SWITCH , HVDC NAGPUR-SERVICES-ISOLATOR-72.5KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	ALIGNMENT CHECK OF HDB TYPE ISOLATOR AND EARTH SWITCH , HVDC NAGPUR-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF 1-PH,HDB TYPE ISOLATOR AND EARTH SWITCH , HVDC NAGPUR-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF 3-PH FREE STANDING EARTH SWITCH , HVDC NAGPUR-SERVICES-ISOLATOR-72.5KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Isolator switch, Modular Metal Drawer File Cabinet Pedestal, Signal Isolator, BEARING ISOLATOR, Ultra low temperature laboratory deep freezer, Manual Operated 66 kV, 800 A Isolators and with Solid Core Insulators (PSPCL), Disconnectors (Isolators) for working voltage up to and including 1 KV, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Deep freezer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Isolator switch
बीओव्यू शीर्षक / BOQ Title	400kV and below rating Isolators for PGCIL HVDC Khavda and Nagpur
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	HVDC KHAVDA-SUPPLY-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	26

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

AGM
10340020-TBG, Noida, Department of Heavy Industry, Bharat Heavy Electricals Limited (BHEL), Ministry of Heavy Industries and Public Enterprises
(Agm-tbfa)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In

case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

HVDC KHAVDA-SUPPLY-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विवरियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	22	210

HVDC KHAVDA-SUPPLY-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	6	210

HVDC KHAVDA-SUPPLY-ISOLATOR-400KV,63KA FOR 1S,3-PH,FREE STANDING EARTH SWITCHES,MOTOR OPERATED,ELECTRICALLY GANGED WITHOUT INSULATOR AND STRUCTURE BUT WITH MOM BOX AND ACCESSORIES

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	32	210

HVDC KHAVDA-SUPPLY-ISOLATOR-72.5KV,1250A,3-PH,HDB TYPE ISOLATOR WITH 1-ES, MECHANICALLY GANGED MANUAL OPERATED ALONG WITH MOM BOX AND OTHER ACCESSORIES AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	6	210

HVDC KHAVDA-SUPPLY-ISOLATOR-72.5KV,1250A,25KA FOR 3S,3-PH,HDB TYPE ISOLATOR WITHOUT EARTH SWITCH, MECHANICALLY GANGED MOTOR OPERATED ALONG WITH MOM BOX AND OTHER ACCESSORIES AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

**HVDC KHAVDA-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-
ES,ALONG WITH OPERATING MECHANISM AND OTHER ACCESSORIES AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

**HVDC KHAVDA-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-
ES,ALONG WITH OPERATING MECHANISM AND OTHER ACCESSORIES AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

**HVDC KHAVDA-SPARES-ISOLATOR-420KV,2000A,COPPER CONTACT FINGERS FOR
FEMALE AND MALE CONTACTS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	3	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,HDB TYPE ISOLATOR- OPEN OR CLOSE CONTACTOR ASSEMBLY,TIMERS,KEY INTERLOCK

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

HVDC KHAVDA-SPARES-ISOLATOR-420KV,PUSH BUTTON

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV,LIMIT SWITCH AND AUX. SWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

HVDC KHAVDA-SPARES-ISOLATOR-420KV,ROTOR HOUSING BEARING ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,HDB TYPE ISOLATOR-TERMINAL PADS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	2	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV,MOTOR WITH GEAR ASSEMBLY AND BEVEL GEAR ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	2	210

HVDC KHAVDA-SPARES-ISOLATOR-420KV,CORONA SHIELDING RING

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	3	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV, HINGE PIN

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	3	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV, SUPPORT BEARING

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

**HVDC KHAVDA-SPARES-ISOLATOR-420KV,2000A,ISOLATOR ARMS WITH FINGER
CONTACTS AND CURRENT CARRYING ASSEMBLY**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV,INTERLOCKING COIL WITH RESISTOR

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	5	210

**HVDC KHAVDA-SPARES-ISOLATOR-400KV,OPERATING MECHANISM BOX FOR EARTH
SWITCH**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV,EARTH BLADE FOR EARTH SWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV,EARTH SWITCH FIXED CONTACT ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV,AUXILIARY CONTACT ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

HVDC KHAVDA-SPARES-ISOLATOR-400KV,SET OF CONTACTORS,RELAY,LIMIT SWITCH,CONTROL SWITCHES,SOLENOID ETC

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

**HVDC KHAVDA-SPARES-ISOLATOR-400KV,63KA FOR 1S, FREE STANDING EARTH
SWITCHES-ONE COMPLETE POLE ALONG WITH OPERATING MECHANISM AND OTHER
ACCESSORIES AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	1	210

**HVDC KHAVDA-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND
COMMISSIONING INCLUDING ALIGNMENT CHECK OF HDB TYPE ISOLATOR AND
EARTHSWITCH**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	28	210

HVDC KHAVDA-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF 3-PH FREE STANDING EARTH SWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	32	210

HVDC KHAVDA-SERVICES-ISOLATOR-72.5KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF HDB TYPE ISOLATOR AND EARTHSWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satish Kumar Mohite	370510,Powergrid HVDC Khavda at Great Rann of Kutch, Khavda-Vighakote Highway Near Khavda, District-Kutch, Gujarat-370510, Kachchh, 370510	6	210

HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,4000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	28	266

**HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,3150A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-
ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	38	266

**HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-
ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	19	266

**HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,4000A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-
ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	6	266

**HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,3150A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-
ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	2	266

**HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-
ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	6	266

**HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,63KA FOR 1S,3-PH,FREE STANDING EARTH
SWITCHES,MOTOR OPERATED,ELECTRICALLY GANGED WITHOUT INSULATOR AND
STRUCTURE BUT WITH MOM BOX AND ACCESSORIES**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	25	266

HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,3150A,63KA FOR 1S,1-PH,HDB TYPE ISOLATOR MOTOR OPERATED WITHOUT EARTH SWITCH ALONG WITH OPERATING MECHANISM AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	17	266

HVDC NAGPUR-SUPPLY-ISOLATOR-400KV,3150A,63KA FOR 1S,1-PH,HDB TYPE ISOLATOR MOTOR OPERATED WITH 1-ES MOTOR OPERATED ALONG WITH OPERATING MECHANISM AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	19	266

HVDC NAGPUR-SUPPLY-ISOLATOR-72.5KV,1250A,3-PH,HDB TYPE ISOLATOR WITH 1-ES,THREE POLE MECHANICALLY GANGED MOTOR OPERATED ALONG WITH MOM BOX AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	8	266

HVDC NAGPUR-SUPPLY-ISOLATOR-72.5KV,1250A,25KA FOR 3S,3-PH,HDB TYPE ISOLATOR WITHOUT EARTH SWITCH,MECHANICALLY GANGED MOTOR OPERATED

ALONG WITH MOM BOX AS PER TS**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

**HVDC NAGPUR-SPARES-ISOLATOR-400KV,4000A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-
ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS****(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,4000A,63KA FOR 1S,3-PH,HDB TYPE ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

**HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,1-PH,HDB TYPE
ISOLATOR MOTOR OPERATED WITHOUT EARTH SWITCH ALONG WITH OPERATING
MECHANISM AND OTHER ACCESSORIES,BUT WITHOUT INSULATOR, AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

**HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,1-PH,HDB TYPE
ISOLATOR MOTOR OPERATED WITH 1-ES MOTOR OPERATED ALONG WITH OPERATING
MECHANISM AND OTHER ACCESSORIES,BUT WITHOUT INSULATOR,AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

**HVDC NAGPUR-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 1-
ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

**HVDC NAGPUR-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,3-PH,HDB TYPE
ISOLATOR INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED WITH 2-
ES,INDIVIDUAL POLE MOTOR OPERATED,ELECTRICALLY GANGED AS PER TS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

**HVDC NAGPUR-SPARES-ISOLATOR-420KV,4000A,COPPER CONTACT FINGERS FOR
FEMALE AND MALE CONTACTS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	3	266

**HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,HDB TYPE ISOLATOR-
COPPER CONTACT FINGERS FOR FEMALE AND MALE CONTACTS FOR ONE POLE**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	3	266

**HVDC NAGPUR-SPARES-ISOLATOR-420KV,2000A,COPPER CONTACT FINGERS FOR
FEMALE AND MALE CONTACTS**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	3	266

**HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,HDB TYPE ISOLATOR-
OPEN OR CLOSE CONTACTOR ASSEMBLY,TIMERS,KEY INTERLOCK**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-420KV,PUSH BUTTON**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,LIMIT SWITCH AND AUX. SWITCH**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-420KV,ROTOR HOUSING BEARING ASSEMBLY**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

**HVDC NAGPUR-SPARES-ISOLATOR-400KV,4000A,63KA FOR 1S,HDB TYPE ISOLATOR-
TERMINAL PADS****(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	2	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,63KA FOR 1S,HDB TYPE ISOLATOR-TERMINAL PADS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	2	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,2000A,63KA FOR 1S,HDB TYPE ISOLATOR-TERMINAL PADS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	2	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,MOTOR WITH GEAR ASSEMBLY AND BEVEL GEAR ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	2	266

HVDC NAGPUR-SPARES-ISOLATOR-420KV,CORONA SHIELDING RING

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	3	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV, HINGE PIN

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	3	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV, SUPPORT BEARING

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-420KV,4000A,ISOLATOR ARMS WITH FINGER CONTACTS AND CURRENT CARRYING ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,3150A,ISOLATOR ARMS WITH FINGER CONTACTS AND CURRENT CARRYING ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-420KV,2000A,ISOLATOR ARMS WITH FINGER CONTACTS AND CURRENT CARRYING ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,INTERLOCKING COIL WITH RESISTOR

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	5	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,OPERATING MECHANISM BOX FOR EARTH SWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,EARTH BLADE FOR EARTH SWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,EARTH SWITCH FIXED CONTACT ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,AUXILIARY CONTACT ASSEMBLY

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,SET OF CONTACTORS,RELAY,LIMIT SWITCH,CONTROL SWITCHES,SOLENOID ETC

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SPARES-ISOLATOR-400KV,63KA FOR 1S,FREE STANDING EARTH SWITCHES-ONE COMPLETE POLE ALONG WITH OPERATING MECHANISM AND OTHER ACCESSORIES AS PER TS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	1	266

HVDC NAGPUR-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF HDB TYPE ISOLATOR AND EARTHSWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	99	266

HVDC NAGPUR-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF 1-PH,HDB TYPE ISOLATOR AND EARTH SWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	36	266

HVDC NAGPUR-SERVICES-ISOLATOR-400KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF 3-PH FREE STANDING EARTH SWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	25	266

HVDC NAGPUR-SERVICES-ISOLATOR-72.5KV,SUPERVISION OF ERECTION TESTING AND COMMISSIONING INCLUDING ALIGNMENT CHECK OF HDB TYPE ISOLATOR AND EARTHSWITCH

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dablu Kumar	440026,Powergrid, HVDC Nagpur	8	266

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.

7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुरंथ को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा। In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---ધ્યાદ/Thank You---