



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/6027782
Dated/दिनांक : 06-03-2025

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|---|---|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 17-03-2025 11:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 17-03-2025 11:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 180 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Heavy Industries And Public Enterprises |
| Department Name/विभाग का नाम | Department Of Heavy Industry |
| Organisation Name/संगठन का नाम | Bharat Heavy Electricals Limited (bhel) |
| Office Name/कार्यालय का नाम | 10250020-pem, Noida |
| क्रेता ईमेल/Buyer Email | buycon594.bhelb.up@gembuyer.in |
| Total Quantity/कुल मात्रा | 98 |

| Bid Details/बिड विवरण | |
|---|---|
| Item Category/मद केटेगरी | <p>LARA - CV - LOW LOAD FEED CONTROL VALVE - FDV-14 - COMPLETE WITH POSITIONER AND ALL ACCESSORIES MOUNTED, TUBED AND TERMINATED ON JB , LARA - CV - one by four inch SS TUBING - 12 METER FOR EACH TAG , LARA - CV - SS FITTINGS for connection to Air Filter Regulator- FOR EACH TAG , LARA - CV - SS FITTINGS for connection to Air Lock Relay- FOR EACH TAG , LARA - CV - SS FITTINGS for connection to IA Header Isolation Valve - FOR EACH TAG , LARA - CV - SS EQUAL TEE - FOR EACH TAG , LARA - CV - SS one by two inch NPT-M- X one by four inch OD TUBE CONNECTOR- FOR EACH TAG , LARA - CV - CV TEST CHARGES - FOR EACH CONTROL VALVE , LARA - CV - VALVE DIAGNOSTIC AND CONFIGURATION SOFTWARE - FOR ALL TAGS , LARA - CV - COMMISSIONING SPARES - Gaskets - 1 set with each valve tag , LARA - CV - COMMISSIONING SPARES - Gland packing - 1 set with each valve tag , LARA - CV - MANDATORY SPARES - SS FITTINGS for connection to Air Filter Regulator- FOR EACH TAG - 1 no. of each type , LARA - CV - MANDATORY SPARES - SS FITTINGS for connection to Air Lock Relay- FOR EACH TAG - 1 no. of each type , LARA - CV - MANDATORY SPARES - SS FITTINGS for connection to IA Header Isolation Valve- FOR EACH TAG - 1 no. of each type , LARA - CV - MANDATORY SPARES - SS EQUAL TEE- FOR EACH TAG - 1 no. of each type , LARA - CV - MANDATORY SPARES - Pneumatic air-filter or Regulator - 1 no. of each type and model , LARA - CV - MANDATORY SPARES - Valves of all types - like Equalising Valves, Exhaust Valves, etc - 1 no. of each type and model , SINGRAULI - CV - LOW LOAD FEED CONTROL VALVE - FDV-14 - COMPLETE WITH POSITIONER AND ALL ACCESSORIES MOUNTED, TUBED AND TERMINATED ON JB , SINGRAULI - CV - one by four inch SS TUBING - 12 METER FOR EACH TAG , SINGRAULI - CV - SS FITTINGS for connection to Air Filter Regulator- FOR EACH TAG , SINGRAULI - CV - SS FITTINGS for connection to Air Lock Relay- FOR EACH TAG , SINGRAULI - CV - SS FITTINGS for connection to IA Header Isolation Valve - FOR EACH TAG , SINGRAULI - CV - SS EQUAL TEE - FOR EACH TAG , SINGRAULI - CV - SS one by two inch NPT-M- X one by four inch OD TUBE CONNECTOR- FOR EACH TAG , SINGRAULI - CV - CV TEST CHARGES - FOR EACH CONTROL VALVE , SINGRAULI - CV - VALVE DIAGNOSTIC AND CONFIGURATION SOFTWARE - FOR ALL TAGS , SINGRAULI - CV - COMMISSIONING SPARES - Gaskets - 1 set with each valve tag , SINGRAULI - CV - COMMISSIONING SPARES - Gland packing - 1 set with each valve tag , SINGRAULI - CV - MANDATORY SPARES - SS FITTINGS for connection to Air Filter Regulator- FOR EACH TAG - 1 no. of each type , SINGRAULI - CV - MANDATORY SPARES - SS FITTINGS for connection to Air Lock Relay- FOR EACH TAG - 1 no. of each type , SINGRAULI - CV - MANDATORY SPARES - SS FITTINGS for connection to IA Header Isolation Valve- FOR EACH TAG - 1 no. of each type , SINGRAULI - CV - MANDATORY SPARES - SS EQUAL TEE- FOR EACH TAG - 1 no. of each type , SINGRAULI - CV - MANDATORY SPARES - Pneumatic air-filter or Regulator - 1 no. of each type and model , SINGRAULI - CV - MANDATORY SPARES - Valves of all types - like Equalising Valves, Exhaust Valves, etc - 1 no. of each type and model</p> |
| GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS | LOW LOAD FEED CONTROL VALVE |

| Bid Details/बिड विवरण | |
|---|--|
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Control Valve Pneumatic, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Directional Control Valve, Control valve Hydraulic Oils, Safety Relief Valves- Spring Loaded |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> Control Valve Pneumatic |
| BOQ Title/बीओक्यू शीर्षक | CONTROL VALVE FOR LARA AND SINGRAULI PROJECT |
| MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट | No |
| Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट | No |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/ | No |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | Yes |
| RA Qualification Rule | H1-Highest Priced Bid Elimination |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | LARA - CV - LOW LOAD FEED CONTROL VALVE - FDV-14 - COMPLETE WITH POSITIONER AND ALL ACCESSORIES MOUNTED, TUBED AND TERMINATED ON JB |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Payment Timelines | Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |
| Arbitration Clause | No |
| Mediation Clause | No |

EMD Detail/ईएमडी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

ePBG Detail/ईपीबीजी विवरण

| | |
|--|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%) | 5.00 |
| Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने). | 32 |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

IFSC: SBIN0017313

10250020-PEM, Noida, Department of Heavy Industry, Bharat Heavy Electricals Limited (BHEL), Ministry of Heavy Industries and Public Enterprises. State Bank of India Account No: 39922687394 IFSC: SBIN0017313 BRANCH- CAG II NEW DELHI (Bhel Pem)

Reserved for Make In India products

| | |
|-------------------------------------|-----|
| Reserved for Make In India products | Yes |
|-------------------------------------|-----|

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is

not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

LARA - CV - LOW LOAD FEED CONTROL VALVE - FDV-14 - COMPLETE WITH POSITIONER AND ALL ACCESSORIES MOUNTED, TUBED AND TERMINATED ON JB

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|------------------------|-------------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 2 | 730 |

LARA - CV - One By Four Inch SS TUBING - 12 METER FOR EACH TAG

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|------------------------|-------------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 24 | 730 |

LARA - CV - SS FITTINGS For Connection To Air Filter Regulator- FOR EACH TAG

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| | | | | |

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 2 | 730 |

LARA - CV - SS FITTINGS For Connection To Air Lock Relay- FOR EACH TAG

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 2 | 730 |

LARA - CV - SS FITTINGS For Connection To IA Header Isolation Valve - FOR EACH TAG

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 2 | 730 |

LARA - CV - SS EQUAL TEE - FOR EACH TAG**(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 2 | 730 |

LARA - CV - SS One By Two Inch NPT-M- X One By Four Inch OD TUBE CONNECTOR- FOR EACH TAG**(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
|------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 2 | 730 |

LARA - CV - CV TEST CHARGES - FOR EACH CONTROL VALVE

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 1 | 730 |

LARA - CV - VALVE DIAGNOSTIC AND CONFIGURATION SOFTWARE - FOR ALL TAGS

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|------------------------|-------------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 2 | 730 |

LARA - CV - COMMISSIONING SPARES - Gaskets - 1 Set With Each Valve Tag

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 2 | 730 |

LARA - CV - COMMISSIONING SPARES - Gland Packing - 1 Set With Each Valve Tag

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 2 | 730 |

LARA - CV - MANDATORY SPARES - SS FITTINGS For Connection To Air Filter Regulator- FOR EACH TAG - 1 No. Of Each Type

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 1 | 1095 |

LARA - CV - MANDATORY SPARES - SS FITTINGS For Connection To Air Lock Relay- FOR EACH TAG - 1 No. Of Each Type

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 1 | 1095 |

LARA - CV - MANDATORY SPARES - SS FITTINGS For Connection To IA Header Isolation Valve- FOR EACH TAG - 1 No. Of Each Type

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 1 | 1095 |

LARA - CV - MANDATORY SPARES - SS EQUAL TEE- FOR EACH TAG - 1 No. Of Each Type
(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 1 | 1095 |

LARA - CV - MANDATORY SPARES - Pneumatic Air-filter Or Regulator - 1 No. Of Each Type And Model

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|------------------------|-------------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 1 | 1095 |

LARA - CV - MANDATORY SPARES - Valves Of All Types - Like Equalising Valves, Exhaust Valves, Etc - 1 No. Of Each Type And Model

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | SANDEEP LADDHA | 496440,BHEL Site office 2X800 MW NTPC LARA stage II project. Pusaur, Dist Raigarh, Chhattisgarh 496440 | 1 | 1095 |

SINGRAULI - CV - LOW LOAD FEED CONTROL VALVE - FDV-14 - COMPLETE WITH POSITIONER AND ALL ACCESSORIES MOUNTED, TUBED AND TERMINATED ON JB

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 2 | 730 |

SINGRAULI - CV - One By Four Inch SS TUBING - 12 METER FOR EACH TAG

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 24 | 730 |

SINGRAULI - CV - SS FITTINGS For Connection To Air Filter Regulator- FOR EACH TAG**(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 2 | 730 |

SINGRAULI - CV - SS FITTINGS For Connection To Air Lock Relay- FOR EACH TAG**(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 2 | 730 |

SINGRAULI - CV - SS FITTINGS For Connection To IA Header Isolation Valve - FOR EACH TAG

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 2 | 730 |

SINGRAULI - CV - SS EQUAL TEE - FOR EACH TAG

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|---|------------------------|-------------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 2 | 730 |

SINGRAULI - CV - SS One By Two Inch NPT-M- X One By Four Inch OD TUBE CONNECTOR- FOR EACH TAG

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|---|------------------------|-------------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 2 | 730 |

SINGRAULI - CV - CV TEST CHARGES - FOR EACH CONTROL VALVE

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 1 | 730 |

SINGRAULI - CV - VALVE DIAGNOSTIC AND CONFIGURATION SOFTWARE - FOR ALL TAGS

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 2 | 730 |

SINGRAULI - CV - COMMISSIONING SPARES - Gaskets - 1 Set With Each Valve Tag

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 2 | 730 |

SINGRAULI - CV - COMMISSIONING SPARES - Gland Packing - 1 Set With Each Valve Tag

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 2 | 730 |

SINGRAULI - CV - MANDATORY SPARES - SS FITTINGS For Connection To Air Filter Regulator- FOR EACH TAG - 1 No. Of Each Type**(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 1 | 1095 |

SINGRAULI - CV - MANDATORY SPARES - SS FITTINGS For Connection To Air Lock Relay- FOR EACH TAG - 1 No. Of Each Type**(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
|------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 1 | 1095 |

SINGRAULI - CV - MANDATORY SPARES - SS FITTINGS For Connection To IA Header Isolation Valve- FOR EACH TAG - 1 No. Of Each Type

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 1 | 1095 |

SINGRAULI - CV - MANDATORY SPARES - SS EQUAL TEE- FOR EACH TAG - 1 No. Of Each Type

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|---|------------------------|-------------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 1 | 1095 |

SINGRAULI - CV - MANDATORY SPARES - Pneumatic Air-filter Or Regulator - 1 No. Of Each Type And Model

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 1 | 1095 |

SINGRAULI - CV - MANDATORY SPARES - Valves Of All Types - Like Equalising Valves, Exhaust Valves, Etc - 1 No. Of Each Type And Model

(Minimum 85% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Shashi Bhushan Bharati | 231222,2X800MW SINGRAULI STPP, Stage-III P.O.- Shaktinagar, Distt- Sonebhadra | 1 | 1095 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and

conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---