

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-05-2025 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-05-2025 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises
Department Name/विभाग का नाम	Department Of Heavy Industry
Organisation Name/संगठन का नाम	Bharat Heavy Electricals Limited (bhel)
Office Name/कार्यालय का नाम	10140027-hpbbp Trichy
क्रैता ईमेल/Buyer Email	buycon215.bhelb.tn@gembuyer.in
Total Quantity/कुल मात्रा	206165
	L429319509103001 4P X 0 POINT 5 SQMM O BY A SHIELDED INST CABLE PACK 1 TO SITE , L429319509103002 8P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE , L429319509103003 12P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE , L429319509103004 2P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE , L429319509103005 4P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE , L429319509103006 8P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE , L429319509103007 4P X 1 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE , L4293S9509102001 4P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE , L4293S9509102002 8P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE , L4293S9509102003 12P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE , L4293S9509102004 2P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE , L4293S9509102005 4P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE , L4293S9509102006 8P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE , L4293S9509102007 4P X 1 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE , L429119509103001 4P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE , L429119509103002 8P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE , L429119509103003 12P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE , L429119509103004 2P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE , L429119509103005 4P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE , L429119509103006 8P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2

Item Category/मद केटेगरी	Bid Details/बिड डिटेल्स
	TO SITE , L429119509103007 4P X 1 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE , L4291S9509102001 4P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE , L4291S9509102002 8P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE , L4291S9509102003 12P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE , L4291S9509102004 2P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE , L4291S9509102005 4P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE , L4291S9509102006 8P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE , L4291S9509102007 4P X 1 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE , L429319509105001 3C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE , L429319509105002 5C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE , L429319509105003 9C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE , L429319509105004 12CX 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE , L429419509105001 3C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE , L429419509105002 5C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE , L429419509105003 9C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE , L429419509105004 12CX 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE , L429119509105001 3C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE , L429119509105002 5C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE , L429119509105003 9C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE , L429119509105004 12CX 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE , L429219509105001 3C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE , L429219509105002 5C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE , L429219509105003 9C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE , L429219509105004 12CX 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE , L429319509107001 3C X 2 POINT 5 SQ MM FEP CONTROL CABLE PACK 5 TO SITE , L429319509107002 4P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 5 TO SITE , L429319509107003 8P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 5 TO SITE , L4293S9509104001 3C X 2 POINT 5SQ MM FEP CONTROL CABLE PACK 5 TO SITE , L4293S9509104002 4P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 5 TO SITE , L4293S9509104003 8P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 5 TO SITE , L429119509107001 3C X 2 POINT 5 SQ MM FEP CONTROL CABLE PACK 6 TO SITE , L429119509107002 4P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 6 TO SITE , L429119509107003 8P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 6 TO SITE , L4291S9509104001 3C X 2 POINT 5 SQ MM FEP CONTROL CABLE PACK 6 TO SITE , L4291S9509104002 4P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 6 TO SITE , L4291S9509104003 8P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 6 TO SITE , L429319509109001 AND L429419509109001 2P X 0 POINT 5 SQ MM FEP EXTENSION CABLE PACK 7 TO SITE , L4293S9509105001 AND L4294S9509105001 2P X 0 POINT 5 SQ MM FEP EXTENSION CABLE PACK 7 TO SITE , L429119509109001 AND L429219509108001 2P X 0 POINT 5 SQMM FEP EXTENSION CABLE PACK 8 TO SITE , L4291S9509105001 AND L4292S9509102001 2P X 0 POINT 5 SQMM FEP EXTENSION CABLE PACK 8 TO SITE , R61180600087 2P X 0 POINT 5 SQMM 0 BY A SHIELDED INST CABLE G PACK 9 TO BHEL TRICHY STORES , R61180600090 12P X 0 POINT 5

Bid Details/बिड विवरण	SQMM O BY A SHIELDED INST CABLE G PACK 9 TO BHEL TRICHY STORES , R61180600091 2P X 0 POINT 5 SQMM P BY O SHIELDED INST CABLE F PACK 9 TO BHEL TRICHY STORES , R61180600094 12P X 0 POINT 5 SQMM P BY O SHIELDED INST CABLE F PACK 9 TO BHEL TRICHY STORES , R61171100003 8P X 0 POINT 5 SQMM O BY A SHIELDED INST CABLE PACK 9 TO BHEL TRICHY STORES
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	INSTRUMENTATION CABLE , CONTROL CABLE , 97PTS FEP CABLE & 95PTE EXTN CABLE
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Control Cable, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cables suitable for CCTV System (Accessories), Shot Firing Cables (for use other than in Shafts) ISI Marked to IS 5950
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Control Cable
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	L429319509103003 12P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
Evaluation Method/मूल्यांकन पद्धति	Group wise evaluation
Arbitration Clause	No

Bid Details/बिड विवरण	
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are

advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evalu ation Sched ules	Item/Category	Consign ee/Repo rting Officer	Consignee Address	Q u a n t i t y
	L429319509103001 4p X 0 Point 5 Sqmm O By A Shielded Inst Cable Pack 1 To Site	Puvan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 7 0 0
	L429319509103002 8p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 1 To Site	Puvan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 3 6 0 0
	L429319509103003 12p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 1 To Site	Puvan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 4 7 0 0
	L429319509103004 2p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 1 To Site	Puvan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0
	L429319509103005 4p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 1 To Site	Puvan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 9 0 0

PACKA
GE 1

L429319509103006 8p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 1 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 9 0 0
L429319509103007 4p X 1 Point 5 Sq Mm O By A Shielded Inst Cable Pack 1 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	7 0 0
L4293s9509102001 4p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 1 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L4293s9509102002 8p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 1 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	6 8 0
L4293s9509102003 12p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 1 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	7 4 0
L4293s9509102004 2p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 1 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L4293s9509102005 4p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 1 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L4293s9509102006 8p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 1 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L4293s9509102007 4p X 1 Point 5 Sq Mm O By A Shielded Inst Cable Pack 1 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L429119509103001 4p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 2 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 4 0 0
L429119509103002 8p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 2 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 3 7 0 0
L429119509103003 12p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 2 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 3 6 0 0
L429119509103004 2p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 2 To Site	Puvenan dran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0

PACKA
GE 2

L429119509103005 4p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 9 0 0
L429119509103006 8p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	2 4 0 0
L429119509103007 4p X 1 Point 5 Sq Mm O By A Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	7 0 0
L4291s9509102001 4p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L4291s9509102002 8p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	6 9 0
L4291s9509102003 12p X 0 Point 5 Sq Mm O By A Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	6 8 0
L4291s9509102004 2p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L4291s9509102005 4p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L4291s9509102006 8p X 0 Point 5 Sq Mm P By O Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L4291s9509102007 4p X 1 Point 5 Sq Mm O By A Shielded Inst Cable Pack 2 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 0 0
L429319509105001 3c X 2 Point 5 Sq Mm Arm Control Cable Pack 3 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 5 0 0
L429319509105002 5c X 2 Point 5 Sq Mm Arm Control Cable Pack 3 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	3 4 0 0
L429319509105003 9c X 2 Point 5 Sq Mm Arm Control Cable Pack 3 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 1 0 0

PACKAGE 3	L429319509105004 12cx 2 Point 5 Sq Mm Arm Control Cable Pack 3 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	8 3 0 0
	L429419509105001 3c X 2 Point 5 Sq Mm Arm Control Cable Pack 3 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 5 0 0
	L429419509105002 5c X 2 Point 5 Sq Mm Arm Control Cable Pack 3 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	4 1 0 0
	L429419509105003 9c X 2 Point 5 Sq Mm Arm Control Cable Pack 3 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	7 0 0
	L429419509105004 12cx 2 Point 5 Sq Mm Arm Control Cable Pack 3 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	9 7 0 0
PACKAGE 4	L429119509105001 3c X 2 Point 5 Sq Mm Arm Control Cable Pack 4 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 6 0 0
	L429119509105002 5c X 2 Point 5 Sq Mm Arm Control Cable Pack 4 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	3 8 0 0
	L429119509105003 9c X 2 Point 5 Sq Mm Arm Control Cable Pack 4 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 9 0 0
	L429119509105004 12cx 2 Point 5 Sq Mm Arm Control Cable Pack 4 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	9 4 0 0
	L429219509105001 3c X 2 Point 5 Sq Mm Arm Control Cable Pack 4 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 5 0 0
	L429219509105002 5c X 2 Point 5 Sq Mm Arm Control Cable Pack 4 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	2 7 0 0
	L429219509105003 9c X 2 Point 5 Sq Mm Arm Control Cable Pack 4 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 6 0 0
	L429219509105004 12cx 2 Point 5 Sq Mm Arm Control Cable Pack 4 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	6 6 0 0

PACKA GE 5	L429319509107001 3c X 2 Point 5 Sq Mm Fep Control Cable Pack 5 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 4 0 0
	L429319509107002 4p X 0 Point 5 Sq Mm Fep Inst Cable G Pack 5 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	6 9 0 0
	L429319509107003 8p X 0 Point 5 Sq Mm Fep Inst Cable G Pack 5 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	3 5 0 0
	L4293s9509104001 3c X 2 Point 5sq Mm Fep Control Cable Pack 5 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0
	L4293s9509104002 4p X 0 Point 5 Sq Mm Fep Inst Cable G Pack 5 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0
	L4293s9509104003 8p X 0 Point 5 Sq Mm Fep Inst Cable G Pack 5 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0
PACKA GE 6	L429119509107001 3c X 2 Point 5 Sq Mm Fep Control Cable Pack 6 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	7 0 0 0
	L429119509107002 4p X 0 Point 5 Sq Mm Fep Inst Cable G Pack 6 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	5 8 0 0
	L429119509107003 8p X 0 Point 5 Sq Mm Fep Inst Cable G Pack 6 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	2 0 0 0
	L4291s9509104001 3c X 2 Point 5 Sq Mm Fep Control Cable Pack 6 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0
	L4291s9509104002 4p X 0 Point 5 Sq Mm Fep Inst Cable G Pack 6 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0
	L4291s9509104003 8p X 0 Point 5 Sq Mm Fep Inst Cable G Pack 6 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0
PACKA GF 7	L429319509109001 And L429419509109001 2p X 0 Point 5 Sq Mm Fep Extension Cable Pack 7 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	6 2 0 0

	L4293s9509105001 And L4294s9509105001 2p X 0 Point 5 Sq Mm Fep Extension Cable Pack 7 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0
PACKAGE 8	L429119509109001 And L429219509108001 2p X 0 Point 5 Sqmm Fep Extension Cable Pack 8 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	6 2 0 0
	L4291s9509105001 And L4292s9509102001 2p X 0 Point 5 Sqmm Fep Extension Cable Pack 8 To Site	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	1 0 0 0
PACKAGE 9	R61180600087 2p X 0 Point 5 Sqmm 0 By A Shielded Inst Cable G Pack 9 To Bhel Trichy Stores	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	3 5 0
	R61180600090 12p X 0 Point 5 Sqmm 0 By A Shielded Inst Cable G Pack 9 To Bhel Trichy Stores	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	9 0 0
	R61180600091 2p X 0 Point 5 Sqmm P By O Shielded Inst Cable F Pack 9 To Bhel Trichy Stores	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	3 5 0
	R61180600094 12p X 0 Point 5 Sqmm P By O Shielded Inst Cable F Pack 9 To Bhel Trichy Stores	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	6 0 0
	R61171100003 8p X 0 Point 5 Sqmm O By A Shielded Inst Cable Pack 9 To Bhel Trichy Stores	Puvanendran L	MATERIALS MANAGEMENT, IV FLOOR, BUILDING - 24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14 620014	2 5 7 5

L429319509103001 4P X 0 POINT 5 SQMM O BY A SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014, MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	5700	98

L429319509103002 8P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014, MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	13600	98

L429319509103003 12P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	14700	98

L429319509103004 2P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

L429319509103005 4P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1900	98

L429319509103006 8P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1900	98

L429319509103007 4P X 1 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	700	98

L4293S9509102001 4P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L4293S9509102002 8P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	680	98

L4293S9509102003 12P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	740	98

L4293S9509102004 2P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L4293S9509102005 4P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L4293S9509102006 8P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L4293S9509102007 4P X 1 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 1 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L429119509103001 4P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	5400	98

L429119509103002 8P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	13700	98

L429119509103003 12P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	13600	98

L429119509103004 2P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

L429119509103005 4P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1900	98

L429119509103006 8P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	2400	98

L429119509103007 4P X 1 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	700	98

L4291S9509102001 4P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L4291S9509102002 8P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	690	98

L4291S9509102003 12P X 0 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	680	98

L4291S9509102004 2P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L4291S9509102005 4P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L4291S9509102006 8P X 0 POINT 5 SQ MM P BY O SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L4291S9509102007 4P X 1 POINT 5 SQ MM O BY A SHIELDED INST CABLE PACK 2 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	500	98

L429319509105001 3C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1500	98

L429319509105002 5C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	3400	98

L429319509105003 9C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1100	98

L429319509105004 12CX 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	8300	98

L429419509105001 3C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1500	98

L429419509105002 5C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	4100	98

L429419509105003 9C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	700	98

L429419509105004 12CX 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 3 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	9700	98

L429119509105001 3C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1600	98

L429119509105002 5C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	3800	98

L429119509105003 9C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1900	98

L429119509105004 12CX 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	9400	98

L429219509105001 3C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1500	98

L429219509105002 5C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	2700	98

L429219509105003 9C X 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1600	98

L429219509105004 12CX 2 POINT 5 SQ MM ARM CONTROL CABLE PACK 4 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	6600	98

L429319509107001 3C X 2 POINT 5 SQ MM FEP CONTROL CABLE PACK 5 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	10400	98

L429319509107002 4P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 5 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	6900	98

L429319509107003 8P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 5 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	3500	98

L4293S9509104001 3C X 2 POINT 5SQ MM FEP CONTROL CABLE PACK 5 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

L4293S9509104002 4P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 5 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

L4293S9509104003 8P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 5 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

L429119509107001 3C X 2 POINT 5 SQ MM FEP CONTROL CABLE PACK 6 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	7000	98

L429119509107002 4P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 6 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	5800	98

L429119509107003 8P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 6 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	2000	98

L4291S9509104001 3C X 2 POINT 5 SQ MM FEP CONTROL CABLE PACK 6 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

L4291S9509104002 4P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 6 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

L4291S9509104003 8P X 0 POINT 5 SQ MM FEP INST CABLE G PACK 6 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

L429319509109001 AND L429419509109001 2P X 0 POINT 5 SQ MM FEP EXTENSION CABLE PACK 7 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014, MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	6200	98

L4293S9509105001 AND L4294S9509105001 2P X 0 POINT 5 SQ MM FEP EXTENSION CABLE PACK 7 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

L429119509109001 AND L429219509108001 2P X 0 POINT 5 SQMM FEP EXTENSION CABLE PACK 8 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	6200	98

L4291S9509105001 AND L4292S9509102001 2P X 0 POINT 5 SQMM FEP EXTENSION CABLE PACK 8 TO SITE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	1000	98

R61180600087 2P X 0 POINT 5 SQMM 0 BY A SHIELDED INST CABLE G PACK 9 TO BHEL TRICHY STORES

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	350	98

R61180600090 12P X 0 POINT 5 SQMM 0 BY A SHIELDED INST CABLE G PACK 9 TO BHEL TRICHY STORES

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	900	98

R61180600091 2P X 0 POINT 5 SQMM P BY O SHIELDED INST CABLE F PACK 9 TO BHEL TRICHY STORES

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	350	98

R61180600094 12P X 0 POINT 5 SQMM P BY O SHIELDED INST CABLE F PACK 9 TO BHEL TRICHY STORES

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	600	98

R61171100003 8P X 0 POINT 5 SQMM O BY A SHIELDED INST CABLE PACK 9 TO BHEL TRICHY STORES

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Puvanendran L	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	2575	98

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original

delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---