

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	05-09-2025 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	05-09-2025 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम/Department Name	Department Of Heavy Industry
संगठन का नाम/Organisation Name	Bharat Heavy Electricals Limited (bhel)
कार्यालय का नाम/Office Name	10020009-cffp Haridwar
कुल मात्रा/Total Quantity	245
वस्तु श्रेणी /Item Category	Rotary Switch (Q3) , HRC Fuse as per IS 13703 (Q3) , Switch Fuse Unit (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
क्रेता के लिए उपलब्ध आईटीसी/ITC available to buyer	Yes
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Rotary Switch
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Rotary Switch	15
Schedule 2	Hrc Fuse As Per Is 13703	30
Schedule 3	Switch Fuse Unit	10
Schedule 4	Hrc Fuse As Per Is 13703	40
Schedule 5	Hrc Fuse As Per Is 13703	30
Schedule 6	Hrc Fuse As Per Is 13703	30

Schedule 7	Hrc Fuse As Per Is 13703	30
Schedule 8	Hrc Fuse As Per Is 13703	30
Schedule 9	Hrc Fuse As Per Is 13703	30

Rotary Switch (15 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	Maximum no. of switching positions (in Nos.)	4
	Mounting type	Front Mounting on panel with mouting screws
	Dimensions of front plate (in mm)	45x45, 64x64
	Actuator	Knob
	Front plate degree of protection	IP40, IP65
	Operating temperature (in deg. C)	-10 to +55
	Altitude support from the sea level	>2000 m
	Mechanical Endurance, No Load Operating Cycles , Minimum (in No.of cycles)	100000
	Electrical Endurance, On Load Operating Cycels, Minimum (in No. of cycles)	100000
GENERIC	No. of Phase	1
	Rated frequency (in Hz)	50
	Rated operational Voltage (in Volt)	240, 415
	Rated operational current (in A)	16, 63
	Rated Insulation voltage (in Volt)	440
	Rated impulse withstand voltage (in KV)	3, 6
	Conventional free air thermal current (in A)	16, 50
	Rated Short time withstand current (in A)	1 sec, 100 A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Conditional short circuit current (in KA)	3, 7
	Utilization category	AC-20A, AC-23A

Additional Specification Parameters - Rotary Switch (15 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION	ON/OFF ROTARY TYPE POWER CONTROL SWITCH, FLUSH MOUNTING
CONFIRMING TO IS	IS:13947
PARAMETER	3 POLE, 16A, 415V, 50HZ

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	15	60

HRC Fuse As Per IS 13703 (30 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	Warranty	1.0 (year)
Features	Rated Current	35.0 (Ampère)
	Breaking Capacity, KA	10, 20, 25, 40, 45, 50, 80, 100, 120, 150, 160, 180, 200
	Rated Voltage	415.0 (Volt)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Material of Body	Ceramic

Additional Specification Parameters - HRC Fuse As Per IS 13703 (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION	HIGH SPEED HRC FUSE FOR SEMICONDUCTOR PROTECTION TYPE.SIZE:
EQUIVALEN -T TO	35 ET OF BUSSMANN MAKE
SIZE AND OTHERPARAMETER	35A, 690V. SIZE: 35A, 690V.

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	30	60

Switch Fuse Unit (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATINGS	Rated operational Voltage (in Volt)	240, 415
	Rated frequency (in Hz)	50
	Number of Pole	1 Pole and Neutral, 2 Pole, 3 Pole and Neutral, 4 Pole
	Current rating (in Ampere)	16, 32, 63, 100, 200, 320, 400, 2, 4, 6, 8, 10, 20, 25, 40, 50, 80, 125, 160, 250, 315, 500, 630, 800, 300

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Insulation voltage (in Volt)	440, 500, 630, 660, 690
	Rated impulse withstand voltage (in KV)	3, 4, 6, 8, 12
	Rated short circuit breking capacity, Minimum (in KA, r.m.s.)	3, 7, 10, 80
GENERIC	Whether product ISI Marked (Select 2 for ISI Marked product, Select 1 for Non ISI Marked product	2, 1 Or higher
	Switch Fue Unit contains	Enclosure with door, Fuse units- Rewirable, Terminals, Contactors, Operating handle, Fuse units with fuse, Handle/Shaft: Telescopic shaft for depth adjustment, Pad locking, Auxiliary contact: 1C/O, Auxiliary Contact: 1NO+1NC, Mounting: DIN RAIL Bolted, Phase Barrier, Terminal shroud, Provided with external and one internal earthing termination,, Separate neutral link with provision of 16 sq.mm lug termination with bolts, Phase separating barrier, Corner shields for protection, Hinge type front door, Top and bottom having removable gland plates of 3 mm thick, Wall mounting structure with bolts and nuts, Gasket Neoprene Rubber
	Utilisation category	AC-22A, AC-23A
	Warranty (in Years)	1 - 5
CONSTRUCTION	Material of enclosure	CRCA Sheet, 2 mm thick, Heavy duty sheet steel enclosed and fully shrouded and interlocked
	Degree of protection	IP54, IP55, IP20
	Mechanical Endurance, Minimum (in No.of cycles)	10000
	Fixing accessories for mounting of enclsoures	Yes, No
FUSE UNIT	Type of fuse	Rewirable Porcelain Fuse units, Fuse Unit-Cylindrical . DIN fuse-link, HRC Fuse Link

Additional Specification Parameters - Switch Fuse Unit (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION	TPN SWITCH DISCONNECTOR FUSE UNIT IN SS ENCLOSURE SUITABLE ONLY TO KNIFE (DIN TYPE) FUSE.
CONFIRMING IS	IS:13947 PART3-1993

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE AND PARAMETER	TPN-100A,415V AC,50HZ

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	10	60

HRC Fuse As Per IS 13703 (40 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	Warranty	1, 2, 3, 4, 5, 6 (year)
Features	Rated Current	0.5, 0.75, 1, 1.5, 2, 2.5, 3, 3.5, 4, 5, 6, 7.5, 10, 11, 15, 16, 20, 25, 32, 35, 36, 40, 50, 60, 63, 75, 90, 100, 112, 125, 160, 180, 200, 225, 250, 300, 315, 350, 400, 425, 450, 500, 600, 630, 700, 750, 800, 900, 1000, 1100, 1200, 1250, 0.1 (Ampère)
	Breaking Capacity, KA	10, 20, 25, 40, 45, 50, 80, 100, 120, 150, 160, 180, 200
	Rated Voltage	230, 240, 250, 415, 440, 500, 600, 660, 690, 1100, 3300, 3600, 6600, 7200, 11000, 22000, 33000, 12 (Volt)
Construction	Material of Body	Transparent glass, Polycarbonate, ABS, Ceramic

Additional Specification Parameters - HRC Fuse As Per IS 13703 (40 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION	HRC FUSE
CONFIRMING TO IS	IS:13703-1993
SIZE AND OTHER PARAMETER	63A,SIZE-00,DIN TYPE,440VAC,50HZ.

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	40	60

HRC Fuse As Per IS 13703 (30 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	Warranty	1.0 (year)
Features	Rated Current	75.0 (Ampère)
	Breaking Capacity, KA	80
	Rated Voltage	500.0 (Volt)
Construction	Material of Body	Ceramic
	Fixture or tagging	Blade tag

Additional Specification Parameters - HRC Fuse As Per IS 13703 (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION	HRC FUSE FOR 440VAC,50HZ.

Specification Parameter Name	Bid Requirement (Allowed Values)
CONFIRMING TO IS:	13703-1993
SIZE AND OTHER PARAMTER	80A,SIZE-00,DIN TYPE

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	30	60

HRC Fuse As Per IS 13703 (30 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	Warranty	1.0 (year)
Features	Rated Current	100.0 (Ampère)
	Breaking Capacity, KA	80
	Rated Voltage	415.0 (Volt)
Construction	Material of Body	Ceramic
	Fixture or tagging	DIN Tag

Additional Specification Parameters - HRC Fuse As Per IS 13703 (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION	HRC FUSE
CONFIRMING TO IS	13703-1993

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE AND OTHER PARAMETER	SIZE: 100A,SIZE-00,DIN TYPE,440VAC,50HZ.

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	30	60

HRC Fuse As Per IS 13703 (30 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	Warranty	1.0 (year)
Features	Rated Current	250.0 (Ampère)
	Breaking Capacity, KA	80
	Rated Voltage	415.0 (Volt)
Construction	Material of Body	ABS
	Fixture or tagging	DIN Tag

Additional Specification Parameters - HRC Fuse As Per IS 13703 (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION	HRC FUSE
CONFIRMING TO IS	3703-1993
SIZE AND OTHER PARAMETER	SIZE-1,DIN TYPE,440VAC,50HZ

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	30	60

HRC Fuse As Per IS 13703 (30 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	Warranty	1.0 (year)
Features	Rated Current	250.0 (Ampère)
	Breaking Capacity, KA	80
	Rated Voltage	415.0 (Volt)
Construction	Material of Body	Ceramic
	Fixture or tagging	DIN Tag

Additional Specification Parameters - HRC Fuse As Per IS 13703 (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION	HRC FUSE FOR : SIZE:
CONFIRMING TO IS	13703-1993
SIZE AND OTHER PARAMETER	250A,, SIZE-2,DIN TYPE ,440VAC,50HZ.

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	30	60

HRC Fuse As Per IS 13703 (30 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification	Warranty	1.0 (year)
Features	Rated Current	400.0 (Ampère)
	Breaking Capacity, KA	80, 100
	Rated Voltage	415.0 (Volt)
Construction	Material of Body	ABS
	Fixture or tagging	DIN Tag

Additional Specification Parameters - HRC Fuse As Per IS 13703 (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION	HRC FUSE
CONFIRMING TO IS	13703-1993
SIZE AND OTHER PARAMETER	SIZE-2,DIN TYPE ,400A, 440VAC,50HZ

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	30	60

Buyer added Bid Specific Additional Scope of Work

क्र.सं./S.N o.	Document Title	Description	रिवर्स प्रभार के अनुसार जीएसटी/Applicable i.r.o. Items
1	Annexure-1 View	Annexure-1 required with sel and sign	Rotary Switch(15)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

4. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

5. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Vendor has to submit dually filled, signed & stamped copy of Annexure-1.
2. The vendor is requested to submit their quotation strictly in accordance with the specifications and requirements outlined in Annexure-1.
3. Only Siemens, L&T, GE & ABB make acceptable for all items except item SI No.-2
4. Test certificate required along with supply.
5. Guarantee certificate against manufacturing defects is required for the one year from supply date
6. Early delivery is acceptable.
7. Final inspection will be done at CFFP Store
8. Payment terms- 100% payment shall be released within no. of days (mentioned in the below table) after Receipt and Acceptance of Material / Item at CFFP, BHEL-Store e subject to submission of non-discrepant documents within 15 days of supply as per terms and conditions of Purchase Order. In case any discrepancy found in the documents, BHEL will notify the same to vendor. Vendor has to clear all the discrepancies in one go within 7 days thereafter else the payment may get delayed. BHEL reserves the right to accept or reject the offer of the bidder who quotes the payment term other than BHEL's standard payment term.

The payment shall be made within no. of days as defined in the below table from appointed day

Type of Bidder	Within Number of Days
Micro & Small Enterprises (MSEs)	45 Days
Medium Enterprises	60 Days
Non MSME	90 Days

Appointed day means

- The day of material entry in CFFP (i.e. CISF Stamp date), subject to submission of non-discrepant documents by vendor as per Purchase Order.

or

- Where there is any objection regarding acceptance of goods, the same shall be informed to supplier within fifteen days from the day of the delivery of goods. Appointed day will be the day on which such objection is removed by the supplier.

However, GST amount shall be reimbursed in line with compliance to Cl. No. 4 (Taxes & Duties) above.

a) **NO INTEREST PAYABLE TO CONTRACTOR**

No interest shall be payable on the security deposit or any other money due to the Supplier. Loading is not applicable.

Suppliers/Contractors may track payment status of their invoices using BHEL Unified Supplier Payment (USP) Portal – <https://uspp.bhel.in>.

7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws /

acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---