

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	22-09-2025 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	22-09-2025 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	75 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम/Department Name	Department Of Heavy Industry
संगठन का नाम/Organisation Name	Bharat Heavy Electricals Limited (bhel)
कार्यालय का नाम/Office Name	10320027-sstp Trichy
कुल मात्रा/Total Quantity	1935
वस्तु श्रेणी /Item Category	V RING SIZE V120A G BOX SRM , V RING V140A DRIVE ASSY SRM , V RING SIZE V150A SRM and HNDT , V RING V 170 A , V RING V 250 A , V RING SIZE V275A SRM , OIL SEAL SIZE A80X100X10 , OIL SEAL SIZE A52x80x10 CYCLO UNIT 56RPM , OIL SEAL A60X80X7 PV180 CPE , OIL SEAL A60x80x8 ASVSO125 CRT and DRT GB , OIL SEAL SIZE A60x80x13 , OIL SEAL SIZE A60x90x10 CYCLO UNIT , OIL SEAL SIZE A65x90x10 CYCLO UNIT , OIL SEAL A85X100X10 , OIL SEAL A85X110X12 T BLOCK CPE and MPL , OIL SEAL A95X110X10 CHA and DISCH M C RHF , OIL SEAL A 100X130X12 CPE , OIL SEAL SIZE B 80x100x13 RC BEARING BL , OIL SEAL SIZEB55x80x12CYCLO UNIT 56RPM
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	V-RING SIZE- V120A G.BOX SRM, V RING V140A-DRIVE ASSY SRM, V-RING SIZE V150A (SRM&HNDT), V - RING / V 170 A, V - RING / V 250 A, V-RING SIZE V275A SRM, OIL SEAL SIZE:A80X100X10, OIL SEAL SIZE:A52x80x10 CYCLO UNIT 56RPM, OIL SEAL -A60X80X7 PV180 CPE, OIL SEAL A60x80x8 ASVSO125,CRT&DRT GB, OIL SEAL SIZE A60x80x13, OIL SEAL SIZE A60x90x10 CYCLO UNIT, OIL SEAL SIZE A65x90x10 CYCLO UNIT, OIL SEAL A85X100X10, OIL SEAL A85X110X12 T.BLOCK CPE&MPL, OIL SEAL .A95X110X10 CHA&DISCH M/C RHF, OIL SEAL A 100X130X12 CPE, OIL SEAL SIZE A 80x100x13 RC BEARING BL, OIL SEAL SIZEB55x80x12CYCLO UNIT 56RPM
	Searched String: V-RING SIZE- V120A G.BOX SRM KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), General Purpose Ball Valves (V2), File/Folder (V3), Boxing Rings, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2)

बिड विवरण / Bid Details	as per IS 5312 (Part1), uniform jersey woolen ribbed v neck dgsd specification, Gutta Percha Point, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)
	<p>Searched String: V RING V140A-DRIVE ASSY SRM</p> <p>Spin Bike, Shaping Machine, Mobile Storage Compactors</p> <p>Searched String: V-RING SIZE V150A (SRM&HNDDT)</p> <p>File/Folder (V3), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Sheeting, Tickings and Bedsheets (V2) as per IS 175, General Purpose Ball Valves (V2), Insulation Tester, Small Angle Grinders, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Multifunction Machine MFM (V2), Revolving Chair (V4), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559</p> <p>Searched String: V - RING / V 170 A</p> <p>V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Online UPS (V2), V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Switch Mode Power Supply (SMPS) as per IS 14886:, Jersey Mens Woollen 'V' Neck (Defence), Ammonium Metavanadate, uniform jersey woolen ribbed v neck dgsd specification, Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Modular Table / Meeting Table / Centre Table (V2), Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence)</p> <p>Searched String: V - RING / V 250 A</p> <p>V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Switch Mode Power Supply (SMPS) as per IS 14886:, Jersey Mens Woollen 'V' Neck (Defence), Online UPS (V2), Ammonium Metavanadate, uniform jersey woolen ribbed v neck dgsd specification, Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence)</p> <p>Searched String: V-RING SIZE V275A SRM</p> <p>File/Folder (V3), General Purpose Ball Valves (V2), Insulation Tester, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Small Angle Grinders, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Multifunction Machine MFM (V2), Revolving Chair (V4), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369</p> <p>Searched String: OIL SEAL SIZE:A80X100X10</p> <p>Puf Seal, Plastic Grip Seal, Bolt / Bullet Seal, Nitrile Coated/Nitrile Hand Gloves (V2), D Seal (Rubber), Cleaning Duster (V3), Hydraulic Cylinder Seal Kit, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal), Oil tray, Oil Can</p> <p>Searched String: OIL SEAL SIZE:A52x80x10 CYCLO UNIT</p>

विड विवरण/Bid Details	56RPM
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Antiwear Hydraulic Oil (V3) as per IS 11656, Axle Oil as per IS 1628, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Cross - Over Pipe for Line Pipe Casing Pipe (Petroleum Industry), Large Outer Diameter Casing Pipes (Petroleum Industry)</p>
	<p>Searched String: OIL SEAL -A60X80X7 PV180 CPE</p>
	<p>Yoga Mats, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Handloom Cotton Bed Sheets (V2) as per IS 745, Online UPS (V2), Quilts (V2), Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Transmission oils, Vessel Sealing System, Battery Secondary Lead Acid MT Type (Defence), Bolt / Bullet Seal</p>
	<p>Searched String: OIL SEAL A60x80x8 ASVSO125,CRT&DRT GB</p>
	<p>Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Random Access Memory (RAM) Card (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Permeable Nonwoven Surgical Adhesive Tape, Elastic Surgical Adhesive Tapes (V2), Thin Client Computers (V2), Compostable Nursery Bags, Penta Head Microscope, Tablet Computer (V2)</p>
	<p>Searched String: OIL SEAL SIZE A60x80x13</p>
	<p>Cleaning Duster (V3), Sheeting, Tickings and Bedsheets (V2) as per IS 175, Towel Hand Cotton Turkish (IAF), File/Folder (V3), Foam Mattress (V3), Medical Centrifuge, Multifunction Machine MFM (V2), Handloom Cotton Bed Sheets (V2) as per IS 745, Electronic Baby Weighing Scale - RBSK, Cast Iron Bench</p>
	<p>Searched String: OIL SEAL SIZE A60x90x10 CYCLO UNIT</p>
	<p>Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Microscope immersion oil, Antiwear Hydraulic Oil (V3) as per IS 11656, Oil tray</p>
	<p>Searched String: OIL SEAL SIZE A65x90x10 CYCLO UNIT</p>
	<p>Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Microscope immersion oil, Antiwear Hydraulic Oil (V3) as per IS 11656, Oil tray</p>
	<p>Searched String: OIL SEAL A85X100X10</p>
	<p>Puf Seal, D Seal (Rubber), Plastic Grip Seal, Cleaning Duster (V3), Bolt / Bullet Seal, Hydraulic Cylinder Seal Kit, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal), Oil tray, water baths, Oil Can</p>
	<p>Searched String: OIL SEAL A85X110X12 T.BLOCK CPE&MPL</p>
	<p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), 15w - 40 Diesel Engine Oil, Commercial Idli Steamer, Video Conferencing Camera / Web Camera (V2),</p>

बिड विवरण / Bid Details	<p>Men's Cotton Knitted Sports Shirt / T-Shirt conforming to IS 4375, RCC Guard stone Type B (Cement or concrete posts),</p> <p>Transmission oils, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Prefab Toilet Block of Size 4.88 M x 7.32 M (As Per GeM Drawing)</p> <p>Searched String: OIL SEAL .A95X110X10 CHA&DISCH M/C RHF</p> <p>Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, M - Seal as per IS 9197, Transmission oils</p> <p>Searched String: OIL SEAL A 100X130X12 CPE</p> <p>File/Folder (V3), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Switch Mode Power Supply (SMPS) as per IS 14886:, 15w - 40 Diesel Engine Oil, Writing and Printing Papers Conforming to IS 1848 (Part 1), Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Video Conferencing Camera / Web Camera (V2), Thermal Binding Machines , Bond Paper (V3) Conforming to IS 1848 (Part 1)</p> <p>Searched String: OIL SEAL SIZE A 80x100x13 RC BEARING BL</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: OIL SEAL SIZEB55x80x12CYCLO UNIT 56RPM</p> <p>Integrated Electrosurgical Unit and vessel sealer, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Cotton Pillow, Computer Paper (V3) Conforming to IS 12766 (In Packet), 15w - 40 Diesel Engine Oil, Theft Proof Rifle Racks, Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Containerized Housing / Office Unit, Thyristor Power Unit, Inflatable Tent</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Backing Ring • Hydraulic Cylinder Seal Kit
बीओक्यू शीर्षक /BOQ Title	OIL SEALS
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC)</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	V RING SIZE V120A G BOX SRM
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

V RING SIZE V120A G BOX SRM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	200	42

V RING V140A DRIVE ASSY SRM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	100	42

V RING SIZE V150A SRM And HNDDT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	60	42

V RING V 170 A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	60	42

V RING V 250 A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	100	42

V RING SIZE V275A SRM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	60	42

OIL SEAL SIZE A80X100X10**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	300	42

OIL SEAL SIZE A52x80x10 CYCLO UNIT 56RPM**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	30	42

OIL SEAL A60X80X7 PV180 CPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	20	42

OIL SEAL A60x80x8 ASVSO125 CRT And DRT GB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	25	42

OIL SEAL SIZE A60x80x13

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	20	42

OIL SEAL SIZE A60x90x10 CYCLO UNIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	40	42

OIL SEAL SIZE A65x90x10 CYCLO UNIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	40	42

OIL SEAL A85X100X10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	100	42

OIL SEAL A85X110X12 T BLOCK CPE And MPL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	100	42

OIL SEAL A95X110X10 CHA And DISCH M C RHF**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	100	42

OIL SEAL A 100X130X12 CPE**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	40	42

OIL SEAL SIZE B 80x100x13 RC BEARING BL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	500	42

OIL SEAL SIZE B55x80x12 CYCLO UNIT 56RPM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nagalingam V	620014,SSTP TRICHY	40	42

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.

14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---