

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	06-10-2025 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	06-10-2025 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम/Department Name	Department Of Heavy Industry
संगठन का नाम/Organisation Name	Bharat Heavy Electricals Limited (bhel)
कार्यालय का नाम/Office Name	10020009-cffp Haridwar
कुल मात्रा/Total Quantity	42
वस्तु श्रेणी /Item Category	Graphite Electrode as per IS 9050 (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Graphite Electrode as per IS 9050

बिड विवरण/Bid Details	
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public

Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Graphite Electrode As Per Is 9050	10
Schedule 2	Graphite Electrode As Per Is 9050	20
Schedule 3	Graphite Electrode As Per Is 9050	12

Graphite Electrode As Per IS 9050 (10 metric tonne)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /**Technical Specifications**

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Grades	Type fo grade	High Power
Capacity	Current Carrying Capacity, kA	16-24, 24-32, 32-40, 40-48, 48-56, 56-64, 64-72, 72-80, 80-88, 88-96, 96-104, 104-112, 112-120, 120-128, 128-136, 136-144, 144-152, 152-160, 5.2 to 9.1, 6.5 to 11.7, 7 to 10, 7 to 13, 8.45 to 14.3, 10.4 to 17.6, 11.7 to 19.5, 12 to 20, 13 to 24.7, 14.4 to 24, 16 to 30.4, 18.2 to 30.55, 19.5 to 32, 20 to 35, 20 to 38, 22.1 to 35.75, 22.4 to 37.6, 23 to 36, 27.2 to 44, 28 to 47, 28 to 51, 32 to 51.2, 40 to 48, 40 to 64, 45 Min
Dimensions	Electrode Nominal Length	1000, 1200, 1500, 1800, 2100, 2400, 2700 (millimeter)
	Electrode Nominal Diameter	300.0 (millimeter)
	Tolerance in Nominal Length	1100-1350, 1400-1550, 1400-1650, 1700-1850, 1700-1875, 1700-1975, 1975-2275
	Short Length Tolerance	Upto 975, Upto 1225, Upto 1525, Upto 1825, Upto 2125
	Tolerance in Nominal Diameter	302-307
Technical Parameters	Apparent Density in GMS/CC, Min	1.62, 1.66-1.76, 1.68-1.76, 1.73-1.85, 1.55 to 1.65, 1.56 to 1.66, 1.65 to 1.75, 1.66 to 1.76, 1.65 Min
Nipples Parameters	Type of nipple used	4 TPI
	Accessories Complementary (Included With Graphite Elcetrode)	Torque Wrench- 1 no. per order, Transfer Nipple/ Lifting Plug- 1 no. every 40 pcs., Strap Cutter- 1 no. per order

Additional Specification Parameters - Graphite Electrode As Per IS 9050 (10 metric tonne)

Specification Parameter Name	Bid Requirement (Allowed Values)
300mm nominal Diameter HP grade Graphite Electrodes along with connecting Nipples are to be supplied in accordance to IS:9050. Diameter tolerance: 302-307 mm. Length: 1500-1800 mm Nipples (4TPI of UHP grade) as per IS 9050.	Vendor to accept to supply Graphite Electrode as per dimensions specified to the left without any deviation.

Specification Parameter Name	Bid Requirement (Allowed Values)
Physical & Chemical properties. Bulk Density: 1.58-1.63 g/cc, Grain Size: 1.68 mm (max), Resistivity (micro-ohm-cm): 700-900, Flexural Strength (Kg/Cm2):100-130, Compressive Strength (Kg/Cm2):180-230, Tensile Strength (Kg/Cm2): 60-80	Vendor to accept to supply Graphite Electrode as per Physical & Chemical properties specified to the left without any deviation.
Coefficient of thermal expansion (/Deg Cx10 ^{^(-7)}):10- 13, Youngs Modulus (Kg/mm2): 800-900, apparent porosity (%): 25-27, Ash content (% max): 0.2%, Carbon content: 99.8% (Min).	Vendor to accept to supply Graphite Electrode as per Physical & Chemical properties specified to the left without any deviation.
Supplier is required to furnish 4 set of originals manufacturers test certificate along with supply of material containing BHEL PO number, Supplier name, Batch Number & Serial Number, Test result against above mentioned Physical & Chemical Properties.	Vendor to agree
To be supplied in suitably packed wooden crates/pallets, the end of electrodes shall be covered with corrugated boards to protect the threads and other damage during transit. Nipples to be packed separately in thick corrugated boxes.	Vendor to agree and quantity variation shall be +/- 5%

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	डिलीवरी अनुसूची /Delivery Schedule अनुबंध prarambh होने की तारीख से दिनों की संख्या में /(In number of days from contract start days)		
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	मात्रा /Quantity	प्रारंभ होने की तारीख से डिलीवरी /Delivery to start after	डिलीवरी _____तक पूरी कर ली जाए /Delivery to be completed by
			10	1	30

Graphite Electrode As Per IS 9050 (20 metric tonne)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Grades	Type fo grade	High Power
Capacity	Current Carrying Capacity, kA	16-24, 24-32, 32-40, 40-48, 48-56, 56-64, 64-72, 72-80, 80-88, 88-96, 96-104, 104-112, 112-120, 120-128, 128-136, 136-144, 144-152, 152-160, 5.2 to 9.1, 6.5 to 11.7, 7 to 10, 7 to 13, 8.45 to 14.3, 10.4 to 17.6, 11.7 to 19.5, 12 to 20, 13 to 24.7, 14.4 to 24, 16 to 30.4, 18.2 to 30.55, 19.5 to 32, 20 to 35, 20 to 38, 22.1 to 35.75, 22.4 to 37.6, 23 to 36, 27.2 to 44, 28 to 47, 28 to 51, 32 to 51.2, 40 to 48, 40 to 64, 45 Min
Dimensions	Electrode Nominal Length	1000, 1200, 1500, 1800, 2100, 2400, 2700 (millimeter)
	Electrode Nominal Diameter	400.0 (millimeter)
	Tolerance in Nominal Length	1100-1350, 1400-1550, 1400-1650, 1700-1850, 1700-1875, 1700-1975, 1975-2275
	Short Length Tolerance	Upto 975, Upto 1225, Upto 1525, Upto 1825, Upto 2125
	Tolerance in Nominal Diameter	403-409
Technical Parameters	Apparent Density in GMS/CC, Min	1.62, 1.66-1.76, 1.68-1.76, 1.73-1.85, 1.55 to 1.65, 1.56 to 1.66, 1.65 to 1.75, 1.66 to 1.76, 1.65 Min
Nipples Parameters	Type of nipple used	4 TPI
	Accessories Complementary (Included With Graphite Elctrode)	Torque Wrench- 1 no. per order, Transfer Nipple/ Lifting Plug- 1 no. every 40 pcs., Strap Cutter- 1 no. per order, Transfer Nipple/ Lifting Plug- 1 no. every 80 pcs.

Additional Specification Parameters - Graphite Electrode As Per IS 9050 (20 metric tonne)

Specification Parameter Name	Bid Requirement (Allowed Values)
400mm nominal Diameter HP grade Graphite Electrodes along with connecting Nipples are to be supplied in accordance to IS:9050. Diameter tolerance: 403-408 mm. Length: 1500-1800 mm, Nipples (4TPI of UHP grade) as per IS 9050.	Vendor to accept to supply Graphite Electrode as per dimensions specified to the left without any deviation.

Specification Parameter Name	Bid Requirement (Allowed Values)
Physical & Chemical properties. Bulk Density: 1.58-1.63 g/cc. Grain Size: 6-7 mm (max), Resistivity (micro-ohm-cm): 700-900, Flexural Strength (Kg/Cm2):70-90, Compressive Strength (Kg/Cm2):125-160, Tensile Strength (Kg/Cm2): 42- 54	Vendor to accept to supply Graphite Electrode as per Physical & Chemical properties specified to the left without any deviation.
Coefficient of thermal; expansion (/Deg C x 10 ⁻⁷):10-13, Youngs Modulus (Kg/mm2): 600-700, Apparent porosity (%): 26-28, Ash content (% max): 0.2%, Carbon content: 99.8% (Min).	Vendor to accept to supply Graphite Electrode as per Physical & Chemical properties specified to the left without any deviation.
Supplier is required to furnish 4 set of originals manufacturers test certificate along with supply of material containing BHEL PO number, Supplier name, Batch Number & Serial Number, Test result against above mentioned Physical & Chemical Properties	Vendor to agree
To be supplied in suitably packed wooden crates/pallets, the end of electrodes shall be covered with corrugated boards to protect the threads and other damage during transit. Nipples to be packed separately in thick corrugated boxes.	Vendor to agree and quantity variation shall be +/- 5%.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	डिलीवरी अनुसूची /Delivery Schedule अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में /(In number of days from contract start days)		
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	मात्रा /Quantity	प्रारंभ होने की तारीख से डिलीवरी /Delivery to start after	डिलीवरी _____तक पूरी कर ली जाए /Delivery to be completed by
			20	1	65

Graphite Electrode As Per IS 9050 (12 metric tonne)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Grades	Type fo grade	Ultra High Power
Capacity	Current Carrying Capacity, kA	16-24, 24-32, 32-40, 40-48, 48-56, 56-64, 64-72, 72-80, 80-88, 88-96, 96-104, 104-112, 112-120, 120-128, 128-136, 136-144, 144-152, 152-160, 5.2 to 9.1, 6.5 to 11.7, 7 to 10, 7 to 13, 8.45 to 14.3, 10.4 to 17.6, 11.7 to 19.5, 12 to 20, 13 to 24.7, 14.4 to 24, 16 to 30.4, 18.2 to 30.55, 19.5 to 32, 20 to 35, 20 to 38, 22.1 to 35.75, 22.4 to 37.6, 23 to 36, 27.2 to 44, 28 to 47, 28 to 51, 32 to 51.2, 40 to 48, 40 to 64, 45 Min
Dimensions	Electrode Nominal Length	1000, 1200, 1500, 1800, 2100, 2400, 2700 (millimeter)
	Electrode Nominal Diameter	350.0 (millimeter)
	Tolerance in Nominal Length	1100-1350, 1400-1550, 1400-1650, 1700-1850, 1700-1875, 1700-1975, 1975-2275
	Short Length Tolerance	Upto 975, Upto 1225, Upto 1525, Upto 1825, Upto 2125
	Tolerance in Nominal Diameter	352-357
Technical Parameters	Apparent Density in GMS/CC, Min	1.62, 1.66-1.76, 1.68-1.76, 1.73-1.85, 1.55 to 1.65, 1.56 to 1.66, 1.65 to 1.75, 1.66 to 1.76, 1.65 Min
Nipples Parameters	Type of nipple used	4 TPI
	Accessories Complementary (Included With Graphite Elctrode)	Torque Wrench- 1 no. per order, Transfer Nipple/ Lifting Plug- 1 no. every 40 pcs., Strap Cutter- 1 no. per order

Additional Specification Parameters - Graphite Electrode As Per IS 9050 (12 metric tonne)

Specification Parameter Name	Bid Requirement (Allowed Values)
350mm nominal Diameter UHP grade Graphite Electrodes along with connecting Nipples are to be supplied in accordance to IS:9050. Diameter tolerance: 352-357 mm. Length: 1500-1600 mm Nipples (4TPI of UHP grade) as per IS 9050.	Vendor to accept to supply Graphite Electrode as per dimensions specified to the left without any deviation.

Specification Parameter Name	Bid Requirement (Allowed Values)
Physical & Chemical properties. Bulk Density: 1.66-1.73 g/cc, Grain Size: 6.7 mm (max) Resistivity (micro-ohm-cm): 550-800, Flexural Strength (Kg/Cm2):110-180, Compressive Strength (Kg/Cm2):200-270, Tensile Strength (Kg/Cm2): 65-90.	Vendor to accept to supply Graphite Electrode as per Physical & Chemical properties specified to the left without any deviation.
Coefficient of thermal; expansion (/Deg C x 10 ^{^(-7))} : 11-15, Youngs Modulus (Kg/mm2): 1100-1185, Apparent porosity (%): 22-24, Ash content (% max): 0.2%, Carbon content: 99.8% (Min).	Vendor to accept to supply Graphite Electrode as per Physical & Chemical properties specified to the left without any deviation.
Supplier is required to furnish 4 set of originals manufacturers test certificate along with supply of material containing BHEL PO number, Supplier name, Batch Number & Serial Number, Test result against above mentioned Physical & Chemical Properties.	Vendor to agree.
To be supplied in suitably packed wooden crates/pallets, the end of electrodes shall be covered with corrugated boards to protect the threads and other damage during transit. Nipples to be packed separately in thick corrugated boxes.	Vendor to agree and quantity variation shall be +/- 5%.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	डिलीवरी अनुसूची /Delivery Schedule अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में /In number of days from contract start days)		
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	मात्रा /Quantity	प्रारंभ होने की तारीख से डिलीवरी /Delivery to start after	डिलीवरी _____तक पूरी कर ली जाए /Delivery to be completed by
			12	1	60

Buyer added Bid Specific Additional Scope of Work

क्र.सं./S.No.	Document Title	Description	रिवर्स प्रभार के अनुसार जीएसटी/Applicable i.r.o. Items
1	Item description 300 MM View	Bidder has to submit signed and stamped copy of attached specification as acceptance to supply material as per requirement.	Graphite Electrode As Per IS 9050(10)
2	Item description 400 MM View	Bidder has to submit signed and stamped copy of attached specification as acceptance to supply material as per requirement.	Graphite Electrode As Per IS 9050(20)
3	Item description 350 MM View	Bidder has to submit signed and stamped copy of attached specification as acceptance to supply material as per requirement.	Graphite Electrode As Per IS 9050(12)
4	UHP 350 length confirmation View	Bidder has to submit signed and stamped copy of attached specification as acceptance to supply material as per requirement.	Graphite Electrode As Per IS 9050(12)
5	Specification View	Bidder has to submit signed and stamped copy of attached specification as acceptance to supply material as per requirement.	Graphite Electrode As Per IS 9050(10), Graphite Electrode As Per IS 9050(20), Graphite Electrode As Per IS 9050(12)
6	PQC View	Bidder has to submit documents as per attached PQC to qualify in the GEM bid.	Graphite Electrode As Per IS 9050(10), Graphite Electrode As Per IS 9050(20), Graphite Electrode As Per IS 9050(12)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

4. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

6. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

by Seller at Seller Works

Post Receipt Inspection at consignee site before acceptance of stores:
by CFFP at CFFP BHEL Haridwar

7. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

8. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

9. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला

सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---