

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-02-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	14-02-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम/Department Name	Department Of Heavy Industry
संगठन का नाम/Organisation Name	Bharat Heavy Electricals Limited (bhel)
कार्यालय का नाम/Office Name	10020009-cffp Haridwar
कुल मात्रा/Total Quantity	7410
	BARREL SHAPED SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80 to 85 ID 10MM OD 24M M L 27MM FOR 15TPH BOILER PUMP NO 1 SIZE 10MM X 24MM X 27MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80 to85 ID 12MM OD 30MM L 34MM FOR HOT TYPE PUMP NO 4 SIZE 12MM X 30MM X 34 MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80 to85 SIZE SIZEID 12MM OD 22MM L 20MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80 85 SIZE SIZE ID 12MM OD 22MM L 24MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE ID 12MM OD 22MML 30MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 SIZE SIZE ID 12MM OD 24MM L 24MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 S SIZE ID 12MM OD 24MM L 30MM , BARREL SHAPED SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80dash85 D 12MM OD 27MM L 33MM FOR COLD PUMP NO 1 SIZE 12MM X 27MM X 33MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80dash85 SIZE SIZEID 14MM OD 22MM L 30MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 SIZE SIZE ID 16MM OD 26MM L 30MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE ID 16MM OD 30MM L 22MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE SIZE ID 16MM OD 30MM L 30MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE SIZE ID 16MM OD 31MM L 25MM , SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDESORE HARDNESS 80dash85 SIZE ID 18MM OD 28MM L 28MM ,

	बिड विवरण / Bid Details
वस्तु श्रेणी / Item Category	<p>SYNTHETIC RUBBER BUSH FOR COUPLING BOLTS SHORE HARDNESS 80dash85 SIZE ID19MMOD30MML31MM , SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 SIZE ID19MMOD30MML40 MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTS SHORE HARDNESS 80dash85 SIZE ID19MMOD31MML34MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80dash85 SIZE ID19MMOD34MML30MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80dash85 SIZE ID19MMOD34MML34MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80dash85 SIZE ID 19MM OD 38MM L 40MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80dash85 SIZE ID20MMOD38MML38MM , DRG ID22MMOD31MML40MM REV SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTS SHORE HARDNESS 80dash85 SIZE ID22MMOD38MML38MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 SIZE ID22MMOD39MML40MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 SIZE ID22MMOD44MML50MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTS SHORE HARDNESS 80dash85 SIZE ID22MMOD44MML50MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 SIZE ID 22MM OD50MM L35MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTS SHORE HARDNESS 80dash85 SIZE ID25MMOD38MML55MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTS SHORE HARDNESS 80dash85 SIZE ID25MMOD44MML50MM , SYNTHETIC RUBBER BUSH FOR COUPLING BOLTS SHORE HARDNESS 80dash85 SIZE ID25MMOD48MML50MM , SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80dash85 SIZE ID28 MMOD50MML50MM , SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 SIZE ID29MMOD57MML50 , SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 SIZE ID30point 1MM OD57MM L60MM , DRG DRGNO0105119 REV SYNTHETIC RUBBER BUSH1 FOR COUPLING OF URACA PUMP</p>
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	BARREL SHAPED SYNTHETIC RUBBER BUSH
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Kabaddi Mat (V2), Hydraulic Hose, Fitness Push Up Bar, Fitness Tube, Rubber Welding Hoses as per IS 447, mackintosh sheet hospital rubber sheetings, Multiband Ligator, Fitness Band
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Carbon Bush
बीओक्यू शीर्षक /BOQ Title	BARREL SHAPED SYNTHETIC RUBBER BUSH
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /MSE Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	4
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
क्रेता के लिए उपलब्ध आईटीसी/ITC available to buyer	Yes
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	BARREL SHAPED SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80 to 85 ID 10MM OD 24M M L 27MM FOR 15TPH BOILER PUMP NO 1 SIZE 10MM X 24MM X 27MM
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/ Evaluation Method	Item wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No

बिड विवरण/Bid Details**सुलह खंड/Mediation Clause**

No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required

No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required

No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference

No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference

Yes

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%

15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference

25

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Barrel Shaped Synthetic Rubber Bush For Coupling Bolt Shore Hardness 80 To 85 Id 10mm Od 24mm M L 27mm For 15tph Boiler Pump No 1 Size 10mm X 24mm X 27mm	100
Schedule 2	Synthetic Rubber Bush For Coupling Bolt Shore Hardness 80 To85 Id 12mm Od 30mm L 34mm For Hot Type Pump No 4 Size 12mm X 30mm X 34 Mm	50
Schedule 3	Synthetic Rubber Bush For Coupling Bolt Shore Hardness 80 To85 Size Sizeid 12mm Od 22mm L 20mm	100
Schedule 4	Synthetic Rubber Bush For Coupling Boltshore Hardness 80 85 Size Size Id 12mm Od 22mm L 24mm	300
Schedule 5	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Id 12mm Od 22mm L 30mm	300
Schedule 6	Synthetic Rubber Bush For Coupling Bolt With Ms Pipe Inside Shore Hardness 80dash85 Size Size Id 12mm Od 24mm L 24mm	300
Schedule 7	Synthetic Rubber Bush For Coupling Bolt With Ms Pipe Inside Shore Hardness 80dash85 S Size Id 12mm Od 24mm L 30mm	300
Schedule 8	Barrel Shaped Synthetic Rubber Bush For Coupling Bolt Shore Hardness 80dash85 D 12mm Od 27mm L 33mm For Cold Pump No 1 Size 12mm X 27mm X 33mm	100
Schedule 9	Synthetic Rubber Bush For Coupling Bolt Shore Hardness 80dash85 Size Sizeid 14mm Od 22mm L 30mm	300
Schedule 10	Synthetic Rubber Bush For Coupling Bolt With Ms Pipe Inside Shore Hardness 80dash85 Size Size Id 16mm Od 26mm L 30mm	300
Schedule 11	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Id 16mm Od 30mm L 22mm	300

Schedule 12	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Size Id 16mm Od 30mm L 30mm	100
Schedule 13	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Size Id 16mm Od 31mm L 25mm	100
Schedule 14	Synthetic Nylon Rubber Bush For Coupling Bolt With Ms Pipe Insideshore Hardness 80dash85 Size Id 18mm Od 28mm L 28mm	200
Schedule 15	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Id19mmod30mml31mm	150
Schedule 16	Synthetic Nylon Rubber Bushfor Coupling Bolt With Ms Pipe Insideshore Hardness 80dash85 Size Id19mmod30mml40 Mm	200
Schedule 17	Synthetic Rubber Bush For Coup Ling Boltshore Hardness 80dash85 Size Sizeid19mmod31mml34mm	50
Schedule 18	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Sizeid19mmod34mml30mm	50
Schedule 19	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Sizeid19mmod34mml34mm	300
Schedule 20	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Size Id 19mm Od 38mm L 40mm	350
Schedule 21	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Id20mmod38mml38mm	300
Schedule 22	Drg Id22mmod31mml40mm Rev Synthetic Nylon Rubber Bush For Coupling Bolt With Ms Pipeinsideshore Hardness 80dash85	200
Schedule 23	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Sizeid22mmod38mml38mm	200
Schedule 24	Synthetic Rubber Bush For Coupling Bolt With Ms Pipe Inside Shore Hardness 80dash85 Size Sizeid22mmod39mml40mm	300
Schedule 25	Synthetic Rubber Bush For Coupling Bolt With Ms Pipe Insideshore Hardness 80dash85size Sizeid22mmod44mml50mm	300
Schedule 26	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85size Id22mmod44mml50mm	300
Schedule 27	Synthetic Rubber Bush For Coupling Bolt With Ms Pipe Insideshore Hardness 80dash85size Sizeid 22mm Od50mm L35mm	300
Schedule 28	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Id25mmod38mml55mm	300
Schedule 29	Synthetic Rubber Bush For Coupling Boltshore Hardness 80dash85 Size Sizeid25mmod44mml50mm	300
Schedule 30	Synthetic Rubber Bush For Coup Ling Boltshore Hardness 80dash85 Size Id25mmod48mml50mm	100
Schedule 31	Synthetic Nylon Rubber Bush For Coupling Bolt Shore Hardnes S 80dash85 Size Id28 Mmod50mml50mm	400
Schedule 32	Synthetic Nylon Rubber Bush For Coupling Bolt With Ms Pipe Insideshore Hardness 80dash85 Size Id29mmod57mml50	200
Schedule 33	Synthetic Nylon Rubber Bush For Coupling Bolt With Ms Pipe Insideshore Hardness 80dash85 Size Id30point 1mm Od57mm L60mm	200
Schedule 34	Drg Drgno0105119 Revsynthetic Rubber Bush1 For Coupling Of Uraca Pump	60

BARREL SHAPED SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80 To 85 ID 10MM OD 24M M L 27MM FOR 15TPH BOILER PUMP NO 1 SIZE 10MM X 24MM X 27MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	100	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80 To85 ID 12MM OD 30MM L 34MM FOR HOT TYPE PUMP NO 4 SIZE 12MM X 30MM X 34 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	50	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80 To85 SIZE
SIZEID 12MM OD 22MM L 20MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	100	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSHORE HARDNESS 80 85 SIZE SIZE ID
12MM OD 22MM L 24MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSHORE HARDNESS 80dash85 SIZE ID 12MM OD 22MML 30MM**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE
HARDNESS 80dash85 SIZE SIZE ID 12MM OD 24MM L 24MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE
HARDNESS 80dash85 S SIZE ID 12MM OD 24MM L 30MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

BARREL SHAPED SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80dash85 D 12MM OD 27MM L 33MM FOR COLD PUMP NO 1 SIZE 12MM X 27MM X 33MM**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	100	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLT SHORE HARDNESS 80dash85 SIZE SIZEID 14MM OD 22MM L 30MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE HARDNESS 80dash85 SIZE SIZE ID 16MM OD 26MM L 30MM**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE ID
16MM OD 30MM L 22MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE SIZE
ID 16MM OD 30MM L 30MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	100	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSHORE HARDNESS 80dash85 SIZE SIZE ID 16MM OD 31MM L 25MM**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	100	60

SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDESHORE

HARDNESS 80dash85 SIZE ID 18MM OD 28MM L 28MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	200	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE ID19MMOD30MML31MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	150	60

**SYNTHETIC NYLON RUBBER BUSHFOR COUPLING BOLT WITH MS PIPE INSIDESHORE
HARDNESS 80dash85 SIZE ID19MMOD30MML40 MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	200	60

**SYNTHETIC RUBBER BUSH FOR COUP LING BOLTSORE HARDNESS 80dash85 SIZE
SIZEID19MMOD31MML34MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	50	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE
SIZEID19MMOD34MML30MM****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	50	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE

SIZEID19MMOD34MML34MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE SIZE ID 19MM OD 38MM L 40MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	350	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE
ID20MMOD38MML38MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

**DRG ID22MMOD31MML40MM REV SYNTHETIC NYLON RUBBER BUSH FOR COUPLING
BOLT WITH MS PIPEINSIDESHORE HARDNESS 80dash85**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	200	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE
SIZEID22MMOD38MML38MM****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	200	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDE SHORE

HARDNESS 80dash85 SIZE SIZEID22MMOD39MML40MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDESHORE HARDNESS 80dash85SIZE SIZEID22MMOD44MML50MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSHORE HARDNESS 80dash85SIZE
ID22MMOD44MML50MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDESHORE
HARDNESS 80dash85SIZE SIZEID 22MM OD50MM L35MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

**SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE
ID25MMOD38MML55MM****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

SYNTHETIC RUBBER BUSH FOR COUPLING BOLTSORE HARDNESS 80dash85 SIZE

SIZEID25MMOD44MML50MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	60

SYNTHETIC RUBBER BUSH FOR COUP LING BOLTSORE HARDNESS 80dash85 SIZE ID25MMOD48MML50MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	100	60

**SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT SHORE HARDNES S 80dash85
SIZE ID28 MMOD50MML50MM**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	400	60

**SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDESHORE
HARDNESS 80dash85 SIZE ID29MMOD57MML50**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	200	60

**SYNTHETIC NYLON RUBBER BUSH FOR COUPLING BOLT WITH MS PIPE INSIDESHORE
HARDNESS 80dash85 SIZE ID30point 1MM OD57MM L60MM****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	200	60

DRG DRGNO0105119 REVSYNTHETIC RUBBER BUSH1 FOR COUPLING OF URACA PUMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaspal Rawat	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	60	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

4. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- 1. Vendor should submit dually filled, signed & stamped copy of specification document i.e. Annexure -1.
- 2. Test certificate required along with supply.
- 3. Guarantee certificate is required for period of one year from supply date.
- 4. Early delivery is acceptable.
- 5. Final inspection will be done at CFFP Store
- 6. **Payment terms-** 100% payment shall be released within no. of days (mentioned in the below table) after Receipt and Acceptance of Material / Item at CFFP, BHEL-Store e subject to submission of non-discrepant documents within 15 days of supply as per terms and conditions of Purchase Order. In case any discrepancy found in the documents, BHEL will notify the same to vendor. Vendor has to clear all the discrepancies in one go within 7 days thereafter else the payment may get delayed. BHEL reserves the right to accept or reject the offer of the bidder who quotes the payment term other than BHEL's standard payment term.

The payment shall be made within no. of days as defined in the below table from appointed day

Type of Bidder	Within Number of Days
Micro & Small Enterprises (MSEs)	45 Days
Medium Enterprises	60 Days
Non MSME	90 Days

Appointed day means

- The day of material entry in CFFP (i.e. CISF Stamp date), subject to submission of non-discrepant docum

ents by vendor as per Purchase Order.

or

- Where there is any objection regarding acceptance of goods, the same shall be informed to supplier within fifteen days from the day of the delivery of goods. Appointed day will be the day on which such objection is removed by the supplier.

However, GST amount shall be reimbursed in line with compliance to Cl. No. 4 (Taxes & Duties) above.

a) NO INTEREST PAYABLE TO CONTRACTOR

No interest shall be payable on the security deposit or any other money due to the Supplier. Loading is not applicable.

Suppliers/Contractors may track payment status of their invoices using BHEL Unified Supplier Payment (USP) Portal – <https://uspp.bhel.in>.

11 The vendor shall be deemed to have accepted all the terms and conditions mentioned in the ATC clauses and ATC documents. In the event no separate acceptance is provided in the bid, such acceptance shall be considered implicit and binding on the vendor.

7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.

5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---