

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	23-02-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	23-02-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम/Department Name	Department Of Heavy Industry
संगठन का नाम/Organisation Name	Bharat Heavy Electricals Limited (bhel)
कार्यालय का नाम/Office Name	10140027-hbbp Trichy
कुल मात्रा/Total Quantity	540
वस्तु श्रेणी /Item Category	Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455 (Q3)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या   / Minimum number of bids required to disable automatic bid extension	4

**बिड विवरण/Bid Details**

दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	2
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
<b>Payment Timelines</b>	Payments shall be made to the Seller within <b>90</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
<b>मूल्यांकन पद्धति/Evaluation Method</b>	Total value wise evaluation
<b>मध्यस्थता खंड/Arbitration Clause</b>	No
<b>सुलह खंड/Mediation Clause</b>	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
7. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 50 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	9.0 (millimeter)
	<b>Designation of Bearing</b>	629-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel, Brass, Polyamide, N.A.
	Radial Internal Clearance as per IS 5935 (Part 1)	Group N
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	50	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 50 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	12.0 (millimeter)
	<b>Designation of Bearing</b>	6001-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	50	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 20 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	17.0 (millimeter)
	<b>Designation of Bearing</b>	6003-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507, POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	20	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 20 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	20.0 (millimeter)
	<b>Designation of Bearing</b>	6004-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Warranty for complete unit	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	20	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 20 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	25.0 (millimeter)
	<b>Designation of Bearing</b>	6005-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	20	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 20 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	30.0 (millimeter)
	<b>Designation of Bearing</b>	6006-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	20	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 30 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	10.0 (millimeter)
	<b>Designation of Bearing</b>	6200-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	30	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 50 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Bearing bore diameter, d (In mm)</b>	15.0 (millimeter)
	<b>Designation of Bearing</b>	6202-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	50	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 50 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	17.0 (millimeter)
	<b>Designation of Bearing</b>	6203-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	50	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 50 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	20.0 (millimeter)
	<b>Designation of Bearing</b>	6204-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	50	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 70 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	25.0 (millimeter)
	<b>Designation of Bearing</b>	6205-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	70	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 30 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	50.0 (millimeter)
	<b>Designation of Bearing</b>	6210-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	30	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 20 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	25.0 (millimeter)
	<b>Designation of Bearing</b>	6305-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	20	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 30 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Bearing bore diameter, d (In mm)</b>	30.0 (millimeter)
	<b>Designation of Bearing</b>	6306-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
	Radial Internal Clearance as per IS 5935 (Part 1)	Group 3
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507, POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	30	90

**Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 ( 30 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Bearing Type</b>	Single Row Deep Groove Ball Bearing
	<b>Flange Outer Ring</b>	Without
	<b>Bearing bore diameter, d (In mm)</b>	40.0 (millimeter)
	<b>Designation of Bearing</b>	6308-2Z
	<b>Bearing outside diameter, D</b>	As per Table 1 Clause 4.2.1 of IS 6455

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Bearing width, B</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Smallest permissible chamfer dimension, r1s, r2s</b>	As per Table 1 Clause 4.2.1 of IS 6455
	<b>Cage Material</b>	Press Steel
	Radial Internal Clearance as per IS 5935 (Part 1)	Group 3
Certification, Testing & Warranty	<b>Conformity to Indian Standard</b>	As per IS 6455
	<b>Warranty for complete unit</b>	1, 2, 3 Or higher (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harish S	622507,POWER PLANT PIPING UNIT, BHARAT HEAVY ELECTRICALS LIMITED, THIRUMAYAM.	30	90

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Kindly fill the attached Annexures uploaded in the Buyer Added Bid specific terms and conditions

**3. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The**

**Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**