

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	13-08-2026 16:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	13-08-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम / Department Name	Department Of Heavy Industry
संगठन का नाम / Organisation Name	Bharat Heavy Electricals Limited (bhel)
कार्यालय का नाम / Office Name	10160001-isg, Bangalore
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id :mvg@bhel.in Buyer Email id: buyer83.bhelb.ka@gembuyer.in
कुल मात्रा / Total Quantity	18143

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	LED 140 W , LED 80 W , LED 18 W , LED 40 W , LED 35 W , LED 33 W , 20 W SELF CONTAIN 90 MIN. BATTERY BACK-UP EMERGENCY LIGHT WITH NI-CD BATTERY, BATTERY-CHARGER and 2X10W LED LAMPS , DC EMERGENCY LIGHT - 220 V DC, 30 WATT LED LAMP , 20A, 240V, 3PIN POWER RECEPTACLE - INDUSTRIAL TYPE , 10A, 240V, 3PIN POWER RECEPTACLE- INDUSTRIAL TYPE-For Emergency Light , 63A, 415V AC, 3PIN WELDING RECEPTACLE-INDUSTRIAL TYPE , 16A MS GALVANIZED SWITCH BOX , 6A MS GALVANIZED SWITCH BOX , 20 MM GI PIPE -MEDIUM GRADE, BALL and SOCKET ARRANGEMENT , 20mm Dia GI Conduit , 2.5 SQ.MM. CU, FRLS WIRE -Red , 2.5 SQ.MM. CU, FRLS WIRE - Yellow , 2.5 SQ.MM. CU, FRLS WIRE - Blue , 2.5 SQ.MM. CU, FRLS WIRE - Black , 14 SWG GI Wire , 20mm Saddle with base , 20mm Dia Inspection Bend , 20mm Dia 3 Way Junction Box , 20mm Dia Ball Socket , Dog Chain , Rawl Plug , PVC Sleeve-8x35mm , M8x40MM Dia Nut bolt with washer , M10x75mm Anchor Fastner -Bolt Type , 20mm Dia Rubber Bush , 50x6mm MS Angle , L Type Support for Emergency Light Stand , 10mm Aluminium Strip , Any erection consumable , 65x8 GALVANIZED MS FLAT , 50x6 GALVANIZED MS FLAT , 25x6 GALVANIZED MS FLAT , 25x3 GALVANIZED MS FLAT , 8 SWG GS WIRE , 40mm dia, 3Mtr long MS Rod Earth electrodes Pointed at one end , Treated Earth Pit, i. 40mm dia, 3Mtr long MS Rod Earth electrodes ii. Galvanised MS Strip, Isolating link aiii. 50 NB Galvanised MS perforated Pipe 3Mtr long pipe as per tech specification , Galvanised MS Rod vertical conductor 20mm dia, 1m long, pointed at one end with 150X100X6 mm Galvanized MS Plate with 2 Nos M10 holes as per technical specification , Test Link with Box- Test link should be suitable for material size 25x6mm, complete with mounting hardware , Clamp for Fixing 25X6 GS Flat along with necessary Hardware. , 40MM dia MS rod , ISMC 100
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	LED 140 W, LED 80 W, LED 18 W, LED 40 W, LED 35 W, LED 33 W, 20 W SELF CONTAIN 90 MIN. BATTERY BACK-UP EMERGENCY LIGHT, DC EMERGENCY LIGHT (220 V DC), 30 WATT LED LAMP, LIGHTING PANEL-63A, 415V, 50HZ, 3PH+N I/C with 20A DP O/G-15 No's, 20A, 240V, 3PIN POWER RECEPTACLE(INDUSTRIAL TYPE), 10A, 240V, 3PIN POWER RECEPTACLE For Emergency Light, 63A, 415V AC, 3PIN WELDING RECEPTACLE(INDUSTRIAL TYPE), 16A MS GALVANIZED SWITCH BOX, 6A MS GALVANIZED SWITCH BOX, 20 MM GI PIPE (MEDIUM GRADE), BALL & SOCKET ARRANGEMENT, 20mm Dia GI Conduit, 2.5 SQ.MM. CU, FRLS WIRE (Red), 2.5 SQ.MM. CU, FRLS WIRE (Yellow), 2.5 SQ.MM. CU, FRLS WIRE (Blue), 2.5 SQ.MM. CU, FRLS WIRE (Black), 14 SWG GI Wire, 20mm Saddle with base, 20mm Dia Inspection Bend, 20mm Dia 3 Way Junction Box, 20mm Dia Ball Socket, Dog Chain, Rawl Plug, PVC Sleeve-8x35mm, M8x40MM Dia Nut bolt with washer, M10x75mm Anchor Fastner (Botl Type), 20mm Dia Rubber Bush, 50x6mm MS Angle, L Type Support for Emergency Light Stand, 10mm Aluminium Strip, Any erection consumable
	Searched String: LED 140 W White LED (W - LED) Based Solar Home Lighting Systems (V2), Laboratory Incubators, White LED (W-LED) based Solar Lantern as per MNRE Specification, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3)

बिड विवरण / Bid Details	(V3) (Under BIS Scheme - II), Brodifacoum 0.005 %w/w BB (Bait Block), LED Luminaire for Road and Street Lights (V2)
	Conforming to IS 10322 (Part 5 / Section 3), Chlorpyrifos 75 %w/w Water-Dispersible Granule (WG), Muffle Furnace, LED Batten, Humidity Chamber Searched String: LED 80 W White LED (W - LED) Based Solar Home Lighting Systems (V2), Laboratory Incubators, White LED (W-LED) based Solar Lantern as per MNRE Specification, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), Brodifacoum 0.005 %w/w BB (Bait Block), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Chlorpyrifos 75 %w/w Water-Dispersible Granule (WG), Sulphur 80% WG (Wettable Granule), Muffle Furnace, Zinc Phosphide 80% Powder(V2) Searched String: LED 18 W White LED (W - LED) Based Solar Home Lighting Systems (V2), Laboratory Incubators, White LED (W-LED) based Solar Lantern as per MNRE Specification, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Brodifacoum 0.005 %w/w BB (Bait Block), water baths, Chlorpyrifos 75 %w/w Water-Dispersible Granule (WG), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Batten, LED Tube Light (Retrofit Type) Searched String: LED 40 W White LED (W - LED) Based Solar Home Lighting Systems (V2), Laboratory Incubators, White LED (W-LED) based Solar Lantern as per MNRE Specification, Kidney Trays Conforming to IS 3992, Brodifacoum 0.005 %w/w BB (Bait Block), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Ethiprole 40% + Imidacloprid 40% WG (Wettable Granules), Chlorpyrifos 75 %w/w Water-Dispersible Granule (WG), Muffle Furnace, Dextran - 40 Injection Searched String: LED 35 W White LED (W - LED) Based Solar Home Lighting Systems (V2), Laboratory Incubators, Imazethapyr 35% + Imazamox 35 % WG, White LED (W-LED) based Solar Lantern as per MNRE Specification, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Brodifacoum 0.005 %w/w BB (Bait Block), Imazethapyr 35% + Imazamox 35 % Wg (Wettable Granules) (V2), Muffle Furnace, Chlorpyrifos 75 %w/w Water-Dispersible Granule (WG), SMD Rework Station Searched String: LED 33 W White LED (W - LED) Based Solar Home Lighting Systems (V2), Laboratory Incubators, White LED (W-LED) based Solar Lantern as per MNRE Specification, Brodifacoum 0.005 %w/w BB (Bait Block), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Chlorpyrifos 75 %w/w Water-Dispersible Granule (WG), Oil OM-33 - Defence (V2), Muffle Furnace, LED Batten, SMD Rework Station

बिड विवरण/Bid Details	Searched String: 20 W SELF CONTAIN 90 MIN. BATTERY BACK-UP EMERGENCY LIGHT
	Category not available on GeM for the text string uploaded by the buyer Searched String: DC EMERGENCY LIGHT (220 V DC), 30 WATT LED LAMP LED Based Indicating Lamp for Panel Cut Outs, White LED (W - LED) Based Solar Home Lighting Systems (V2) Searched String: LIGHTING PANEL-63A, 415V, 50HZ, 3PH+N I/C with 20A DP O/G-15 No's Category not available on GeM for the text string uploaded by the buyer Searched String: 20A, 240V, 3PIN POWER RECEPTACLE(INDUSTRIAL TYPE) Industrial Temptra Mount Socket, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Nylon Rope as per IS 4572, Cables, Converters and Adapters, Electronic Weighing Scales, Power Factor Meter - Digital, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018 Searched String: 10A, 240V, 3PIN POWER RECEPTACLE For Emergency Light traffic signs - bilinker light, Portable Emergency LED Lighting Tower System with Battery Bank, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Portable Emergency LED Lighting Tower System with AC Generator Set, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 Searched String: 63A, 415V AC, 3PIN WELDING RECEPTACLE(INDUSTRIAL TYPE) Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Shaping Machine, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, General Purpose Carabiner for Mountaineering (V3) as per IS 8533 Searched String: 16A MS GALVANIZED SWITCH BOX Galvanized Iron Core Box (V2), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Pull Cord Switch with Terminal Box & Lamp, File/Folder (V3), modular electrical enclosure switch board boxes for modular type accessories, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Stitching Wire for Book Binding, Computer Monitor (V2), Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Electrical Extension Box (V4)

बिड विवरण / Bid Details	Searched String: 6A MS GALVANIZED SWITCH BOX
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Galvanized Iron Core Box (V2), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Pull Cord Switch with Terminal Box & Lamp, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, modular electrical enclosure switch board boxes for modular type accessories, Muffle/Box Furnace (V2), Stitching Wire for Book Binding, File/Folder (V3), Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Electrical Extension Box (V4)
	Searched String: 20 MM GI PIPE (MEDIUM GRADE) General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Parallel Bar - Outdoor Gym Equipment, Padlocks (ताले) conforming To Is 15275, Steel Pipes for Water and Sewage as per IS 3589, Commercial PPR Pipes Fittings as per IS 15801, Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Commercial UPVC Fittings, Polyethylene Pipes for Water Supply conforming to IS 4984, Grain Storage Bin (V2), Swing (Preschool Kit)
	Searched String: BALL & SOCKET ARRANGEMENT Impact socket, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Deep Socket, Insulated socket, Electrical Extension Box (V4), IC SOCKET, Mini Jetting Machine, Medicine Ball, Cricket Ball, Automatic Fire Ball for Fire - Extinguishing
	Searched String: 20mm Dia GI Conduit Parallel Bar - Outdoor Gym Equipment, Work Benches, Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Grain Storage Bin (V2), Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, Swing (Preschool Kit)
	Searched String: 2.5 SQ.MM. CU, FRLS WIRE (Red) PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Signal/ Triad Cable Searched String: 2.5 SQ.MM. CU, FRLS WIRE (Yellow) PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV

बिड विवरण / Bid Details	Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Signal/ Triad Cable Searched String: 2.5 SQ.MM. CU, FRLS WIRE (Blue) PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Signal/ Triad Cable Searched String: 2.5 SQ.MM. CU, FRLS WIRE (Black) PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Signal/ Triad Cable Searched String: 14 SWG GI Wire Wire rope slings and sling legs (V3) conforming to IS 2762, Flange type industrial air filters, Tapered Bearings as per IS 12102, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Snare Drum (V2), Kirschner Wire (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3) Searched String: 20mm Saddle with base Stainless Steel Utensil as per IS 14756, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Mechanised Hook and Clips with Base(OFB-DEFENCE), Pipe Clamps (V2), Tributyrin Agar Base without Tributyrin, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Stainless Steel Utensil (V2) ISI Marked to IS 14756, Cable Nail Clip (V2), ISAT Phone Docking Unit Along with Magnetic Base Outdoor / Vehicular Antenna, Pin Up Notice Board (V2) Searched String: 20mm Dia Inspection Bend
-------------------------	---

बिड विवरण / Bid Details	Commercial PPR Pipes Fittings as per IS 15801, Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Modular Toilet, Swing (Preschool Kit)
	Searched String: 20mm Dia 3 Way Junction Box Corrugated Boxes, Telephone Junction Box, Stapler Pin / Staples (V2), Facial Tissue Papers(V3), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: 20mm Dia Ball Socket Commercial PPR Pipes Fittings as per IS 15801, Check Valve (V2) as per IS 778, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, General Purpose Ball Valves conforming to IS 9890, Ball Point Pens (V2) as per IS 3705, Tennis ball (V2), Unplasticized PVC Pipes for Water Supply conforming to IS 4985, General Purpose Ball Valves (V2), Laboratory Glass Adapters (V2), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546 Searched String: Dog Chain Dog Collar, Cleaning Duster (V3), Dog Nail Cutter, Police Dogs (V1), Carbide Chain Saw, Dog Squad Van (MHA), Key Chain, Plastic Chain, Mobile Storage Compactors, Simplex Roller Chain Searched String: Rawl Plug Plug Gauge, Lawn Mowers, Rubber Plug, Rubber Plug (V2), Mobile Containers For Solid Waste Conforming to IS 12402, Thread Plug Gauge, Electrical Plugs (V2) ISI Marked to IS 1293, Plug and Socket Distribution Board, Plain Plug Gauges as per IS 6137, Hand Held Brush Cutter (V2) Searched String: PVC Sleeve-8x35mm Protective Sleeve, Cleaning Duster (V3), Drill Sleeve, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Speedi sleeve, File/Folder (V3), Dry Erase Writing Boards (V3), Sleeve Tubes (BHEL), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC gitti Searched String: M8x40MM Dia Nut bolt with washer Coach Bolt, Nut and Washer (BHEL), Plain Washer as per IS 2016, Span Bolt and Nut, Studs-IS:1862, Stud with Nuts, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Swing (Preschool Kit), Hardened and tempered washers for high strength structural bolts and nuts - IS 6649, Galvanised Foundation Bolt including Nuts and Washers (BHEL), Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592 Searched String: M10x75mm Anchor Fastner (Botl Type) Fall Protection - Horizontal Life Line Including end Anchors as per EN 795:2012 Type C (PNG), Pin Up Notice Board (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, Toothpaste (V2) as per IS 6356, modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Fan

बिड विवरण / Bid Details	Regulator Conforming To IS 11037, Recirculating chiller, Flushing Cistern, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778
	Searched String: 20mm Dia Rubber Bush Rubber Diaphragms, rubber bands, Bush Bearing, Speed Breaker (V2), Solid Cushion Tyres (V2), Commercial PPR Pipes Fittings as per IS 15801, Eraser, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Kabaddi Mat (V2), Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098 Searched String: 50x6mm MS Angle Angle Grinder, Cleaning Duster (V3), Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Wild - Life Cages, Gas Chromatography Mass Spectrometry (GC - MS), Nitrile Coated/Nitrile Hand Gloves (V2), Angle Seat Valve, Dry Erase Writing Boards (V3), Angle Cutter (Electric), File/Folder (V3) Searched String: L Type Support for Emergency Light Stand Portable Emergency LED Lighting Tower System with Battery Bank, Newspaper or Magazine Display Stand (V2), Light Weight Web Equipment as per Defence Specification, Automotive Chassis Fitted with Engine (V2), Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, personal safety kit reflective luminous garments, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification Searched String: 10mm Aluminium Strip Wrought Aluminium and Aluminium Alloys Sheet and Strip (General Engineering Purposes) as per IS 737, Dry Erase Writing Boards (V3), EFF Strip, Packing Strip, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Aluminized steel sheet OR Aluminium Zinc Alloy Metallic Coated Steel Strip And sheet as per IS 15961, Heavy Duty Curtains - Panchakarma, Electric Strip Heater, water baths, PVC Strip Curtain Searched String: Any erection consumable Consumable for High Frequency Chest Wall Oscillation Device, Pipe for Gardening Purpose, Dental Modelling Wax, Tactical Crime Scene Latent Print Kit, Dental Amalgam Conforming to IS 18495, Carrom Board, Consumables for Electrolyte Analyzer, Post Mortem Fingerprint Kit, Consumables for Nephelometer Analyzer, Synthetic Life Jacket (NDRF)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II)
बीओक्यू शीर्षक / BOQ Title	Supply of Illumination Earthing and Lightning system for Ramagundam R and M Stg I

बिड विवरण/Bid Details	
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	14 Lakh (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Bidder Turnover, Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	65x8 GALVANIZED MS FLAT
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

बिड विवरण/Bid Details	
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	Yes (Arbitration clause document) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in

which the buyer is registered.

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

3. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

LED 140 W

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document

[View File](#)

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	12	90

LED 80 W

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	14	90

LED 18 W

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	8	90

LED 40 W

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	--	-------------	------------------	------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	55	90

LED 35 W

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	14	90

LED 33 W

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	18	90

20 W SELF CONTAIN 90 MIN. BATTERY BACK-UP EMERGENCY LIGHT WITH NI-CD BATTERY, BATTERY-CHARGER And 2X10W LED LAMPS

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	6	90

DC EMERGENCY LIGHT -220 V DC, 30 WATT LED LAMP

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD- Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	6	90

20A, 240V, 3PIN POWER RECEPTACLE - INDUSTRIAL TYPE

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD- Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	6	90

10A, 240V, 3PIN POWER RECEPTACLE- INDUSTRIAL TYPE-For Emergency Light

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	6	90

63A, 415V AC, 3PIN WELDING RECEPTACLE-INDUSTRIAL TYPE

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	--	-------------	------------------	------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	2	90

16A MS GALVANIZED SWITCH BOX

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	3	90

6A MS GALVANIZED SWITCH BOX

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	3	90

20 MM GI PIPE -MEDIUM GRADE**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	100	90

BALL And SOCKET ARRANGEMENT**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	150	90

20mm Dia GI Conduit

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1200	90

2.5 SQ.MM. CU, FRLS WIRE -Red

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	500	90

2.5 SQ.MM. CU, FRLS WIRE -Yellow

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	500	90

2.5 SQ.MM. CU, FRLS WIRE - Blue

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	500	90

2.5 SQ.MM. CU, FRLS WIRE - Black

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1500	90

14 SWG GI Wire

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1300	90

20mm Saddle With Base

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1400	90

20mm Dia Inspection Bend

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	200	90

20mm Dia 3 Way Junction Box

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	120	90

20mm Dia Ball Socket

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	100	90

Dog Chain

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	36	90

Rawl Plug

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1520	90

PVC Sleeve-8x35mm

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD- Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1520	90

M8x40MM Dia Nut Bolt With Washer

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	--	-------------	------------------	---------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	10	90

M10x75mm Anchor Fastner -Bolt Type

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	64	90

20mm Dia Rubber Bush

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	100	90

50x6mm MS Angle

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	200	90

L Type Support For Emergency Light Stand

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	6	90

10mm Aluminium Strip

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	3	90

Any Erection Consumable

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1	90

65x8 GALVANIZED MS FLAT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	2000	90

50x6 GALVANIZED MS FLAT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD- Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1500	90

25x6 GALVANIZED MS FLAT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	--	-------------	------------------	---------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	600	90

25x3 GALVANIZED MS FLAT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1500	90

8 SWG GS WIRE

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	1000	90

40mm Dia, 3Mtr Long MS Rod Earth Electrodes Pointed At One End

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	24	90

Treated Earth Pit, I. 40mm Dia, 3Mtr Long MS Rod Earth Electrodes II. Galvanised MS Strip, Isolating Link Aiii. 50 NB Galvanised MS Perforated Pipe 3Mtr Long Pipe As Per Tech Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD- Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	8	90

Galvanised MS Rod Vertical Conductor 20mm Dia, 1m Long, Pointed At One End With 150X100X6 Mm Galvanized MS Plate With 2 Nos M10 Holes As Per Technical Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD- Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	6	90

Test Link With Box- Test Link Should Be Suitable For Material Size 25x6mm, Complete

With Mounting Hardware

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD- Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	10	90

Clamp For Fixing 25X6 GS Flat Along With Necessary Hardware.

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	--	-------------	------------------	---------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	60	90

40MM Dia MS Rod

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	250	90

ISMC 100

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bonthu Venkata Naga Satyanarayana	505215,NTPC Limited, FGD-Ramagundam, Ramagundam Super Thermal Power Station, Jyothinagar-505215, Dist.Peddapalli, Telangana State.	2	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

- 1) BHEL Enquiry ref. no. 77/26/6028/BPA
- 2) Item/ Package Description: Supply of Illumination, Earthing & Lightning System
- 3) Project Name: R&M of 3 x 200 MW NTPC Ramagundam STPS Stage-I
- 4) Pre-Qualification Requirement: As per Pre-Qualification Requirement (PQR) document enclosed along with Buyer uploaded ATC document.
- 5) Commercial Terms & Conditions: As per Buyer uploaded ATC document.
- 6) Payment Terms: As per Buyer uploaded ATC document.
- 7) Scope of Supply/ Technical Specifications: As per Technical Specifications enclosed.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.

3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it

will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---