



**REQUIREMENT OF PARALLEL PINS**

The Heavy Electricals Equipment Plant (HEEP) located in Haridwar, India is one of the major manufacturing plants of Bharat Heavy Electricals Ltd. The core business of HEEP includes design and manufacture of large steam and gas turbines, turbo generators, Defense Items and so on.

Details of items as below:

SI. NO.	MAT CODE	ITEM DISCREPTION	Quantity (NOS)	Delivery (DAYS)
1	W97013000019	PARALLEL PIN SIZE:2X6 AS PER DIN 6325, TOLERANCE:(SMALL H6 ON PIN DIA),MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN , TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:- SIZE: PN 220919010, 220819762	1000	60
2	W97013000027	PARALLEL PIN SIZE:3X12 AS PER DIN 6325, TOLERANCE:(SMALL H6 ON PIN DIA),MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN , TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:- SIZE: PN 220819052, 220819787	200	60
3	W97013000086	PARALLEL PIN SIZE:3X10 AS PER DIN 6325, TOLERANCE:(SMALL H6 ON PIN DIA),MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN , TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:-SIZE: 220813711/220819786/220819051	500	60
4	W97013000094	PARALLEL PIN SIZE:6X14 AS PER DIN 6325, TOLERANCE:(SMALL H6 ON PIN DIA),MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN , TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:-SIZE: PN 220813771, 220819840	200	60
5	W97013000108	PARALLEL PIN SIZE:8X22 AS PER D IN 6325, TOLERANCE:(SMALL H6 O N PIN DIA),MATERIAL:STEEL H ARDENED 60 HRC, FINISH:PLAIN , TOLERANCE AND OTHER T ECHNICAL DETAILS AS PER G	100	60

		OVERNING STANDARD N.STD:- SIZE: PN 220813793,220819863		
6	W97013000116	PARALLEL PIN SIZE:6X22 AS PER DIN 6325/ ISO:8734/ IS:6689, TOLERANCE: (SMALL M6 ON PIN 60 HRC, FINISH:PLAIN, TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:-SIZE: PN 220818715, 220819543	<b>200</b>	60
7	W97013000124	PARALLEL PIN SIZE:8X18 AS PER DIN 6325/ ISO:8734/ IS:6689, TOLERANCE: (SMALL M6 ON PIN DIA), MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN, TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:-SIZE: PN 220818731, 220819560	<b>200</b>	60
8	W97013000132	PARALLEL PIN SIZE:8X25 AS PER DIN 6325/ ISO:8734/ IS:6689, TOLERANCE: (SMALL M6 ON PIN DIA), MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN, TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:IS:6689 SIZE: 220818734	<b>200</b>	60
9	W97013000159	PARALLEL PIN SIZE: 20X40 AS PER DIN:6325/ISO:8734/IS:6689, TOLERANCE: (SMALL M6 ON PIN DIA), MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN, TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:-SIZE: PN 220818890, 220819677	<b>50</b>	60
10	W97013000167	PARALLEL PIN SIZE:3X8 AS PER DIN 6325, TOLERANCE:(SMALL H6 ON PIN DIA),MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:-SIZE: 220819050/220819785/220813525	<b>500</b>	60
11	W97013000175	PARALLEL PIN SIZE:4X8 AS PER DIN 6325, TOLERANCE:(SMALL H6 ON PIN DIA),MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN TOLERANCE AND OTHER TECHNICAL DETAILS AS PER	<b>400</b>	60

		GOVERNING STANDARD N.STD:-SIZE: PN 220819070,220819802		
12	W97013000183	PARALLEL PIN SIZE:8X45 AS PER DIN 6325, TOLERANCE:(SMALL H6 ON PIN DIA),MATERIAL:STEEL HARDENED 60 HRC, FINISH:PLAIN ,TOLERANCE AND OTHER TECHNICAL DETAILS AS PER GOVERNING STANDARD N.STD:-SIZE: PN 220819141,220819871	200	60

**SPECIAL INSTRUCTIONS:**

1. ALL VENDORS TO PROVIDE POINT WISE REPLY/CONFIRMATION ALONG WITH RELEVANT SUPPORTING DOCUMENTS TO EACH AND EVERY POINT OF **PRE-QUALIFICATION REQUIREMENT/PQR** FOR ALL ENQUIRY ITEMS. NONCOMPLIANCE OF THESE MAY LEAD TO REJECTION OF OFFER AS THESE ARE ESSENTIAL CONDITION FOR PARTICIPATING IN TENDER ENQUIRY.
2. KINDLY UPLOAD/ATTACH THE SPECIFICATION DETAILS/ CATALOGUE OF OFFERED ITEMS.
3. KINDLY ARRANGE TO SUBMIT TECHNO-COMMERCIAL CHECKLIST ALONG WITH YOUR OFFER.
4. VENDOR TO CONFIRM TO PROVIDE MATERIAL AND DIMENSIONAL TEST CERTIFICATES (INCLUDING DIAMETER TOLERANCE) AS PER ENQUIRY SPECIFICATION ALONG WITH MATERIAL SUPPLY.
5. VENDOR TO PROVIDE CERTIFICATE OF CONFORMANCE.
6. VENDOR TO CONFIRM TO PROVIDE CO-RELATION OF ALL TEST CERTIFICATES AS PER ENQUIRY MATERIAL CODES
7. VENDOR TO PROVIDE NON REMOVEABLE IDENTIFICATION OF ALL ITEMS AND THEIR REPORT ACCORDINGLY.
8. EARLY DELIVERY IS ACCEPTABLE.

**QUALIFYING CONDITIONS for PARALLEL PINS**

<b>Sl.</b>	<b>PQR Requirement</b>	<b>Vendor Response</b>	<b>Vendor Response (Yes / No)</b>
1.	who can supply PARALLEL PINS as per Indian and International standards.	Vendor to confirm	
2.	who can provide Material test certificate (MTC) with Mechanical & Chemical properties from NABL accredited Labs/Govt. approved Lab or OEM Labs only	Vendor to confirm	
3.	who can provide Certificate of Conformance (COC) ( <i>also known as Certificate of Conformity or Certificate of Compliance</i> )	Vendor to confirm	
4.	Point numbers 1 to 3 are the Mandatory Qualification Requirements. Offers of vendors not meeting these requirements will NOT be considered.	Vendor to accept	

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                   W97013000019  
 ITEM NAME                                 PARALLEL PIN SIZE:2X6  
 ITEM PART NO                             P/N 220919010, 220819762

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN 6325	-	Specify Spec.	→
2	DIA	2	MM	Input Value	→
3	TOLERANCE ON DIA	h6	-	To confirm	→
4	LENGTH	6	MM	Input Value	→
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	→
6	FINISH	PLAIN		To confirm	→
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	→
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	→

**9. VENDOR REMARKS**

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                    W97013000027  
 ITEM NAME                                    PARALLEL PIN SIZE:3X12  
 ITEM PART NO                                P/N 220819052, 220819787

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN 6325	-	Specify Spec.	→
2	DIA	3	MM	Input Value	→
3	TOLERANCE ON DIA	h6	-	To confirm	→
4	LENGTH	12	MM	Input Value	→
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	→
6	FINISH	PLAIN		To confirm	→
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	→
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	→
<b>9. VENDOR REMARKS</b>					

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                   W97013000086  
ITEM NAME                                   PARALLEL PIN SIZE:3X10  
ITEM PART NO                               P/N 220813711/220819786/220819051

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN 6325	-	Specify Spec.	➔
2	DIA	3	MM	Input Value	➔
3	TOLERANCE ON DIA	h6	-	To confirm	➔
4	LENGTH	10	MM	Input Value	➔
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	➔
6	FINISH	PLAIN		To confirm	➔
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	➔
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	➔

**9. VENDOR REMARKS**

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                    W97013000094  
 ITEM NAME                                    PARALLEL PIN SIZE:6X14  
 ITEM PART NO                                P/N 220813771, 220819840

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN 6325	-	Specify Spec.	→
2	DIA	6	MM	Input Value	→
3	TOLERANCE ON DIA	h6	-	To confirm	→
4	LENGTH	14	MM	Input Value	→
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	→
6	FINISH	PLAIN		To confirm	→
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	→
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	→

**9. VENDOR REMARKS**

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                   W97013000108  
 ITEM NAME                                 PARALLEL PIN SIZE:8X22  
 ITEM PART NO                            P/N 220813793,220819863

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN 6325	-	Specify Spec.	→
2	DIA	8	MM	Input Value	→
3	TOLERANCE ON DIA	h6	-	To confirm	→
4	LENGTH	22	MM	Input Value	→
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	→
6	FINISH	PLAIN		To confirm	→
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	→
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	→
<b>9. VENDOR REMARKS</b>					

## TECHNICAL PARAMETERS CHECK LIST

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

**ITEM CODE** W97013000116  
**ITEM NAME** PARALLEL PIN SIZE:6X22  
**ITEM PART NO** P/N 220818715, 220819543

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN:6325 ISO:8734 IS:6689	-	Specify Spec.	→
2	DIA	6	MM	Input Value	→
3	TOLERANCE ON DIA	m6	-	To confirm	→
4	LENGTH	22	MM	Input Value	→
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	→
6	FINISH	PLAIN		To confirm	→
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	→
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	→
<b>9. VENDOR REMARKS</b>					

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                   W97013000124  
 ITEM NAME                                 PARALLEL PIN SIZE:8X18  
 ITEM PART NO                             P/N 220818731, 220819560

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN:6325 ISO:8734 IS:6689	-	Specify Spec. →	
2	DIA	8	MM	Input Value →	
3	TOLERANCE ON DIA	m6	-	To confirm →	
4	LENGTH	18	MM	Input Value →	
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value →	
6	FINISH	PLAIN		To confirm →	
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm →	
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm →	
<b>9. VENDOR REMARKS</b>					

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                    W97013000132  
 ITEM NAME                                    PARALLEL PIN SIZE:8X25  
 ITEM PART NO                                P/N 220818734

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN:6325 ISO:8734 IS:6689	-	Specify Spec. →	
2	DIA	8	MM	Input Value →	
3	TOLERANCE ON DIA	m6	-	To confirm →	
4	LENGTH	25	MM	Input Value →	
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value →	
6	FINISH	PLAIN		To confirm →	
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm →	
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm →	
<b>9. VENDOR REMARKS</b>					

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                    W97013000159  
 ITEM NAME                                    PARALLEL PIN SIZE: 20X40  
 ITEM PART NO                                P/N 220818890, 220819677

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN:6325 ISO:8734 IS:6689	-	Specify Spec.	➔
2	DIA	20	MM	Input Value	➔
3	TOLERANCE ON DIA	m6	-	To confirm	➔
4	LENGTH	40	MM	Input Value	➔
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	➔
6	FINISH	PLAIN		To confirm	➔
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	➔
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	➔
<b>9. VENDOR REMARKS</b>					

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                   W97013000167  
 ITEM NAME                                 PARALLEL PIN SIZE:3X8  
 ITEM PART NO                            P/N 220819050, 220819785

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN 6325	-	Specify Spec.	→
2	DIA	3	MM	Input Value	→
3	TOLERANCE ON DIA	h6	-	To confirm	→
4	LENGTH	8	MM	Input Value	→
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	→
6	FINISH	PLAIN		To confirm	→
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	→
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	→

**9. VENDOR REMARKS**

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                    W97013000175  
 ITEM NAME                                    PARALLEL PIN SIZE:4X8  
 ITEM PART NO                                P/N 220819070, 220819802

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN 6325	-	Specify Spec.	→
2	DIA	4	MM	Input Value	→
3	TOLERANCE ON DIA	h6	-	To confirm	→
4	LENGTH	8	MM	Input Value	→
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	→
6	FINISH	PLAIN		To confirm	→
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	→
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	→

**9. VENDOR REMARKS**

**TECHNICAL PARAMETERS CHECK LIST**  
**DATA VALUES TO BE FILLED AND CONFIRMED BY VENDOR**

**NOTE: Vendor to input parameters based on the specification of the quoted item.**

ITEM CODE                                    W97013000183  
 ITEM NAME                                    PARALLEL PIN SIZE:8X45  
 ITEM PART NO                                P/N 220819141,220819871

SN.	PARAMETERS	VALUES	UNIT	RESPONSE TYPE	VENDOR RESPONSE
1	QUOTED AS PER	DIN 6325	-	Specify Spec.	→
2	DIA	8	MM	Input Value	→
3	TOLERANCE ON DIA	h6	-	To confirm	→
4	LENGTH	45	MM	Input Value	→
5	MATERIAL	STEEL HARDENED 60 HRC		Input Value	→
6	FINISH	PLAIN		To confirm	→
7	CERTIFICATION	MTC with Mechanical & Chemical properties from NABL accredited/ Govt. approved Lab or OEM Labs		To confirm	→
8	CERTIFICATION	Certificate of Conformance / Compliance (COC)		To confirm	→

**9. VENDOR REMARKS**

<b>TECHNO-COMMERCIAL CHECKLIST</b>		
<b>SL. NO.</b>	<b>TERMS &amp; CONDITION</b>	<b>VENDOR CONFIRMATION /REMARKS / REPLY</b>
<b>TENDER DETAILS</b>		
1	BIDDER NAME	
2	GEM BID NO	
<b>QUALITY &amp; TECHNICAL REQUIREMENTS</b>		
3	VENDOR TO CONFIRM TO PROVIDE MATERIAL AND DIMENSIONAL TEST CERTIFICATES (INCLUDING DIAMETER TOLERANCE) AS PER ENQUIRY SPECIFICATION ALONG WITH MATERIAL SUPPLY	
4	VENDOR TO CONFIRM TO PROVIDE CO-RELATION OF ALL TEST CERTIFICATES AS PER ENQUIRY MATERIAL CODES	
5	VENDOR TO CONFIRM TO PROVIDE CERTIFICATE OF CONFORMANCE ALONG WITH MATERIAL SUPPLY	
6	VENDOR TO PROVIDE NON REMOVEABLE IDENTIFICATION OF ALL ITEMS AND THEIR REPORT ACCORDINGLY.	
<b>COMMERICAL REMARKS</b>		
7	ITEM IS TO BE SUPPLIED AS PER TECHNICAL SPECIFICATION/DRAWING	
8	KINDLY UPLOAD/ATTACH THE SPECIFICATION DETAILS/ CATALOGUE OF OFFERED ITEMS.	
9	<p><b>RISK PURCHASE:</b> IN CASE OF ABNORMAL DELAYS (BEYOND THE MAXIMUM LATE DELIVERY PERIOD AS PER LD CLAUSE) IN SUPPLIES / DEFECTIVE SUPPLIES OR NONFULFILLMENT OF ANY OTHER TERMS AND CONDITIONS GIVEN IN PURCHASE ORDER, BHEL MAY CANCEL THE PURCHASE ORDER IN FULL OR PART THEREOF, AND MAY ALSO MAKE THE PURCHASE OF SUCH MATERIAL FROM ELSEWHERE / ALTERNATIVE SOURCE AT THE RISK AND COST OF THE SUPPLIER. BHEL WILL TAKE ALL REASONABLE STEPS TO GET THE MATERIAL FROM ALTERNATE SOURCE AT OPTIMUM COST. IF BIDDER DOES NOT AGREE TO THE ABOVE RISK PURCHASE CLAUSE, BHEL RESERVES THE RIGHT TO REJECT THE OFFER. IN CASE FOR COMPELLING REASONS BHEL ACCEPTS THE OFFER WITHOUT ACCEPTANCE OF THIS CLAUSE BY THE BIDDER AND IN THE EVENTUALITY OF RISK PURCHASE, APPROPRIATE ACTION WILL BE TAKEN AS PER BHEL EXTANT RULES. THIS WILL BE WITHOUT PREJUDICE TO ANY OTHER RIGHT OF BHEL UNDER THE CONTRACT OR UNDER GENERAL LAW.</p> <p>IN CASE OF BREACH OF CONTRACT, WHEREVER THE VALUE OF SECURITY INSTRUMENTS LIKE PERFORMANCE BANK GUARANTEE AVAILABLE WITH BHEL AGAINST THE SAID CONTRACT IS ATLEAST 10% OF THE CONTRACT VALUE, THE SAME BE ENCASHED. IN CASE THE VALUE OF THE SECURITY INSTRUMENTS AVAILABLE IS LESS THAN 10% OF THE CONTRACT VALUE, THE BALANCE AMOUNT BE RECOVERED FROM OTHER FINANCIAL REMEDIES (I.E. AVAILABLE BILLS OF THE CONTRACTOR, RETENTION AMOUNT, ETC. WITH BHEL) OR LEGAL REMEDIES BE PURSUED.</p>	
10	<p><b>ACTION AGAINST BIDDERS / VENDOR / SUPPLIER / CONTRACTOR IN CASE OF DEFAULT:</b> IN ORDER TO PROTECT THE COMMERCIAL INTERESTS OF BHEL, BHEL SHALL TAKE ACTION AGAINST SUPPLIES / CONTRACTORS BY WAY OF SUSPENSION OF BUSINESS DEALINGS, WHO EITHER FAIL TO PERFORM OR ARE IN DEFAULT WITHOUT ANY REASONABLE CAUSE, CAUSE LOSS OF BUSINESS/ MONEY/ REPUTATION, INDULGE IN MALPRACTICES, CHEATING, BRIBERY, FRAUD OR ANY OTHER MISCONDUCT OR FORMATION OF CARTELS SO AS TO INFLUENCE THE BIDDING PROCESS OR INFLUENCE THE PRICE ETC.</p> <p>SUSPENSION OF BUSINESS DEALINGS COULD BE IN THE FORM OF "HOLD" OR "BANNING" A SUPPLIER/ CONTRACTOR OR A BIDDER AND SHALL BE AS PER "GUIDELINES FOR SUSPENSION OF BUSINESS DEALINGS WITH SUPPLIERS/ CONTRACTORS" AVAILABLE AT BHEL'S WEBSITE "<a href="https://www.bhel.com/guidelines-suspension-business-dealings-supplierscontractors">https://www.bhel.com/guidelines-suspension-business-dealings-supplierscontractors</a>"</p>	
11	REST GENERAL TERMS AND CONDITIONS AS PER GeM	

1. ALL VENDORS TO PROVIDE POINT WISE REPLY/CONFIRMATION ALONG WITH RELEVANT SUPPORTING DOCUMENTS TO EACH AND EVERY POINT OF **PRE-QUALIFICATION REQUIREMENT/PQR** FOR ALL ENQUIRY ITEMS. NONCOMPLIANCE OF THESE MAY LEAD TO REJECTION OF OFFER AS THESE ARE ESSENTIAL CONDITION FOR PARTICIPATING IN TENDER ENQUIRY.
2. KINDLY UPLOAD/ATTACH THE SPECIFICATION DETAILS/ CATALOGUE OF OFFERED ITEMS.
3. KINDLY ARRANGE TO **SUBMIT TECHNO-COMMERCIAL CHECKLIST** ALONG WITH YOUR OFFER.

1. VENDOR TO PROVIDE MATERIAL AND DIMENSIONAL TEST CERTIFICATES (INCLUDING DIAMETER TOLERANCE) AS PER ENQUIRY SPECIFICATION ALONG WITH MATERIAL SUPPLY.
2. VENDOR TO PROVIDE CERTIFICATE OF CONFORMANCE.
3. VENDOR TO PROVIDE CO-RELATION OF ALL TEST CERTIFICATES AS PER ENQUIRY MATERIAL CODES
4. VENDOR TO PROVIDE NON REMOVEABLE IDENTIFICATION OF ALL ITEMS AND THEIR REPORT ACCORDINGLY.
5. EARLY DELIVERY IS ACCEPTABLE
4. MSE/MII: THE SUPPLIER NEEDS TO SUBMIT/UPDATE MSE/MII CREDENTIALS ON GEM PORTAL DURING PROFILE UPDATION/ OFFER SUBMISSION STAGE. THE MSE DATA SUBMITTED IS CROSS VERIFIED BY GEM WITH GOVT. OF INDIA UDYAM/NSIC DATABASE THROUGH API INTEGRATION ON REAL TIME BASIS AND FOR MII, A SELF DECLARATION IS BEING GIVEN AND AUTHENTICATED BY AADHAR OTP. IF THE SELLER FAILS TO CLAIM MSE/MII PROVISION ON GEM PORTAL AT PROFILE UPDATION/BID SUBMISSION STAGE, THE SAID SELLER WILL BECOME INELIGIBLE FOR GETTING THE MSE/MII BENEFITS FOR THAT BID AUTOMATICALLY. THE VENDOR CAN ALWAYS CONTACT THE GEM HELPDESK, IN CASE OF ANY ISSUES.
5. KINDLY SUBMIT MAKE INDIA CERTIFICATE.
6. THE PRICE QUOTE BY BIDDER SHOULD BE INCLUSIVE OF GST & SHOULD BE ON BHEL HEEP HARIDWAR STORES BASIS.
7. BIDDER'S OFFER IS LIABLE TO BE REJECTED IF THEY DON'T UPLOAD ANY OF THE CERTIFICATES / DOCUMENTS SOUGHT IN THE BID DOCUMENT, ATC AND CORRIGENDUM IF ANY.

**8. RISK PURCHASE:**

IN CASE OF ABNORMAL DELAYS (BEYOND THE MAXIMUM LATE DELIVERY PERIOD AS PER LD CLAUSE) IN SUPPLIES / DEFECTIVE SUPPLIES OR NONFULFILLMENT OF ANY OTHER TERMS AND CONDITIONS GIVEN IN PURCHASE ORDER, BHEL MAY CANCEL THE PURCHASE ORDER IN FULL OR PART THEREOF, AND MAY ALSO MAKE THE PURCHASE OF SUCH MATERIAL FROM ELSEWHERE / ALTERNATIVE SOURCE AT THE RISK AND COST OF THE SUPPLIER. BHEL WILL TAKE ALL REASONABLE STEPS TO GET THE MATERIAL FROM ALTERNATE SOURCE AT OPTIMUM COST. IF BIDDER DOES NOT AGREE TO THE ABOVE RISK PURCHASE CLAUSE, BHEL RESERVES THE RIGHT TO REJECT THE OFFER. IN CASE FOR COMPELLING REASONS BHEL ACCEPTS THE OFFER WITHOUT ACCEPTANCE OF THIS CLAUSE BY THE BIDDER AND IN THE EVENTUALITY OF RISK PURCHASE, APPROPRIATE ACTION WILL BE TAKEN AS PER BHEL EXTANT RULES. THIS WILL BE WITHOUT PREJUDICE TO ANY OTHER RIGHT OF BHEL UNDER THE CONTRACT OR UNDER GENERAL LAW.

IN CASE OF BREACH OF CONTRACT, WHEREVER THE VALUE OF SECURITY INSTRUMENTS LIKE PERFORMANCE BANK GUARANTEE AVAILABLE WITH BHEL AGAINST THE SAID CONTRACT IS ATLEAST 10% OF THE CONTRACT VALUE, THE SAME BE ENCASHED. IN CASE THE VALUE OF THE SECURITY INSTRUMENTS AVAILABLE IS LESS THAN 10% OF THE CONTRACT VALUE, THE BALANCE AMOUNT BE RECOVERED FROM OTHER FINANCIAL REMEDIES (I.E. AVAILABLE BILLS OF THE CONTRACTOR, RETENTION AMOUNT, ETC. WITH BHEL) OR LEGAL REMEDIES BE PURSUED.

**9. ACTION AGAINST BIDDERS / VENDOR / SUPPLIER / CONTRACTOR IN CASE OF DEFAULT:**

IN ORDER TO PROTECT THE COMMERCIAL INTERESTS OF BHEL, BHEL SHALL TAKE ACTION AGAINST SUPPLIES / CONTRACTORS BY WAY OF SUSPENSION OF BUSINESS DEALINGS, WHO EITHER FAIL TO PERFORM OR ARE IN DEFAULT WITHOUT ANY REASONABLE CAUSE, CAUSE LOSS OF BUSINESS/ MONEY/ REPUTATION, INDULGE IN MALPRACTICES, CHEATING, BRIBERY, FRAUD OR ANY OTHER MISCONDUCT OR FORMATION OF CARTELS SO AS TO INFLUENCE THE BIDDING PROCESS OR INFLUENCE THE PRICE ETC.

SUSPENSION OF BUSINESS DEALINGS COULD BE IN THE FORM OF "HOLD" OR "BANNING" A SUPPLIER/ CONTRACTOR OR A BIDDER AND SHALL BE AS PER "GUIDELINES FOR SUSPENSION OF BUSINESS DEALINGS WITH SUPPLIERS/ CONTRACTORS" AVAILABLE AT BHEL'S WEBSITE <https://www.bhel.com/guidelines-suspension-business-dealings-supplierscontractors>

10. BIDDERS ARE ADVISED TO CHECK APPLICABLE GST ON THEIR OWN BEFORE QUOTING. BUYER WILL NOT TAKE ANY RESPONSIBILITY IN THIS REGARDS. GST REIMBURSEMENT WILL BE AS PER ACTUALS OR AS PER APPLICABLE RATES (WHICHEVER IS LOWER), SUBJECT TO THE MAXIMUM OF QUOTED GST %.
11. BIDDER SHALL SUBMIT THE FOLLOWING DOCUMENTS ALONG WITH THEIR BID FOR VENDOR CODE CREATION:
  - A. COPY OF PAN CARD
  - B. COPY OF GSTIN
  - C. COPY OF MSE CERIFICATE
12. DEDICATED /TOLL FREE TELEPHONE NO. FOR SERVICE SUPPORT: BIDDER/OEM MUST HAVE DEDICATED/TOLL FREE TELEPHONE NO. FOR SERVICE SUPPORT.
13. DATA SHEET OF THE PRODUCT(S) OFFERED IN THE BID, ARE TO BE UPLOADED ALONG WITH THE BID DOCUMENTS. BUYERS CAN MATCH AND VERIFY THE DATA SHEET WITH THE PRODUCT SPECIFICATIONS OFFERED. IN CASE OF ANY UNEXPLAINED MISMATCH OF TECHNICAL PARAMETERS, THE BID IS LIABLE FOR REJECTION.
14. SCOPE OF SUPPLY (BID PRICE TO INCLUDE ALL COST COMPONENTS): ONLY SUPPLY OF GOODS.
15. PRODUCTS SUPPLIED SHALL BE NONTOXIC AND HARMLESS TO HEALTH. IN THE CASE OF TOXIC MATERIALS, MATERIAL SAFETY DATA SHEET MAY BE FURNISHED ALONG WITH THE MATERIAL.
16. WHILE GENERATING INVOICE IN GEM PORTAL, THE SELLER MUST UPLOAD SCANNED COPY OF GST INVOICE AND THE SCREENSHOT OF GST PORTAL CONFIRMING PAYMENT OF GST.
- 17. PAYMENT TERMS SHALL BE AS PER FOLLOWINGS:**
  - a) **FOR NON-MSES BIDDER:** 100% payment along with taxes, freight & insurance will be made after receipt and acceptance of material and within 90 days from the date of invoice subject to submission of non-discrepant documents within 15 days of supply as per terms and conditions of Purchase Order (THIS IS IN SUPERSESSION OF 10 DAYS' TIME AS PROVIDED IN CLAUSE 12 OF GEM GTC).
  - b) **FOR MSES BIDDER:** For MSEs (covered under MSME Act) which are registered and periodically renewed with BHEL, the payment will be made within 45 days or as prescribed in the relevant act. Benefits of MSE (such as EMD Waiver, Tender fee exemption, Price preference, Payment preference etc.) will be given only to those MSE Vendors who are manufacturers of offered items against the NIT. No MSE benefits shall be provided to Agents / Stockists /Dealers / Traders etc. for the items offered but not manufactured by themselves."
  - c) **FOR MEDIUM ENTERPRISES:** 100% payment along with taxes, freight & insurance will be made after receipt and acceptance of material and within 60 days from the date of invoice subject to submission of non-discrepant documents within 15 days of supply as per terms and conditions of Purchase Order.
  - d) Please note that vendor to adhere to the payment terms as per above. No deviation in payment terms shall be accepted. Vendor to submit their offer accordingly.