

Bharat Heavy Electricals Limited

(High Pressure Boiler Plant)
Tiruchirappalli – 620014, TAMIL NADU, INDIA

OUTSOURCING DEPARTMENT

TITLE	Phone: +91 431 257 4210
	Email: james@bheltry.co.in
CORRIGENDUM for NIT 29082	

		Reference Number: Enquiry :NEW VENDORS REQUIRED FOR STEEL FABRICATION WITH VENDOR MATERIAL	Enquiry Date: 24.08.2016	Due date for submission of quotation: 23.08.2017
--	--	--	-----------------------------	--

You are requested to quote the Enquiry number date and due date in all your correspondences. This is only an invitation for vendor registration and not an order

CORRIGENDUM No. 2

Details of Corrigendum

- 1. Facility checklists for following products have been revised.
 - a. Metallic Expansion Bellows
 - b. Handrails
 - c. Instrument Tapping
 - d. Punching, pressing, shearing & SS fabrication including welding
- 2. Facility checklist for Rounded corners is added.

All other terms and conditions as published in the NIT_29082 remain unaltered.

For any clarifications, please contact:

Sub-contractor Development Cell (SCDC)

Outsourcing, BHEL, Trichy.

Mr. James / Manager (E-mail: james@bheltry.co.in; Ph: 0431-257 4210)

Mr. K G T Suvami /Sr. Engineer (E-mail: kgtsuvami@bheltry.co.in; Ph: 0431-257 4254)



OUTSOURCING

Checklist for vendor evaluation - Metallic Expansion Bellows

Doc No: SVCL:005/03 dated 26.09.20	16
------------------------------------	----

Vendor Name and Address:

Spot assessment date:

	Part-A (Mandatory)						
SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok	
1	Land area (If land is taken under lease, registered lease deed for 3 yrs period is required)	0.9 Acres					
2	Fencing/Compound wall	All around					
3	Power capacity	75 HP (3 phase)					
4	Covered shed	10m x 10m or 100 sq.m with minimum width of 8 m					
5	Material handling crane capacity with stability certificate (Mobile crane / EOT / A frame)	5 MT					
6	Shearing Machine (4 mm thickness & min 2.5 m width)	1 No					
	Press Brake / Hydaraulic press with capacity of 50 T, 4 mm thickness & 2.5 m width with appropriate tooling to handle different varities as per drawing	1 No					

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed	Remarks	Ok/Not Ok
				in Audit		
	GRINDING MACHINE:					
8	Manual / Portable - AG 5/7	1 No each				
9	(SMAW) Welding M/c 400	2 Nos				
	Amps Inverter					
10	Manual gas cutting	1 No				
	machine/torch					
	DRILLING MACHINE:					
11	Drilling machine - dia. 25 mm	1 No				
	INSPECTION FACILITIES:					
12	LPI kit	1 Set				
13	Kerosene leak test facilities	1 No				
14	Level II LPI/MPI qualified	1 Person				
	Personnel with valid certificate					
	MEASURING INSTRUMENTS					
15	Tape 3m,5m,20m	each 2 Nos				
16	Vernier 0-200mm	1 No				
17	Try square	1 No				
	Sprit level	1 No				
19	Straight Edge	1 No				

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
20		Original must be offered for verification				
21	3	Original must be offered for verification				
	•	Original must be offered for verification				
	Office room with 2 PC , internet facility and printer	Must				
	MATERIAL ACCOUNTING:					
	Raw Material Clearance System (For OVM Vendors)	Day Book Entry system or likewise.				
	Raw Material Testing (For OVM Vendors)	Access to testing labs of BHEL or Any other NABL approved				
		lab				

NOTE_1:

- A. Items in Sl.no: 15 & 16 (Tapes & Straight edge one time calibration) must have valid calibration certificate from any NABL accreditated lab.
- B. For mobile cranes under lease, valid lease document must be produced at the time of spot assessment.

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
		<u> </u>	<u> </u> Part-B (Optional)			
	Horizontal bending using formers for Round corners	1 No				
	Spectro Testing (AS/SS)	Access to testing labs of BHEL or Any other NABL approved				
2	Profile forming tool/die	lab Inhouse / Outsourced				
4	MPI Unit with calibration block (Prod type - 1000 A)	1 No				
Recon	nmendation after checklist verif		mmendation (for BHE	EL use only)		
Recon	nmendation after spot assessme	ent:				
Assess	sor.1-TCA (Spot assessment):		Assessor.2 - Co-assessor	(Spot assessment):		
	tant Notes :					
01	Part-A requirement is a must for	or qualifying the vendor. Hence	, filling up all evaluation	parameters is a must a	nd all mandatory fac	ilities shall be

available at the time of spot assessment

02 Part-B is only optional and need not be considered for disqualifying the vendor.

बीएचई एल	
mbber	_
	_

OUTSOURCING

Checklist for vendor evaluation - Machining, Instrument Tapping

Doc No: SVCL: 013/02 dated 26.09.2016

Vendor Name and Address:

Spot assessment date:

Part-A (Mandatory)

SI No	Parameter for evaluation	Minimum required	As given by Firm	As observed in Audit	Remarks	Ok/Not Ok
	Land area . (If land is taken under lease,	4000 sq.ft				
1	registered lease deed for 3 yrs period is required)					
2	Cover Shed with asbestos roofing	2000 sq.ft				
3	Fencing/Compound wall	All around				
4	3 Phase Electricity	20 HP				
5	Surface table for marking	1m X 1m				
6	Firm approval by IBR for machining of boiler	Applicable for IBR Machining				
0	components	only				
7	Lathe - Bore diameter - 80 mm	2 Nos				
8	Spectrotesting M/c	Inhouse/Outsourced				
9	Drilling machine - to drill upto 40 mm dia	1 No				
	MEASURING INSTRUMENTS					
10	Measuring tape - 3 m with calibration	1 No				
11	Vernier caliper - 300 mm with calibration	1 No				
12	Straight edge	1 No				
13	Micrometer with calibration	1 No				
14	Steel rule	1 No				
	Spirit Level	1 No				
	Comparators for surface finish of machining	1 No				
	components					
17	IT Pan Card	Original to be offered for				
		verification				
18	TIN No	Original to be offered for				
		verification				
19	Excise Registration Certifcate (for OVM vendors)	Original to be offered for				
		verification				

20	Office room with 2 PC, internet facility and printer	Must					
NOTE	1:	•			•		
	ns in Sl.no: 10,11,12,13 (Tapes & Straight e	edge - one time calibration) mus	t have valid calibration certificate fro	om any NABL accredita	ated lab.		
B. For	Sl.no: 8, earlier executed POs or valid agree	ement for facility tie-up must be	produced.				
			Part-B (Optional)				
01	Painting facility						
02	Milling machine						
03	Horizontal boring machine						
04	Vertical boring Machine						
05	CNC lathe						
06	Stenciling/Engraving/dot punching facility						
07	Standby Generator						
08	Material Handling Crane capacity	1 Ton					
		Part-C: Final Rec	ommendation (for BHEL use on	ly)			
	nmendation after checklist verification:						
Recon	nmendation after spot assessment:						
Asses	sor.1-TCA (Spot assessment):		Assessor.2 - Co-assessor (Spot asse	essment):			
Important Notes :							
	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and all mandatory facilities shall be available at the time of spot						
	assessment						
02	Part-B is only optional and need not be considered for disqualifying the vendor.						



OUTSOURCING

Checklist for vendor evaluation - Pressing, Punching, Shearing and SS Fabrication including welding

Doc No: SV	CL:016/	'02 dated	11.11	.2016
------------	---------	-----------	-------	-------

Vendor Name and Address:

Spot assessment date:

Part-A (Mandatory)

SI No	Paramter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Land area. (If land is taken	0.5 Acre				
	under lease, registered lease					
	deed for 3 yrs period is					
	required)					
2	Fencing/Compound wall	All around				
3	EB Power	70 HP				
4	Shearing machine for a thickness of 10mm and width of min. 2.5 m	1 No				
5	Press Brake min.2.5 m width, min. 50MT capacity for a thickness upto 10mm	1 No				
6	Punching Machine min. 100T	1 No				
7	Painting Facility	1 No				
	OVEN					
8	Electrode Baking oven	1 No				
9	Electrode Holding oven	1 No				
10	Flask oven	3 Nos				
	CUTTING MACHINE:					
11	Gas cutting machine for a thickness of 10mm and width of min 2.5 m	1 No				

SI No	Paramter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	GRINDING & DRILLING		<u> </u>			
	MACHINES:					
12	Grinding Machine (AG-7 & AG-	O.N.				
	4)	2 Nos				
13	Drilling Machine for Dia upto	1 No				
	32mm	I NO				
14	Welding machines	2 Nos				
	(Rectifier/Invertor type) - 400 A					
	INSPECTION FACILITIES					
	LPI Kit	2 Set				
	MEASURING INSTRUMENTS					
1/	T 2 5 20	and d Ma				
	Tape 3m,5m,20m	each 1 No				
	Vernier 0-300mm	1 No				
	Feeler Gauge	1 No				
	Weld fillet gauge 25 MM	1 No				
	Tri square	1 No				
	Spirit level	1 No				
22	IT Pan Card	Original to be offered for				
		verification				
23	TIN No	Original to be offered for				
		verification				
24	Excise Registration Certifcate	Original to be offered for				
	(for OVM vendors)	verification				
	0.00					
25	Office room with 2 PC, internet	Must				
	facility and printer					
	MATERIAL ACCOUNTING:					
26	Raw Material Clearance System	Day Book Entry system				
	(For OVM Vendors)					

SI No	Paramter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok		
27	Raw Material Testing (For OVM		<u> </u>					
	Vendors)	BHEL or Any other NABL				I		
	·	approved lab				I		
NOTE	_1:			•				
	- ms in Sl.no: 8,9,10,16,17,18 a	nd 19 (Tapes - one time	calibration) must hav	e valid calibration certificate	e from any NABL accr	editated lab.		
	mobile cranes under lease, v	· •	· · · · · · · · · · · · · · · · · · ·		· ·			
2.10.			or no productou at the					
		Part	-B (Optional)					
1	Preheating Burner					 		
2	Standby Generator			+				
_	Capacity (HP)					<u> </u>		
	Owned or On rent							
3	Stenciling							
-	o to no ming	Dart C. Ein	al Pocommondatio	on (for BHEL use only)				
Recor	nmendation after spot assess	ment:						
Asses	sor.1-TCA (Spot assessment):		Assessor.2 - Co-assessor (Spot assessment):					
B1 - 1 -	•							
Note_						C 1111 1 111		
01	Part-A requirement is a must available at the time of spot		or. Hence, filling up al	i evaluation parameters is a	must and all mandate	ory facilities shall be		
02	Part-B is only optional and need	d not be considered for dis	qualifying the vendor.					



OUTSOURCING

Checklist for vendor evaluation - Handrails (Galvanised and Painted)

Doc No: SVCL:019/01 dated 11.11.2016

Vendor	Name	and	Addr	ess:
--------	------	-----	------	------

Spot assessment date:

Part-A (Mandatory)

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Land area. (If land is taken under lease, registered lease deed for 3	0.5 acre				
	yrs period is required)					
2	Fencing/Compound wall	All around				
3	EB Power	45HP				
4	Covered shed	10M x 5 M				
5	Material handling crane capacity	10 MT (Mobile crane may be				
	with stability certificate (Mobile	owned or under lease)				
	crane / A frame / EOT)					
6	Hyd. Tube Bending Machine (for	1 No				
	tube dia 42.4mm with radius					
	capability of 200mm)					
7	Profile punching machine	1 No				
8	Hot Dip Galvanising facility	In-house/Outsourced				
9	(SMAW)Welding M/c 400 Amps	2 Nos				
	Inverter					
	OVEN:					
10	Electrode baking oven	1 No				
11	Flask Oven	1 No				
	GRINDING & CUTTING					
	MACHINES:					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
12	Portable Grinding machine AG 5	2 Nos				
13	Abrasive cutting equipment - for tube cutting	1 No				
14	Gas cutting equipment - For bottom plates of 10 mm thick & saw cutting for tubes	1 No				
15	Wire Wheel (For Power Tool Cleaning)	1 No				
	INSPECTION FACILITIES					
	LPI Kit	1 Set				
17	MPI Unit with calibration block (Prod type - 1000 A)	1 No				
18	Level II LPI/MPI qualified Personnel with valid certificate	1 Person				
19	Air Compressor of 5HP rating, gun for painting	1 Set				
	MEASURING INSTRUMENTS					
20	Tape 3m,5m,20m	each 1 No				
21	IT Pan Card	Original to be offered for verification				
22	TIN No	Original to be offered for verification				
23	Excise Registration Certifcate (for OVM vendors)	Original to be offered for verification				
24	Office room with 2 PC, internet facility and printer	Must				
	MATERIAL ACCOUNTING:					
	Raw Material Clearance System (For OVM Vendors)	Day Book Entry system				
26	Raw Material Testing (For OVM Vendors)	Access to testing labs of BHEL or Any other NABL approved lab				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
NOTE	_1:			•		
A. Ite	ms in Sl.no: 10,11,17 and 20 (Tapes - one time calibration) m	nust have valid calibi	ration certificate from any	NABL accreditat	ted lab.
B. For	mobile cranes under lease, va	alid lease document must be pr	roduced at the time	of spot assessment.		
		-		•		
		Part-	B (Optional)			
1	Standby Generator					
	Capacity (HP)					
	Owned or On rent					
2	ISO Certification					
3	Galvanizing	In-house/Outsourced				
		Part-C: Final Recomm	nendation (for BHEL us	se only)		
Recon	nmendation after spot assessmer	nt:				
Assess	Assessor.1-TCA (Spot assessment): Assessor.2-Co-assessor (Spot assessment):					
Note_	<u>2:</u>					
01	Part-A requirement is a must	for qualifying the vendor. Hen	ce, filling up all eval	uation parameters is a mus	st and all manda	atory
	facilities shall be available at	the time of spot assessment				-
02	Part-B is only optional and need	not be considered for disqualifyi	ng the vendor.			

	बी एच ई एल	BHARAT HEAVY	ELECTRICALS LIMITED,	TIRUCHIRAPALLI		
	BHEL		OUTSOURCING			
		Checklist for	vendor evaluation - Rou	unded Corners		
Doc N	lo: SVCL:029/00 dated 17.12	.2014				
Vend	or Name and Address:					
Spot a	assessment date:					
			Part-A (Mandatory)			
SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
1		0.5 Acres				
	under lease, registered lease					
	deed for 3 yrs period is					
	required)					
	Fencing/Compound wall	All around				
	EB Power	50 HP				
4	Covered shed	12m X 14m				
5	Material handling	1 MT				
	capacity(Mobile crane/EOT &					
	A frame with stability					
	certificate)	Anna Thialanad O.F. an				
6	Shearing Machine	4mm Thick and 2.5 m width.				
7	Press Brake / Hydraulic press	widtii.				
′	with appropriate tooling to					
	handle different varities as	1 No				
	per drawing					
0	,					
8	Bending m/c using formers for Round corners	1 No				
	Kodila colliers					

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
	GRINDING MACHINE:					
9	Grinding M/c	1 No				
	(manual/Portable)	TNO				
10	(SMAW)Welding M/c 400	2 Nos				
	Amps Inverter					
	MEASURING INSTRUMENTS					
	Tape 3m,5m,20m	each 2 Nos				
	Tri square	1 No				
	Spirit level	1 No				
	Vernier 0-200mm	1 No				
15	Straight Edge	1 No				
	MATERIAL ACCOUNTING:					
16	Raw Material Clearance	Day Book Entry system.				
	System (For OVM Vendors)					
17	Raw Material Testing (For	Access to testing labs of				
	OVM Vendors)	BHEL or Any other NABL				
		approved lab				
18	IT Pan Card	Originals to be offered for				
		verification				
19	TIN No	Originals to be offered for				
		verification				
20	Excise Registration Certificate	Originals to be offered for				
		verification				
21	Office room with 2 PC,	Must				
	internet facility and printer					
NOTE	1.					

NOTE_1:

A. Items in Sl.no: 11,14 and 15 (Tapes & Straight Edge - one time calibration) must have valid calibration certificate from any NABL accreditated lab.

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok		
Part-B (Optional)								
01	Spectro Testing (AS/SS)	Access to testing labs,						
		other NABL approved labs						
02	Furnace Heat Treatment	Inhouse / Outsourced						
03	Knowledge on designing							
	forming tools/dies							
		Part-C: Fir	nal Recommendation (for BHEL	. use only)				
Recom	nmendation after checklist ver	ification:						
Recom	mendation after spot assessn	nent:						
Assess	or.1-TCA (Spot assessment):		Assessor.2 - Co-assessor (Spo-	t assessment):				
Note_2	<u>2:</u>		•					
		for qualifying the vendor. He	nce, filling up all evaluation pa	rameters is a must and all mar	ndatory facilities sha	all be available		
	at the time of spot assessmer				-			
	·		uslifying the vendor					
UΖ	Part-B is only optional and need not be considered for disqualifying the vendor.							

SVCL: 029/00_Rounded corners SUPPLIER'S AUTHORISED SEAL AND SIGN