TENDER BOX IS AVAILABLE AT CONSTRUCTION DEPARTMENT FOR DROPPING FILLED TENDERS

BHARAT HEAVY ELECTRICALS LIMITED

CORPORATE RESEARCH & DEVELOPMENT DIVISION

TELEGRAM: BHELDEV. TELEPHONE NO. 23882110 FAX NO. 040 – 23776320

TENDER NOTICE NO. CL/04/06-07 Item No.3 DATED: 01.09.2006

1.	Name of work	:	Modifications, Alterations & renovation of school building for the proposed quality & ROD offices a Township BHEL (R&D), Vikasnagar.
2.	Earnest Money Deposit	:	Rs. 1,00,000.00
3.	Time of Completion		3 Months
1.	Maintenance period	:	12 Months
5.	Last date of receipt of tenders	:	06.10.2006 up to 14.30 hrs.
6.	Date and time of opening of tenders	:	06.10.2006 14.45 hrs.
7.	Cost of tender documents Including S.T.	•	Rs. 1000/-
	Name & Address:		

TENDERING PROCESS

- A. Tender box will be kept in Construction Department For dropping Filled Tenders
- B. Tender documents are issued in two bid system.
- 1. Technical bid
- 2. Price bid
- C. Tender opening
- On the day of tender opening, only technical bids will be opened and evaluated. After scrutiny and acceptance of the technical bids, price bids of accepted parties only will be opened and date of opening of price bids will be intimated separately.
- The technical bid consists of technical schedule requiring documentary proof. In case the agency has not satisfied all the conditions along with documentary proof, the tender will be rejected.
- Technical and price bids must be in separate covers and superscribed as "Technical bid" and "Price Bid" separately with item Nos. clearly written on the covers. Tenders received mixed (with price and technical bids) will be rejected. Every page of the price bid document shall be signed by the tenderer at the bottom of the page.
- In case of tender application and tender documents downloaded from web site, the tenderer shall pay cost of tender documents and EMD for item of work he is tendering separately by means of two separate DDs (in favour of Accounts Officer BHEL R&D, Vikasnagar, Hyderabad 500 093) one towards cost of tender documents and second towards EMD. Both DD's shall be enclosed along with the Technical bid.DD's may be drawn for cost of tender documents up to last date of receipt of tenders.

TECHNICAL BID

(First Three pages along with necessary Documents and EMD should be submitted as Technical Bid)

Name of the contractor :

1) Name of work :

2) Tender Notice no & : Date, Item No.

3) Details of DD. D.D for EMD

DD for cost of tender documents when downloaded. (to be enclosed along with this bid).

- 4) Particulars of experience/credentials:
 - a) Completion certificate of same nature of job at least one work Costing around 10 Lakhs during the last three years.
 - b) Penalty: 0.50 % of the gross value work will be levied for every weeks delay by the agency subject to a maximum of 5 % value of the work.
- 5) Class of Registration Certificate as Civil Contractor with Local PWD/ CPWD/ Railways/ MES / BHEL, Ramachandrapuram, Hyderabad (Copy to be enclosed).
- 6) ESI NO. (Copy to be enclosed)
- 7) PF CODE NO. (Copy to be enclosed)
- 8) PAN NO (in case not available, proof of having applied with acknowledgement from concerned authorities).
- 9) APGST NO. (in case not available, proof of having applied with acknowledgement from concerned authorities).

NOTE:

- 1. Without PAN and APGST No. contractors bills cannot be processed and payments will be held up.
- 2. Technical bids will be scrutinised on the same day. Incase the agency has not satisfied all the above conditions with documentary proof the bid will be rejected and their price bid will not be opened.
- 3. Incase of a firm, shall be in the name of the firm. However in case of sole proprietor or individuals these can be on the name of the sole proprietor or individual.
- 4. Though some of above documents are available with BHEL for those agencies who are presently working with BHEL, they also should submit one copy of the same. Otherwise the offer will be rejected.
- 5. All the columns shall be filled with proper information.
- 6. The contractors are requested to sign on all pages in the documents,

TENDER DOCUMENT

TENDER NOTICE NO.CL/04/06-07	ITEM NO. 3	DATED:01-09-2006
DATE & TIME OF CLOSING : 06-10-06	14:30 HRS.	
DATE & TIME OF OPENING : 06-10-06	14:45 HRS.	
COST OF TENDER DOCUMENT :Rs.1000.00		
EARNEST MONEY DEPOSIT : Rs.1,00,000.00		
NAME OF WORK : Modifications, Alterations & quality & ROD offices at Tov		
ISSUED TO:		
DATE:		
EMD PAID VIDE DD/ CR/ BC/ NO:		
	Rs:	
TENDER PO	SITION:	CLX:
DATED:		FMX



Bharat Heavy Electricals Limited CORPORATE RESEARCH & DEVELOPMENT VIKASNAGAR, HYDERABAD – 500 093, (A.P.), INDIA.

BHARAT HEAVY ELECTRICALS LIMITED CORPORATE RESEARCH & DEVELOPMENT VIKASNAGAR, HYDERABAD – 500 093.

INDEX

- 1. Tender Notice.
- 2. Tender and Contractors Certificate.
- 3. Directions to Parties Tendering.
- 4. Tender for the work.
- 5. Agreement Proforma.
- 6. Schedule-A : Schedule of rates and approximate quantities.
- 7. Schedule-B : Issue of Stores to the Contractor.
- 8. Schedule-C : Services: Viz., Water & Lighting to Contractor
- 9. Schedule-D : Issue of Tools and Plants to Contractor.
- 10. Drawings.
- 11. Special Conditions.
- 12. General Conditions of Contract (Separate Book).

ISSUING OFFICER

BHARAT HEAVY ELECTRICALS LIMITED CORPORATE RESEARCH & DEVELOPMENT VIKASNAGAR, HYDERABAD – 500 093.

TENDER NOTICE

1. NO.CL/04/06-07 Date:01-09-2006, Sealed Tenders will be received by the Sr.DGM (RES & Projects), Bharath Heavy Electricals Ltd., Corporate Research & Development at his office at Vikas Nagar, Hyderabad – 500 093. Upto 14-30 Hours on 06-10-2006 for the work of

Modifications, Alterations & renovation of school building for the proposed quality & ROD offices at Township BHEL (R&D), Vikasnagar.

At Vikas Nagar, (adjacent to HAL Complex, Balanagar, Hyderabad-500 093.

The Tenders will be opened by the Sr.DGM (RES & Projects) Bharat Heavy Elecctricals Ltd., Corporate Research & Development on the date and at the place aforementioned. The Tenderers or their agents are expected to be present at the time of opening of the Tenders. The tender receiving Office will, on opening the Tender, attest over writings or corrections, if any, there in the presence of the Tenders who may be present at the time. The Tender should be in the form obtainable from the Office of the Sr.DGM (RES & Projects) The CPWD Standard Specification and other documents relating sheet to the contract such as additional specifications, drawing descriptive specification sheet regarding materials etc, can be seen at any time between 9:00 AM and 1:00 PM on Office of the Sr.DGM (RES & Projects) Tender forms and other particulars regarding the proposed work can be obtained at the office of the Sr.DGM (RES & Projects) Tender forms and other particulars regarding the proposed work can be obtained at the office of the Sr.DGM (RES & Projects) on any working day from 9:00AM TO 1:00PM upto 28-09-2006 on payment of the prescribed sum of Rs.1000.00per set which amount is not refundable.

2. Tenders must be submitted in sealed covers and should addressed to the Sr.DGM (RES & Projects), Bharat Heavy Electricals Ltd., Corporate Research & Development, VikasNagar, Hyderabad – 500093, the name of the Tender and the name of the work being noted on the cover. If the Tender is made by an individual, it shall be signed with his full name and his address shall be given. If it is made by firm, it shall be signed with the co-partnership name by a member of the firm, who shall also sign his own name, and the name and address of each member of the firm shall be given. If the Tender is made by a Corporation, it shall be signed by a duly authorised Officer who shall produce with his Tender, satisfactory evidence of his authorisation such Tendering corporation may be required before the agreement is executed, to furnish evidence of its corporate existence.

3. Each Tender must pay as Earnest Money, a sum of Rs.1,00,000.00 (Rupees One lakh Only) and enclose with his tender the receipt endorsed accordingly. The Earnest Money prescribed for this work may be offered in any of the following forms duly pledged to the Account Officer BHEL (R&D).

A) Pay order, demand Draft, drawn in favour of Accounts Officer, Bharat Heavy Electricals Limited, Research and Development, Vikas Nagar, Hyderabad.

The Earnest Money will be refunded to the unsuccessful tenderer after the intimation of rejection of the tender is sent. The Earnest Money will be retained in the case of the successful tenderer and get converted as a part of security Deposit for the due performance of the contract and either case will no carry any interest. It will be dealt with as provided in the conditions attached to the tender.

When a tender is to be accepted, the tender whose tender is under consideration shall attend the office of the Sr.DGM (RES & Projects) on the date fixed by written intimation to him. He shall forthwith upon intimation being given to him by the Sr.DGM (RES & Projects) of acceptance of his tender, complete the execution of the agreement by signing all documents connected therewith. Failure to do so shall entail forfeiture of the earnest money.

- 4. EMD by the Tenderer will be forfeited as per Tender Document if.
 - i) After opening the tender, the revokes his tender within the validity period or increased his quoted rates.
 - ii) The tenderer does not commence the work the period as per LOI/Contract. In case the LOI/contract is silent in this regard then within 15 days after award of contract.
- 5. EMD shall not carry any interest.
- 6. Tenderers shall persue carefully the instructions in 'Direction to Parties Tendering and the conditions of the agreement form and all other relevant documents before tendering rates for the work. The approximate quantity of work to be executed under each class is given to the Schedule A. The quantities are given with a view to enable the tenderer to quote his overall rate for each class of work in the tender form and for a uniform comparison of tenders. It shall be definitely understood that the Bharat Heavy Electricals Limited does not accept any omissions, deductions, or additions that may be made in the tender documents by the parties tendering.
- 7. Sr.DGM (RES & Projects) reserves the right to reject any tender or part thereof or all the tenders with out assigning any reasons thereof.
- 8a. Tenders offering a percentage deduction from or increase on the estimate amount and those not submitted in proper form or in due time will be rejected.
- 8b. The offer shall be valid for a period of 90 days from the date of opening of the tender.

9. Security Deposit shall be collected from the successful tenderer. The rate of Security Deposit will be as below.

Up to Rs. 10 lakhs 10%

Above Rs. 10 lakhs Rs. 1 lakh + 7.5% of the amount exceeding

Rs. 10 lakhs

Above Rs. 50 lakhs Rs.4 lakhs + 5% of the amount exceeding

Rs. 50 lakhs

The Security Deposit should be deposited before start of the work by the contractor.

9a. Security Deposit may be furnished in any one of the following forms.

- i) Cash (as permissible under the Income Tax Act)
- ii) pay Order, Demand Draft in favour of BHEL (R&D).
- iii) Local cheques of schedule banks subject to realization.
- iv) Security available from Post Office such as National savings Certificate, Kissan Vikas Patras etc.
- v) Bank Guarantee from schedules Banks/Public Financial Institutions as defined in the Companies Act subject to a maximum of 50% of the total security deposit value. The balance 50% has to be remitted either by cash or in the other from of security. The Bank Guarantee format should have the approval of BHEL (R&D).
- vi) Fixed Deposit Receipt issued by scheduled Banks/Public Financial Institutions as defined in the companies Act. The FDR should be in the name of contractor, A/C BHEL (R&D), duly discharge on the back.
- vii) Security Deposit can also be recovered at the rate 10% from the running bills. However in such cases at least 50% of the security deposit should be deposited before start of the work and the balance 50% will be recovered from the running bills.
- viii) EMD of the successfully tender shall be converted and adjusted against the security deposit.

Note: Acceptance of Security Deposit against Sl.No.(iv) and (vi) above will be adjusted to Hypothecation or endorsement on the documents in favour of BHEL (R&D). However, BHEL (R&D) will not be liable or responsible in any manner for the collection of interest or renewal of the documents or in any other matter connected therewith.

9b. Security Deposit shall not be refundable to the contractor except in accordance with the terms of the contract.

The 50% Security Deposit will be released along with final bill balance will be released after 12 (Twelve) Months maintenance period.

- 10. a) Rs.1,00,000.00 (Rupees One Lakh only) will be retained as Security deposit for the due performance to the stipulation to keep the offer open for a period of 90 days from the date of opening of the tender; it being understood that the tender documents have been sold/issued to the tender and the tenderer is being permitted to Tender in consideration of the above stipulation on his part and that he shall not alter or modify the terms and conditions thereof in a manner not acceptable to Sr.DGM (RES & Projects) Should the tenderer fail to observe or comply with the foregoing stipulation, the aforesaid amount of Rs.1,00,000.00 (Rupees One Lakh only) shall be liable to be forfeited.
- 11. The Sr.DGM (RES & Projects) reserves the right or reject any tender or part there or all tenders without assigning any reason therefor.
- 12. Tenders offering a percentage deduction from or increase on the estimate amount, and those not submitted in proper form or in due time will be rejected.
- 13. The under signed reserves the right to reject any or all tenders or part there of or to divide the work in to convenient groups and award the work to more than one agency. The under signed also reserved the right to allow to public enterprises preference facilities as admissible under the existing policy.

SIGNATURE OF CONTRACTOR(S)

ISSUING OFFICER

Grams:BHELDEV Phone No: 23882110

Fax : 040-23776320

BHARAT HEAVY ELECTRICALS LIMITED CORP. R&D DIVISION: HYDERABAD – 93

TENDER NOTICE NO: CL/04/2006-2007 Item No.3 Dt.01/09/2006

Sealed Tenders are invited by the Sr.DGM (REs & Projects) from the reputed contractors experienced in similar work having valid PF No., ESI, Sales Tax registration, Labour Licence from Central/State Govt. and registered with local PWD, CPWD, Railways, MES, BHEL Ramachandrapurm, for the following works to be taken up at BHEL, Corp. R&D, Divn., Vikasnagar, Hyderabad-500 093, so as to reach the Sr.DGM (RES & Projects) Office, BHEL R&D Divn., Vikasnagar, Hyderabad-93 up to 14-30 hours on the dates mentioned against each and the Tenders will be opened on the same day at 14-45 hours in the office of the Sr.DGM (RES & Projects)

S No.	Description of Work	EMD Rs. Ps	Cost of Tender Rs. Ps	Period sale of Document	Date of opening Tender Document	Period of completion
& : bu: qu: at '	Iodifications, Alterations renovation of school ilding for the proposed ality & ROD offices Township BHEL (R&D), kasnagar.	100000.00	1000.00	07-09-06 to 28-09-06	06-10-06	3 Months

Note:

- 1. Tender received without EMD are liable for rejection.
- 2. Tender documents are abtainable between the dates mentioned from the office of the Sr.DGM (RES & Projects) BHEL (R&D) Divn, Vikasnager, Hyderabad-93 during office hours on submitting the application with full of their experience and enclosing copies of registration certificates, PF No. ESI, Sales Tax registration, Labour Licence from Central/State Govt.
- 3. The cost of tender documents will not be refunded and tenders are not transferable under any circumstances.
- 4. The under signed reserves the right to reject any or all tenders or part thereof or to devide the work in to convenient group and award the work to more than one agency. The under signed also reserves the right to allow to Public Enterprises preparence facilities as admissible under the existing policy.
- 5. Crossed demand drafts/Cash for issue of tender documents shall be sent to the Accounts Officer, BHEL Corp. R&D Divn., Vikasnagar, Hyderabad-93.
- 6. Working contractors are also to pay Earnest Money Deposit. EMD will be neither be adjusted against their pending bills nor they can be transferred from one work to the other.
- 7. The conclusion of contract will be in the form prescribed by Bharat Heavy Electricals Limited for the purpose.
- 8. In case date of opening happens to be holiday by any reason, tenders will be received and opened on next working day.

Sd/-Sr,DGM (RES & Projects)

TENDERER AND CONTRACTOR'S CERTIFICATE

1.	I hereby declare that I have persued in detail and examined closely the Central Public
	Works Department Detailed Standard Specifications and its addenda volume and also the
	BHEL General Conditions of Contract, I agree to be bound by and comply with all
	specifications contained in CPWD Standard Specifications and BHEL General Conditions
	of Contract, for the various items of work specified in the "SCHEDULE - A" and the work
	as a whole.

1.	I hereby declare that I shall pay the statutory minimum wages to my workers as applicable from
	time to time.

I shall	also	adhere	to	all	the	statutory	obligation	under	Contract	labour	(Regulation	and
Aboliti	on) A	ct 1971	and	l Ru	ıles 1	framed the	re under w	ith subse	equent rev	isions if	any.	

DATE	SIGNATURE OF CONTRACTOR(S)
D111E	significate of confidencial

DIRECTIONS TO PARTIES TENDERING

- 1. A list of materials proposed to be supplied by the Bharat Heavy Electricals Ltd., Corporate Research & Development Division, Vikas nagar, Hyderabad-500093 and the place where and the prices at which they are proposed to be supplied is given in schedule B. TENDERER MUST ACCEPT THESE MATERIALS AT THE SPECIFIED PRICES AND QUOTE FOR FINISHED WORK ACCORDINGLY, Not withstanding any subsequent change in the market value for those materials the charges to the party executing the work will remain as originally entered in the agreement. If at anytime, BHEL supplies materials other than those specified in the agreement at the request of the contractor for use on work, they will be charged at the market value prevailing at the time of supply or issue rate plus 12.5% whichever is greater.
- 2. The tenderer shall examine closely the CPWD Detailed Standard Specifications kept in Sr.DGM (RES & Projects) Office and also the relevant clauses of the Standard Preliminary Specifications before submitting his tender unit rates which shall for finished work in situ. The contractor is advied to purchase a book of CPWD Detailed Standard Specification for his reference. He shall also carefully study the drawings and additional Specifications and all the documents which form part of the agreement to be entered into by the accepted tenderer.
- **3.** Each tenderer must also send a certification of income Tax Verification from the appropriate income Tax Authority in the form prescribed therefor.

In the case of proprietory or partnership firm it will be necessary to produce the certificate aforementioned for the pre-proprietor or Proprietor and for each of the partners as the case may be.

If a certificate has already been produced by the tenderer during the calender year in which the tenderer is made in respect of a previous tender, it will be sufficient if particulars regarding the previous occasion on which the certificate was produced are given.

All tenders received without a certificate as aforementioned will be summarily rejected.

- **4.** Every tenderer is expected before quoting his rates, to inspect the site of the proposed work. He should also inspect the quarries, and satisfy himself about the quality.
 - And availability of materials. The best class of materials shall be used on the work. In every case, the marterials must comply with the relevnt standard specification, samples of materials as called for in the standard specifications, or in his tender notice or as required by the AGM (PCH) having jurisdiction for the time being over the work should have the due approval before the supply to site of work in begun. Attention of the contractor is directed to the Standard 'Preliminary Specification' regarding payment of signiorage, tools etc.
- 5. Time shall be considered as essence of the contract. The rate of progress as indicated in Annexure C is required to be maintained. Date of commencement of this programme will be the date on which the site (or premises) is handed over to the contractor.

6. The tenderer should quote specific rates for each item in the schedule, and the rates should be in rupees and paise. The units and rates should be written both in words and figures.

The schedule accompanying the tender shall be written legibly and free from erasure, over writings or conversion of figures Correction-where unavoidable should be made by crossing out, initialing, dating and rewriting, No alteration which is made by the tenderer in the agreement form, the conditions of agreement, the drawing or specifications, accompanying the same will be recognised; and if any such alterations are made the tender will be void.

- 7. Rates quoted shall include all taxes, octroi, transport etc complete.
- **8.** BHEL's General Conditions of Contract as enclosed shall apply for this work.
- 9. Income Tax will be deducted on the work as per the direction of Income tax department.
- 10. Sales Tax will be deducted on the works as per the direction of Sales Tax department.

CONTRACTOR (S)

ISSUING OFFICER

TENDER FOR THE WORK

ed description and in accordance with the ag made for the quantity of work actually hereto.
nowledge that before the submission of ons in the tender notice and have read the of the Preliminary Specifications/BHEL made such examination of the contract on where the said work is to be done and in regard to the material required to be atention of the same and the requirements, and distinctly agree that I/We will not pased upon or arising out of any alleged part of the said requirements, convenient,
<u>: </u>
ome tax verification certificate during the previous occasion on which the certificate
ce for Ninety (90) days from the date of n its terms and conditions which are not
mmence the execution of the works are without prejudice to any of their right or olutely.
Signature of Contractor (S) Address:

Exemption from payment of EARNEST MONEY.

I/We agree that should the BHEL decide to forefeit earnest money as aforesaid, unless, a sum equal to earnest money mentioned above is paid by us forthwith, the BHEL may as its option, it out of the deposit and in the event of deficiency, out of any other moneys due to me/us or otherwise.

	Signature
Witness	In the capacity Of
	Duly authorised to sign
	The tender on behalf of
	(in block capitals):
	Postal Address
	Telegraphic Address
	Telephone No.

AGREEMENT

This agreement made this day the	of	
between Bhara	t Heavy Electricals Ltd., having its registerred Office	e at
New Delhi, Unit: Corporate Research & D	Development Division, Vikas Nagar, Hyderabad-500 ()93
(hereinafter called the First Party) of one contractor) of second part.	e part and (hereinafter called	the
Where as the first party is desirous	of	
	derabad – 500 093 of Bharat Heavy Electricals Limit on, situated at about 9 KMs West of Secunderabad C	

more particularly described in the Schedule including drawings and specification attached herewith.

Whereas in pursuance of the said contractor's tender being accepted, the first party has decided to give the aforesaid work to the said contractor.

Where as the said contractor has agreed to execute the assigned work subject to the conditions herein contained in these presents and the works shown upon the said drawings and specifications at the approved rates embodied in schedule – A (bill of quantities) attached herewith.

And whereas the contractor has agreed to the retention by the first party of the Earnest Money Deposit of Rs.1,00,000.00 paid by him when he submitted his tender as part of the security for the due fulfillment of the contract to the satisfaction of the first party.

And whereas the contractor has also persued the copy of the CPWD standared specifications and its Addenda volume, BHEL General Conditions of Contract, thereto maintained in the Sr.DGM (RES & Projects) Office and is bound by all the standard Specifications for items of work described by a standard specifications number in schedule 'A' and by all the conditions and clauses of the standard preliminary specifications detailed in the agreement.

And whereas the contractor has agreed to execute upon and subject to the conditions set forth in standard specification indicated in schedule – A and in the standard preliminary Specification and such other conditions as are contained in all the specification and such other conditions as are contained in all the specification forming part of this contract (hereinafter referred to as the 'said conditions'), the work shown upon the drawings and described in the said specifications and set forth in schedule – A as the "Probable quantities" and comply with the time of completion as mentioned in the Tender Notice.

Now these present witness that in consideration of the Schedule-A as also of agreement of good and faithful service to be rendered and performed by the contractor in the execution of the said work, subject to the stipulations hereinafter expressed.

No	ow its hereby agreed as follows:					
1.	That the contract shall come into force with retrospective effect from					
	the date on which the site or premises was handed over to					
the	e contractor.					
2.	That it is agreed between the parties that the non exercise of any of the powers conferred on the authorities of the first party, will not in any manner constitute waival of the conditions here to contained in these presents and the liability of the contractor either of part of future compensation shall remain unaffected.					
3.	That not withstanding anything mentioned earlier by either party, only the conditions included in the agreement shall prevail.					
4. 5.	4. That the expenses of completing and stamping the agreements shall be paid by the contractor.					
	In witness there of the parties have respectively set their signatures in the presence of:					
W	itness: 1)					
	2)					
Da	ate					
	SIGNATURE OF THE CONTRACTOR					

ACCEPTING AUTHORITY

For and on behalf of, Bharat Heavy Electricals Limited

BHARAT HEAVY ELECTRICALS LIMITED CORP RESEARCH & DEVELOPMENT DIVN VIKASNAGAR :: HYDERABAD 500 093

SCHEDULE.A

Name of Work: Modifications, Alterations & renovation of school building for the proposed quality & ROD office at Township BHEL (R&D), Vikasnagar.

Sno	Description of Item of work	Quantity	Unit	R A T E Figures	I N Words	Amount
1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 150mm deep and disposal of rubbish, lead upto 50m. and lift upto 1.5m. in all kinds of soils .(2)	2925.00	SQ.M			
2	Earth work excavation in foundation trenches or drains not exceeding 1.50 m in width or 10 sq.m on plan including dressing of the sides and ramming of bottoms, lift upto 1.50 m including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m in all kinds of soils.(3)	46.00	CU.M			
3	Excavating trenches for required width for pipes, cables, etc, icluding excavation for sockets, depth upto 1.5 m including getting out the excavated soil, returning the soil as required in layers not exceeding 20 cm. in depth including consolidating each deposited layer by ramming and watering etc, and disposal of surplus excavated soil as directed with in a lead of 50 m in all kinds of soil for pipes/cables etc, exceeding 80 mm diameter but not exceeding 300mmdia.(5)	100.00	R.M.			
4	Clearing jungle and grass removing including uprooting of rank vegetation grass brush wood, trees and saplings of girth up to 30 cm at a height of 1m above ground level and removal of rubbish up to a distance of 50m outside the pheriphery of the area cleared and including burning etc, complete. (6)	400.00	SQ.M			

______ Sno Description of item of work Quantity Unit RATEIN Amount Figures Words 5 Felling of trees of the girth (meas-25.00 EACH ured at a height of 1m above ground level) including of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable materials and including burning etc, complete beyand 30 cm girth up to and including 60 cm girth.(9) 6 Supplying & filling with sand under 24.00 CU.M floors & plinths in layers not exceeding 200mm including watering and ramming each deposited layer. (11) 7 Supply and filling with morrum brou-105.00 CU.M ght from outside including Laying in layers not exceeding 200mm in depth, watering and ramming and cosolidating each deposited layer. (12) 8 Inter carting of surplus excavated 112.00 CU.M earth by mechanical transport including loading un loading spreading etc, complete with in 2 km lead. (13) 9 Providing and laying in position ce-67.00 CU.M ment concrete of mix 1:4:8(1 cement: 4 coarse sand: 8 graded stone aggregate 40mm nominal size) excluding the cost of centering , shutteringall works upto plinth level. Cement will be FREE supply(23) 10 Coursed rubble stone masonry (second 16.00 CU.M sort) with hard stone in layers with suitable bond stone at 1 m intervals in each coarse in cement mortar 1:6 (1 cement:6 coarse sand) in basement or super-structure. Cement will be FREE supply. (62)

Sno Description of item of work	Quantity Unit RATEIN Amount Figures Words
11 Brick masonry in cement mortar 1 (1 cement: 6 coarse sand) using a Machine moulded brick displayed office or equivalent quality a directed by the engineer-in-chard in all floors and basement. Cement will be FREE supply. (67)	6 30.00 CU.M of on as
12 Half brick masonry in cement mortal 1:4 (1 cement: 4 coarse sand) with machine moulded bricks displayed office or equivalent as directed the engineer-in-charge with 2 noses of s. rods of 6mm dia.for every 5th coarse etc, but excluding the cost of m s.rods including the cost as conveyance of materials and labor charges in all floors. Cement with be FREE supply. (68)	ch n Dy of ch st ad
13 Providing wood work in frames of doors, windows & clerestory window and other frames, wrought framed at fixed in position in second classingian teak wood. (71)	ad
14 Providing & fixing ISI marked 35r thick flush door shutters with nor decorative type core of black boar costruction with frame of first class hard wood and well matched first class commercial ply on boar faces of shutter including fixing ISI marked MS.oxidised butt hings 100 x58 x1.9mm. 3nos.to each shutter fitted with suitable nettle for screws, etc, complete, for double single leaf shutters. (77)	n- cd st ed ch ef es er cd
15 Providing and fixing 40x3 mm flation hold fast 400mm long including fixing with 10mm dia. bolts , nutsuand wooden plugs embeding in cemerocorrete block 30 x 10 x 15cm 1:3 (1 cement: 3 coarse sand: 6 storaggregate 20mm nominal size).78)	ng Es at 6

Sno	Description of item of work	Quantity Unit	R A T E I N Figures Words	Amount
16	Providing & fixing aluminium sliding door bolt anodised trasparent / dyed to required colour / shade with required no.of nettle fold screws etc. size 300mmlong x16 mm dia.(79)	36.00 EACH		
17	Providing and fixing aluminium tower bolts anodised transparant or dyed to required colour or shade with necessary screws etc, complete. size 200mm long x 10mm diameter. (80)	48.00 EACH		
18	Providing & fixing aluminium handles anodised trasparant/dyed to required colour/ shade with necessary screws, complete of size 125mm.(81)	48.00 EACH		
19	Providing and fixing aluminium hanging floor door stopper anodised trasparant / dyed to required colour and shade with necessary screws etc, completeTwin rubber stopper. (82)	24.00 EACH		
20	Supplying and fixing of 4mm thick plain glass with existing beading including removing broken glasses along with beading/putty including cost of materials and labour. (84)	15.00 SQ.M		
21	Providing and fixing of 5.5 mm thick clear glass with existing beading or putty including removal of broken glass and beading/putty including cost of all materials labour . (86)	5.00 SQ.M		

Sno Description of item of work Quantity Unit R A T E I N Amount Figures Words

22 Providing and Fixing Two track Alum- 22.00 SQ.M

inium sliding window with mat finish exterior grade of powder coating with approved colour. Aluminium extrusions for two track windows are of JINDAL make sections No-8732,61.85x 45.5 X 1.3mm as bottom track with gutter provision for rain water drain.Section no-8931 61.85 X 31.75 X1.5 mm as top and side track , section No-8820 40 X 18 X1.5mm as shutter bottom and top ,section NO-8821 40 X26.7 X1.5mm as shutter interlock and section no-8822 40 X 18 X 1.5mm as shutter handle side. Sliding panels are to be fitted with Tinted glass of $$\operatorname{\mathtt{4mm}}$$ thick necessary rubber beading etc complete. All the gaps around the windows are to be closed with silicon sealent.(100)

- 23 Supply, fabrication and erection of structural steel work in single section fixed without connecting plate including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (117)
- 24 Supply, fabrication and erection of electric resistance / induction butt welded tubes tubular built-up trusses including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, welded or bolted including special shaped washers etc.complete.(118)

376.00 Kg

300.00 KG

______ Sno Description of item of work Quantity Unit RATEIN Amount Figures Words 25 Providing & fixing in position coll-32.00 SO.M apsible steel shutters with vertical channels 20 x 10 x 2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron $40 \times 40 \times 6$ mm with 40mm dia. steel pullys complete with bolts, nuts, locking arrangment stoppers, handles, including applying a priming coat of approved steel primer complete. (126) 26 50mm thick cement concrete flooring 517.00 SQ.M 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20mm nominal size) finished with a floating coat of neat cement including cement slurry rounding off edges and strips, but excluding the cost of nosing of steps ,etc ,complete. Cement will be FREE supply. (147) 27 Plinth protection with 40 mm thick 70.00 SQ.M rough shahabad stone slabs over 75mm bed of dry sand well rammed and consolidated and stone slabs are pointed with cemnent mortar 1:3 with a required slope complete as directed by the engineer-in-charge. Cement will be FREE supply. (154) 28 Providing and laying 6 mm thick 60.00 SO.M corrugated AC sheets roofing and fixing bitumen washers &flat washers icluding fixing the sheet with `J`or `U `G.I. bolts of 8 mm diameter, excluding the cost of purlins, rafters and trusses upto 60 degrees pitch. (133)

PAGE NO: 21 ______ Sno Description of item of work Quantity Unit RATEIN Amount Figures Words __________________ 29 Providing and laying cement concrete 5.40 CU.M in mix 1:2:4 (1 cement:2 coarse sand :4 graded stone aggregate 20 mm nominal size) upto floor five level in retaining walls, return walls, walls including attached pilasters, columns piers , abutments , pillars , posts, buttresses, strings or lacing courses parapets, copings, bed blocks, anchor blocks , plain window sills fillets etc.excluding the cost of centering, shuttering and finishing . Cement will be FREE supply. (22) 30 Providing and Laying 8 mm thick 290.00 SQ.M Vertified ceramic tile flooring laid over water proof cement adhesive, jointed with grout of approved shade & manufactured to match the shade of tile and ceramic the finished surface with acid wash, etc., complete. (163) 31 Providing and laying 600 X 600 mm 302.00 Sq.m Glossy Vetrified tiles flooring laid over Cement mortor 1:6 (1 Cement: 6 Coarse sand) of 40 mm thick and applying Cement slurry of 6.4kg/Sq.m Tiles should be jointed with machine colour groundt cmopound. Cleaning the finished surface with acid wash etc., complete. Cement will be free supply. (685)

32 Providing and fixing 8mm thick 12"x 115.00 Sq.m 24" of size Ceramic tile with antistain property (Jhonson or Equivalent make) on wall face on Cement plaster of 12 mm thick Cement mortar 1:3 (1 Cement : 3 Finae sand) Tiels are to be fixed with Grey Cement slurry over Cement plaster and jointed with matching tile grout of apprloved brand and colour. Cleaning the finished surface with acid wash etc., complete. Cement will be free supply. (688)

Sno Description of item of work Quantity Unit R A T E I N Amount Figures Words

11.25 SO.M

33 Providing and fixing steel casement windows&vents, fixed lover ofstandard rolled steel sections joints mitred and electrically flash welded with 12x 3mm lugs, 100mm long embedded in cement concrete 1:3:6 (1 cement : 3 coarse sand :6graded stone aggregate 20mm nominal size) blocks 150 x100 x100mm or with wooden plugs &screws or with bolts and nuts as required and glazed with 4mm thick clear glass and fixing with 10mm anodised aluminium metal beading of approved shape & section with cadmium plated machine screws , rubber alround the glass, including fixing of m.s.oxidised pegstays and handles of heavy quality (samples kept in office) one each on openable shutter, openable shutters are welded to frame with 3 nos.of friction type through hinges with or with out gaurd bars welded at 100mm intervals horizontally including applying of 2 coats of approved steel primer and 2 coats of butumastic paint to the surface touching masonry or concrete etc.as per drawing. (119)

165.00 SQ.M

34 18mm thick cement plaster in two coats under layer 12mm thick cement plaster 1:5(1 Cement :5 Coarse sand) and a top layer 6mm thick cement plaster 1:3 (Cement : 3 Fine sand) of sponge finish in all floors. (Cement will be Free supply) (167)

90.00 SO.M

35 Applying and finishing with water proofing cement paint of approved brand and manufacture of required shade to give an even shade on over a coat of cement primer for new work two or more coats includig cost of all materials & labour charges.(182)

Sno	Description of item of work	Quantity Unit	R A T E I N Figures Words	Amount
36	Applying & finishing with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade, two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture. (183)	108.00 SQ.M		
37	20mm thick cement plaster of mix:1:6 (1cement:6 fine sand with necessary grooves & mortar bands as directed by the engineer-in-charge. Cement will be FREE supply.(171)	180.00 SQ.M		
38	Providing and Fixing Stainless steel Railing all as per drawing including grouting the railing etc complete. (Drg no-) Cement will be FREE supply (541).	25.00 Sq.m		
39	Providing and applying Two coats of BIRLA LAPPUM over plaster surface to make the surface even and smooth and sand paering Two times to get even & smooth surface including curing etc. complete. (689)	1762.00 Sq.m		
40	Applying and painting with plastic emulsion paint of approved brand & shade to give an even shade on new work two or more coats over a coat of			
	cement primer of approved brand.(185)			

______ Sno Description of item of work Quantity Unit RATEIN Amount

Figures Words

41 Applying Two or more coats of delux Multisurface paint system "Uni gloss" of Snow cem india or equivalent make paint for Interiors & Exteriors over and including one coat of Primer (Snowcem plus or Equivalent) all as per manufacturers specifications including cost of all materials, labour scaffolding etc complete (193)

900.00 SO.M

42 Providing and Fixing Grey color 150.00 SQ.M Weather stone interlock concrete pavers in Block thickness of 60mm inclusive of sub-base compaction, Supply and preparation of 100mm of sand bedding placing of pavers trimming of edges, treatment ofjoints with fine sand , final compaction and sweeping clean etc., including cost of all materials. (159)

43 Providing and fixing white/colour vitreous water closet (orissa type) with 100mm sand cast iron or vitreous p or s trap, 12.5 litres high level flushing cistern (approved make) with fittings, C.I. brackets, 32mm diameter flush pipe with fittings & clamps 20mm over flow pipe with specials and masquito proof coupling of approved municipal design g.i.chain & pull including painting of cistern & fittings wherever required Of size 580 x 440 mm.Cement will be FREE supply. (272)

9.00 EACH

Sno Description of item of work Quantity Unit RATEIN

Quantity Unit RATEIN
Figures Words

3.00 EACH

Amou

44 Providing and fixing white/colour vitreous water closet(european type) with seat and lid, c.p. brass hinges and rubber buffers, 12.5 litres low level flushing cistern with fittings and brackets, 40mm flush bend, 20mm over flow pipe with specials of standard make and masquito proof coupling approved municipal design complete painting wherever required including cutting & making good the walls and floors wherever required with plastic seat and lid with vitreous china ware trap of required type `s`or `p` as directed by the engineer-in-charge during the execution. (273)

12.00 EACH

45 Providing and fixing white / colour vitreous wash basin with C.I.brackets painted white 15mm C.P.brass pillar taps, C.P.brass chain with rubber plug, 32mm C.P. brass waste of standard pattern, 32mm diameter C.P. brass trap and unions complete, including cutting and making good the wall wherever required flat back wash basin size 550 x 400 mm with one 15mm n.b.C.P. brass pillar tap.(274)

12.00 EACH

46 Providing and fixing white viterous china flat back half stall urinal of 580 X 380 X 350mm with shite PVC automatic flushing cistern, Parryware/Hindware/Seabird/Oreint(Coral) with fittings, standard size C.P. brass flush pipe spreaders with unions and clamps(all in C.P.brass) with waste fitting as per IS :2556, C.I. trap with outlet grating and other couplings in C.P.brass including painting of fittings and cutting and making good the walls and floors wherever required with Three half stall urinals with 10 liter PVC Automatic flushing cistern.(280)

Sno	Description of item of work	Quantity Unit	R A T E Figures	
47	Providing and fixing 600x450mm size superior quality glass mirror (Of approved quality) complete plastic frame of standard pattern with cordboard backing with arrangements to hang/fix to wall face.(276)	12.00 EACH		
48	Providing and fixing C.P.brass towel rail 600 x 20 mm size complete with brackets fixed to wooden cleats with C.P.brass screws.(277)	6.00 EACH		
49	Providing & fixing marble slab white makrana (table rubbed and polished) 105cm 60cm deep x 1.8cm thick fixed in urinal partition with cement concrete 1:2:4 (1cement:2 coarse sand: 4 graded stone aggregate 6mm nominal size) and finished smooth etc complete.Cement will be FREE supply.(270)	12.00 Sq.m		
50	Supplying and Erection of P.V.C. water tank of approved make over roof slab in all heights including transportatoion and handling etc, complete.(363)	2000.00 LTS		

Sno Description of item of work Quantity Unit R A T E I N Amount

Figures Words

- 51 Constructing brick masonry manhole with locally available best quality of bricks in cement mortar 1:5 (1 cement: 5 fine sand) R.C.C. top slab with 1:2:4 (1 cement:2 coarse sand: 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 (1 cement : 4 coarse sand: 8 graded stone aggregate 40mm nominal size) inside plastering 12mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement & making channels in cement concrete 1:2:4(1 cement: 2 coarse sands: 4 graded stone aggregate 20mm nominal size) neatly finished complete as per standard type design. inside size 90x80 cm & 45 cm including C.I. cover with frame 455 x 610 mm internal dimensions total weight of cover and frame to be not less than 38kg (cover 23 kg kg and frame 15 kg). Cement will be FREE supply. (353)
- 2662.00 SQ.M

2.00 EACH

53 Demolishing brick work including stacking of serviceable materials and disposal of unserviceable material within 50 metres lead made in cement mortar.(195)

complete. (212)

52 Removing dry or oil bound distemper

by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches, etc,

- 21.00 CU.M
- 54 Demolishing cement concrete work of any mix. including disposal of materials within 50 metres lead as directed by the engineer. (197)

8.00 CU.M

Sno	Description of item of work	Quantity Unit		
55	Dismantling of existing teak wood partition/False ceilling including plywood sheet and stocking the material as directed by the engineer -in-charge. (203)	52.50 SQ.1		
56	Removal of cement plaster of all mixes, racking out joints and preparing the surface for re-plastering including disposal of rubbish within a lead of 50 m as directed by the engineer-in-charge. (207)	50.00 sq.1	4	
57	Dismantling tile work 10mm to 25 mm thick in all floors / roofs laid in cement mortar including stacking materials within 50 metres lead as directed by the engineer-in-charge. (210)	114.00 SQ.I	1	
58	Construction of masonry chamber 90 x 90x100 cm inside with brick work in cement mortar 1:5 for sluice valve, with C.I. surface box 100mm top diameter 160 mm bottom dia. and 180 mm deep inside with chain lid and r.c.c top slab mix:1:2:4 including necessary excavation, foundation concrete 1:5:10 and inside plastering with cement mortar 1:3;12mm thick with a floating coat of neat cement as per standard design.Cement will be FREE supply.(357)	3.00 EAC	1	
	Cutting holes upto 30x30 cm in walls including making good the same.(362)		H	
60	Cutting holes upto 15x15 cm in RCC floors and roofs for passing drain pipe etc. and reairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (Cement 2 coarse sand:4 graded stone aggregate 20 mm nominal size) including finishing complete so as to make it leak proof.(361)	20.00 Eac	n	

Sno	Description of item of work	_	R A T E Figures	Amount
61	Providing, laying and jointing glazed stoneware pipes grade `A`with stiff mixure of cement mortar 1:1(1cement: 1 fine sand)including testing joints etc, complete; 100 mm diameter. Cement will be FREE supply. (342)			
62	Providing & fixing square-mouth S.W. gully trap grade `A` complete with C.I.grating brick masonry chamber with bricks and water tight C.I. cover with frame of 300x300 mm size (inside) the weight fo cover to be not less than 4.5kg. and frame to be not less tham 2.7 kg.as per standard design;125 x 100 mm size with P type trap. (345)	6.00 EACH		
63	Providing and fixing G.I.pipes class `b`with G.I fittings required on for internal work. 15mm n b.(283)	186.00 R.M.		
64	Providing and fixing G.I pipes class 'b'with G.I fittings required on for internal work of 25 mm n b.(285)	160.00 R.M.		
65	Providing and fixing G.I pipes class 'b'with G.I fittings required on for internal work for 50 mm n b.(288)	50.00 R.M.		
66	Providing and fixing C.P brass stop cock of approved quality 15mm nominal bore.(297)	36.00 EACH		

Sno	Description of item of work	Quantity Unit	R A T E I N Figures Words	
67	Providing and fixing C.P brass bib cock of approved quality 15mm nominal bore .(303)			
68	Providing & fixing C.P brass fullway valve with C.I.wheel of approved quality(screwed end);50 mm n b.(314)	3.00 EACH		
69	Providing & fixing C.P.brass fullway valve with C.I. wheel of approved quality(screwed end);25 mm n b.(311)	4.00 EACH		
70	Providing and fixing ball valve of approved quality high pressure with copper float.15 mm n b.(317)	9.00 EACH		
71	Providing and laying 160mm dia UV resistant SWR grade PVC pipe (Sudhakar/Prince/Supreme) in all height including the cost of solution for fixing PVC pipe and MS clamps etc., complete (643).	30.00 R.M		
72	Providing laying 110mm dia UV resistant PVC SWR grade pipes (Sudhakar/Prince / Supreme) in all heights including the cost of solvents for fixing PVC pipes and MS clamps. (644)	30.00 R.M		

Sno	Description of item of work	Quantity		R A T E Figures	Amount
73	Providing and fixing 75mm dia UV resistant PVC SWR grade pipe (Sudhakar, Prince/Supreme) in all heights including the cost of Solution for fixing PVC pipes and MS clamps.(645)	-	R.M		
74	Providing and fixing 110 mm dia UV resistant SWR grade PVC (Sudhakar/Prinice/Supreme) Door bend in all heights including the cost of solutions for fixing PVC specials etc., complete. (646)	4.00	Each		
75	Providing and fixing 75 mm dia UV resistant SWR grade Door bend (Sudhakar/Prince/Supreme) in all heights including the cost of solutions for fixing PVC specials etc., complete. (647)	6.00	Each		
76	Demolishing of G.I. Pipes including specials upto 40 mm n.b. (446)	60.00	R.M		

Sno	Description of item of work	_	RATEIN Figures Words	
77	Demolishing of G.I. Pipes above 40mm n.b. including specials (447)			
78	Demolishing of flushing cisterns of any type including of C.I. brackets. (448)	12.00 EACH		
79	Dismantling doors, windows (steel or wood) shutter including chowkhats, hold fasts etc, complete & stacking within 50 metres lead for 3 Sq.M and below.(198)	73.17 Sq.M		
80	Providing and fixing Anodised Aluminium partition made out of Aluminium Anodised box sections of size 63x37 x2 as verticals & horizontals spaced at 1000 mm apart or wherever required technically and neatly jointed with cleats and screws. The partition has to be fixed to floor, top & sides of structure with coach screws and plugs firmly. (569)	84.00 SQ.M		
81	Providing and fixing Anodised Aluminium door double/single leaf made out of Aluminium anodised box section of size 47x44.50 x 2mm for side and top members 100x44.50 x 2 mm for bottom and lock rail neatly jointed with required cleats and screws. Each door has to be fitted with required number of Aluminium Anodised furniture fittings such as Handles, Hinges, Aldrops, Towerbolts floor door stopers, concealed mortice lock of approved make & PVC beading alround the door frame etc., complete. (570)	6.30 SQ.M		

PAGE NO: 33

Sno	Description of item of work	Quantity Unit RATEIN Amount Figures Words
82	Providing and fixing anodised aluminium clip beading of heavy type to Aluminium partition ,doors etc ., complete.(552)	
83	Providing and fixing U-shape rubber beading of specified section around the glass for window/door. (476)	250.00 R.M
84	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with PVC/neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-incharge. (Cost of aluminium snap beading shall be paid in basic item.) with glass panes of 5.50mm thickness (weight not less than 13.75 kg/sqm) (576)	32.40 Sq.M
85	Providing and fixing 9 mm thick prelaminated three layer medium density (interior grade) particle board graded I, Type II conforming to IS:12823 bonded with phenol formaldehyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass/stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Prelaminated particle board with decorative lamination on both the sides.(573)	90.00 Sq.M
		TOTAL AMOUNT

NOTE:

- 1. Cement, Mild steel and Tor steel required theoritically will be supplied FREE OF COST at BHEL(R&D) stores.
- 2. Excess/Short consuption of above said materials will be accounted at penal recovery at the time of FINAL/RUNNING BILL as per normas of CPWD Schedules and Specifications.
- 3. The penal recovery rate for CEMENT Rs .4600.00 per M.T. MILD STEEL Rs.54000.00 per M.T. TOR STEEL Rs.54000.00 per M.T.

SCHEDULE - 'B'

ISSUE OF STORES TO THE CONTRACTOR

S. NO	Particulars	Unit	Issue Rate Rupees
1.	Cement non-refundable bags	M.T.	FREE
2.	Mild steel rounds all diameters	M.T.	FREE
3.	Tor steel/Ribbed steel all	M.T.	FREE
	diameters		

- A. The materials listed above will be issued at BHEL/R&D/Stores. It will be the responsibility of the contractor to submit his demand for stores in writing at least seven days in advance of the actual requirement.
- B. Issue of all stores is subject to the extent of their availability at the place of issue noted above. The Contractor should make his own arrangements for any or all of the materials shown above in case the BHEL desires so. The contractor shall not be entitled to any claim or compensation for non supply of the materials or delay in the supply of stores under any circumstances.
- C. The materials will be issued only during the working hours on Tuesday and Friday. The Contractors shall have to transport them to site of work at his own cost as soon as these are issued to him.
- D. Where cost of stores issued if any is recoverable from the contractor, recoveries will be made from the running bills for the gross quantity issued and not on actual consumption on the basis of the net measured quantity on finished work.
- E. The contractor shall, from time to time, render proper accounts of all materials issued to him by BHEL. If he fails to do so, no further issued of the materials will be made to him and he shall be held responsible for any delay in the execution of the work which may occur on this account
- F. Only Cement, Mild Steel & Tor Steel items are issued free of cost to the contractor the contractor will have to make good at his own cost any loss or damage to part or whole of the item issued to him as above.

G. All surplus materials whether issued free of cost or on cost or on cost recovery basis are to be returned to the BHEL stores in good Condition. Quantities of materials consumed in excess of the actual requirement shall be charged for at punitive rates which listed below.

The decision of the Sr. Engineer/Manager (Civil) as to the extent to which materials have been rendered surplus have been consumed in excess of the actual requirements shall be final and binding on the contractor.

H. I) **CEMENT:**

For the purpose of determining the actual requirement of cement, the theoretical consumption of cement as per CPWD norms shall be considered by the Sr. Engineer. As per CPWD norms the following are the variation allowed in Cement consumption.

A > Work costing upto Rs. 2,00,000-00 : $\pm -5\%$

B > Work Costing from Rs. 2,00,000-00 to Rs.5,00,000-00 : \pm -4%

C > Work costing above Rs. 5,00,000-00 : +/-3%

II) STEEL:

Steel will be issued by weight duly weighing at Store as stocked by Bharat Heavy Electricals Ltd., The surplus steel is represented by the difference between the quantity received and the quantity required and utilised on the work with an allowance of 5% towards scrap. This scrap will be the property, of the contractor, who will be responsible for their removal from the site in good time as Directed by the Sr. Engineer. The cut pieces retained as scrap shall be short than one metre in length.

Any variation in weight of steel issued should be brought to the notice of the Engineer-incharge without any delay in writing for consideration.

PUNITIVE RATE FOR EXCESS/SHORT CONSUMPTION

 1. CEMENT
 Rs. 4,600-00 per M.T

 2. MILD STEEL
 Rs. 54000-00 per M.T

 3. TOR STEEL
 Rs. 54000-00 per M.T

SIGNATURE OF CONTRACTOR(S)

ACCEPTING OFFICER

SCHEDULE 'C'

SERVICES VIZ, WATER & LIGHTING TO THE CONTRACTOR

1. WATER:

Water required for construction purpose shall be supplied by Bharat Heavy Electricals Limited. And charged at Rs. 2-00 per 1000 gallons. The supply will be made at convenient point to be determined by the Sr.DGM (RES & Projects) and contractor has to make his own arrangements to distribute the water to places where required including cost of providing and fixing water meters. The charges for the consumption of water will be as under, where meters could not be provided by the contractor and prior permission for the same was obtained in writing from Dy. Manager,

i) On the total value of periodical maintenance items of buildings	0.25%
ii) On the valued of road works	0.75%
iii)On the total value of other Civil Works	0.50%

Note: In respect of items (I) & (ii) only items where water is consumed on the works will be considered for arriving at the total value.

In respect of item (ii) the value of works of piking metal, earth work and asphalting will be excluded from the total value of road work.

2. LIGHTING:

Electric current if required. Will be supplied at a convenient metered point to be determined by the AGM(Projects). Any extension required to the different work cited will have not to be arranged by the contractor himself. Energy consumed will be metered and charged at Rs.1.45(Rupees one and forty five only per Unit)

SIGNATURE OF CONTRACTOR(S)

ACCEPTING OFFICER

SCHEDULE 'D'

TOOLS AND PLANT TO BE HIRED TO THE CONTRACTOR

(See Conditions 14 & 34A)

	Sl. No.	Partic ulars	Number available	Hire charges per Unit per Working day Rs.	of	+value per unit	of	Number required by
_	1	2	3	4	5	6	7	8

Signature of Contractor	 Signature of Issuing Officer
Date:	Date:

Note:

- 1. The tenderer shall indicate in column 8 the number required by him subject to the maximum indicate in column 3.
- 2. Column 6 is not to completed if condition 34 A committed from the General Condition of Contract.

SPECIAL CONDITIONS OF CONTRACT

THAT the contractor further under takes to maintain the following registers as per prescribed proforma.

- a) Register of workmen (Form xiii)
- b) Muster Roll (Form xvi)
- c) Wages Register (Form xvii)
- d) Leave Register
- e) Register of Over time and deductions
- THAT the company after proper checking of the bills submitted by the said contractor will pay to him during the progress of the said work, at the said contract rates and agreed terms of payment, a sum as determined by the company in respect of the work executed by the contractor.
- 3 THAT the contract shall come into force with retrospective effect from...... the date on which the letter accepting the tender (letter of Intent) has been communicated to the said contractor.
- 4 THAT whenever under this contract or otherwise any sum of money shall be recoverable from or payable by the contractor the same may be deducted in the manner as set out in the conditions of contract as aforesaid.
- 5 THAT all charges on account of Octroi, Terminal and Sales-Tax other duties on materials obtained for the works shall be borne by the said contractor.
- It is also agreed between parties that the second party to the contract will ensure adherence 5a) to all statutory requirements under the State Rules in respect of service conditions for the employment of contract labour. The second party also hereby undertake to get himself licensed from the appropriate authority as a contractor in accordance with A.P. Contract Labour (R&A) Rules, 1971. It is understood by the second party that for this agreement to be effective, the prime condition is his fulfilling the condition being licensed as a contractor under the state Legislation and the continuance of the agreement is subject to his sustained ensurance of the agreement is subject to his sustained endurance of fulfillment of all statutory requirements including those contained in Labour Commissioner's Notification No.8385/79 in respect of employment conditions for contract labour and payment of wages as specified by the State Government. Further as and when there are changes in the service conditions/wages rates for contract labour, as notified by the State Labour Department, the same will be implemented even if the said modification is given at any time after the conclusion of the Agreement. Any violation in respect of absorbance of statutory requirement under the contract Labour (Regulation and Abolition) Act 1970, will make the Agreement liable for immediate termination in regard to paid holidays, the contractor will observe BHEL list of holidays as notified from time to time.

- b) The Contractor shall ensure abidance by all the labour laws especially including contract Labour (R&A) Act, payment of wages, Workmen's Compensation Act, Minimum wages Act, as amended from time to time.
- c) The contractor will obtain a separate provident fund code for his establishment and ensure implementation of provident fund Act in the case of all eligible employees and in the process shall conform to all the stipulated conditions under the PF Act and rules framed there under.
- d) Notwithstanding clause (C) above in case of any financial loss incurred by the company on account of the contravention of the provident fund regulations or any regulation of rules touching the same by the contractor, the contractor shall undertake to indemnify the company to the extent of the loss incurred by the company.
- 6. THAT it is agreed between the parties that the non-exercise of any of the powers conferred on the Authorities of the company, will not in any manner constitute waiver of the conditions here to contained in those presents and the liability of the said contractor either of past or future compensation shall remain unaffected.
- 7. Any claim or dispute arising under the terms of this document shall only be enforced or settled at any courts located at Hyderabad / Secunderabad / Ranga Reddy only.
- 8. THAT the expression BHEL wherever occurring means THE BHARAT HEAVY ELCETRICALS LIMITED, Corporate R&D Division Hyderabad-500 093 (Andhra Pradesh)

CONTRACTOR (S)

ACCEPTING OFFICER