

## **Bharat Heavy Electricals Limited**

(High Pressure Boiler Plant)
Tiruchirappalli – 620014, TAMIL NADU, INDIA

### **OUTSOURCING DEPARTMENT**

TITLE	Phone: +91 431 257 5094
	Email: rbk@bheltry.co.in
CORRIGENDUM for NIT 23401	

Reference Number: Enquiry :REQUIRED NEW VENDOR FOR STEEL FABRICATION WITH VENDOR'S MATERIAL	Enquiry Date: 18.07.2015	Due date for submission of quotation: 17.07.2016
---------------------------------------------------------------------------------------------	-----------------------------	--------------------------------------------------

You are requested to quote the Enquiry number date and due date in all your correspondences. This is only a request for quotation and not an order

## **CORRIGENDUM No. 2**

## **Details of Corrigendum**

- 1. Facility checklists for General Fabrication & Stairs and Ducts assembly have been revised and integrated.
- 2. Facility checklists for Autowelded beams & buckstays, Columns and Ceiling girders have been revised.

All other terms and conditions as published in the NIT\_23401 remain unaltered.



# BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPALLI

## **OUTSOURCING**

Check List for Spot Visit - General Fabrication, Stairs and Ducts assembly

Doc No: SVCL:026	/01 dated	30.12.2015
------------------	-----------	------------

Vendor	Name	and	Add	ress:
--------	------	-----	-----	-------

### Spot assessment date:

# Part-A (Mandatory)

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Land area . (If land is taken under	0.9 Acres				
	lease, registered lease deed for 3 yrs					
	period is required)					
2	Fencing/Compound wall	All around				
3	Power (MIN)	70 HP				
4	Covered Shed	10 M X 10 M or equivalent to 100				
		sq.m with minimum width of 8 m				
5	Three roller bending machine (for min	Inhouse / Outsourced (from BHEL				
	7 mm plate thickness)	approved source only)				
6	Material handling crane capacity with	10 MT (Mobile crane may be owned				
	stability certificate (Mobile crane / A	or under lease)				
	frame / EOT )					
	OVEN:					
7	Electrode baking oven	1 No				
8	Electrode holding oven	1 No				
9	Flask Oven	4 nos				
10	Manual Gas cutting	2 Nos				
	CUTTING MACHINE:					
11	Gas Cutting	1 No				
	GRINDING & DRILLING MACHINES:					
12	Bench Grinding	1 No				
13	Manual / Portable AG (Type 5&7)	2 Nos Each				
14	Drilling machine (Min 25 mm)	1 No				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
15	Portable drilling machine (Min 16 mm)	1 No				
16	(SMAW)Welding M/c 400 Amps	4 Nos				
	Inverter					
	INSPECTION FACILITIES					
17	LPI Kit	1 Set				
18	MPI Unit with calibration block (Prod type - 1000 A)	1 No				
19	Level II LPI/MPI qualified Personnel with valid certificate	1 Person				
20	Blasting / Painting facility	Inhouse / Outsourced from BHEL approved source				
	MEASURING INSTRUMENTS					
21	Tape 3m,5m,20m (with Class I accuracy)	each 2 Nos				
22	Vernier 0-200mm	1 No				
23	Feeler Gauge	1 No				
24	Weld fillet gauge 25 MM	1 No				
25	Straight Edge	1 No				
26	Try square	1 No				
27	Sprit level	1 No				
28	Water level checking arrangement	1 No				
29	IT Pan Card	Original to be offered for verification				
30	TIN No	Original to be offered for verification				
31	Excise Registration Certifcate (for OVM vendors)	Original to be offered for verification				
32	Office room with 2 PC, internet facility and printer	Must				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	MATERIAL ACCOUNTING:					
33	Raw Material Clearance System (For	Day Book Entry system or likewise.				
33	OVM Vendors)					
34	Raw Material Testing (For OVM	Access to testing labs of BHEL or Any				
	Vendors)	other NABL approved lab				
NOTE	<b>_1</b> :					
A. Ite	ms in Sl.no: 7, 8, 9, 18, 21, 22, 23, 24	and 25 (Tapes & Straight edge - o	ne time calibration) must	have valid calibration certifica	ate from any NABL	
accre	ditated lab.					
B. Fo	r Sl.no: 5 and 20 earlier executed PO	s or valid agreement for facility tie	-up with BHEL approved so	ource must be produced.		
	r mobile cranes under lease, valid lea	-				
0 0		<u> </u>	<u> </u>			I
	T	Part-B ( O	ptional )			
	Standby Generator					
1	Capacity (HP)					
_	Owned or On rent					
2	ISO Certification					
		Part-C: Final Recomn	nendation (for BHEL us	e only)		
Recor	nmendation after document verification	n:				
Recor	nmendation after spot assessment:					
Audi	tor-1 (Spot assessment):		Auditor-2 (Spot assess	sment):		
	(-)		( )	<b>,</b>		
Imno	rtant Notes ·					

<sup>01</sup> Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit

<sup>02</sup> Part-B is only optional and need not be considered for disqualifying the vendor.

	बी एच ई एल	BHARAT HEAVY ELECTRI	CALS LIMITED, TIRU	CHIRAPALLI		
	mbber -	OUT	<b>ISOURCING</b>			
	- HIJEL	Check List for Spot Visit - A	utowelded Beams a	nd Buck Stavs		
Doc N	No: SVCL:024/01 dated 30.12.2015	опостанова орос так				
	dor Name and Address:					
VCIIC	dor Name and Address.					
Spot	assessment date:					
•		Part-A	(Mandatory)			
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok
1	Land area (If land is taken under lease,	0.9 Acres				
	registered lease deed for 3 yrs period is					
	required)					
2	Fencing/Compound wall	All around				
3	Power capacity	100 HP (3 phase)				
4	Covered shed	12M X 14M or 168 sq.m with				
		minimum width of 10 m				
5	Auto welding M/C(SAW) with track facility	2 Nos, Min 800 amps, track of min				
	and 45 degree fixtures	20 mtr continuous length				
6	Material handling crane facility with	20 MT (Combination of multiple				
	stability certificate (EOT/A frame/ Gantry	cranes with minimum capacity of				
	/ Mobile crane)	12 MTs each crane is also				
		acceptable. Mobile crane may be				
		owned or under lease)				
7	I hadaa dhaa dhaa dhaa dhaa dhaa dhaa dh	4.01-				
1	Hydraulic warpage removal machine (Min	I NO				
	500 MT capacity) or Hydraulic press (Min					
	500 MT capacity) or Beam straightening					
	machine (Min 500 MT capacity)					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok
	OVEN:					
8	Flux baking oven (1 No. for each SAW	2 Nos				
	Auto-welding work station)					
10	Electrode baking oven	1 No				
11	Electrode holding oven	1 No				
12	Flask Oven	5 Nos				
	CUTTING MACHINE:					
13	Bug cutting machine	2 Nos				
	Manual cutting torch	2 Nos				
15	(SMAW)Welding M/c 400 Amps Inverter	5 Nos				
	GRINDING & DRILLING MACHINES:					
16	Bench Grinding	1 No				
17	Manual / Portable AG	2 Nos				
18	Drilling M/c (Min 25 mm dia)	2 Nos				
	INSPECTION FACILITIES					
19	LPI kit	1 Set				
20	MPI Unit with calibration block (Prod type - 1000 A)	1 No				
21	Level II LPI/MPI qualified Personnel with valid certificate	1 Person				
	MEASURING INSTRUMENTS					
22	Tape 3m,5m,20m (with Class I accuracy)	each 2 Nos				
23	Vernier caliper 0-200mm	1 No				
24	Feeler gauge	1 No				
	Weld fillet gauge 25 mm	1 No				
26	Straight edge	1 No				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok
27	Try square	1 No				
28	Sprit level	1 No				
29	DFT meter for painting	1 No				
30	Water level checking arrangement	1 No				
31	Blasting / Painting facility	Inhouse / Outsourced (from BHEL approved source only)				
32	IT Pan Card	Original must be offered for verification				
33	TIN No / VAT registration	Original must be offered for verification				
1.34	Excise Registration Certifcate (for OVM vendors)	Original must be offered for verification				
1.35	Office room with 2 PC , internet facility and printer	Must				
	MATERIAL ACCOUNTING:					
1.30	Raw Material Clearance System (For OVM Vendors)	Day Book Entry system or likewise.				
37	Raw Material Testing (For OVM Vendors)	Access to testing labs of BHEL or Any other NABL approved lab				

### NOTE\_1:

A. Items in Sl.no: 5, 8 - 12, 20, 22, 23, 24, 25, 26, 29 (Tapes & Straight edge - one time calibration) must have valid calibration certificate from any NABL accreditated lab.

B. For Sl.no: 31, earlier executed POs or valid agreement for facility tie-up with BHEL approved source must be produced.

C. For mobile cranes under lease, valid lease document must be produced at the time of spot assessment.

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok	
		Part-	B ( Optional )				
	Standby Generator :						
1	a Capacity ( HP)						
	b Owned or On rent						
/	Spectrometer (applicable for alloy steel fabrication)	Inhouse/Outsourced					
3	ISO Certification						
		Part-C: Final Recomm	nendation (for BHEL use	e only)			
Recon	nmendation after document verification:						
Recon	nmendation after spot assessment:						
Auditor-1 (Spot assessment):			Auditor-2 (Spot assessment):				
Note_	<u>2:</u>						
01	Part-A requirement is a must for qualifying th	e vendor. Hence, filling up all evaluatio	on parameters is a must and	shall be available at the tin	ne of spot visit		
02	Part-B is only optional and need not be consid	lered for disqualifying the vendor.					

	बीएम ईं एल	BHARAT HEAVY ELECTR	ICALS LIMITED, TIRUCHIRA	PALLI		
	HHEL	OU	TSOURCING			
	<u> </u>	Check List for Sp	oot Visit - Ceiling girders	;		
Doc No	o: SVCL:004/02 dated 31.12.2015					
Vendo	or Name and Address:					
Spot asse	essment date:					
			A - (Mandatory)			
	n experience required for Ceiling girders fabrica					
01	Report of past experience in fabricating simila accompanied by P.O copies, inspection report		•			
02	Spot evaluation of firm's quality (if qualified) i	ncluding firm's personnel by BHEL on fu	Ifiling the above requirement.			
		Part-A	1 - (Mandatory)			
SI No	Paramter for evaluation	Minimum Required	As given by Firm	As observed in Audit	Remarks	Ok/ Not Ok
1	Land area (If land is taken under lease, registered lease deed for 3 yrs period is required)	2 acres				
2	Fencing/Compound wall	All around				
3	Power capacity	100 HP (3 phase)				
4	Covered Shed	30 x 40 m or 1200 sq.m with minimum width of 25 m				
5	45 degree fixtures	2 Nos, Min 800 amps, track of min 20 mtr continuous length				
6	Material handling crane facility (EOT/ Gantry / Mobile crane)	To Handle 60 MT (Single piece) (combination of multiple cranes with minimum capacity of 30 MTs each crane is also acceptable)				
		Span: 12 m				
		Track Length : 30 m				

			 	,	
	GRINDING MACHINE				
7	Bench Grinding	1 No			
8	Manual / portable grinding machine (AG)	2 Nos			
	CUTTING & DRILLING MACHINE:				
9	Bug Cutting M/c	2 Nos			
10	Manual Cutting torch	2 Nos			
11	Drilling machine (Min 25 mm dia)	2 Nos			
	OVEN				
12	Flux baking oven (1 No. for each SAW Auto-	2 Nos			
- 10	welding work station)				
13	Electrode baking oven	1 No			
14	Electrode holding oven	1 No			
15	Flask Oven	5 Nos			
16	Pre heating & post heating	Burner with minimum length of 15 m.			
17	(SMAW)Welding M/c 400 Amps Inverter	5 Nos			
	INSPECTION FACILITIES				
18	MPI Unit with calibration block (Prod type - 1000 A)	1 No			
19	LPI Kit	1 Set			
20	certificate	1 Person for each type.			
21	UT/RT facility with qualified personnel	Inhouse / Outsourced - BHEL approved source only			

SVCL:004/02\_Ceiling girders

SUPPLIER'S AUTHORISED SIGNATURE AND SEAL

	MEASURING INSTRUMENTS			
22	Tape 3m,5m,20m (Class I accuracy)	each 2 Nos		
23	Vernier 0-200mm	1 No		
24	Feeler gauge	1 No		
25	Weld fillet gauge 25 MM	1 No		
26	Straight edge	1 No		
27	Try square	1 No		
28	Spirit level	1 No		
29	Water level checking arrangement	1 No		
32	DFT Meter for painting	1 No		
33	Post welding heat treatment facilities (Electrical resistance upto 40 mm and induction heating above 40 mm)	Inhouse / Outsourced - BHEL approved source		
34	Blasting / Painting facility	Inhouse / Outsourced - BHEL approved source		
35	IT Pan Card	Original to be offered for verification		
36	TIN No	Original to be offered for verification		
37	Excise Registration Certifcate (for OVM vendors)	Original to be offered for verification		
38	Office room with 2 PC , internet facility and printer	Must		
	MATERIAL ACCOUNTING			
39	Raw Material Clearance System (For OVM Vendors)	Day Book Entry system or likewise.		
40	Raw Material Testing (For OVM Vendors)	Access to testing labs of BHEL or any other NABL approved lab		

### NOTE\_1:

A. Items in Sl.no: 5, 12,13, 14, 15, 22, 23, 24, 25, 26, 32 (Tapes & Straight edge - one time calibration) must have valid calibration certificate from any NABL accreditated lab.

B. For outsourced facilities, earlier executed POs or valid agreement for facility tie-up with BHEL approved source must be produced.

C. For mobile cranes under lease, valid lease document must be produced at the time of spot assessment.

SVCL:004/02\_Ceiling girders

SUPPLIER'S AUTHORISED SIGNATURE AND SEAL

		Par	t - B (Optional)				
1	Standby Generator						
	Capacity (KVA / HP)						
	Owned or On rent						
2	Stenciling						
3	Punching Machine						
		Part-C: Final Recom	mendation (for BHEL use only)				
Recomm	nendation after document verification:						
Recomm	nendation after spot assessment:						
Auditor-	Auditor-1 (Spot assessment):  Auditor-2 (Spot assessment):						
Importa	Important Notes:						
01	1. Part-A, A1 requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit						
02	2 2. Part-B is only optional and need not be considered for disqualifying the vendor.						

SVCL:004/02\_Ceiling girders

SUPPLIER'S AUTHORISED SIGNATURE AND SEAL

	बी एच ई एन	BHARAT HEAVY ELECTI	RICALS LIMITED, TIRUCHI	RAPALLI		
	BHEL		JTSOURCING			
			or Spot Visit - Columns			
Doc N	lo: SVCL:001/03 dated 31.12.2015					
Vend	or Name and Address:					
Spot	assessment date:					
		Part-	A - (Mandatory)			
Minir	num experience required for Column Fab					
01		similar jobs (Min 20 MT as assembly using				
		inspection report with dimensions issued by	y customer (or) client or tracl	crecord for at least 2 BHEL - POs or 1	00MT completion fo	r Auto welded
	Beams/Buckstays .					
02	Spot evaluation of firm's quality (if quali	ified) including firm's personnel by BHEL or	· ·	ent.		
		Part- <i>l</i>	A1- (Mandatory)			
SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not O
01	Land area (If land is taken under lease,	0.9 Acres				
	registered lease deed for 3 yrs period is					
	required)					
02	Fencing/Compound wall	All around				
03	Power capacity	100 HP (3 phase)				
04	Covered shed	12M X 14M or 168 sq.m with minimum				
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	width of 10 m				
05	Auto welding M/C(SAW) with track	2 Nos, Min 800 amps, track of min 20				
06	facility and 45 degree fixtures	mtr continuous length				
06	Hydraulic warpage removal machine	1 No				
	(Min 500 MT capacity) or Hydraulic press (Min <b>500 MT capacity</b> ) or <b>Beam</b>					
	straightening machine (Min 500 MT					
	capacity)					
07	Roller Supports for Individual Column	14 Nos. (Open area length Min :85 M)				
	Pieces - Column Assembly					
80	End machining (milling or any machining					
	process) set up to obtain rest plate/ cap					

approved source only)

is also acceptable)

fabrication and assembly (EOT/A frame/ minimum capacity of 20 MTs each crane

To Handle 60 MT (Single piece)

(combination of multiple cranes with

plate flatness of 0.1 mm accuracy

Material handling crane facility with

stability certificate for column

Gantry / Mobile crane)

	CUTTING & DRILLING MACHINE:				
10	Bug cutting machine	2 Nos			
11	Manual gas cutting torch	2 Nos			
12	Drilling machine - Column Assembly	Radial / Column drilling machine - 1 no,			
		Portable (Magnet type) - 2 Nos			
	OVEN:	, , , , ,			
13	Flux baking oven (1 No. for each SAW	2 Nos			
	Auto-welding work station)				
14	Electrode baking oven	1 No			
15	Electrode holding oven	1 No			
16	Flask Oven	5 Nos			
17	Pre heating	Burner with 15 m minimum length.			
18	(SMAW)Welding M/c 400 Amps Inverter	5 Nos			
	INSPECTION FACILITIES				
19	MPI Unit with calibration block (Prod	1 No			
	type - 1000 A)				
20	LPI Kit	1 Set			
21	Level II LPI/MPI qualified Personnel with	1 Person for each type.			
	valid certificate				
	MEASURING INSTRUMENTS				
22	Tape 3m,5m,20m (with Class I accuracy)	each 2 Nos			
23	Vernier caliper 0-200mm	1 No			
24	Feeler gauge	1 No			
25	Weld fillet gauge 25 MM	1 No			
26	Straight edge	1 No			
27	Try square	1 No			
28	Spirit level	1 No			
29	Water level checking arrangement	1 No			
30	Air Compressor of 3 HP rating	1 set			
31	IT Pan Card	Original to be offered for verification			
	MATERIAL ACCOUNTING			_	
32	Raw Material Clearance System (For	Day Book Entry system or likewise.			_
	OVM Vendors)				
33	Raw Material Testing (For OVM	Access to testing labs of BHEL or any			_
	Vendors)	other NABL approved lab		 	
NOT	F 1.		<del></del>	<del></del>	

#### NOTE\_1:

A. Items in Sl.no: 5, 13-16, 19, 22, 23, 24, 25, 26 (Tapes & Straight edge - one time calibration) must have valid calibration certificate from any NABL accreditated lab.

B. For outsourced facilities, earlier executed POs or valid agreement for facility tie-up with BHEL approved source must be produced.

C. For mobile cranes under lease, valid lease document must be produced at the time of spot assessment.

Part - B (Optional)							
01	ISO Certification						
02	Stenciling	Off cuts identification (using metal					
		markers). Spectro machine preferable					
03	Post welding Heat Treatment Facilities	Inhouse / Outsourced (from BHEL					
	(Electrical Resistance upto 40 mm and	approved source only)					
	induction heating above 40 mm)						
	,						
04 05	Templates and Shop made gauges	As per product requirements					
05	UT/RT	Inhouse / Outsourced (from BHEL					
		approved source only)					
06	Blast cleaning	Inhouse / Outsourced (from BHEL					
		approved source only)					
07	Punching Machine						
80	CNC cutting machine						
09	Standby Generator						
	Capacity (HP)						
	Owned or On rent/hire						
		Part-C: Final Reco	ommendation (for BHEL use	only)			
Reco	mmendation after document verification	:					
Reco	mmendation after spot assessment:						
IXC00	mineration arter spot assessment.						
Auditor-1 (Spot assessment):			Auditor-2 (Spot assessment):				
NOTI	NOTE_2:						
01		alifying the vendor Hence, filling up all a	evaluation parameters is a must :	and shall be available at the time			
02							
UZ	12 I at t-D is only optional and need not be considered for disqualitying the vendor.						

SVCL:001/03\_Columns SUPPLIER'S AUTHORISED SIGNATURE AND SEAL