FORM ND. TD-106-1 REV-5



BOWL MILL SPECIFICATION FOR RETAINING RING

BA50021

PAGE 1 OF 1

MATERIAL CODE : BA9750021002

BOWL MILL:1003 XRP

No. OFF/MILL =3

PGMA=61300

DESCRIPTION: RETAINING RING INTERNAL TO SUIT HOUSING

HOUSING DIA :

23B.89±0.2


WIDTH:

5.41

PRELOAD STUD DIA: 184.00

CE PART No. :

GP-3652



FOR REVISIONS REFER RECORD OF

Prepared:

Approved:

Date:

E.M. ASHOK

S.G

11-01-03

company. ELECTRICALS LIMITED. interest of the detrimental to the COPYRIGHT AND CONFIDENTIAL the property of BHARAT HEAVY It must not be used directly or indirectly in any way The information in this document is the property of



SPECIFICATION FOR RETAINING RING

SPECH NO.

A-675

BA 97/66/4080

NG OFF/MILL :

MATERIAL CODE 97 008 196 <u>BOWL MILL</u> 763 783 609 XRP 4 685


LOCATION STITE STITE STITES

(WORM SHAFT RADIAL BEARING) DESCRIPTION RETAINING RING (WORM SHAFT RADIAL BEARING)

TWO TURN FLAT RETAINING RING

SPRING STEEL SAE 1090 OIL DIPPED FINISH.

THEE GAP AND SLOT TO BE DECIDED BY SUPPLIER.



PREPARED YOU CHECKED