

ISO 9001-2000,ISO 14001 and OHSAS 18001 certified company SubContract and Purchase Deptt.

# Bharat Heavy Electricals Limited (A Govt. of India Undertaking)

Power Sector – Northern Region,
Plot No. 25, Sector - 16A, Distt. Gautam Budh Nagar,
NOIDA – 2 01301 (INDIA)

Phone: 91-120-2515476 / 2515464 / 2515479 Fax 91-120-2515464 / 2515467

Email: <a href="mailto:sku@bhelpsnr.co.in">sku@bhelpsnr.co.in</a> / vks@bhelpsnr.co.in

#### **TENDER NOTICE**

BHEL Power Sector, Northern Region invites bids for the following item required at BHEL sites in India as follow: -

Enquiry No.	Item Description	iption Last Date of Tender Submission & Opening	
BHEL/PSNR/SCP/ VKS/ E-1380	DIGITAL THICKNESS GAUGE WITH PROBE, CABLE,& ACCESSARIES.	15.06.2007	
	QTY REQUIRED 02 NOS	3.30PM (IST)	

#### Notes:

- 1. For detailed tender enquiry, please visit BHEL web site www.bhel.com
- 2. Purchase Preference will be given to CPSUs as per Indian Govt. Guidelines.
- 3. Consignees shall be as given below

DGM/RSC-BHEL-PSNR-NOIDA PLOT,25,SECTOR 16-A NOIDA-201301

AGM/SCP



ISO 9001-2000,ISO 14001 and OHSAS 18001 certified company SubContract and Purchase Deptt.

#### BHEL/PSNR/SCP/VKS/ E-1380

Bharat Heavy Electricals Limited (A Govt. of India Undertaking)

Power Sector – Northern Region,
Plot No. 25 , Sector - 16A , Distt. Gautam Budh
Nagar, NOIDA – 2 01301 (INDIA)
Phone: 91-120-2515476 / 2515464 / 2515479

Fax 91-120-2515464 / 2515467

Email: <a href="mailto:sku@bhelpsnr.co.in">sku@bhelpsnr.co.in</a> / vks@bhelpsnr.co.in

### **TENDER ENQUIRY**

BHEL Power Sector, Northern Region invites bids for the following items required at BHEL sites in India as follow: -

Enquiry No.	Item Description	Last Date of Tender Submission & Opening
BHEL/PSNR/SCP/ VKS/ E-1380	DIGITAL THICKNESS GAUGE WITH PROBE, CABLE,& ACCESSARIES.	15.06.2007
	QTY REQUIRED 02 NOS	3.30PM (IST)

DESTINATION FOR SUPPLY IS AS FOLLOW:

RSC /BHEL PSNR NOIDA PLOT 25,SECTOR 16-A NOIDA-201301

#### QUALIFYING REQUIREMENTS / PAST EXPERIENCE:-

THE OFFERED MODEL SHOULD BE FROM CURRENT MANUFACTURING RANGE. OFFER FROM ONLY THOSE MANUFACTURERS (DIRECTLY OR THROUGH THEIR AUTHORISED DEALER) WILL BE CONSIDERED WHO HAVE BEEN MANUFACTURING SIMILAR OR HIGHER CAPACITY AND SHOULD HAVE SUPPLIED MINIMUM 5 UNITS OF DIGITAL THICKNESS GAUGE IN THE LAST 3 YEARS.

#### NOTES:-

- (i) The Tender Document comprise of following;
  - (1) Tender Notification
  - (2) Tender Invitation
  - (3) Annexure-1(Technical Specifications)
  - (4) Special Terms & Conditions.
  - (5) General Terms & Conditions.
  - (6) Rate Schedule
- (ii) Tender Documents with complete details are hosted in this web page. Bidder(s) intending to participate may download the tender document from the web site.
- (iii) Bidder(s) can also collect hard copy of tender documents from this office. Tender documents (non transferable) will be issued free of cost on all working days between 09.30 Hrs. to 15.30 Hrs within the period i.e *upto* 15.06.2007. Request for issue of tender document should clearly indicate Tender No. and work.

#### BHEL/PSNR/SCP/VKS/ E-1380

- (iv) Tenders must be submitted to the undersigned latest by 15.06.2007 before opening of technical bids commences. Technical bids shall be opened at 15.30 Hrs. (IST) on 15.06.2007.
- (v) The present destination for supply of items is as per given above, However, the destination is subject to change as per deployment plan at the time of delivery
- (vi) All corrigenda, addenda, amendments and clarifications to this Tender will be hosted in this web page and not in the newspaper. Bidders shall keep themselves updated with all such amendments.
- (vii) BHEL reserves the right to accept or reject any or all tenders without assigning any reason what so ever.
- (viii) BHEL takes no responsibility for any delay/loss of documents or correspondences sent by courier/post.
- (ix) Purchase Preference will be given to CPSUs as per Govt. Guidelines.

AGM/SCP

Annexure-1		
For Digital Thickness Guage		
SPECIFICATIONS		
Ultrasonic Pulse- Echo with dual element transducers		
with normal measurement capability		
Compatability with scan A		
Measurement of metal and paint coating thickness		
simultaneously without removing the paint coating		
To cmpensate for transducer temperature and zero offset		
0.5mm to 50 mm		
0.01mm		
milimeter or inches		
Standard : 4 per second		
Fast : 20 per second		
Seletable gain between Standard, High and Low		
1 to 18MHz (-3dB)		
Should automatically recognize the probe to adjust internal parameters and correct V-path		
508 to 18000m/s		
Environmental IP-65 compliant : Splash proof, impact resistant case. Sealed color coded keypad with tactile and audible feedback		
Display holds or blanks after measurement  Electroluminiscent Display back lighting: On or Auto On		
3 AA alkaline batteries		
150 hours typical battery life, 30hours continuous with backlight On		
Continuously indicates battery status		
Auto power off		

## BHEL/PSNR/SCP/VKS/ E-1380

Operating Temperature	" -10 to + 50 degree Celsius"		
Size	85x153x40mm		
Weight	Not more than 350grams		
Thru-Coat Measurement	Measurement of true metal and coating thickness using a		
	single backwall echo		
Thru Paint Echo to Echo	To measure the true metal thickness and ignore the thickness of the coating layer using multiple backwall echoes		
Auto sensitivity gain optimization	Normal measurement sensitivity to be automatically increased or decresaed depending on the thcikness and material		
	noise level		
Alarm modes	Programmable Hi-Low set points with audible and visual indicators		
Differential Mode	To Display the difference between the actual thickness		
	measurement and a user set reference value		
Min/Max mode	To measure and recall minimum or maximum thickness at 20 measurements per second		
Freeze Mode	Freeze the display to instantly capture critical thickness.  Minimizes transducer couplant lift-off error and facilitates		
	high temperature measurements		
Datalogger	To identify,store,recall,clear and transmit thickness readings and gage setup information via the USB port		
	Minimum storage: 8000 thickness readings or 350 waveforms with thickness readings		
Data Transfer	Facility to up load data from Thickness guage to PC		
Carring Case	Hard carring case with provision for keeping manual,probs , & test block		
Accessories Required	& test block		
Probes			
Test Block	Standard Straight Probe along with cable One No.		
T est block	Flat Test Block in 5 steps One number		
	Circular test block in three steps One Number		
Other Information Required			
	Caliberation Certificate of instrument		
	Insteruction Manual		
	Transport case with Strap  Gurantee /warranty certificate		
	Service center information. Preferably in Delhi /Noida		
BRANDS/MODELS	Preferably Krautkramer / panametrics/Olympus or Equivalent		
Demo and Training	Demo and Training to be provided to two BHEL engineers at Noida or at Site.		



Sealed tenders in two part bid system i.e. Part-I – Techno-Commercial bid and Part-II - Price bid are invited for supply, of TWO NOS DIGITAL THICKNESS GAUGE as per detailed specifications so as to reach us before the date of opening. The tenders (Part I only) will be opened at 3.30 PM (IST) on 15.06.2007.

Tender should not be addressed to any Individual's name but only by designation to:

## ADDITIONAL GENERAL MANAER/SCP BHARAT HEAVY ELECTRICALS LIMITED (A Govt. of India Undertaking)

Power Sector-Northern Region, Plot no.25, Sector 16 A PB NO. 55, NOIDA –201301 (INDIA)

The tenderers are advised to submit the bid in conformity with the following: -

- 1. Offer should be submitted in two part bid system as under;
- 1.1 Part I Techno-Commercial bid. It should include the following:
  - i) Technical specifications along with necessary catalogues, and technical literatures for the offered model in line with the technical specifications enclosed with this tender.
  - ii) Details of service facilities available in India for 'After Sales Service'.
  - iii) Acceptance to commercial terms and conditions.
  - (vi) Normally no deviations are allowed (Techno-Commercial).
    However, If there are any deviations, the same should be clearly specified. Deviation, if any, will be subject to suitable loading by BHEL and for which BHEL's decision shall be final and binding.
  - (vii) In case of foreign bidder offer, the Principal's technical offer only should be enclosed, and the price should be on F.O.R, in I.N.R only
  - (viii) Bidders shall submit their offer in **INR only**, the same to be indicated in their offer (Part-I).
  - (x) Commercial
    - This part shall include / indicate the following:
  - a) Station of dispatch
  - b) Terms of payment
  - c) Taxes & duties applicable.
  - d) Delivery Schedule
  - e) Offer validity
  - f) A copy of "Un-Priced Part II" i.e., a copy of the Price Bid without the price details to be enclosed.

## 1.2 Part II (Price bid) :-

- i) As per Rate Schedule format enclosed.
- the bidders should fully understand scope of supply and their responsibilities under the tender specifications before quoting. The bidders are required to quote only in Indian Currency for the rates as per rate schedule, in part-II price bid. Conditional price bid or price bid with any deviation are liable to be rejected. No cutting / erasing /overwriting shall be done in the price bid.
- 2. Following should be super scribed on the envelopes of the two parts of the Bid.

Part I: Techno-Commercial Bid:-	
Tender for: Tender No.:	Due on :
Part II (Price bid)	
Tender for: Tender No.:	

Both Part I and Part II should be individually sealed and super scribed as indicated above and shall be enclosed in one main envelope duly sealed and super scribed as:

Tender for :

Tender No.: Due on:

Containing Part I and Part II of the offer.

- The tenders should be sent sufficiently in advance so as to reach before the due date and time. **BHEL shall not be responsible in case of delay in receipt of tenders.**
- 5 Inspection, Testing and Training: -

The supplier shall offer the digital thickness gauge for inspection at manufacturer's works as per international norms. Inspection shall be carried out in presence of BHEL engineers or its nominated representative.

Demo and Training of **DIGITAL THICKNESS GAUGE** at site will be under supervision of competent engineer from the manufacturer without any additional charges **and equipment** will be taken over on successful completion of testing at destination site.

- 6. The delivery required is within two months progressively from date of P.O. However, tenderers should indicate the best possible delivery period.
- 7. Offers should be valid for a period of 180 days from the date of Techno-Commercial bid (Part-I) opening.
- 8. Service support of the equipment under purchase is of utmost concern. Tenderers shall elaborate on the service network and spare parts availability, which are to be ensured to maintain the equipment after initial commissioning and completion of warranty period. In case service/spare parts facilities are not available in India, tenderers shall indicate the maximum possible time in making such services available from places outside India.
- 9. The equipment being offered should be of robust design and suitable for operations in Indian climatic conditions such as saline atmosphere, ambient temperature upto 50° C. The electrical and controls should be tropicalised to withstand such climatic conditions.

- **10.** Payment Terms: Tenderer shall adhere to the following payment terms:
  - a) 90% of Ex-Works value of **DIGITAL THICKNESS GAUGE** and accessories with 100% taxes, duties, freight packing & forwarding and insurance against despatch documents.
  - b) 10% of Ex-Works value of digital thickness gauge and accessories on demonstration / training of digital thickness gauge at destination site.

The set of despatch documents for 90% payment shall be as follows

- Three Original of tax Invoices (Cenvat / Modvat Invoice)
- One original and one copy of Packing List
- Inspection and Test Certificate of the digital thickness gauge and accessories at Manufacturer Works, duly certified by BHEL or its Authorised Agency or its waiver.
- Warranty Certificate for the goods
- Catalogue of compressor model supplied
- Certificate confirming, "Goods supplied are new".

#### **NOTES:-**

- (i) Tenderers are required to specifically confirm acceptance of these payment terms in their techno-commercial offer.
- (ii) No advance shall be paid.

#### 11. Warranty: -

The Compressors offered shall carry a warranty for a period of 12 months from the date of commissioning of compressors at site. Rectification / replacement required during the warranty period will be arranged by the supplier free of cost including to and fro transport charges and import duty/excise duty/other taxes/insurance etc payable on replacement items.

- 12. The tenderers shall also provide free visits of their service engineer from manufacturer's works / service centers for attending the faults during the warranty period.
- On acceptance of techno-commercial and price bids, BHEL reserves the right to conclude the contract either on Ex- works or FOR site basis at its sole discretion.
- 14. All sheets of the offer should be duly signed and stamped by the tenderers.
- 15. In case of any contradiction between General Terms & Conditions (GTC) and Special Terms & Conditions of Contract (STC), the latter shall prevail.

AGM./SCP

### **GENERAL TERMS & CONDITIONS**

- 1. Manufacturer's name, their trade mark and brand, if any should invariably be mentioned in the tender and illustrative leaflets in duplicate giving technical particulars etc. should be attached to the tender, to facilitate consideration of the offer.
- 2. Materials should be of best quality and correct to specifications, relevant DIN/ISO/ANSI standard or any other equivalent INTERNATIONAL standard specification.
- 3. Correct date of affecting supplies in the event of an order from this office should be recorded in the tender.
- 4. Please note that our terms of payment are as per clause 10 of "SPECIAL TERMS AND CONDITIONS" (enclosed).

# No advance shall be paid.

In case of payment through , Bank all incidental charges will be to the Beneficiary's account.

- 5. Bharat Heavy Electricals Limited does not bind itself to accept the lowest tender, but reserves to itself the right to accept or reject all or part of any tender at its discretion.
- 6. No enhancement of rate, whatsoever the cause, will be allowed once the offer is accepted and the order is placed. Withdrawal of the offer after it is accepted or failure to make the supply within the schedule period will entail cancellation of purchase order and purchase at the risk and cost of supplier.
- 7. The quantities of each item to be purchased may vary according to actual requirement at the time of placement of order.
- 8. Supply against orders will be subject to the General Conditions of Contract prevailing in **Bharat Heavy Electricals Limited**.
- 9. Where Sales Tax is payable extra it will only be paid if registration numbers both under local sales tax/VAT and Central Sales Tax are specifically mentioned on the invoice. Tenderers should invariably quote their sales tax Registration No. in the offer.
- 10. <u>Liquidated Damages</u>: It is clearly understood between the parties to the contract that the delivery of the goods specified in the purchase order should be made within the time limit prescribed. Where the seller supplies or dispatches the goods beyond the delivery period specified, the purchaser will have no obligation to accept the goods. If accepted, liquidated damages at the rate of ½% ( half percent) of the value of goods in arrears per week subject to a maximum of 10% ( ten percent) of order value, will be levied at the discretion of the purchaser, without prejudice to any other relief or compensation due to the purchaser under any other condition to the contract.
- 11. **Risk Purchase:-** Alternatively, the purchaser at his option, will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole or any part of the goods which the supplier fails to deliver or dispatch within the time stipulated as aforesaid, or if the same were not available, the best and the nearest available substitute therefore. The seller shall be liable for any loss,

#### BHEL/PSNR/SCP/VKS/ E-1380

which the purchaser may sustain by reason of such risk purchase in addition to L.D. at the rate mentioned in clause 10 above.

- 12. <u>Inspection</u>: All goods and work are subject to our inspection either at manufacture's works or after delivery as may be agreed. The decision of BHEL shall be final. Rejected goods will be returned to the supplier at his cost including freight on original shipment..
- 13. <u>Insurance</u>: Wherever specifically agreed to, the supplier will insure at his cost the goods for all transit risks including 120 days storage risk from the date of delivery of the goods at the final destination.

In all other cases, supplier must furnish particulars of despatch i.e. station of despatch and destination, name of the goods, number of cases and their weights, value of the goods including all taxes, duties, levies and freight etc. for each consignment immediately after the despatch of goods. Failure to do this will make the supplier responsible for making good any loss, which might have otherwise been recovered, from insurers.

Note: However, the supplier shall still remain responsible for defective parts or short supply and defective packing.

- 14. <u>Metric System</u>:- Suppliers are requested to give metric measurements while quoting.
- 15. <u>Arbitration</u>: All disputes between the parties to the contract arising out of or in relation to the contract, other than those for which the decision of the Engineer or any other person is by the contract expressed to be final and conclusive, shall after written notice by either party to the contract to the other party, be referred to sole arbitration of the General Manager or his nominee. The arbitration shall be conducted in accordance with the provisions of the Arbitration and Reconciliation Act, 1996 The place of Arbitration shall be New Delhi(India).
- 16. Any suites in respect of this contract shall have the jurisdiction of the courts of New Delhi (India) only.

AGM./SCP.

#### ANNEXURE-II

## **RATE SCHEDULE**

SI.No.	DESCRIPTION	PRICE IN INR	
1.	TOTAL PRICE FOR SUPPLY OF 2 (TWO) NUMBER OF DIGITAL THICKNESS GAUGE		
	with leads and cables AS PER DETAILED SPECIFICATIONS ENCLOSED WITH		
	TENDER ENQUIRY INCLUDING DEMONSTARTION AND TRAINING AT DESTINATION		
	SITE.		
2	Standard straight Probe along with cable		
3	Flat Test Block in 5 Steps and Circular Test block in 3 steps (one each)		
4	Hard Carrying Case with provision for keeping probes and test blocks		
5	PACKING AND FORWARDING CHARGES		
6.	INSURANCE (MARINE) CHARGES FROM MANUFACTURING WORKS UPTO DESTINATION IN INDIA.		
7.	EXCISE DUTY, CST WITH AND WITHOUT C FORM (CENVAT/MODVAT DETAILS)		
8.	TRANSPORTATION / FREIGHT CHARGES FROM MANUFACTURER WORK PLACE DESTINATION,		
	GRAND TOTAL		

#### NOTES:

- 1. **Tenders will be evaluated based on the prices quoted upto FOR Site.** Bidders are requested to quote for each and every item from 1 to 8 as indicated above. Please indicate NIL against items not applicable.
- CENVAT/MODVAT credit: The quotation must indicate Tariff item number and rate of Excise Duty applicable. The original Excise Duty Gate Pass will be required to be furnished in case charged to us. If the tenderer is availing MODVAT credit for his input materials, the effect of Performa credit should be passed on to the purchaser.
- 3. Any other charges, if not specified above, may also be indicated.
- 4. Incomplete offer received may not be considered.
- 5. The Rate shall be entered in figures as well as in words. In case of difference in rates between words and figures THE LESSER OF THE TWO will be treated as valid rate.
- 6. In case of omission in quoting any rate, the evaluation will be done considering the highest quoted rate obtained against that item but the order, if placed, will be on the lowest quoted rate obtained against that item.

(Signature and Seal of Tenderer)