| 111   | संस्थान क्रय विनिर्देश (ती.एफ.एफ.पी हा  |  | - हरिद्वार)  | FF 05008  |  |  |       |                            |       |  |
|---|---|--|--|---|--|--|-------|----------------------------|-------|--|
| Refer of sensor   |   |  |  |   |  | Rev 04   |       |                            |       |  |
|   | - CHILALARIAN   | '  |  |   |  | पृष्ठ  |       | का                         |       |  |
|   |   | PLANT  |  | ASE SPECIF  | ICATION  | Page   | 1     | of                         | 3     |  |
| SUPERSEDES<br>INVENTORY NO.   |   |  | HIGH CA  | RBON FERRO CH   | ROME   |  |       |                            |       |  |
| समाप्ते गूम राज्य के<br>अधिकानित करता है  | 1. SCOPE  This specification governs the quality of High Carbon Ferro Chrome with the following requirements.                     |  |  |   |  |  |       |                            |       |  |
| must  | 2. APPLICA  |  | e used as alloyi   | ng addition for manu  | afacturing of ste  | el.  |       |                            |       |  |
| ENTIAL<br>Electrical Limited It must<br>nterest of the company  |   | 3. CONDITION OF DELIVERY Size Class/ Designation: Class 1 (50-150mm)   |  |   |  |  |       |                            |       |  |
| AND CON ENTIA<br>reports of Dharat housy Electrical<br>way detrimental to the interest of   | 4. COMPLIANCE WITH NATIONAL STANDARDS  The material should conform to Indian standard specification IS 1170-1992; Grade: 7FeCr-65 |  |  |   |  |  |       |                            |       |  |
| T AN<br>property  | 5. FREEDOM FROM CONTAMINATION  The material shall be free from extraneous contamination such as slag.                             |  |  |   |  |  |       |                            |       |  |
| RIGH<br>ents is the<br>ectly in ar  | The r   | material shall b   | oe free from ext   | raneous contamination   | on such as slag.   |  |       |                            |       |  |
| COPYRIGHT<br>on on this documents is the pr<br>directly or indirectly in any  | 6. MANUF  | ACTURE   |  | raneous contamination   |  |  | on of | suppl                      | lier. |  |
| COPYRIGH The information on this documents is the not be used directly or indirectly in at  | 6. MANUF. The 7. CHEMIC   | ACTURE process of mar  | nufacture of Hi  |   | ome is left to th  | e discreti   |       |                            | lier. |  |
| The information on this docur   | 6. MANUF. The 7. CHEMIC   | ACTURE process of mar  | nufacture of Hi  | gh Carbon Ferro Chr   | ome is left to th  | e discreti   | owing |                            | lier. |  |
| The information on this docur   | 6. MANUF. The 7. CHEMIC   | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon   | nufacture of Hi<br>OSITION<br>I is analyzed in                                   | gh Carbon Ferro Chr<br>accordance IS: 1170  | ome is left to th  | e discreti   | owing |                            | ier.  |  |
| COP <sup>2</sup> seet up The information on this document of Real are 1   | 6. MANUF. The 7. CHEMIC   | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium  | nufacture of Hi<br>OSITION<br>I is analyzed in                                   | gh Carbon Ferro Chr<br>accordance IS: 1170<br>% Min                                     | ome is left to th  | e discretice the following Max 8.0 70  | owing |                            | lier  |  |
| The information on this document of the second of the sec | 6. MANUF. The 7. CHEMIC   | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium Silicon  | nufacture of Hi<br>OSITION<br>I is analyzed in                                   | gh Carbon Ferro Chroaccordance IS: 1170  Min 6.0  | ome is left to th  | e discretice the following Max 8.0 70 2.0  | owing |                            | ier   |  |
| Tप<br>and the ferent seem एवं The information on this documed a seem एवं not be used directly or indi   | 6. MANUF. The 7. CHEMIC   | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium Silicon Sulphur                                      | nufacture of Hi<br>OSITION<br>I is analyzed in                                   | gh Carbon Ferro Chroaccordance IS: 1170  Min 6.0  | ome is left to th  | e discretion when the following the followin | owing |                            | ier   |  |
| COP?<br>इस्में नेयू<br>इस्में त्यक्तिक है इसका प्रत्या एवं The informasion on this docum<br>के जिस में त्रमिक्तरक हो ने किया जाए ।<br>not be used directly or ind   | 6. MANUF. The 7. CHEMIC   | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium Silicon  | nufacture of Hi<br>OSITION<br>I is analyzed in                                   | gh Carbon Ferro Chroaccordance IS: 1170  Min 6.0  | ome is left to th  | e discretice the following Max 8.0 70 2.0  | owing |                            | lier. |  |
| COPY<br>हल त्यक्ति है हमका क्रम्बा एवं The information on this docum<br>के किया ने क्रमियारक हो ने किया नाए । not be used directly or ind   | 6. MANUF. The 7. CHEMIC Who   | ACTURE process of mar  CAL COMPO en the material mposition: Element Carbon Chromium Silicon Sulphur Phosphoru                            | nufacture of Hi  | gh Carbon Ferro Chroaccordance IS: 1170  Min 6.0  | ome is left to th  | e discretion when the following the followin | owing |                            | lier. |  |
| स्वत्वाधिकार एवं में ीय<br>में से वह कूपन मात केसे इन्नीकृतकल त्यक्ति है हाल। प्रत्या एवं The information on this docum<br>किसों में ताड़ प्रयोग, जो कि करनी के डिस में इनिकारक हो न किया जाए । not be used directly or indi  | 6. MANUF. The 7. CHEMIC Who con   | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium Silicon Sulphur Phosphoru  ING METHO                 | nufacture of Hi OSITION I is analyzed in S D FOR CHEM                            | gh Carbon Ferro Chroaccordance IS: 1170  % Min 6.0 60 -                                 | ome is left to th  | e discretice the follows 8.0 70 2.0 0.05   | owing |                            | ier.  |  |
| स्वत्याधिकार एवं कृिप्<br>इस उत्तेज में दी वह कुणना मातन केमी इसीक्ष्यकला त्यकीक है इसका अप्तक एवं The information on this docum<br>अप्रथम कर से किसो भी तरक प्रयोग, जो कि करनी के किस में अभिकारक हो न किया जाए । not be used directly or indi   | 6. MANUF. The 7. CHEMIC Who con   | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium Silicon Sulphur Phosphoru  ING METHO                 | nufacture of Hi OSITION I is analyzed in S D FOR CHEM                            | gh Carbon Ferro Chroaccordance IS: 1170  % Min 6.0 60 IICAL ANALYSIS                    | ome is left to th  | e discretice the follows 8.0 70 2.0 0.05   | owing |                            | ier.  |  |
| DATE इस प्रतेष में भी वह कुमन माता हैनी होनेकुल्लन त्यक्ति है हाल। प्रयक्त एवं The information on this docur<br>अप्रयक्त कर में विसो भी तरक प्रयोग, जो कि करनी से किय ने जनिकारक हो न किया नगर । not be used directly or ind  | 6. MANUF. The 7. CHEMIC Who con   | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium Silicon Sulphur Phosphoru  ING METHO                 | nufacture of Hi OSITION I is analyzed in S D FOR CHEM                            | gh Carbon Ferro Chroaccordance IS: 1170  % Min 6.0 60 IICAL ANALYSIS                    | ome is left to the one is left t | e discretice the follows 8.0 70 2.0 0.05 0.05  | owing | ত্ব কলাকা                  | ,     |  |
| एवं विशेष विशेष के स्वरमाधिकार एवं कृिप्त प्राप्त है साथ करना एवं The informasion on this docum superar कर में किसी भी तरक क्रमी, जे कि करनी के किस ने क्रिकारक हो ने क्षिया जाए । not be used directly or indi   | 6. MANUF. The 7. CHEMIC Who con  8. SAMPLI The  | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium Silicon Sulphur Phosphoru  ING METHO e sampling of n | nufacture of Hiposition  SITION I is analyzed in  S D FOR CHEM naterial shall be | gh Carbon Ferro Chroaccordance IS: 1170  % Min 6.0 60 IICAL ANALYSIS                    | ome is left to the   | e discretice the follows 8.0 70 2.0 0.05 0.05  | owing | ত্ব কলাকা                  | ,     |  |
| एवं कि कि कि अपन्य के कि कि कुचन मात की इतिकृत्यन निर्मात के कि में कि कि के किया जार । not be used directly or indianal superior के किया जार । not be used directly or indianal superior के किया जार ।   | 6. MANUF. The 7. CHEMIC Who con  8. SAMPLI The  | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium Silicon Sulphur Phosphoru  ING METHO                 | nufacture of Hi OSITION I is analyzed in S D FOR CHEM                            | gh Carbon Ferro Chroaccordance IS: 1170  % Min 6.0 60 IICAL ANALYSIS                    | ome is left to the one is left t | e discretice the follow Max 8.0 70 2.0 0.05 0.05   | owing | एवं हत्ताक्षर<br>JRE & D   | DATE  |  |
| स्वत्याधिकार एवं मूं प्य<br>अनेत्र में से वह कूपण गया केने क्ष्मिक्ष्म त्यक्ति है हमात्र अपना एवं The information on this docur<br>कर से विसो भी तरक क्रमोग, जो कि कंपनी के किन ये अभिकारक हो न किया जाए । not be used directly or ind  | 6. MANUF. The 7. CHEMIC Who con  8. SAMPLI The  | ACTURE process of man  CAL COMPO en the material mposition: Element Carbon Chromium Silicon Sulphur Phosphoru  ING METHO e sampling of n | DSITION I is analyzed in  S D FOR CHEM naterial shall be                         | gh Carbon Ferro Chroaccordance IS: 1170  % Min 6.0 60 IICAL ANALYSIS done in accordance | ome is left to the one is left t | e discretice the follows 8.0 70 2.0 0.05 0.05  | owing | एवं हत्त्वाक्तर<br>JRE & D |       |  |

निर्माण : १९९० १८९० १८९० PREPARED : SMS TECHNOLOGY

त्राती :: १७९० १९९० १९९० ISSUED : SMS TECHNOLOGY DATE: 20-10-06

| DATE   | मी एम ई एम  | संस्थान  | संस्थान क्रय विनिर्देश (सी.एफ.एफ.पी. हरिद्वार)   |  | ्र- हरिद्वार)  | FF 05008<br>Rev 04                     |                           |             |     |
|--|---|--|--|--|--|--|---------------------------|-------------|-----|
| SIGN & DATE  | PLANT PURCHASE SPECI  |  |  | ICATION  | पृष्ठ<br>Page  | 2                                      | का<br>of                  | 3           |     |
| कार्यों मूरी लेक्य को SUPENSEDES<br>अधिकृतिम करमा है INVENTORY NO  | <ul> <li>CFFP/BHE supplier she for inspecti</li> <li>Final inspection of the form of the form</li></ul> | EL reserves the ould intimate ion. ection will be diviation from the of analysis and the supplier.   | in advance enclor<br>lone at CFFP.<br>his specification<br>d properties of a   | t the material after<br>osing a copy of ter<br>or prior approval of<br>material the decisi | st certificate of t<br>f CFFP shall be<br>on of CFFP sha                     | he materi<br>taken<br>II be final      | al off                    | ered        |     |
| COPYRIGHT AND CONFIDENTIAL  The information on this documents is the property of Bharat Hf lectrical Limited. It must not be used directly or indirectly in any way detrimental to theierest of the company  | The cleara determined  11. TEST CEI The suppl purchase of along with the control of the control   | NCE FOR DISS shall be raise on whereby the concerning distance does not red later on.  RTIFICATE lier shall furnion order. The test with the material of the concerning distance of the | d in case the ma<br>e deviations into<br>clease the suppl<br>ish 4 copies of<br>certificate must   | terial does not co<br>erfere to significant<br>ier from the responsations.                 | nfirm to the con<br>nt extent with us<br>onsibility for non<br>unless otherw | dition spe<br>se of the n<br>n-conform | ecifie<br>nateri<br>nance | d in<br>al. | nre |
| SIGN & DATE हम प्रतेष में दी गई पूचना भागत हैवी हमीक्ट्रिकम की मा इसका प्राप्त हमें किया में दी किया | 11.1.2 Pur 11.2 Supp 11.2.1 Sup 11.2.2 Ma 11.2.3 Cor 11.2.4 Tes 11.2.5 Size  12. PACKIN The maspecified Each be   | ntainer size and st Results of Core of material.  IG &MARKIT aterial shall be din purchase ag must be ide ing details:-  Supplier Material P.O. No   | or emblem. or emblem. or emblem. or and Serial Nor d weight of mat hemical analysis  NG be packed suita order to preven entified through | erial<br>s.<br>bly in moisture<br>t damage/ contam<br>a stencil mark/pai                   | ination during to  |  |                           | oag o       | га  |
| musik guli sipan<br>INVENTORY NO.  | Date: 20.10.0   | 6  |  | निर्माणकर्ता<br>WORKED BY  | GAURAV KUMAR   | 90                                     | ليعهما                    | _           |     |

## ONTROLLED CO.

|      | PLANT PURCHASE SPECIFICTION | FF 05008     |
|------|-----------------------------|--------------|
| BHEL | C.F.F.P. HARDWAR            | PAGE: 3 OF 3 |

## REVISION RECORD SHEET

| Revision No. | Revision date | Nature of Changes            |
|--------------|---------------|------------------------------|
| 04           | 20.10.2006    | CLAUSES 3 AND 7<br>MODIFIED. |
| 400          |               |                              |
|              |               |                              |
|              |               |                              |
|              |               |                              |
|              |               |                              |
|              |               |                              |
|              |               |                              |

| ISSUED:  | SMS TEC | CHNOLOGY           | WORKED   | Garray  |
|----------|---------|--------------------|----------|---------|
| REVISION | 04      | DATE: 20-10-06.    | CHECKED  | Sun     |
| AGREED   | PLANT I | PUR. SPEC.COMMTTEE | APPROVED | P.P.S.C |