



भारत हेवी इलेक्ट्रिकल्स लिमिटेड

(भारत सरकार का उपक्रम)

Bharat Heavy Electricals Limited

(A Government of India Undertaking)

इण्डस्ट्रियल सिस्टम्स ग्रुप

INDUSTRIAL SYSTEMS GROUP

फोन/Phone : +91 80 2218 4091

फैक्स/Fax : +91 80 23562713

ई-मेल/E-mail : rsb@bhelisg.com

प्रो. सी एन आर राव सर्कल

पी.बी.नं 1249, आईआईएससी पोस्ट

बेंगलूरु - 560 012

Prof. C N R Rao Circle

P.B. No.1249, IISc Post

Bengaluru-560 012

(1) NOTICE INVITING TENDER

Ref : 77/12/6112/RSB

Date: 28-08-2012

Subject: Tender for Supply of structural Steel(Lot-6)

Project : Coal Handling Plant & Ash Handling Plant of Yermarus TPS (2x800 MW), Raichur.

Customer : M/s Raichur Power Corporation Ltd.

Tender Ref. No. : 77/12/6112/RSB


Type of Tender : Open

Please submit your lowest quotation subject to our Terms & Conditions for the tender referred above. The following documents can be downloaded from Website : www.bhelisg.com or www.bhel.com or <http://tenders.gov.in>

CONTENTS

Document Sl. No.	DESCRIPTION	PAGES
1.	NOTICE INVITING TENDER - COVER SHEET(THIS SHEET)	01
2.	NOTICE INVITING TENDER(NIT) & DUE DATE	01
3.	PRE-QUALIFICATION CRITEIA FOR BIDDRES	01
4.	TECHNICAL SPECIFICATIONS	03
5.	COMMERCIAL TERMS & CONDITIONS (CTC)	04
6.	SPECIAL INSTRUCTIONS TO BIDDERS	02
7.	DEVIATION FORMAT	02
8.	UNPRICED PRICE BID FORMAT	01
9.	PRICE BID FORMAT	01

**Senior Deputy General Manager
Materials Management (BG-1B)**



ISO-14001:2004
OHSAS 18001:2007
Reg. No. RI91/7830

पंजीकृत कार्यालय 'बीएचईएल हाउस' सिरी फोर्ट, नई दिल्ली - 110 049
Regd. Office: 'BHEL House' Siri Fort, New Delhi - 110 049



008



ISG BANGALORE

**Project : Coal Handling Plant & Ash Handling Plant For
Yermarus Thermal Power Station (2x800 MW)**

Customer : M/s Raichur Power Corporation Ltd

**ITEM : STRUCTURAL
STEEL LOT - 6**

**(2) NOTICE INVITING TENDER(NIT) & DUE
DATE**

Tender Enquiry No.
77/12/6112/RSB

Type of Tender : Open

(2) NOTICE INVITING TENDER (NIT) & DUE DATE

1	Tender inviting officer / Authority, Designation and Address & contact no.	Sr. Deputy General Manager /MM / Group-1 BHEL-ISG, Prof.CNR Rao Circle, IISc Post, Malleswaram, Bangalore- 560 012. Contact No. -(080)22184091, E-Mail : rsb@bhelisg.com
2	Item Description	Supply of Structural Steel Lot - 6 (For details, refer to the price format)
3	Tender Reference no.	77/12/6112/RSB
4	Delivery period	Within 45(forty five) days from the date of LOI / Purchase Order whichever is earlier.
5	Due date, Time and place for submission of tender.	10-09-2012 up to 02.00PM at BHEL-ISG tender box placed at the Reception room near main gate of ISG & EPD complex. BHEL-ISG, Prof CNR Rao Circle, IISc Post, Malleswaram, Bangalore- 560 012
6	Place, Date and Time of Technical Bid opening.	BHEL-ISG office. Techno-commercial bids will be opened at 03.00 PM on due date i.e. on 10-09-2012 in the presence of the bidders who choose to be present. Price bids of technically & commercially accepted bidders will be opened subsequently and the date for the same shall be intimated to the bidders separately.
7	Mode of Submission of tender	The tender documents shall be duly filled-in, stamped & signed in each page . The tender shall be submitted in two parts as mentioned below in two separate sealed envelopes super-scribed as below with tender reference and due date. Part-1 Techno-commercial bid :- Shall contain – (i) Accepted Technical specifications & scope of supply (ii) Accepted Commercial Terms & Conditions (iii) Documentary evidence relating to pre- qualification criteria (iv) Deviation Format duly filled-in (v) Un-priced price bid (without price) (vi) Accepted Special Instructions to the bidders (vii) Supplier's Registration/evaluation Formats duly filled-in along with credentials supporting documents etc. Part - 2 Price bid :- Shall contain the price bid with price The above two sealed envelopes should be put in another sealed cover. This outer cover should be super-scribed with the tender reference no., due date etc. and should reach us latest by 2-00 PM on due date.



PROJECT
Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)

Customer : M/s Raichur Power Corporation Ltd

**ITEM : STRUCTURAL
STEEL LOT - 6**

**(3) PRE-QUALIFICATION
CRITERIA**


**Tender Enquiry No. :
77/12/6112/RSB**


Type of Tender : Open

(3) PRE-QUALIFICATION CRITERIA

The tender enquiry is open for participation for those bidders who satisfy all of the following requirements(Documentary proof must be produced alongwith the bid/offer for all criteria mentioned below):-

- 1 Bidders should be manufacturer or their authorized distributor of reputed brand / make of structural steel.
- 2 Experience of supplying of at least once 6000 MT of structural steel in three (03) calendar months consecutively within last seven years
- 3 Bidders should be ISO certified company , and manufacturer / supplier of IS certified material as listed in technical specifications
- 4 Following documents to be furnished by the bidder alongwith the offer for evaluation :-
 - (i) Documentary evidence such as attested copy of purchase order/ award letter / contract and also completion certificates / performance certificates of previous supplies made by him giving name and address of clients , value of each of the supply done , completion period , date of completion should be submitted by the Bidder
 - (ii) Documentary evidence in support of capabilities with respect to personnel and manufacturing facilities.
 - (iii) Latest I.T.C.C., annual report (balance sheet and Profit & loss account) of last 3 years.


(ARIF HUSAIN)

 BHEL-ISG	2 X 800 MW YERAMARAS T.P.S RPCL – RAICHUR ,KARNATAKA	Specification no- IS-1-11-2005/LOT-6
	TECHNICAL SPECIFICATION FOR STRUCTURAL STEEL	DATE : 27/07/2012

<u>DESCRIPTION</u>	<u>CONTENTS</u>	<u>PAGE</u>
SECTION-1	PROJECT & SITE INFORMATION	2 OF 3
SECTION-2	SCOPE OF SUPPLY	2 OF 3
SECTION-3	TECHNICAL SPECIFICATION	3 OF 3
SECTION-4	INSPECTION & TESTING	3 OF 3

Prepared by

Abdullah
27/07/12
(ABDULLAH)


Checked by

Arif Husain
(ARIF HUSAIN)

Approved by

Sanjay C. Chinivar
27/7/12
(SANJAY C. CHINIVAR)

Issued by : BG-I (B)	Date : 27/07/2012	Rev No : 00	Sheet No: 1 of 3
----------------------	-------------------	-------------	------------------

 BHEL-ISG	2 X 800 MW YERAMARAS T.P.S RPCL – RAICHUR ,KARNATAKA	Specification no- IS-1-11-2005/LOT-6
	TECHNICAL SPECIFICATION FOR STRUCTURAL STEEL	DATE : 27/07/2012

SECTION-1

PROJECT & SITE INFORMATION:

Raichur power corporation limited is setting up a coal based power plant of 2X800MW capacity at YERAMARAS located in Raichur district of Karnataka.

APPROACH:

The site is approachable and is connected by all weather roads as well as network of Indian Rails.

Distance on road from plant site to:

RAICHUR(NH-7) -13km.

HYDERABAD -204km

The nearest railway station (broad gauge) is at YERAMARAS which is 5km rfrom project site.The nearest national highway is NH-7 which is 13km FROM PROJECT SITE.


SECTION-2

SCOPE OF SUPPLY:

Structural steel consists of various size of ISMC,ISMC, ISA , parallel flange beam section and Column and various thickness of plates, shall be supplied to the extent of quantities as mentioned in annexure enclosed. These materials shall be supplied as per the delivery schedule. The delivery schedule will be furnished along with order.

These materials are required for site fabrication at 2 X 800 MW T.P.S –Coal Handling Plant , YERAMARAS –RAICHUR. The Materials shall be delivered at the above site . Hence transportation cost per metric tone basis including loading and un loading may be indicated separately.

Issued by : BG-I (B)	Date : 27/07/2012	Rev No : 00	Sheet No: 2 of 3
----------------------	-------------------	-------------	------------------

 BHEL-ISG	2 X 800 MW YERAMARAS T.P.S RPCL – RAICHUR ,KARNATAKA	Specification no- IS-1-11-2005/LOT-6
	TECHNICAL SPECIFICATION FOR STRUCTURAL STEEL	DATE : 27/07/2012

SECTION - 3

TECHNICAL SPECIFICATION

Structural Steel

1. Structural steel (including embedded steel) shall be straight, sound, free from twists, cracks, flaw, laminations and all other defects. If at any point of time during processing/ fabrication, any structural component is found to contain the defect of lamination the same shall be replaced on intimation at free of cost including transportation and loading and unloading.
2. All rolled section and plate less than or 20 mm thickness will conform to Grade 'A' as per IS :2062 . For rolled sections and plates of more than 20 mm thickness shall be of Grade "B" (Killed) as per IS :2062 . Material of crane girder will conform to grade 'C' of IS-2062 . Steel Sheets will conform to IS-1079 . Chequered plates shall conform to IS : 3502 . For dimension of parallel flange beam sections & Columns refer IS : 12778 .
3. All Structural steel shall be of tested quality and shall be in lengths not less than 9 meter.
4. Steel shall not be pitted and should be free from scales and rust.
5. The dimensional and weight tolerances for rolled shapes shall be in accordance with IS: 1852
6. No rolled member shall deviate from straightness by more than 1/1000 of the axial length or 10mm whichever is smaller.

SECTION – 4

INSPECTION & TESTING :

All Steel shall be of tested quality. The material inspection and correlated mill test certificates in accordance with relevant IS codes shall be furnished by the supplier in 6 copies along with the supply of material. Also the supplier should conform the dimensional and weight tolerance are within the limit specified in IS: 1852.

Issued by : BG-I (B)	Date : 27/07/2012	Rev No : 00	Sheet No: 3 of 3
----------------------	-------------------	-------------	------------------



ISG BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)**Customer : M/s Raichur Power Corporation Ltd****ITEM : STRUCTURAL
STEEL LOT - 6****(5) Commercial Terms and
Conditions (CTC)**Tender Enquiry No. :
77/12/6112/RSB

Type of Tender : Open

Note:

(1) Bidder to fill all the clauses in the "Remarks" column failing which offer will be considered incomplete.

(2) Authorised signatory of the bidder has to put his signature & official seal at the bottom of each page.

SI. No.	CLAUSE	BHEL's Requirement	Accepted Remark
1.	Price	Bidders shall quote FIRM FOR Ex-works/Ex- stockyard price inclusive of packing & forwarding. <ul style="list-style-type: none"> • ED payable extra at prevailing rates. • CST not payable however "C" forms shall be issued by BHEL. • VAT applicable for intra state dispatches shall be payable. • Freight payable extra for dispatches from supplier's works/stockyard to Yermarus site, Raichur on door delivery basis. Service tax on freight payable by BHEL only upon submission of relevant documents • Octroi & entry tax payable on submission of necessary documentary proof of having paid. 	
2.	EXCISE DUTY	ED payable extra, at the prevailing rate at the time of dispatch(current rate is12.36%) of basic price.	
3.	CST	CST is not payable by BHEL. However, "C" form shall be given.	
4.	VAT	VAT is Payable extra on actual for intra-state dispatches.	
5.	Freight	Freight payable extra for disptaches from supplier's works/stockyard to Yermarus site, Raichur on door delivery basis. Service tax on freight payable by BHEL only upon submission of relevant documents. Consignments shall be dispatched through reputed transporters to ensure quick and problem free delivery.	
6.	Transportation Scope	Bidder's scope. Bidder has to arrange the transportation on door delivery basis.	
7.	Terms Of Payment	100% payment within 60 days on receipt of following documents :- <ol style="list-style-type: none"> 1. Invoice Original + 3 copies 2. Lorry receipt Original + 3 copies 3. Delivery Challan/Packing List Original + 3 copies 4. Test certificate Original + 3 copies 5. Guarantee Certificate Original + 3 copies 6. Dispatch Clearance letter Original + 3 copies 	
8.	Octroi & Entry tax .	Payable upon submission of necessary / relevant documentary proof.	



ISG BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)**Customer : M/s Raichur Power Corporation Ltd****ITEM : STRUCTURAL
STEEL LOT - 6****(5) Commercial Terms and
Conditions (CTC)**Tender Enquiry No. :
77/12/6112/RSB

Type of Tender : Open

Sl. No.	CLAUSE	BHEL's Requirement	Accepted Remark
9.	Delivery	45 days from date of LOI.	
10.	Transit Insurance	By BHEL. However, bidder shall inform the dispatch in advance to BHEL for arranging the insurance	
11.	Inspection before dispatch	Supplier has to give the inspection call letter sufficiently in advance enclosing the TCs. Inspection/sampling shall be done at supplier's end, and if the material fails, the entire lot/heat of the material shall be rejected. Materials shall be dispatched only after BHEL issues dispatch clearance.	
12.	Weighment	BHEL Record is final. Each consignment document will indicate the number of pieces or bundles in the consignment in addition to the weight particulars of the items. The weighment done at the destination station by BHEL or third party weighment (in case of no BHEL weighment) approved by BHEL/customer is final for billing purpose. However, the weighment difference if any shall be communicated to the supplier	
13.	Validity of the offer	90 days from the techno-commercial bid opening.	
14.	Warranty	1(one) year from the date of dispatch/LR.	
15.	LD clause	LD is applicable at 0.5% of the value of un-dispatched portion of the items for each week of delay from the delivery schedule limited to maximum of 15%.	
16.	Risk purchase	BHEL will be entitled to terminate the contract and purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated as aforesaid of if the same were not available, the best and the nearest available substitute therefor.	
17.	Reverse Auction	BHEL reserves the right to go for a Reverse Auction instead of opening the sealed price bids. It will be decided after techno-commercial evaluation of the bids and shall be informed the bidders accordingly. In case, the reverse auction fails due to any reason, then BHEL reserves the right to open the sealed price bids.	
18.	Past performance	Offers of the bidders whose past performance with any of the BHEL units/site found unsatisfactory shall be rejected.	
19.	Banned suppliers	Offers of the bidders whose name appears in the banned list of BHEL will be rejected.	



ISG BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)

Customer : M/s Raichur Power Corporation Ltd

**ITEM : STRUCTURAL
STEEL LOT - 6**

**(5) Commercial Terms and
Conditions (CTC)**

Tender Enquiry No. :
77/12/6112/RSB

Type of Tender : Open

Sl. No.	CLAUSE	BHEL's Requirement	Accepted Remark
20.	Invoicing	Supplier shall submit original+3 sets of commercial invoices in addition to the regular original+3 sets of invoices which is in line with statutory requirements. original+3 sets each of LR and TCs shall be enclosed.	
21.	Payment Mode Through	All the payment shall be made through electronic transfer only (EFT) from BHEL-ISG's HQ-Bangalore.	
22.	ODC payment	ODC payment not applicable	
23.	Size & Qty variation / tolerance	The quantity indicated above is tentative and may vary by $\pm 20\%$ while ordering	
24.	Split Order.	BHEL reserves the right to split the tender quantity and itemwise while ordering.	
25.	Price variation / escalation	Price variation / escalation is NOT be applicable for this enquiry.	
26.	Supply condition-1	Supply shall be strictly as per specification enclosed.	
27.	Supply condition-2	TMT (if ordered) shall be supplied in uncoiled condition to the length mentioned in the specification.	
28.	Supply condition-3	Material supplied shall be supplied in good quality and free from defects. Moreover, all the materials will be covered under one year guarantee. Defects if any found in this period shall be indicated to the supplier and the same shall be replaced by the supplier free of cost within one month's notice.	
29.	Packaging & Forwarding	Identical items will be loaded in a trucks or wagon (if through Rail) in bundled condition with proper packing and dunnage. Only with prior approval, mix of items shall be loaded in the truck or wagon.	
30.	Credentials	Supplier's Registration/evaluation Formats duly filled-in along with credentials & supporting documents etc shall be submitted alongwith the offer. Please visit our website : www.bhel.com for downloading blank supplier registration formats.	
31.	Other terms	As per the tender document enclosed.	
32.	BHEL's right to cancel the awarded order.	BHEL shall hold the decision to cancel the awarded contract/order at any point of time without assigning any reason and no claim from the contract shall be entertained. BHEL reserves the right to 'ACCEPT OR REJECT' the offer without assigning any reason.	
33.	Destination & Consignee Details	Yermarus (Raichur), Karnataka. Consignee details available under clause "Miscellaneous"	



ISG BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)

Customer : M/s Raichur Power Corporation Ltd

**ITEM : STRUCTURAL
STEEL LOT - 6**

**(5) Commercial Terms and
Conditions (CTC)**

Tender Enquiry No. :
77/12/6112/RSB

Type of Tender : Open

Sl. No.	CLAUSE	BHEL's Requirement	Accepted Remark
34.	Evaluation of bids	The Price bids shall be evaluated based on the landed cost to BHEL based on FOR SITE Basis. However, BHEL reserves the right to place the order either in part or in full for the items tendered.	
35.	Arbitration	Subject to Bangalore Jurisdiction only based on Indian Arbitration Act 1996 and latest amendments if any.	
36.	Miscellaneous	<p>A) Offers received after the due date for submission of quotation will not be accepted.</p> <p>B) Bidders have to quote for all the items as per the bill of quantities. Part bidding will not be accepted.</p> <p>C) Incomplete offers shall be rejected.</p> <p>D) Bidders to accept all our commercial terms and conditions and enquiry specifications without any deviations. Offers with deviations are liable to be rejected.</p> <p>E) Final accepted rates shall be valid for the entire duration of the contract including extensions granted, if any, thereof.</p> <p>F) Consignee Details:-</p> <p>Executive Engineer (Stores- construction), Yermarus Thermal Power Station, Raichur Power Corporation Limited(RPCL), Raichur Industrial Growth Centre, Chiksugur Dist : Raichur, Karnataka-584 134 A/c BHEL – ISG, Yeramarus, RPCLSite.</p>	



ISG BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)

Customer : M/s Raichur Power Corporation Ltd

**ITEM : STRUCTURAL
STEEL LOT - 6**

**(6) SPECIAL INSTRUCTIONS TO
BIDDERS**

Tender Enquiry No. :
77/12/6112/RSB
Type of Tender : Open

(6) SPECIAL INSTRUCTIONS TO BIDDERS

1. Offer should conform to our Technical Specifications, Commercial Terms & Conditions (**CTC**) and Bill of Quantities(BOQ). Any deviation on Technical specification and Commercial Terms & Conditions shall be explicitly highlighted in the Deviation Format enclosed. In case of “No Deviation”, the Bidder should write “No Deviation” in the Deviation Format (both in Technical and Commercial Terms & Conditions) and submit the same with Techno-Commercial Bid(Part-1).
2. Acceptance/Remarks Column of BHEL CTC should be filled against all CTC Clauses, duly Signed, Stamped and submitted with Techno-Commercial Bid (Part-1). The filled in BHEL CTC format submitted with technical bid responding to all the clauses duly signed with seal **only shall be considered**. Any other Commercial terms & conditions (CTC) of bidders entered else where in their offer shall not be considered and are liable for rejection.
3. Date of inspection call with internal TC will be considered as delivery date for LD purpose, provided the material is ready & acceptable during inspection.
4. Un-priced price bid format to be filled and submitted along with techno-commercial bid (part-1) writing “Quoted” against the respective item/column duly signed and stamped. Price should not be indicated in the un-priced price bid. Un-Priced bid format not complied with the above shall be liable for rejection.
5. All prices should be quoted both in figures & words as per Commercial terms & conditions of enquiry. In the event of discrepancy between the figures and words in the Price Bid, the amount entered in WORDS would be taken into consideration for evaluation and finalisation of the order.
6. The tender documents shall be **duly filled-in, stamped & signed in each page**. The tender shall be submitted in two parts as mentioned below in two separate sealed envelopes super-scribed as below with tender reference and due date.

Part-1 Techno-commercial bid :- Shall contain the following:-

- (i) Accepted Technical specifications & scope of supply
- (ii) Accepted Commercial Terms & Conditions
- (iii) Documentary evidence relating to pre- qualification criteria
- (iv) Deviation Format duly filled-in
- (v) Un-priced price bid (without price)
- (vi) Accepted Special Instructions to the bidders
- (vii) Supplier's Registration/evaluation Formats duly filled-in along with credentials and supporting documents etc.

Part - 2 Price bid :- Shall contain the price bid with price.

The above two sealed envelopes should be put in another sealed cover. This outer cover should be super-scribed with the tender reference no., due date etc. and should reach us latest by 2-00 PM on due date.



ISG BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)

Customer : M/s Raichur Power Corporation Ltd

**ITEM : STRUCTURAL
STEEL LOT - 6**

**(6) SPECIAL INSTRUCTIONS TO
BIDDERS**

Tender Enquiry No. :
77/12/6112/RSB
Type of Tender : Open

7. Supplier's Registration/evaluation Formats duly filled-in along with credentials & supporting documents etc shall be submitted alongwith the offer. Please visit our website : www.bhel.com for downloading blank supplier registration formats.
8. BHEL reserves the right to extend the due date for submission of tender without assigning any reasons.
9. No material shall be dispatched without the written dispatch clearance from BHEL(ISG)-MM dept.
10. Bidders have to quote for all items of per the price format.
11. Offers not complied with the enquiry requirement shall be liable for rejection.
12. All the pages of the Enquiry/Tender documents shall be duly signed, stamped and submitted along with offer as a token of Acceptance.
13. The Rates quoted should be valid for 90 days from the date of opening of Techno-Commercial Bid .
14. Tender shall be deposited in the BHEL-ISG Tender box located at the Reception of BHEL, Malleshwaram complex and tender opening will be done at the Reception of ISG entrance at 3.00 pm on due date in the presence of bidders who wish to be present.
15. Bidders have to download the Supplier's registration/evaluation formats(editable formats) from BHEL website www.bhel.com. Bidders have to duly fill-in and submit along with supporting documents.
16. Late tenders shall not be accepted.
17. During the technical scrutiny, persons from our project engineering dept may ask further clarifications. Technical clarifications shall be sent directly to the concerned person. However, consequent price implications should be sent to MM dept only in a sealed cover.
18. Price bids of technically and commercially qualified bidders only shall be opened for evaluation and finalisation of tender. Due date for opening of the price bids shall be intimated separately. Or, BHEL may conduct the reverse auction among the techno-commercially accepted bidders.



ISG
BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)

Customer : M/s Raichur Power Corporation Ltd

ITEM : STRUCTURAL STEEL
LOT - 6

(7) DEVIATION FORMAT

ENQUIRY No. :
77/12/6112/RSB

Type of Tender : Open

(7) DEVIATION FORMAT

7.1 TECHNICAL DEVIATIONS

Following are the DEVIATIONS from Enquiry Specifications :

TECHNICAL SPECIFICATIONS				
Sl. No.	Page No.	Clause No.	Clause	Deviation

We confirm that all other clauses of Technical Specifications are fully acceptable.

SIGNATURE OF BIDDER WITH SEAL



ISG
BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)

Customer : M/s Raichur Power Corporation Ltd

ITEM : STRUCTURAL STEEL
LOT - 6

(7) DEVIATION FORMAT

ENQUIRY No. :
77/12/6112/RSB

Type of Tender : Open

7.2 COMMERCIAL TERMS & CONDITIONS DEVIATIONS

Following are the DEVIATIONS from enquiry Terms & Conditions

COMMERCIAL TERMS & CONDITIONS

Sl. No.	Page No.	Clause No.	Clause	Deviation

We confirm that all other clauses of Commercial terms & conditions are fully acceptable.

SIGNATURE OF BIDDER WITH SEAL



ISG BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)
Customer : M/s Raichur Power Corporation Ltd

ITEM : STRUCTURAL STEEL LOT - 6

(8) UN PRICED PRICE BID FORMAT

Enquiry No. : 77/12/6112/RSB

Type of Tender : Open

NOTE : - (1) **Do not mention the price in this format.** Please write “Quoted” against each item in the respective column.

(2) Bidders have to enclose this Un-Priced bid alongwith the “Techno-Commercial Bid” in a separate sealed envelope mentioning as ‘UN PRICED BID’ on the top of the cover.

(3) Bidders have to quote for all the items.No Deviations shall be accepted. Offers with deviation or incomplete offers shall be rejected.

Sl. No.	Item Description	Qty in M Ton	Basic Rate / M Ton	Total Basic	Total ED	Total CST / VAT	Freight	Serv. Tax on Freight	Any other tax	Itemwise Total
					%	%		%		
A	B	C	D	E=CXD	F	G	H	I	J	K=E+F+G+H+I+J
1.	PARALLEL FLANGE BEAM-(DEPTH 620MM,FLANGE WIDTH 305MM,THICK 40MM,WEB THICK 21MM)OR EQUIVALENT SIZE AS PER IS 12778 LATEST	1425								
2.	PARALLEL FLANGE BEAM-(DEPTH 716MM, FLANGE WIDTH 304MM,THICK 40MM,WEB THICK 21MM)OR EQUIVALENT SIZE AS PER IS 12778 LATEST	1505								
3.	PARALLEL FLANGE BEAM-(DEPTH 826MM, FLANGE WIDTH 308MM,THICK 46MM, WEB THICK 25MM)OR EQUIVALENT SIZE AS PER IS 12778 LATEST	746								
4.	PARALLEL FLANGE BEAM -(DEPTH 910MM, FLANGE WIDTH 302MM,THICKNESS 40MM, WEB THICK 27MM)OR EQUIVALENT SIZE AS PER IS 12778 LATEST	666								
5.	PARALLEL FLANGE BEAM -(DEPTH 306.5MM,FLANGE WIDTH 165.7MM,THICK 11.8MM,WEB THICK 6.7MM) OR EQUIVALENT SIZE AS PER IS 12778 LATEST	300								
6.	PARALLEL FLANGE BEAM -(DEPTH 400MM,FLANGE WIDTH 180MM,THICK 13.5MM,WEB THICK 8.6MM) OR EQUIVALENT SIZE AS PER IS 12778 LATEST	500								
GRAND TOTAL										

(Grand Total column 'K' In Words) Signature of the Bidder with seal.



ISG BANGALORE

Project : Coal & Ash Handling Plant For Yermarus Thermal Power Station (2x800 MW)
Customer : M/s Raichur Power Corporation Ltd

ITEM : STRUCTURAL STEEL LOT - 6

(9) PRICE BID FORMAT

Enquiry No. : 77/12/6112/RSB

Type of Tender : Open

NOTE :- Bidders have to submit their price bid in the following format only in a **SEPARATE SEALED COVER**, superscribing the envelope as 'PRICE BID' on the top of the cover. Bidders have to quote for all the items.No Deviations shall be accepted. Offers with deviation or incomplete offers shall be rejected.

Sl. No.	Item Description	Qty in MTon	Basic Rate / MTon	Total Basic	Total ED	Total CST /VAT	Freight	Serv. Tax on Freight	Any other tax	Itemwise Total
					%	%		%		
A	B	C	D	E=CXD	F	G	H	I	J	K=E+F+G+H+I+J
1.	PARALLEL FLANGE BEAM-(DEPTH 620MM,FLANGE WIDTH 305MM,THICK 40MM,WEB THICK 21MM)OR EQUIVALENT SIZE AS PER IS 12778 LATEST	1425								
2.	PARALLEL FLANGE BEAM-(DEPTH 716MM, FLANGE WIDTH 304MM,THICK 40MM,WEB THICK 21MM)OR EQUIVALENT SIZE AS PER IS 12778 LATEST	1505								
3.	PARALLEL FLANGE BEAM-(DEPTH 826MM, FLANGE WIDTH 308MM,THICK 46MM, WEB THICK 25MM)OR EQUIVALENT SIZE AS PER IS 12778 LATEST	746								
4.	PARALLEL FLANGE BEAM -(DEPTH 910MM, FLANGE WIDTH 302MM,THICKNESS 40MM, WEB THICK 27MM)OR EQUIVALENT SIZE AS PER IS 12778 LATEST	666								
5.	PARALLEL FLANGE BEAM -(DEPTH 306.5MM,FLANGE WIDTH 165.7MM,THICK 11.8MM,WEB THICK 6.7MM) OR EQUIVALENT SIZE AS PER IS 12778 LATEST	300								
6.	PARALLEL FLANGE BEAM -(DEPTH 400MM,FLANGE WIDTH 180MM,THICK 13.5MM,WEB THICK 8.6MM) OR EQUIVALENT SIZE AS PER IS 12778 LATEST	500								
GRAND TOTAL										

(Grand Total of Column no.'K' In Words)

Signature of the Bidder with seal.