

# **TECHNICAL SPECIFICATION & PRE QUALIFICATION CRITERIA**

## **TECHNICAL SPECIFICATION**

### **1) PNM Type 1/16" GAS CUTTING NOZZLE ( 1/16 inches Cutting Nozzle)**

PNM Type Cutting Nozzle for Oxy-LPG Gas (three seat Oxy-LPG Gas Cutting Nozzles). Nozzle length - 88 mm (maximum).

Cutting nozzle is suitable for Cutting torches of (STAG) HIND MEDICO PRODUCT (HMP) Cutting Machine.

### **2) PNM Type 3/64" GAS CUTTING NOZZLE ( 3/64 inches Cutting Nozzle)**

PNM Type Cutting Nozzle for Oxy-LPG Gas (three seat Oxy-LPG Gas Cutting Nozzles). Nozzle length - 88 mm (maximum).

Cutting nozzle is suitable for Cutting torches of (STAG) HIND MEDICO PRODUCT (HMP) Cutting Machine.

### **3) PNM Type 1/32" GAS CUTTING NOZZLE ( 1/32 inches Cutting Nozzle)**

PNM Type Cutting Nozzle for Oxy-LPG Gas (three seat Oxy-LPG Gas Cutting Nozzles). Nozzle length - 88 mm (maximum).

Cutting nozzle is suitable for Cutting torches of (STAG) HIND MEDICO PRODUCT (HMP) Cutting Machine.

### **4) 1/8" GAS CUTTING NOZZLE (B-TYPE}**

B Type Cutting Nozzle for Oxy-LPG Gas (Two seat Oxy-LPG Gas Cutting Nozzles). Nozzle length - 77 mm (maximum).

Cutting nozzle is suitable for Cutting Blow pipe PARTOGEN 2 (L.P.) of HIND MEDICO PRODUCT (HMP).

### **5) 1/16" GAS CUTTING NOZZLE (B-TYPE}**

B Type Cutting Nozzle for Oxy-LPG Gas (Two seat Oxy-LPG Gas Cutting Nozzles). Nozzle length - 77 mm (maximum).

Cutting nozzle is suitable for Cutting Blow pipe PARTOGEN 2 (L.P.) of HIND MEDICO PRODUCT (HMP).

**6) 3/64" GAS CUTTING NOZZLE (B-TYPE)**

B Type Cutting Nozzle for Oxy-LPG Gas (Two seat Oxy-LPG Gas Cutting Nozzles).Nozzle length - 77 mm (maximum).

Cutting nozzle is suitable for Cutting Blow pipe PARTOGEN 2 (L.P.) of HIND MEDICO PRODUCT (HMP).

**7) 5/64" GAS CUTTING NOZZLE (B-TYPE)**

B Type Cutting Nozzle for Oxy-LPG Gas (Two seat Oxy-LPG Gas Cutting Nozzles).Nozzle length - 77 mm (maximum).

Cutting nozzle is suitable for Cutting Blow pipe PARTOGEN 2 (L.P.) of HIND MEDICO PRODUCT (HMP).

**8) 7/64" GAS CUTTING NOZZLE (B-TYPE)**

B Type Cutting Nozzle for Oxy-LPG Gas (Two seat Oxy-LPG Gas Cutting Nozzles).Nozzle length - 77 mm (maximum).

Cutting nozzle is suitable for Cutting Blow pipe PARTOGEN 2 (L.P.) of HIND MEDICO PRODUCT (HMP).

**9) 1/32" GAS CUTTING NOZZLE (B-TYPE)**

B Type Cutting Nozzle for Oxy-LPG Gas (Two seat Oxy-LPG Gas Cutting Nozzles).Nozzle length - 77 mm (maximum).

Cutting nozzle is suitable for Cutting Blow pipe PARTOGEN 2 (L.P.) of HIND MEDICO PRODUCT (HMP).

**10) 3/32" GAS CUTTING NOZZLE (B-TYPE)**

B Type Cutting Nozzle for Oxy-LPG Gas (Two seat Oxy-LPG Gas Cutting Nozzles).Nozzle length - 77 mm (maximum).

Cutting nozzle is suitable for Cutting Blow pipe PARTOGEN 2 (L.P.) of HIND MEDICO PRODUCT (HMP).

## **PRE QUALIFICATION CRITERIA**

Pre-Qualification Criteria	
Sl. No.	Pre-Qualification Creteria
1	Quoted PNM Type Cutting Nozzle for Oxy-LPG Gas (three seat Oxy-LPG Gas Cutting Nozzles) is suitable for Cutting torches of (STAG) HIND MEDICO PRODUCT (HMP) Cutting Machine.
2	Quoted B Type Cutting Nozzle for Oxy-LPG Gas (Two seat Oxy-LPG Gas Cutting Nozzles) is suitable for Cutting Blow Pipe PARTOGEN 2 (L.P.) of HIND MEDICO PRODUCT (HMP).
3	Bidder is manufacturer (reply in Yes or No)
4	Bidder (other than Manufacturer) shall enclose authorisation letter from Principal Supplier.