50426 1/2021/PS-PEM-EL



PRE-QUALIFYING REQUIREMENTS FOR PVC WIRES

PE-PQ-999-558-E003

REV. 02 DATE: 30/09/2021

SHEET 1 OF 1

ITEMS: PVC WIRES				
SCOPE:				
Supply(Including Design): YES				
Erection & Commissioning: No				
1	Vendor should be a BIS approved manufacturer of PVC insulated wire as per IS-694.			
2	Availability of test reports of PVC insulated copper wire to establish in-house capability at manufacturer's works to carry out all routine, type & acceptance tests as per relevant IS.			
3	Capacity of manufacturing 100 km of PVC insulated copper wire per month.			
4	Manufactured and supplied at least one (1) km of PVC insulated FR copper wire.			
5	Manufactured and supplied at least 100 km of PVC insulated copper wire in one or more orders.			
6	Minimum two (2) nos. purchase orders for PVC insulated copper wire shall be submitted which should not be more than five (5) years old from the date of application for registration or date of techno- commercial bid opening (as applicable) for establishing continuity in business.			

Notes:

- 1. The vendor can offer PVC copper wire of any BIS approved make meeting criteria S. No. 1 to 5 above. The vendor to furnish the following documents:
 - a) Undertaking from BIS approved manufacturer of offered make to get the inspection & testing of wires carried out at manufacturer's works.
 - b) Credentials of the manufacturer of offered make to meet the PQR requirements of S. No. 1 to 5 above.
 - c) Vendor's Credentials to meet S. No. 6 above.
- 2. For FGD, Hydro and R & M projects, Clause No. 3, 5 shall be read as below:
 - Clause no. 3: Capacity of manufacturing 50 km of PVC insulated copper wire per month.
 - Clause no. 5: Manufactured and supplied at least 50 km of PVC insulated copper wire in one or more orders.
- 3. In place of PVC insulated copper wire, documents submitted for LT Power/control cables shall also be considered.

General Points of PQR:

- 1. Consideration of offer shall be subject to customer's approval of bidders, if applicable.
- 2. Bidder to submit all supporting documents in English. If documents submitted by bidder are in language other than English, a self-attested English translated document should also be submitted.
- 3. Any other project specific requirement shall be as per Annexure I and bidder shall submit relevant supporting documents.
- 4. Notwithstanding anything stated above, BHEL reserves the right to assess the capabilities and capacity of the bidder/ collaborators to perform the contract, should the circumstances warrant such assessment in the overall interest of BHEL.
- 5. After satisfactory fulfilment of all the above criteria/ requirement, offer shall be considered for further evaluation as per NIT and all other terms of the tender.

	PREPARED BY	REVIEWED BY	APPROVED BY
	MEET SAGAR Digitally signed by MEET SAGAR SINGH RAJPAL DN: cn=MEET SAGAR SINGH RAJPAL, on-BHEL,	PRAVEEN DUTTA Digusly signed by FRAVEN DUTTA Disc. CH., of-shiftArt HEATY BLETTEAL LIMITED, out-fr5 Disc. CH., of-shiftArt HEATY BLETTEAL LIMITED, out-fr5 TAX CHAPTER SHIFT AND CHAPTER SHIFT AND CHAPTER DUTTA Disc. ZOZ. JIS. JIS. 500 1650 1460 1460 1460 1460 1460 1460 1460 146	DEBASISA Digitally signed by DEBASSA RATH DISCON, One BARAT HEAVY RECETTICALS LIMITED, QUEBHEL, PS PERM Nooled, DOSALCOde-2013 Join S-ut TITAR PRADESH.
	SINGH RAJPAL Date: 2021.09.30 16:48:56 +05'30'		2.5.4.20-6/6841891eca0233.6559er779.ee76b0d32 9ed7000763806x05884222815ee276d, cn=DEBA558 ARTH cn=DEBA558 ARTH
	MEET SAGAR SINGH RAJPAL	PRAVEEN DUTTA	DEBASISA RATH
	(DY.MANAGER)	(AGM)	(AGM & DH ELECTRICAL)

BHEL PEM-ELECTRICAL

PRE-QUALIFYING REQUIREMENTS FOR PVC WIRES

ANNEXURE - I

PROJECT SPECIFIC CRITERIA AGAINST ENQUIRY

PROJECT: 1 X 660 MW BHUSAWAL TPS

1. W.r.t. clause 1 to 6 of main PRE-QUALIFYING requirements (PQR), LT Power cables or control cables or Aluminium Wire credentials are also acceptable.

Rahul
Kumar
Shrivastava
Shrivastava
Digitally signed by Rahul Kumar
Digitally sign

[Dealing Engineer]

KANHAIY

Comparison of the control o



[Section Head]

Digital yignet by DRBASCA BATH DRAW Company and the DRBASCA BATH Company and the DRBASCA BATH Company and the DRBASCA BATH DRAW COMPANY AND THE DRAW

[DH-Electrical]