ANNEXURE-A 2 Die Hydraulic Tube Push Pointing Machine SECTION – I: QUALIFYING CRITERIA

The BIDDER has to compulsorily meet the following requirements to get qualified for considering the technical offer for the 2 Die Hydraulic Tube Push Pointing Machine.

S. No.	REQUIREMENTS	Vendor's Response
1	Only those vendors (OEMs), who have supplied and commissioned at least one "2 Die Hydraulic Tube Push Pointing Machine/Hydraulic Tube Bending Machine or Any Special Machine With inbuilt Hydraulic System With PLC Controls"	
	1. Push Pointing Force- 150 Tons	
	2. Tube size of 19.00 mm to 90.00 mm	
	3. Tube Thickness of 2.0 mm to 12.5 mm in the past ten years and such machine should be working satisfactorily for a minimum period of one year after commissioning, as on the date of opening of this Tender are eligible to quote. (However, if such machine is already supplied to BHEL, then that machine should be working satisfactorily for a minimum period of six months after commissioning, as on the date of opening of this Tender.)	
	endor should submit the following information where similed, for qualification of this offer.	lar machine has been
1.1	Name and postal address of the customer or company where similar machine is installed.	
1.2	Name and designation of the contact person of the customer.	
1.3	Phone, FAX no and email address of the contact person of the customer.	
1.4	Month and Year of commissioning of the machine.	
1.5	Parameters of machine supplied, viz. Push pointing Force, Tube dia, Tube thickness, and the application for which the machine is supplied.	
1.6	Along with the Technical offer, the Vendor should submit one Performance certificate from the customer for the satisfactory performance of the machine supplied to them. For obtaining the Performance certificate, a suggestive format is provided in SECTION – IV.	

2.0	BHEL reserves the right to verify the information provided	
	by vendor. In case the information provided by vendor is	
	found to be false/incorrect, the offer shall be rejected.	

SECTION – I I

The BIDDER / VENDOR is requested to provide the following information:

S. No.	REQUIREMENTS	Vendor's Response
3.0	The BIDDER/VENDOR to furnish Reference List of Customers, with full address, details of contact person, where 2 Die Hydraulic Tube Push Pointing Machine/Hydraulic tube bending machine or any special machine with inbuilt hydraulic system with PLC controls have been supplied in the past.	
4.0	Details of 2 Die Hydraulic Tube Push Pointing Machine / Hydraulic pipe bending Machine or Any other special machine with inbuilt hydraulic system with PLC controls supplied to other BHEL units, if any. (Year of commissioning, Pointing Force, tube dia and tube thickness).	
5.0	Details on SERVICE-AFTER-SALES Set-Up in India including the Address of Agents / Service Centers in South India.	
6.0	Any Additional Data to supplement the manufacturing capability of the BIDDER for the subject equipment.	

$\underline{SECTION-III}$

S. No.	PARTICULARS	Vendor's Response
7.0	The BIDDER / VENDOR shall submit the offer in TWO PARTS. 1. Technical Offer [with PART A & PART B] and Commercial offer. 2. Price Bid.	
8.0	The Technical Offer shall contain a comparative statement of Technical Specifications demanded by BHEL and Offer Details submitted by the Bidder, against each clause. A just 'CONFIRMED' or 'COMPLIED' or 'YES' or 'NO-DEVIATION' or similar words in the technical comparative statement may lead to disqualification of the Technical Offer.	
9.0	The Technical Offer shall be supported by product Catalogues & Data Sheets and also technical details of Bought-Out-Items with copies of Product Catalogue to the extent possible.	
10.0	The Commercial Offer (given with the Technical Offer) shall contain the Scope of Supply and the Un-Priced Part of the Price-Bid, for confirmation.	

$\underline{SECTION-IV}$

The performance certificate should be produced on Customer's Letter Head.

PERFORMANCE CERTIFICATE

1. Supplier of the machine			
2. Make & Model of the M/C			
3. Month & Year of Commissioning			
4. Application for which M/C is used			
a) Push Pointing Forceb) Tube size -ODc) Tube wall thickness			
6. Performance of the Equipment	Best in the market		
(Tick whichever is applicable)	Satisfactory		
(,	Good		
	Average		
	Not Satisfactory		
7. Any Other remarks			
Date:	Signature & Seal of the Authority Issuing the Performance Certificate		
	issuing the remornance certificate		

ANNEXURE-B

RETROFITTING OF HYDRUALIC TUBE PUSH POINTING LINE

Scope of supply: The supplier has to Study, design and manufacture, supply and erection and commissioning of Push Pointing Machine line as per the following specification for retrofitting.

Push pointing machine is used for pointing the leading end of tubular product prior to cold drawing. The machine should be noiseless and not to be of hammering or swaging type. The hydraulic power force should grip the tube in contoured jaws. Drawing dies are forced over the tube end, reducing a length of (150-350 mm) to the required point diameter. Our tubes are lubricated in a separate surface treatment operation at pickling plant with soap solution and drained .A thin layer of soap is being applied on the tubes at both outer and inner surface prior to being brought to Push Pointing machine.

The supplier has to study the existing push pointing line and to design according to the existing loading table and unloading trough and the roller pass line.

Material : Carbon steels & Alloy steels as per Annexure 1 enclosed

Machine control:

Suitable rated control panel with necessary accessories like contactors, fuses, OLR's and Isolators & power contactors.

The panel with protection of IP 44 and PLC of S7 type siemens or ABB with working voltage of 24V DC, suitable Licensed software and PC Monitor. Power supply unit for solenoids, Panel height should not exceed 2.0 mts

Make:

Contactors (power) : Siemens make

Fuse unit : E.E make

Fuse : Bussman (or) EE Limits : LLA of BCH

Proximity : Pa (or) BCH make

Solenoid : Rexroth make plugs with indicators

Motors : Siemens / BB/ ABB

Hydraulic pump drive: 75 kW, 280 S frame, 1500 rpm, make siemens (or) ABB

RETROFITTING OF PUSH POINTING MACHINE LINE

5.No	Equipment specifications	SSTP Requirement	Supplier's offer
1.	Tube size range	19.0 mm - 90.0 mm OD, 2.0 mm - 12.5mm thick	
2.	Speed	500kn -100mm/sec, 1000kn - 60mm/sec	
		1500kn - 37mm/sec	
3.	Return speed	150mm / sec	
4.	Diametrical Reduction ratio (Di /Do) (ratio of	1 to 1.3 (based on WT, OD &material combination)	
	ingoing dia to pointing dia)		
5.	Machine control	ABB Make /Siemens make PLC of S7	
6.	Rated capacities	with working voltage of 24V DC and suitable	
		licensed soft ware and PC monitor	
7.	Differential circuit	50MT, 134.3 kg/cm2	
8.	Full press	150MT, 137 Kg/cm2	
9.	Maximum Push Force	150 MT, 137 Kg/cm2, 150 tons @)1500KN	
10.	Clamp Force	215.33 MT (351.5 Kg/cm2)	
11.	Maximum Travel of Dies	457.20 mm	
12.	Die Holder (for Two die push pointer)	Vertical Die Slide with two cavities to accommodate	
		SSTP dies as per our adopter supply	
13.	Method of Retaining Dies	Manual Lift Gate Lock	
14.	Die index (Up and Down only)	By Hydraulic Cylinder	
15.	Point length	50mm - 350 mm.	
16.	No of point lengths/ No of front positions	Provision should be provided for setting /	
		adjustment as per desired length	
17.	Tube Pass line Height from floor	965.2mm	
18.	Tube Gripper Jaws (to cover the following	21.3, 26.7, 31.8, 32.0, 33.4, 36.0, 38.0, 38.1, 42.4,	
	sizes)	44.5, 47.63, 48.3, 50.8, 51.0, 54.0, 55.0, 57.0, 60.3,	
		63.5, 70.0, 73.0, 76.1, 82.5, 88.9	
19.	Clamp Mechanism	Direct Acting Hydraulic cylinder (Instead of	
		hydraulic chuck available at present)	

5.No	Equipment specifications	SSTP Requirement	Supplier's offer
20.	Jaw Size	(161.9 mm square x 457.2 mm)	
21.	Pointing dies for Production	BHEL scope-	
22.	For capability & performance test	Gripper jaw as per sl no 20 is Supplier scope (Material	
		AISI D2) suitable for pointing die as per sl no 23	
23.	Die sizes for test	36.0, 42.0, 50.0, 54.0& 70.0, 80.0 mm OD (pointing	
		dies dia)	
24.	Hydraulic pumps	Rexroth -gear/ axial piston pump	
25.	Main	208 lpm (55 GPM) or more	
26.	Clamp	70.0/140.0 Kg/cm2 or more	
27.	Auxiliary	25 lpm (6.5 <i>G</i> PM) or more	
28.	Die Index	35.15 Kg/cm2	
29.	Clamp sealing	19 lpm @ 351.5 Kg/cm2 (5GPM)	
30.	Hydraulic Reservoir	1200 Liter capacity	
31.	Hydraulic Fluid	Servo System 68 hydraulic oil @ 37.8 °C	
32.	Hydraulic Power Pack	1 No. (Components of Rexroth/Parker/ make)	
33.	Hydraulic pump drive	75 KW or higher, 2800 Frame, 1500 RPM (energy	
		efficient motor), Make SIEMENS or ABB	
34.	Oil cooler	Water type, C/w Automatic	
		Shut-off valve	
35.	Main Power supply	415V, 3Ph.50 Hz	
36.	Control circuit	24 V DC	
37.	Approx. Pointer cycle time to produce 12"	Single Push 9 sec	
	Lg. Point Excluding Handling time	Double Push 18 sec	
38.	Output Rate (for pointed length) of	158 tubes/hr for single stage, 110 tubes/hr for	
	200mm for size. $54mm \times 6.5mm \times 10m$	double stage Trial to be conducted on	
	To 42mm pointed OD and 70 mm \times	Single as well as double stage	
	10mm×10 m to Pointed od 55mm		
39.	Quality of Pointed and straightness	There should not be any bend at the pointed portion	
		with respect to parent material.	
40.	Wrinkle free surface	The push pointing Machine should clamp and point	
		the tube, wrinkles should not occur on the surface of	
		the tube (Holding gripper jaw Mark)	

TUBE HANDLING SYSTEM (SEMI AUTOMATIC)

5.No	Equipment specifications	SSTP Requirement	Supplier's offer
41.	Tube length	4m - 12 m	
42.	Туре	Adjustable height driven	
43.	Tube Dispenser	For feeding one tube at a time by hydraulically	
		actuated arm, capable of lifting 150 kg of tubes.	
44.	Tube feeding unit	The roller conveyor with individual AC Geared	
		Motor(3.7 KW each)	
45.	Height adjustment	Automatic	
46.	Tube stopper	Pneumatic operated	
47.	Pinch roll on top of first drive roll	Pneumatically operated up down movement of 300mm	
48.	Pinch roll brake	Pneumatically actuated expanding shoe type	
49.	Tube Loading table, unloading trough	Design of tube loading table ,unloading trough suitable	
		for the main equipment in case of the existing	
		arrangement is not suitable for the new design	
		(following options will be decided by SSTP/BHEL)	
		Cost for design: Cost for manufacture, supply, erection	
		Cost for both	
50.	Drg. preparation	All the relevant drawings,assy drg, complete part drg,	
		Structural drg to be submitted for SSTP/BHEL	
		approval before starting the manufacture.	
		Complete design values dimensions and the working	
		performance of the machine is binding on the supplier	
		only.	
51.	Documentation	Operation and maintenance manual including all the	
		bought out items details and seals detail ,hydraulic	
		circuit and components, electrical circuit and its	
		components to be given in 4 sets hard copy and 1 soft	
		copy in CD	

5.No	Equipment specifications	SSTP Requirement	Supplier's offer
52.	Drg submission	All the relevant drawings, assy drg, complete part drg, Structural drg to be submitted to SSTP/BHEL In 3 sets hard copy Xerox/ blue print and 1 copy in tracing sheet and soft copy in CD auto cad 2008 version in BHEL preferred layer to be submitted.	
53.	Spares	Mechanical & electrical spares required for one year to be supplied by the supplier.	
54.	delivery	Design 1 month, manufacture and supply 8 months	
55.	Inspection	Inspection at suppliers work will be carried out by SSTP/BHEL during manufacture and at assembly stage before dispatch.	
56.	Dismantling	Dismantling the existing m/c and components will be done by SSTP/BHEL.	
57.	Erection	Erection has to be carried over by the supplier in 30 days including Electrical cabling PLC installation, testing	
58.	Civil work	Civil foundation and grouting will be done by SSTP/BHEL. Foundation date to be given by supplier in advance with loading.	
59.	Guarantee	Will be imposed as per purchase policy.	

<u>ANNEXURE 1</u>
MATERIAL SPECIFICATIONS (Chemical compositions & Mechanical properties)

		ı		·				ı	· '		ı İ		1
5.No	Grade		С	Mn	Si	5	Р	Cr	Мо	Уs	Ts	%EL	HR
01	SA 192	Min	0.06	0.27						18.3	33	35	60
		Max	0.18	0.63	0.25	0.035	0.035	0.20	0.15	37	45	80	77
02	SA 210A1	Min	0.17	0.35	0.10					26	42.2	30	70
		Max	0.25	0.93	0.35	0.035	0.035	0.20	0.15	40	50		79
03	SA 106 B	Min	0.19	0.29	0.10					24.6	42.2	30	
		Max	0.25	1.06	0.35	0.035	0.035	0.40	0.15	50	65	65	
04	SA 179	Min	0.06	0.27						18.3	33	35	55
		Max	0.18	0.63	0.10	0.035	0.035	0.20	0.15				72
05	SA210 C	Min	0.19	0.50	0.10					28.1	49.2	30	72
		Max	0.30	1.06	0.35	0.035	0.035	0.20	0.15	50	65	70	89
06	SA106 C	Min	0.20	0.60	0.10					28.1	49.2	30	
		Max	0.25	1.10	0.35	0.035	0.035	0.40	0.15	40	58	70	
07	SAE 1040	Min	0.37	0.60	0.10					53.5	63.2	15	183
		Max	0.44	0.90	0.40	0.035	0.035	0.20	0.15				
08	SAE 1541	Min	0.38	1.40	0.15					63.5	74	15	240
		Max	0.42	1.60	0.25	0.025	0.025	0.20	0.15				280
09	SA 209T1	Min	0.10	0.30	0.10				0.44	21.1	38.7	3-	70
		Max	0.20	0.80	0.50	0.025	0.025	0.20	0.65				80
10	SA213T11	Min	0.05	0.30	0.50			1.00	0.44	21.1	42.2	30	70
		Max	0.15	0.60	1.00	0.025	0.025	1.50	0.65	50	65	70	85
11	SA213T22	Min	0.05	0.30	0.10			1.90	0.87	21.1	42.2	30	75
		Max	0.15	0.60	0.50	0.025	0.025	2.60	1.13	50	60	66	85
12	BS 3059	Min	0.08	0.40				2.00	0.90	28	50	20	
	Part ii	Max	0.15	0.70	0.50	0.030	0.030	2.50	1.20	45	65.3		
	SA 231	Min	0.08	0.30	0.20	0.010	0.020	8.00	0.85			20	250
13	T 91	Max	0.12	0.60	0.50			9.50	1.05				BHN
	Va Viold atno		1/ /					. 1/ /	_	9/ 🗀	0/ [•••	חח

Ys-Yield strength in Kg/mm2

Ts-Tensile strength in Kg/mm2

%EL-% Elongation

HR-Hardness in HRB



Bharat Heavy Electricals Limited (Seamless Steel Tube Plant) Tiruchirappalli-620014, Tamil Nadu, India

ANNEXURE-C

COMMERCIAL TERMS AND CONDITIONS APPLICABLE FOR OPEN TENDER

INSTRUCTIONS TO THE BIDDERS:

1.0 QUOTATIONS

Bidders shall submit the offer in **TWO INNER ENVELOPES** as indicated below which shall be sealed in one outer envelope.

Envelope I This sealed envelope should contain all the copies of technical bid together with un-priced commercial bid. This envelope should be clearly marked "Part I - Technical and Un-priced commercial bid", indicating Tender No., Due Date and Address & Reference of the Bidder.

Envelope II This sealed envelope should contain <u>price details</u>. This envelope should be clearly marked <u>"Part II - Price bid"</u>, indicating Tender No., Due Date and Address & Reference of the Bidder.

Both the envelopes (Part I & II) shall be put in one cover, duly sealed, superscribing as Part I and Part II of Tender No., due date of opening and the address and reference of the Bidder.

The above offer should reach this office on or before the due date by 14.00 Hrs (IST).

Tender should not be addressed to any Individual's name but only by designation to:

DGM / PURCHASE & CONTRACTS
BHARAT HEAVY ELECTRICALS LIMITED
SEAMLESS STEEL TUBE PLANT
TIRUCHIRAPALLI - 620 014
TAMIL NADU, INDIA

Tenders should be free from **CORRECTION AND ERASURES**, Corrections if any, must be attested. All amounts shall be indicated both in words as well as in figures. Where there is difference between amount quoted in words and figures, amount quoted in words shall prevail.

Offers should be in **ENGLISH** and accompanied by detailed technical literature, catalogue and detailed dimensional drawings in **ENGLISH** or otherwise, the offers will not be considered.

2.0 PART I (TECHNICAL & UN-PRICED COMMERCIAL BID)

2.1 Technical

This part shall include / indicate the following:

2.1.1. Offer should contain complete scope of supply with all technical details, specifications, delivery and other commercial terms and conditions.

- 2.1.2. Point by point confirmation for the Technical Specification enclosed is to be provided. If there are any deviations, the same should be clearly specified. Offers received without confirmation to our specification will be rejected.
- 2.1.3. List of customers to whom same or similar equipment have been supplied along with performance certificates to be enclosed.
- 2.1.4. Relevant catalogues to be attached
- 2.1.5. List of spares parts (with part numbers) for two years operation and maintenance should be attached.
- 2.1.6. Information on shipping weight and cubage (length, width & height) to be provided.
- 2.1.7. Offers shall be submitted by the Original Equipment Manufacturer. In case of foreign bidder, the Principal's offer should be enclosed.

2.2 Un-Priced Commercial

This part shall include / indicate the following:

- 2.2.1. Acceptance of commercial terms and conditions by the bidders
- 2.2.2. Port of shipment / Station of despatch
- 2.2.3. Terms of payment
- 2.2.4. CFR price upto Chennai port (for foreign bidders).
- 2.2.5. FOR /BHEL, Tiruchy price along with freight charges upto BHEL, Tiruchy Indicated separately (for Indian bidders)
- 2.2.6. Taxes, Service tax & duties including cess applicable.
- 2.2.7. Delivery Schedule
- 2.2.8. Offer validity
- 2.2.9. Country of origin
- 2.2.10. Percentage of agency commission if any along with a copy of Agency agreement. The CFR prices quoted shall include the agency commission.
- 2.2.11. A copy of "Un-Priced Part II" i.e., a copy of the Price Bid without the price details to be enclosed.

3.0 PART II (PRICE- BID)

This part should contain the schedule of price particulars and to be co-related to the technical details provided in Part I.

4.0 OPENING OF TENDERS

The Part I - Technical & Un-priced commercial bid alone would be opened on the Tender opening date.

The Part II - Price bid of Technically suitable Bidders alone would be opened. The Technically suitable Bidders would be informed about the Price Bid opening date. Clarifications if any required by BHEL for Technical evaluation / commercial evaluation would be sought from Bidders before opening of Part II - price bid.

5.0 **GENERAL**

- 5.1. Equipment offered shall be "New". Re-built / Re-conditioned / Used equipments will not be accepted. Incomplete offers will not be considered for further processing.
- 5.2. **Fixed price:** Prices quoted by the bidder shall be fixed and not subject to any escalation whatsoever during the period of bid validity and execution of the Purchase Order. A bid submitted with an adjustable price will be treated as non-responsive and rejected. Prices shall be written in words and figures. In the event of difference, the price in words shall be valid and binding. Unit prices shall be considered correct in the event of any discrepancy with regard to total price.

- 5.3. **Bid currency:** Indian bidders should submit the prices only in Indian Rupees. Foreign bidders may submit their bid in their home currency, which should be clearly indicated in the un-priced commercial bid as well as in the price bid.
- 5.4. **Terms of Delivery:** Bidders are required to quote their best delivery period. Foreign Bidders should submit their offer for net **CFR / Chennai Seaport / Airport.** Freight charges upto Chennai port to be indicated separately. Indian Bidders should submit their offer for **FOR/ BHEL**, **Tiruchy basis**. Freight charges from Supplier works to BHEL, Tiruchy to be indicated separately. Delivery from the date of Letter of Intent / Purchase Order to be mentioned in the offer.
- 5.5. **Taxes and Duties :** All Taxes and Duties payable as extra to the quoted price should be specifically stated in offers along with CST & TIN No / Tariff No. etc., failing which the purchaser will not be liable for payment of such Taxes and Duties. Our TIN No. 33243560005, TNGST No. 3560005, CST. No. 239383 Dt. 11-06-1991 & BHEL ECC No. AAACB4146PXM012, Assessment circle Tiruverambur
- 5.6. Validity: The offers for main equipment and spares shall be kept open for acceptance for a period of 180 days (one hundred and eighty days) from the date of opening of the tender (Part I).
- 5.7 The bidder to provide Business Information Report incorporating the rating of the company by international credit rating agencies, viz., **DUNS** number of M/s DUN & Bradstreet (D&B) etc., along with your technical offer.
- 5.8. Indian Agent & Agency commission: An Indian Agent can represent only one Foreign Manufacturer against a particular Tender. The CFR price quoted by the Foreign bidder shall include the agency commission however, the agency commission component payable to their Indian Agents shall be shown separately in the Offer. This will be paid by BHEL in Indian Rupees, on satisfactory commissioning & acceptance of the equipment. The bidder shall furnish authenticated copy of the Agency Agreement detailing the precise relationship between them and their mutual interest in the business so as to consider the offer of the Indian Agent for the indigenous portion of the supply. For the main equipment, the offer should be from Principal / Original Equipment Manufacturer. The supplier to furnish original Authorization Letter for the Indian Agent along with the offer.
- 5.9. **Short shipment / Warranty replacement:** In case of any short shipment in the main equipment / spares, customs duty levied on such supplies, shall be borne by the supplier. Any warranty replacement during the warrantee period shall be on FOR/BHEL, Tiruchirappalli, basis.
- 5.10. **Inspection & Testing:** All goods shall be subject to inspection by BHEL or its authorized representatives at supplier's works or at BHEL stores. The supplier will not charge for the facilities provided for inspection of goods. In case of machine tools, the machine would be inspected and proved at supplier's works prior to dispatch however; final inspection and acceptance of the machine will be carried after installation of the machine at BHEL, Tiruchirappalli.

- 5.11. **Cenvat & VAT credit**: (for Indigenous Bidders only) The quotation must indicate Tariff item number and rate of Excise Duty applicable. The original Excise Duty Gate Pass will be required to be furnished in case it is charged to BHEL. If the bidder is availing Cenvat credit for his input materials, the effect of proforma credit should be passed on to the purchaser.
- 5.12. **Packing:** The Supplier shall arrange for packing suitably in all respects considering the peculiarity of the material involved for normal transport by sea / air / rail / road and suitably protected against effect of tropical salt laden atmosphere in the event of shipment being delayed at ports.
- 5.13. **Salient points of HSE** (Health Safety & Environment) that are to be considered while submission of offer are:
 - Consumption benchmarks related to output shall be provided wherever applicable for key input resources (energy/fuel/chemicals)
 - Competency requirements for operation, maintenance and calibration, if any, shall be communicated
 - If any hazardous chemicals as per MSIHC (Manufacturing, Storage and import of
 - Hazardous Chemicals) Rules 1989/94/2000 are used, the MSDS shall be provided,
 - along with On site & Off site emergency plan (as applicable)
 - The noise level at operator level shall be with in 90 dBA
 - OH&S (Occupational Health and Safety) control measures for safe working of machine as applicable shall be specified.
 - The machine / equipment shall be fitted with guard for rolling and moving parts and shall comply with applicable OH&S legislations and Factories Act 1948
 - The supplier shall submit the layout drawing of operating controls, displays etc. and operating instructions to enable ergonomics evaluation and approval
 - The recommended PPE (Personal Protective Equipment) for the equipment shall be furnished
 - Alarm system (both visual and audible) and Automatic switch off of the equipment shall be provided for any intrusion, overloading, short circuiting or any malfunctioning of the equipment
 - Details of all hazardous / harmful substances discharged as by-products / wastes during operations of the machine / equipment, such as fumes, gases, dust particles, aerosols UV./IR (Ultra violet / infra red) radiations, etc. shall be furnished, along with their concentrations and their TLV, (Threshold Limit Value).
 - Appropriate pollution control measures shall be proposed to keep the emissions from the machinery / processes within the prescribed limit as stated in Environment Protection Rules 1986.
 - All furnaces, process units, DG sets, paint booths, shot blasting chambers, etc shall be provided with stack(s) of sufficient height as per guidelines laid down in the Environment Protection Rules 1986.
 - Wherever industry specific standards are not available for control of pollutants, general emission standards shall be used
 - Chemicals banned due to their negative impact on the environment shall not be used in the process
 - Fuels with sulphur content less than 0.05% shall be proposed

- Details regarding nature of waste generated and appropriate disposal practices available shall be provided, along with the operation procedure of the plant / process. Hazardous chemicals and flammable substances shall be transported only through authorized transporters and all safety practices as laid down in applicable legislative requirements such as Central Motor Vehicle Rules, Manufacture, Storage and Import of Hazardous Chemical 1989, etc. shall be followed
- Primary materials used in the equipment shall be specified and they shall be eco friendly
- 5.14. Evaluation of offers shall be on the basis of delivered cost (Net cash outflow to BHEL).
- 5.15. BHEL also reserve its right to allow to the Public Sector Enterprises ordering and price preference facilities as admissible under the existing policy.
- 5.16. BHEL reserves its right to reject a tender due to unsatisfactory past performance in the execution of a contract at any of BHEL projects / units.
- 5.17. BHEL shall be at liberty to reject or accept any tender, part or in full, at their own discretion and any such action is not liable for any question or claim against BHEL.
- 5.18. **BHEL** reserves the right to go for a Reverse Auction (RA) instead of Opening the submitted sealed bid, which will be decided after technical evaluation. Information and general terms and conditions governing RA are given below.

GENERAL TERMS AND CONDITIONS OF RA

Against this enquiry for the subject item/system with detailed scope of supply as per enquiry specifications, BHEL may resort to "REVERSE AUCTION PROCEDURE" i.e., ON LINE BIDDING ON INTERNET.

- 1. For the proposed reverse auction, technically and commercially acceptable bidders only shall be eligible to participate.
- 2. BHEL will engage the services of a service provider who will provide all necessary training and assistance before commencement of on line bidding on internet.
- 3. BHEL will inform the vendor in writing in case of reverse auction, the details of Service Provider to enable them to contact & get trained.
- 4. Business rules like event date, time, Start price, bid decrement, extensions etc. also will be communicated through service provider for compliance.
- 5. Vendors have to fax the Compliance form in the prescribed format (provided by Service provider) before start of Reverse auction. Without this, the vendor will not be eligible to Participate in the event.
- 6. BHEL will provide the calculation sheet (e.g., EXCEL sheet) which will help to arrive at "Total Cost to BHEL" like Packing & forwarding charges, Taxes and Duties, Freight charges, Insurance, Service Tax for Services and loading factors (for non-compliance to BHEL standard Commercial terms &

- conditions) for each of the vendor to enable them to fill-in the price and keep it ready for keying in during the Auction.
- 7. Reverse auction will be conducted on scheduled date & time.
- 8. At the end of Reverse Auction event, the lowest bidder value will be known on the network.
- 9. The lowest bidder has to Fax the duly signed Filled-in prescribed format as provided on case-to-case basis to BHEL through Service provider within 24 hours of Auction without fail.
- 10. Any variation between the on-line bid value and the signed document will be considered as sabotaging the tender process and will invite disqualification of vendor to conduct business with BHEL as per prevailing procedure.
- 11. In case BHEL decides not to go for Reverse Auction procedure for this tender enquiry, the Price bids and price impacts, if any, already submitted and available with BHEL shall be opened as per BHEL's standard practice.
- 5.19. Force Majeure clause: If at any time during the continuance of this contract the performance in whole or in part by either party of any obligations under this contract shall be prevented or delayed by reason, of any war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, explosions, epidemics, quarantine, restrictions or acts of GOD (hereinafter referred to as events) then provided notice of happening of any such events is given by either party to other within twenty one days from the date of occurrence thereof neither party shall reason of such events be entitled to terminate this contract nor shall either party have any such non performance and delay is resumed as soon as practicable after such events has come to an end or ceased to exist. If the performance in whole or part of any obligation under this contract is prevented or delayed by reason or any such event claims for extension of time shall be granted for period considered reasonable by the purchaser subject to prompt notification by the seller to the purchaser of the particulars of the events and supply to the purchaser if required of any supporting evidence. Any waiver of time in respect of partial instalment shall not be deemed to be a waiver of time in respect of remaining deliveries.
- 5.27 The correspondence exchanged against the tender from both tenderer and BHEL through email are considered as valid document legally though it is not signed. It is treated as valid confirmations made on behalf of the respective company and very much comes under the legal ambit of the business transaction and hence it is biding on both the parties to the business.
- 5.28 Any transaction pertaining to the tender from both the parties of business done round the clock irrespective of the office or business hours of the companies, are valid legally and binding on both the parties. This applies to the extent only in such cases where deadline time for transaction is not specifically declared by either or both the patties to the business.
- 5.29 In case Letter of Intent (LOI) is issued through email, the PC generated time and date of mail shall be construed as the official time and date of release of LOI. In as much as this date is within the last date of validity given by the bidder the LOI is said to have been issued within the validity period and shall be biding on both the parties to the business.

- 5.30 Bidders participating in the tender should declare in their technical bid that whether they have been black-listed / kept on hold for a specified period / given Business holiday for a specified period by any Public sector undertaking or Government departments. The reasons for such action with details and the current status of such hold shall be clearly furnished to BHEL. If no such details are mentioned in the offer then it will be construed that the subject bidder is not under any such hold. But at a later date if it comes to the notice of BHEL about any such hold under enforcement on the subject bidder, BHEL will have every right to reject the offer of such vendors at any point of time and also under any stage of the finalisation of the subject tender irrespective of the status of the subject bidder in that tender. Such bidders will not be permitted to participate in the further tender proceedings and will be communicated suitably. They will not be also considered for any on going tenders even if participated till the hold is officially lifted and confirmed in writing.
- 5.31 **Guarantee:** The equipment shall be guaranteed for a period of 24 months from the date of commissioning and acceptance.
- 5.32 Contract Execution Bank Guarantee (CEBG): The successful tenderer shall furnish a Bank Guarantee, from an Indian Bank approved by BHEL in the format enclosed, for 5% of the Letter of Intent value (FOR Dispatching station value Excluding taxes, duties, freight & Bharat Heavy Electricals Limited TIRUCHIRAPPALLI CAPITAL PURCHASE insurance for Indian bidders) & (FOB/FCA value Excluding freight & insurance for foreign bidders) confirming that the order will be executed as per the terms and conditions and this should be valid till final dispatch date (LR/GR/BL/AWB) with additional 2 months claim period. Purchase Order & Letter of Credit will be processed only after receipt of CEBG. The CEBG is to be furnished within 3 weeks from the date of Letter of Intent.
- 5.33 **Performance Bank Guarantee (PBG):** The supplier shall furnish a Bank Guarantee, from an Indian Bank approved by BHEL in the format enclosed, for 10% of the Purchase Order value (FOR Dispatching station value Excluding taxes, duties, freight & insurance for Indian bidders) & (FOB/FCA value Excluding freight & insurance for foreign bidders) valid for period of 24 months from the date of commissioning & acceptance of the equipment at BHEL, Tiruchirappalli, with additional claim period of 2 months.

Formats for execution of Bank Guarantees:

Important Note:- The formats for execution of Bank Guarantees (both CEBG & PBG) shall be kept valid to cover the period of BG <u>plus an additional claim period of two months</u>. The Bank Guarantee bonds (BG) are to be submitted on non-judicial stamp paper of Rs. 100/- and should be only from any one of the below mentioned Banks,

(1) State Bank of India, 2) State Bank of Hyderabad, 3) State Bank of Travancore, 4) Canara Bank, 5) Bank of Baroda, 6) Punjab National Bank, 7) Deutsche Bank AG, 8) HDFC Bank Ltd, 9) Standard Chartered Bank, 10) CITI Bank N.A., 11) ABN AMRO Bank N.V. 12) ICICI Bank Ltd. 13) IDBI Ltd. 14) The Hongkong and Shanghai Banking Corporation Ltd. 15) Syndicate Bank. 16) State Bank of Mysore. 17) State Bank of Maharastra. 18) UCO Bank. 19) Allahabad Bank. 20) Andhra Bank. 21) Corporation Bank. 22) Dena Bank 23) Union Bank of India. 24) United Bank of India. 25) Vijaya Bank. 26) Axis Bank (Unit Trust of India). 27) Bank of Maharastra. 28) Bharat Overseas Bank. 29) Bank of India. 30) Indian Bank. 31) Indian Overseas Bank. 32) Oriental Bank of Commerce. 33) Central Bank of India. 34) State Bank of Patiala. 35) Punjab & Sind Bank. 36) State Bank of Bikner & Jaipur

200 by the in favour

A. <u>CONTRACT EXECUTION BANK GUARANTEE (CEBG)</u>

This deed of guarantee made this day of

of Bharat Heavy Electricals Limited, Tiruchirapalli having its registered Office at New Delhi with its Unit Office at Tiruchirapalli (Hereafter called the first party) where as M/s
And whereas the contractor M/s
Now therefore, these present witness that we the
The aforesaid guarantee will remain in full force and we shall be liable under the same irrespective of any concession for time being granted by the said first party to contractor M/s

Further we shall not be released from this guarantee by any forbearance or the exercise or non exercise of any of the power or rights under the said agreement by the said first party against the contractor irrespective of whether notice of such forbearance enforcement or non-enforcement of any power or rights, modifications or changes made in the said agreement or concessions shown to contractor M/s by the first party is given to us or not.

The guarantee herein contained shall not be determined or affected by the liquidation of winding up or insolvency of or change in the constitution of the contractor M./s
And lastly we
Notwithstanding anything contained here in before, our liability under this guarantee is restricted to Rs (Rupees
Dated the by its constituted attorney.

B. PERFORMANCE BANK GUARANTEE (PBG)

 caused to or suffered by the Company by reason of any breach by the said contractor (s) of any of the terms and conditions contained in the said agreement.

- 3. We undertake to pay unconditionally to the Company any money so demanded notwithstanding any dispute(s) raised by the Contractor in any suit, or proceedings pending before any Court or Tribunal or Arbitration or before any other authority relating thereto our liability under this present being absolute and unequivocal. The payment under this guarantee would not wait till the disputes have been decided by any Court or Tribunal or in the arbitration proceedings or by any other authority. The payment so made by us under this Bond shall be a valid discharge of liability for payment there under and the Contractor (s) shall have no claim against us for making such payment.
- 4. We (indicate the name of Bank), further agree that the guarantee herein contained shall remain in full force and effect during the period that would betaken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of the Company under or by virtue of the said Agreement have been fully paid and its claim satisfied or discharged or till Office/Department/Division of the Company certifies that the terms and conditions of the said Agreement have been fully and properly carried out by the said Contractor(s) and accordingly discharges this guarantee.
- 5. (i) Unless a demand or claim under this guarantee is made on us in writing on or before the we shall be discharged from all the liability under this guarantee thereafter. But where such claim or demand has been preferred by the Company with the Bank before the expiry of the said date, the claim shall be enforceable notwithstanding the fact that the said enforcement is effected after the said date.
 - (ii) For the purpose of this clause, any letter making demand on the Bank by M/s BHEL will be dispatched by Registered Post with Ack. Due or by Telegram or by any Electronic media addressed to the above mentioned address of the Bank shall be deemed to be the claim/demand in writing referred to above irrespective of the fact as to whether and when the said letter reaches the Bank, as also any letter containing the said demand or claim is lodged with the Bank personally.
- 6. We (indicate the name of the Bank), further agree with the Company that the Company shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) from time to time or to postpone for any time of from time to time any of the powers exercisable by the Company against the said Contractor (s) and to forbear or enforce any of the terms and conditions relating to the said Agreement

and we shall not be relieved from our liability by any reason of any such variation or extension being granted to the said contractor(s) or for any forbearance, act or omission on the part of the Company or any indulgence by the Company to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating would, but for this provision, have effect of not so relieving us.

- 7. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s)
- 8. It shall not be necessary for the Company to proceed against the contractor before proceeding against the guarantor—Bank and the guarantee herein contained shall be enforceable against them notwithstanding any security, which the Company may have obtained or obtain from the Contractor shall, at the time when proceedings are taken against the guarantor hereunder be outstanding or unrealised.
- 9. Any claim or dispute arising under the terms of this document shall only be enforced or settled in the Courts at Tiruchirappalli.
- 10. The guarantor hereby declare that it has power to execute this guarantee and the executant has full powers to do so on its behalf under the proper authority granted to him/them by the guarantor

•	11.	We		`		,	,				
		guarantee	during its	currency	except wit	h the pr	revious	consent	of the C	company i	n
		writing.									

ACCEPTANCE OF COMMERCIAL TERMS AND CONDITIONS BY THE BIDDERS

Description of the Equipment:	
BHEL Tender No. & Date	

	1	
SI No.	Description	Vendor's confirmation
1	Payment terms: 100% payment, within 45 to 90 days, after successful commissioning & acceptance of equipment at BHEL, Tiruchy, against submission of 10% Performance Bank Guarantee. or	
	80% of the material cost to be paid against delivery / dispatch documents within 45 to 90 days. Balance 20% of the material cost along with Erection & Commissioning charges, if any, will be paid after successful commissioning & acceptance of equipment at BHEL, Tiruchy, against submission of 10% Performance Bank Guarantee. (options of "through Bank" for indigenous and "through L/C" in case of import are available)	
	In case of import, an Irrevocable unconfirmed Letter of Credit shall be established for 80% of material cost 1½ months prior to shipment with a and validity of 3 months (including the document negotiation period). This L/C will be negotiable against shipping documents. For the balance 20% of material cost along with Erection & Commissioning charges, if any, an Irrevocable unconfirmed Letter of Credit shall be established 1 month prior to visit of the foreign technician (for commissioning) validity of 3 months (including the document negotiation period). This L/C will be negotiable against acceptance certificate and 10% Performance Bank Guarantee.	
	All LC opening charges in India and outside India will be to to the supplier's account.	
	Loading for deviation on payment terms if the above is not agreed by vendor will be @ 1.5% per month.	
	Note: In case any bidder does not accept for payment of 20% payment after successful commissioning & acceptance of equipment at BHEL, Tiruchy and submission of Performance Bank Guarantee for 10%, their offer is likely to be rejected and the technical bid not processed.	

2	Currency of payment: In case of foreign bidders please indicate the currency like Euro / US\$ / GBP etc. For indigenous bidders the currency shall be Indian Rupees	
3	Taxes & Duties: All Taxes, Duties, Service Taxes etc. payable as extra to the quoted price should be specifically stated in offers along with CST & TIN No / Tariff No. etc., failing which the purchaser will not be liable for payment of such Taxes and Duties. Our TIN No. 33243560005, TNGST No. 3560005, CST. No. 239383 Dt. 11-06-1991 & BHEL ECC No. AAACB4146PXM012, Assessment circle Tiruverambur	
	Income Tax applicable. Any service charges payable towards supervision of E&C, training, performance prove-out etc., will be released after deduction of Income Tax as per Indian Income Tax Act / as per the Govt. of India rules. The TDS certificate will be issued by BHEL.	
4	Contract Execution Bank Guarantee: The successful bidder shall furnish a Contract Execution Bank Guarantee (CEBG) equal to 5% in the format enclosed and from one of the banks mentioned therein. In case of import, the foreign vendor shall arrange to give a counter guarantee to State Bank of India (SBI), Kailasapuram and SBI will provide the CEBG to BHEL in the format enclosed. The CEBG shall be executed valid for the delivery period (FOR dispatching station for indigenous / FOB delivery for import) with additional 2 months as claim period. The CEBG shall be furnished within 1 month from the date of Letter of Intent. In case any bidder does not accept for submission of Contract Execution Bank Guarantee (CEBG), their offer is likely to be rejected and the technical bid not processed.	
5	Performance Bank Guarantee: Performance Bank Guarantee (PBG) for 10% of the total order value covering the agreed Guarantee period (with additional 2 months as claim period) has to be furnished. In case of indigenous bidder the PBG shall be in the format enclosed and from one of the banks mentioned therein. In case of import, the foreign vendor shall arrange to give a counter guarantee to State Bank of India (SBI), Kailasapuram and SBI will provide the PBG to	

	BHEL in the format enclosed. In case any bidder does not accept for submission of Performance Bank Guarantee (PBG), their offer is likely to be rejected and the technical bid not processed.	
6	Liquidated damages: Delivery of the goods specified in the purchase order should be made within the time prescribed. Failure to dispatch the materials in the time as per the delivery quoted in our Purchase Order would make the supplier liable to an un-conditional penalty at the rate of ½% of the value of goods for each week of delay subject to a maximum of 15% of the Purchase Order value. If any vendor does not accept LD ½% of the value of goods for each week of delay subject to a maximum of 5%, their offer is likely to be rejected by BHEL and the technical bid not processed. Bidders accepting for maximum LD percentages in between 5% to 15% will be loaded @ %age deviation from 15% and their accepted %age. Eg. If a bidder accepts for a max of 7% LD, their offer would be loaded @ 8% (15 – 7 = 8). As regards LD, the delivery date (FOR dispatching station for indigenous / FOB delivery for import) shall be considered.	
7	Risk purchase: If the supplier fails to deliver the goods within the delivery specified in the Purchase Order, BHEL will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or despatch within the delivery period mentioned in the Purchase Order.	
8	Delivery: Bidder shall indicate the delivery period required for the following activities. (a) Firm Time period, from the date of Letter of Intent (LoI), required for delivery of the equipment, (FOR dispatching station for indigenous / FOB delivery for import) to be indicated. (b) Commissioning, Prove-out and handing over of complete system to be indicated. Note: The above delivery periods indicated will not have bearing on activities such as submission of CEBG, drawing approval etc. It shall be the bidder's responsibility to have all technical clarifications sorted out before submission of price bid / participating in the RA. The Purchase Order (to be release after receipt of CEBG) will carry the above-indicated delivery period.	

Bharat Heavy Electricals Limited TIRUCHIRAPPALLI

9	Agency Commission: Please specify the %age agency commissioning, if applicable or else please mention "not-applicable"	
10	Validity: Validity of the offer should be 180 days from the date of tender opening.	
11	Contacts: Details of contact person's name, designation, department with complete postal and email address along with phone and fax numbers to be mentioned	
12	Port of loading:	
13	Country of origin:	
14	Weight: Approximate Net weight of the total consignment Approximate Gross weight of the total consignment	

Date:
Signature:
Name:
Designation:
Department:
M/s