

## Annexure-A-List of Rate Schedules

## Q2-FA-Structural Steel

Sl./RS No.	UNIFIED MATERIAL CODE (UMC)	Rate Schedule (RS)	Grade	Length (mm)	Quantity (MT)
1	AA1012508021	Customer-8-ANGLE 35 X 35 X 6 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	25
2	AA1012508030	Customer-1-ANGLE 40 X 40 X 5 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	310
3	AA1012508080	Customer-1-ANGLE 50 X 50 X 6 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	155
4	AA1012508080	Customer-2-ANGLE 50 X 50 X 6 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	210
5	AA1012508080	Customer-8-ANGLE 50 X 50 X 6 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	27
6	AA1012508099	Customer-1-ANGLE 65X65X6, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	55
7	AA1012508099	Customer-2-ANGLE 65X65X6, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	363
8	AA1012508099	Customer-8-ANGLE 65X65X6, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	90
9	AA1012508102	Customer-2-ANGLE 65X65X8, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	55
10	AA1012508129	Customer-1-ANGLE 75X75X6, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	232
11	AA1012508129	Customer-2-ANGLE 75X75X6, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	271
12	AA1012508129	Customer-8-ANGLE 75X75X6, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	50
13	AA1012508137	Customer-1-ANGLE 75X75X8, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	55
14	AA1012508137	Customer-2-ANGLE 75X75X8, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	126
15	AA1012508145	Customer-2-ANGLE 75X75X10, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	25
16	AA1012508145	Customer-8-ANGLE 75X75X10, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	27
17	AA1012508161	Customer-1-ANGLE 80X80X8, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	210
18	AA1012508161	Customer-2-ANGLE 80X80X8, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	27
19	AA1012508170	Customer-2-ANGLE 90X90X6, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	236
20	AA1012508188	Customer-2-ANGLE 90X90X8, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	107
21	AA1012508226	Customer-2-ANGLE 100X100X8, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	72
22	AA1012508234	Customer-1-ANGLE 100X100X10, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	576
23	AA1012508234	Customer-2-ANGLE 100X100X10, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	273
24	AA1012508242	Customer-2-ANGLE 100X100X12, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	30
25	AA1012508269	Customer-1-ANGLE 110X110X10, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	50
26	AA1012508269	Customer-2-ANGLE 110X110X10, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	157
27	AA1012508277	Customer-2-ANGLE 110X110X12, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	32
28	AA1012508293	Customer-1-ANGLE 130X130X12, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	401
29	AA1012508293	Customer-2-ANGLE 130X130X12, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	250
30	AA1012508307	Customer-1-ANGLE 150X150X12, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	55
31	AA1012508307	Customer-2-ANGLE 150X150X12, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	55
32	AA1012508315	Customer-1-ANGLE 150X150X16, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	200
33	AA1012508315	Customer-2-ANGLE 150X150X16, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	134
34	AA1012508323	Customer-1-ANGLE 150X150X20 GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	100
35	AA1012508340	Customer-1-ANGLE 200X200X20, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	100
36	AA1012508340	Customer-2-ANGLE 200X200X20, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	75
37	AA1012508358	Customer-1-ANGLE 130X130X16, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	40
38	AA1012508382	Customer-1-ANGLE 80X80X10, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	30
39	AA1012508420	Customer-8-ANGLE 25 X 25 X 6 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	25
40	AA1012548015	Customer-1-ISA 100X100X8 - IS2062E250BR; E250 Gr.BR; 10000 ≤ L ≤ 12000	E250 Gr.BR	10000 ≤ L ≤ 12000	100
41	AA1012548090	Customer-1-ISA 75 x 75 x 8 mm IS 2062 E250 Br.; E250 Gr. Br.; 12000	E250 Gr. Br.	12000	250

## Annexure-A-List of Rate Schedules

## Q2-FA-Structural Steel

Sl./RS No.	UNIFIED MATERIAL CODE (UMC)	Rate Schedule (RS)	Grade	Length (mm)	Quantity (MT)
42	AA1012548104	Customer-1-ISA 130X130X10 IS2062 E250 GR.BR; Length: 12000 mm; E250 Gr. Br.; 12000	E250 Gr. Br.	12000	300
43	AA1012708020	Customer-1-ISM 75 X 40 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	132
44	AA1012708020	Customer-2-ISM 75 X 40 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	213
45	AA1012708020	Customer-8-ISM 75 X 40 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	25
46	AA1012708039	Customer-1-ISM 100 X 50 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	1345
47	AA1012708039	Customer-2-ISM 100 X 50 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	794
48	AA1012708039	Customer-8-ISM 100 X 50 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	70
49	AA1012708047	Customer-1-ISM 125 X 65 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	1113
50	AA1012708047	Customer-2-ISM 125 X 65 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	376
51	AA1012708063	Customer-1-ISM 150 X 75 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	982
52	AA1012708063	Customer-2-ISM 150 X 75 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	721
53	AA1012708063	Customer-8-ISM 150 X 75 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	27
54	AA1012708101	Customer-1-ISM 200 X 75 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	1145
55	AA1012708101	Customer-2-ISM 200 X 75 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	359
56	AA1012708101	Customer-8-ISM 200 X 75 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	49
57	AA1012708144	Customer-1-ISM 250 X 80; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	130
58	AA1012708152	Customer-1-ISM 250 X 82 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	710
59	AA1012708152	Customer-2-ISM 250 X 82 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	484
60	AA1012708152	Customer-8-ISM 250 X 82 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	35
61	AA1012708179	Customer-1-ISM 300 X 90 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	735
62	AA1012708179	Customer-2-ISM 300 X 90 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	163
63	AA1012708179	Customer-8-ISM 300 X 90 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	31
64	AA1012708209	Customer-1-ISM 400 X 100 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	275
65	AA1012708209	Customer-2-ISM 400 X 100 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	166
66	AA1012733017	Customer-1-ISM 400X100 - IS 2062 E350 GR.BR; E350 Gr.BR/K; 10000 ≤ L ≤ 12000	E350 Gr.BR/K	10000 ≤ L ≤ 12000	250
67	AA1012734064	Customer-1-ISM 200 X 75 mm, E350 Gr B0/K, IS:2062; E350 Gr B0/K; 10000 ≤ L ≤ 12000	E350 Gr B0/K	10000 ≤ L ≤ 12000	50
68	AA1012734072	Customer-1-ISM 250 X 82 mm, E350 Gr B0/K, IS:2062; E350 Gr B0/K; 10000 ≤ L ≤ 12000	E350 Gr B0/K	10000 ≤ L ≤ 12000	30
69	AA1012748014	Customer-2-ISM 150X75 - IS2062E250BR; E250 Gr.BR; 10000 ≤ L ≤ 12000	E250 Gr.BR	10000 ≤ L ≤ 12000	150
70	AA1012748022	Customer-1-ISM 200X75 - IS2062E250BR; E250 Gr.BR; 10000 ≤ L ≤ 12000	E250 Gr.BR	10000 ≤ L ≤ 12000	630
71	AA1012748022	Customer-2-ISM 200X75 - IS2062E250BR; E250 Gr.BR; 10000 ≤ L ≤ 12000	E250 Gr.BR	10000 ≤ L ≤ 12000	60
72	AA1012748030	Customer-2-ISM 250X82 - IS2062E250BR; E250 Gr.BR; 10000 ≤ L ≤ 12000	E250 Gr.BR	10000 ≤ L ≤ 12000	35
73	AA1012808025	Customer-1-ISM 125 X 70 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	360
74	AA1012808041	Customer-1-ISM 150 X 75 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	267
75	AA1012808041	Customer-2-ISM 150 X 75 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	32
76	AA1012808092	Customer-1-ISM 200 X 100 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	825
77	AA1012808092	Customer-2-ISM 200 X 100 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	290
78	AA1012808092	Customer-8-ISM 200 X 100 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	30
79	AA1012808114	Customer-1-ISM 250 X 125 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	25
80	AA1012808114	Customer-2-ISM 250 X 125 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	355
81	AA1012808122	Customer-1-ISM 300 X 140 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	125

## Annexure-A-List of Rate Schedules

## Q2-FA-Structural Steel

Sl./RS No.	UNIFIED MATERIAL CODE (UMC)	Rate Schedule (RS)	Grade	Length (mm)	Quantity (MT)
82	AA1012808122	Customer-2-ISMB 300 X 140 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	218
83	AA1012808122	Customer-8-ISMB 300 X 140 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	52
84	AA1012808130	Customer-1-ISMB 350 X 140 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	30
85	AA1012808149	Customer-1-ISMB 400 X 140 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	300
86	AA1012808149	Customer-8-ISMB 400 X 140 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	27
87	AA1012808157	Customer-1-ISMB 450 X 150 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	250
88	AA1012808157	Customer-8-ISMB 450 X 150 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	27
89	AA1012808165	Customer-1-ISMB 500 X 180 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	150
90	AA1012808165	Customer-8-ISMB 500 X 180 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	25
91	AA1012808181	Customer-1-ISMB 600 X 210 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	500
92	AA1012808181	Customer-8-ISMB 600 X 210 mm, GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	67
93	AA1012808203	Customer-2-NPB 300 X 165 mm @45.76Kg/mtr E250 GR-A, IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	214
94	AA1012808211	Customer-2-NPB 400 X 180 mm @66.31Kg/mtr E250 GR-A IS:2062; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	259
95	AA1012848019	Customer-1-ISMB 300X140 - IS2062E250BR; E250 Gr.BR; 10000 ≤ L ≤ 12000	E250 Gr.BR	10000 ≤ L ≤ 12000	600
96	AA1012848019	Customer-2-ISMB 300X140 - IS2062E250BR; E250 Gr.BR; 10000 ≤ L ≤ 12000	E250 Gr.BR	10000 ≤ L ≤ 12000	60
97	AA1012848043	Customer-1-ISMB 350X140 - IS 2062 E250 Gr.BR; E250 Gr. Br/K; 12000	E250 Gr. Br/K	12000	200
98	AA1012934012	Customer-1-WPB 300x300x117.03 - IS 2062 E350 GR.B0; E350 GR.B0; 12000	E350 GR.B0	12000	1000
99	AA1012934020	Customer-1-WPB 300X300X100.85 IS 2062 E350 Gr.B0; E350 GR.B0; 12000	E350 GR.B0	12000	850
100	AA1012986012	Customer-1-WPB 700X300X149.89 - IS 2062 E350 GR.B0; E350 GR.B0; 10000 ≤ L ≤ 12000	E350 GR.B0	10000 ≤ L ≤ 12000	200
101	AA1013548019	Customer-1-UB 305 @ 46.11 Kg / Mtr IS 2062 E 250 Gr BR; IS2062 E250 BR ; 10000 ≤ L ≤ 12000	IS2062 E250 BR	10000 ≤ L ≤ 12000	50
102	AA1013548019	Customer-2-UB 305 @ 46.11 Kg / Mtr IS 2062 E 250 Gr BR; IS2062 E250 BR ; 10000 ≤ L ≤ 12000	IS2062 E250 BR	10000 ≤ L ≤ 12000	32
103	AA1013548027	Customer-2-UB 406 @ 60.1 Kg/Mtr;; IS2062 E250 BR ; 10000 ≤ L ≤ 12000	IS2062 E250 BR	10000 ≤ L ≤ 12000	100
104	AA1013548043	Customer-2-UB 254 @ 37.02Kg/Mtr; IS2062 E250 BR ; 10000 ≤ L ≤ 12000	IS2062 E250 BR	10000 ≤ L ≤ 12000	32
105	AA1013808010	Customer-2-NPB 300X150X42.24; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	27
106	AA1013808010	Customer-8-NPB 300X150X42.24; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	75
107	AA1013808029	Customer-2-NPB 400X180X57.4; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	137
108	AA1013808037	Customer-2-NPB 450X190X92.4; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	67
109	AA1013808045	Customer-2-NPB 500X200X90.7; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	580
110	AA1013808053	Customer-1-NPB 600X220X122.4; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	200
111	AA1013808053	Customer-2-NPB 600X220X122.4; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	806
112	AA1013808070	Customer-2-NPB 250X150X34.08; E250 Gr A; 10000 ≤ L ≤ 12000	E250 Gr A	10000 ≤ L ≤ 12000	50
113	AA1013808088	Customer-2-NPB 200X100X25.09 - IS 2062 E250 GR.BR; E250 GR.BR; 10000 ≤ L ≤ 12000	E250 GR.BR	10000 ≤ L ≤ 12000	30
114	AA1013808096	Customer-1-NPB 250X150X39.78 - IS 2062 E250 GR.BR; E250 GR.BR; 10000 ≤ L ≤ 12000	E250 GR.BR	10000 ≤ L ≤ 12000	25
115	AA1013808096	Customer-2-NPB 250X150X39.78 - IS 2062 E250 GR.BR; E250 GR.BR; 10000 ≤ L ≤ 12000	E250 GR.BR	10000 ≤ L ≤ 12000	31
116	AA1013833015	Customer-1-NPB 200X100X25.09 - IS 2062 E350 GR.BR; E350 Gr.BR/K; 10000 ≤ L ≤ 12000	E350 Gr.BR/K	10000 ≤ L ≤ 12000	25
117	AA1013834011	Customer-1-NPB 600X220X122.45 kg./m; IS 2062 E350 Gr.B0; E350 GR.B0; 12000	E350 GR.B0	12000	230
118	AA1013848012	Customer-1-NPB 450X190X77.57 -IS2062 E250 Gr BR, Length 10-12 Mtr; E250 GR.B; 10000-12000	E250 GR.B	10000-12000	25

## Annexure-A-List of Rate Schedules

## Q2-FA-Structural Steel

Sl./RS No.	UNIFIED MATERIAL CODE (UMC)	Rate Schedule (RS)	Grade	Length (mm)	Quantity (MT)
119	AA1013848012	Customer-2-NPB 450X190X77.57 -IS2062 E250 Gr BR, Length 10-12 Mtr; E250 GR.B; 10000-12000	E250 GR.B	10000-12000	191
120	AA1013848039	Customer-2-NPB 250 (mm) x 125 (mm) x 30.11 kg./m; IS 2062, E250, Gr. BR/K; E250 Gr. Br.; 10000 ≤ L ≤ 12000	E250 Gr. Br.	10000 ≤ L ≤ 12000	60
121	AA1013848047	Customer-1-NPB 300 (mm) x 150 (mm) x 45.76 kg./m; IS 2062, E250, Gr. BR/K; E250 Gr. Br.; 10000 ≤ L ≤ 12000	E250 Gr. Br.	10000 ≤ L ≤ 12000	25
122	AA1013848047	Customer-2-NPB 300 (mm) x 150 (mm) x 45.76 kg./m; IS 2062, E250, Gr. BR/K; E250 Gr. Br.; 10000 ≤ L ≤ 12000	E250 Gr. Br.	10000 ≤ L ≤ 12000	140
123	AA1013886011	Customer-1-NPB 400X180X66.3 - IS 2062 E350 GR.B0; E350 GR.B0; 10000 ≤ L ≤ 12000	E350 GR.B0	10000 ≤ L ≤ 12000	400
124	AA1013886020	Customer-1-NPB 450X190X77.57 - IS 2062 E350 GR.B0; E350 GR.B0; 10000 ≤ L ≤ 12000	E350 GR.B0	10000 ≤ L ≤ 12000	250
125	AA1013886038	Customer-1-NPB 500X200X90.68 - IS 2062 E350 GR.B0; E350 GR.B0; 10000 ≤ L ≤ 12000	E350 GR.B0	10000 ≤ L ≤ 12000	425
126	AA1013886046	Customer-1-NPB 600X220X107.56 - IS 2062 E350 GR.B0; E350 GR.B0; 10000 ≤ L ≤ 12000	E350 GR.B0	10000 ≤ L ≤ 12000	1000
<b>SUM TOTAL</b>					<b>29597</b>