


REQUEST FOR QUOTATION - ONLINE BIDDING

	BHARAT HEAVY ELECTRICALS LIMITED Electronics Division PB No. 2606, Mysore Road Bangalore - 560026 INDIA	RFQ NUMBER: SSNE000033 RFQ DATE : <div style="background-color: black; width: 50px; height: 15px; margin: 2px;"></div>	Due Date/Day: <div style="background-color: black; width: 80px; height: 15px; display: inline-block;"></div> Time : <div style="background-color: black; width: 60px; height: 15px; display: inline-block;"></div>
MMI:PU:RF:003			


Please submit your lowest quotation subject to our terms and conditions attached for the material mentioned below. "Quotation to be submitted in E Procurement portal only"

(for all correspondence)
 Purchase Executive : Saurabh Niranjn
 Phone : 080-26998935
 Fax :
 E-mail: saurabhnikranjan@bhel.in

SI No.	Description	Qty	Unit	Delivery qty	Delivery Date
1	SA0481126015 TRFMR 4KVA 3PH YND11 350/415V * HSN/SAC : 3926 Test Certificate TRANSFORMER CONTROL 4KVA,3PH,50HZ ; LV: 350V HV:415V; VECTOR GROUP:YND11 ; LV TAP:+/-5%,+/-10%; IMPEDANCE:4%; INSULATION CLASS:B ; INSULATION LEVEL: 4KV 50HZ FOR 1MIN. NO LOAD CURRENT SHALL BE < 15% OF FULL LOAD CURRENT . TRANSPARENT POLY CARBONATE 8MM SHEET ABOVE TERMINALS; NICKEL PLATED BRASS STUD TERMINALS; EARTHED SCREEN BETWEEN HV & LV REQUIRED REF.:IS2026,IS11171 ,ED7461195.	6	NO	2 1 3	22.05.2024 22.05.2024 22.05.2024
2	SA0481126023 TRFMR 4KVA 3PH DYN11 350/165V * HSN/SAC : 3926 Test Certificate TRANSFORMER CONTROL 4KVA, 3 PHASE,50HZ, LV=165V, HV=350V; VECTOR GROUP :DYN11; HV TAP:+/-5%,+/-10%; IMPEDENCE: 4% ; INSULATION CLASS:B, INSULATION LEVEL: 4KV,50HZ,1MIN. ; NO LOAD CURRENT SHALL BE < 15% OF FULL LOAD CURRENT ; TRANSPARENT POLY CARBONATE 8MM SHEET ABOVE TERMINALS; NICKEL PLATED BRASS STUD TERMINALS; EARTHED SCREEN BETWEEN HV & LV WINDING REQUIRED; REF.:IS2026,IS11171, ED7461195	6	NO	2 1 3	22.05.2024 22.05.2024 22.05.2024
3	SA0481126031 TRFMR 200VA 3PH YNNO 350/110V * HSN/SAC : 3926 Test Certificate TRANSFORMER CONTROL 200VA THREE PHASE,50HZ LV:110V ; HV: 350V ; VECTOR GROUP:YNNO ; IMPEDENCE:4% ; HV	18	NO	6 3 9	22.05.2024 22.05.2024 22.05.2024

NOTES: 1. This RFQ is governed by: a) INSTRUCTIONS TO BIDDERS/SELLERS and GENERAL CONDITIONS OF CONTRACT FOR PURCHASE available at http://edn.bhel.com (RFQ-PO Terms & Conditions) b) Any other specific Terms and Conditions mentioned. of offers are required to furnish authorization letter for the same. 2. Tender Result can be viewed in the website. * The HSN/SAC no mentioned against the line items in the RFQ are indicative only.	For and On behalf of BHEL. <div style="margin-top: 20px;"> Saurabh Niranjn Control Equipment </div>
--	---

REQUEST FOR QUOTATION - ONLINE BIDDING

	BHARAT HEAVY ELECTRICALS LIMITED Electronics Division PB No. 2606, Mysore Road Bangalore - 560026 INDIA	RFQ NUMBER: SSNE000033 RFQ DATE <div style="background-color: black; width: 50px; height: 15px; margin: 0 auto;"></div>	Due Date/Day: <div style="background-color: black; width: 80px; height: 15px; display: inline-block;"></div> Time : <div style="background-color: black; width: 60px; height: 15px; display: inline-block;"></div>
MMI:PU:RF:003			


Please submit your lowest quotation subject to our terms and conditions attached for the material mentioned below. "Quotation to be submitted in E Procurement portal only"

(for all correspondence)
 Purchase Executive : Saurabh Niranjn
 Phone : 080-26998935
 Fax :
 E-mail: saurabhniranjn@bhel.in

SI No.	Description	Qty	Unit	Delivery qty	Delivery Date
	TAP: +/-5%, +/-10% ; INSULATION CLASS: B; INSULATION LEVEL: 4.0KV, 50HZ FOR 1MIN; EARTHED SCREEN BETWEEN HV AND LV WINDING IS REQUIRED; TRANSPARENT POLYCARBONATE 8MM SHEET ABOVE TERMINAL; NICKEL PLATED BRASS STUD TERMINAL IS REQUIRED; NO LOAD CURRENT SHALL BE < 20% OF FULL LOAD CURRENT. REF.: IS2026, IS11171, ED7461195				
4	SA0481662014 DRY TYPE EXCITATION TRFMR FOR RAHUGHAT * HSN/SAC : 9032 Test Certificate TRANSFORMER PWR DRY RATING : 7.5 KVA 3 PHASE, 50 HZ, DY5 HV : 11KV LV : 415 V TAP ON HV & LV : NA IMPEDENCE : 4% INSULATION CLASS : F INS. LEVEL : 28 KV 50HZ FOR 1 MIN. SCREEN BETWEEN HV & LV WDGs TO BE PROVIDED. REF. STANDARD: IS 2026 IS 11171 & ED7461195 Test Required: 1) Basic impulse level test 2) Partial discharge test	2	NO	2	22.05.2024
5	SA0481929029 TRFMR 3KVA, 3PH, 220/100V, YNYNO * HSN/SAC : 9032 Test Certificate TRANSFORMER PWR DRY 3 KVA , 3PHASE, FREQUENCY: 50-400HZ HV: 220; LV: 100V VECTOR GROUP: YNYNO HV TAP : +/-5%, +/-10% LV TAP : 85V IMPEDANCE: 4% INSULATION CLASS: B INSULATION LEVEL: 4KV 50HZ FOR 1MIN TRANSPARENT POLY-CARBONATE 8MM SHEET ABOVE TERMINALS. NICKEL PLATED BRASS TERMINALS. EARTHED SCREEN BETWEEN HV & LV IS REQUIRED. NO LOAD CURRENT SHALL BE LESS THAN 15% OF RATED CURRENT. REF STD:	3	NO	3	22.05.2024

NOTES: 1. This RFQ is governed by: a) INSTRUCTIONS TO BIDDERS/SELLERS and GENERAL CONDITIONS OF CONTRACT FOR PURCHASE available at http://edn.bhel.com (RFQ-PO Terms & Conditions) b) Any other specific Terms and Conditions mentioned. of offers are required to furnish authorization letter for the same. 2. Tender Result can be viewed in the website. * The HSN/SAC no mentioned against the line items in the RFQ are indicative only.	For and On behalf of BHEL. <div style="border: 1px solid black; width: 150px; height: 40px; margin: 0 auto;"></div> <p>Saurabh Niranjn Control Equipment</p>
---	---


REQUEST FOR QUOTATION - ONLINE BIDDING

 MMI:PU:RF:003	BHARAT HEAVY ELECTRICALS LIMITED Electronics Division PB No. 2606, Mysore Road Bangalore - 560026 INDIA	RFQ NUMBER: SSNE000033 RFQ DATE : [REDACTED]	Due Date/Day: [REDACTED] Time : [REDACTED]
	Please submit your lowest quotation subject to our terms and conditions attached for the material mentioned below. "Quotation to be submitted in E Procurement portal only"		
		(for all correspondence) Purchase Executive : Saurabh Niranjn Phone : 080-26998935 Fax : E-mail: saurabhniranjn@bhel.in	

SI No.	Description	Qty	Unit	Delivery qty	Delivery Date
	IS2026,IS11171 & ED7461195				
6	SA0653109989 TRFMR 5KVA 3PH YND11 415/310V * HSN/SAC : 9032 Test Certificate TRANSFORMER PWR DRY 5.0KVA, 3 PHASE,50 HZ LV :310V HV:415V LV TAP : +/- 5 % , +/- 10% VECTOR GROUP:YND11 IMPEDENCE:4% INSULATION CLASS: B INSULATION LEVEL: (50HZ 1MIN): 4KV TRANSPARENT POLY-CARBONATE 8MM SHEET ABOVE TERMINALS NICKEL PLATED BRASS STUD TERMINALS EARTHED SCREEN BETWEEN HV AND LV WINDING IS REQUIRED. NO LOAD CURRENT:LESS THAN 15% OF RATED CURRENT. REF STANDARDS: IS2026 & IS11171 STD:ED7461195	4	NO	4	22.05.2024
7	SA0653941234 TRFMR 200VA YNYN0 110/575V * HSN/SAC : 9032 Doc No.- ED7461195 Rev - 02 Test Certificate TRANSFORMER DRY 200VA 3 PHASE; 50HZ	16	NO	6 4 6	22.05.2024 22.05.2024 08.05.2024

NOTES: 1. This RFQ is governed by: a) INSTRUCTIONS TO BIDDERS/SELLERS and GENERAL CONDITIONS OF CONTRACT FOR PURCHASE available at http://edn.bhel.com (RFQ-PO Terms & Conditions) b) Any other specific Terms and Conditions mentioned. of offers are required to furnish authorization letter for the same. 2. Tender Result can be viewed in the website. * The HSN/SAC no mentioned against the line items in the RFQ are indicative only.	For and On behalf of BHEL. Saurabh Niranjn Control Equipment
--	--

REQUEST FOR QUOTATION - ONLINE BIDDING

	BHARAT HEAVY ELECTRICALS LIMITED Electronics Division PB No. 2606, Mysore Road Bangalore - 560026 INDIA	RFQ NUMBER: SSNE000033 RFQ DATE <div style="background-color: black; width: 50px; height: 15px; margin: 2px;"></div>	Due Date/Day: <div style="background-color: black; width: 80px; height: 15px; display: inline-block;"></div> Time : <div style="background-color: black; width: 60px; height: 15px; display: inline-block;"></div>
MMI:PU:RF:003			


Please submit your lowest quotation subject to our terms and conditions attached for the material mentioned below. "Quotation to be submitted in E Procurement portal only"

(for all correspondence)
 Purchase Executive : Saurabh Niranjn
 Phone : 080-26998935
 Fax :
 E-mail: saurabhniranjn@bhel.in

SI No.	Description	Qty	Unit	Delivery qty	Delivery Date
	LV:110V HV:575V VECTOR GROUP: YNYN0 HV TAP: +/-5%;+/-10% IMPEDANCE: 4% INSULATION CLASS:B INSULATION LEVEL: 4KV 50HZ FOR 1MIN. NICKEL PLATED BRASS STUD TERMINALS; TRANSPARENT POLY CARBONATE SHEET 8MM THICK ABOVE TERMINAL BOARD; EARTHED SCREEN BETWEEN HV & LV WINDINGS REQUIRED IS 2026; IS 11171				
8	SA0653941269 TRFMR PWR 200VA 3PH * HSN/SAC : 8504 Test Certificate TRANSFORMER PWR DRY 200VA 3 PHASE, 50 HZ HV: 570V LV: 110V VECOR GROUP:YNYNO; HV TAP:+/-5%,+/-10% ; IMPEDANCE:4%; INSULATION LEVEL: 4KV 50 HZ FOR 1 MIN NICKEL PLATED BRASS STUD TERMINALS. EARTHED SCREEN BETWEEN HV & LV IS REQUIRED. INSULATION CLASS:B; TRANSPARENT POLY CARBONATE 8MM SHEET ABOVE TERMINALS; REF std : IS2026,IS11171, ED7461195	8	NO	8	22.05.2024
	SA0653944080 TRFMR 4KVA 3PH DYN11 240V/165V	3		3	22.05.2024

NOTES: 1. This RFQ is governed by: a) INSTRUCTIONS TO BIDDERS/SELLERS and GENERAL CONDITIONS OF CONTRACT FOR PURCHASE available at http://edn.bhel.com (RFQ-PO Terms & Conditions) b) Any other specific Terms and Conditions mentioned. of offers are required to furnish authorization letter for the same. 2. Tender Result can be viewed in the website. * The HSN/SAC no mentioned against the line items in the RFQ are indicative only.	For and On behalf of BHEL. Saurabh Niranjn Control Equipment
---	--


REQUEST FOR QUOTATION - ONLINE BIDDING

	BHARAT HEAVY ELECTRICALS LIMITED Electronics Division PB No. 2606, Mysore Road Bangalore - 560026 INDIA	RFQ NUMBER: SSNE000033	Due Date/Day: [REDACTED] Time : [REDACTED]
		RFQ DATE : [REDACTED]	
MMI:PU:RF:003		(for all correspondence) Purchase Executive : Saurabh Niranjn Phone : 080-26998935 Fax : E-mail: saurabhniranjn@bhel.in	
Please submit your lowest quotation subject to our terms and conditions attached for the material mentioned below. "Quotation to be submitted in E Procurement portal only"			

SI No.	Description	Qty	Unit	Delivery qty	Delivery Date
9	* HSN/SAC : 8533 Doc No.- ED7461195 Rev - 02 Test Certificate TRANSFORMER DRY TYPE 4 KVA 3 PHASE,50HZ to 400HZ LV :165V HV :240V VECTOR GROUP :DYN11 HV TAP :+/-5%,+/-10% IMPEDANCE :4% INSULATION CLASS:B INSULATION LEVEL:4KV 50HZ FOR 1 MIN NICKEL PLATED BRASS STUD TERMINALS TRANSPARENT POLY CARBONATE SHEET 8 MM THICK OVER TERMINAL BOARD EARTHED SCREEN BETN HV & LV WDGS TO BE PROVIDED No load current = 20% Acceptance Criteria: Routine Test at 50HZ REF.STD.:IS2026 & IS 11171		NO		
10	SA0655943455 TR,5KVA,415/LV1:2.5KVA,220V&2:2.5KVA,85V * HSN/SAC : 3926 Test Certificate TRANSFORMER 3PHASE 5KVA, YNYN0 FREQUENCY: 50HZ HV:415V; LV WINDING 1: 220V, 2.5KVA LV WINDING 2: 85V, 2.5KVA	2	NO	2	22.05.2024

NOTES: 1. This RFQ is governed by: a) INSTRUCTIONS TO BIDDERS/SELLERS and GENERAL CONDITIONS OF CONTRACT FOR PURCHASE available at http://edn.bhel.com (RFQ-PO Terms & Conditions) b) Any other specific Terms and Conditions mentioned. of offers are required to furnish authorization letter for the same. 2. Tender Result can be viewed in the website. * The HSN/SAC no mentioned against the line items in the RFQ are indicative only.	For and On behalf of BHEL. Saurabh Niranjn Control Equipment
---	--

REQUEST FOR QUOTATION - ONLINE BIDDING

	BHARAT HEAVY ELECTRICALS LIMITED Electronics Division PB No. 2606, Mysore Road Bangalore - 560026 INDIA	RFQ NUMBER: SSNE000033 RFQ DATE : [REDACTED]	Due Date/Day: [REDACTED] Time : [REDACTED]
MMI:PU:RF:003			
Please submit your lowest quotation subject to our terms and conditions attached for the material mentioned below. "Quotation to be submitted in E Procurement portal only"		(for all correspondence) Purchase Executive : Saurabh Niranjana Phone : 080-26998935 Fax : E-mail: saurabhniranjana@bhel.in	

SI No.	Description	Qty	Unit	Delivery qty	Delivery Date
	HV TAP: +/-5%,+/-10% IMPEDENCE: 4% INSULATION CLASS:B INSULATION LEVEL: 4KV 50HZ FOR 1 MIN. FREQUENCY VARIATION:+/-10% NICKEL PLATED BRASS STUD TERMINALS EARTHED SCREEN BETWEEN HV & LV WINDINGS 8MM THICK POLY CARBONATE SHEET OVER TERMINAL BOARD REQUIRED. NO LOAD CURRENT SHALL BE LESS THAN 15% OF RATED CURRENT. REF.STD.: IS2026,IS11171 & ED7461195				
11	SA0657000035 TR 5KVA 280,265,250,235,220/165V Ynyn0 * HSN/SAC : 9032 TRANSFORMER PWR DRY RATING:5 KVA 3 PHASE, FREQ : 50 - 400 HZ VECTOR GROUP:YNYN0 HV : 280 V LV : 165 V TAP ON HV : AT 265,250,235 & 220V IMPEDENCE : 4% INS.CLASS : B INS.LEVEL : 4KV 50HZ FOR 1 MIN. NICKEL PLATED BRASS STUD TERMINALS PERSPEX SHEET OF 8MM THICKNESS OVER TERMINAL BOARD. SCREEN BETN. HV & LV TO BE PROVIDED. NO LOAD CURRENT LESS THAN 15% OF RATED CURRENT	4	NO	4	22.05.2024

NOTES: 1. This RFQ is governed by: a) INSTRUCTIONS TO BIDDERS/SELLERS and GENERAL CONDITIONS OF CONTRACT FOR PURCHASE available at http://edn.bhel.com (RFQ-PO Terms & Conditions) b) Any other specific Terms and Conditions mentioned. of offers are required to furnish authorization letter for the same. 2. Tender Result can be viewed in the website. * The HSN/SAC no mentioned against the line items in the RFQ are indicative only.	For and On behalf of BHEL. Saurabh Niranjana Control Equipment
--	--

REQUEST FOR QUOTATION - ONLINE BIDDING



BHARAT HEAVY ELECTRICALS LIMITED
Electronics Division
PB No. 2606, Mysore Road Bangalore - 560026
INDIA

RFQ NUMBER:
SSNE000033

Due Date/Day: [REDACTED]
Time : [REDACTED]

RFQ DATE :
[REDACTED]

MMI:PU:RF:003

Please submit your lowest quotation subject to our terms and conditions attached for the material mentioned below. "Quotation to be submitted in E Procurement portal only"

(for all correspondence)
Purchase Executive : Saurabh Niranjana
Phone : 080-26998935
Fax :
E-mail: saurabhniranjana@bhel.in

Sl No.	Description	Qty	Unit	Delivery qty	Delivery Date
	REF.STANDARD:IS 2026, IS 11171 AND ED7461195 REF STD:IS9051				

Total Number of Items - 11

- 1.
- 2.

NOTES:

- This RFQ is governed by:
 - INSTRUCTIONS TO BIDDERS/SELLERS and GENERAL CONDITIONS OF CONTRACT FOR PURCHASE available at <http://edn.bhel.com> (**RFQ-PO Terms & Conditions**)
 - Any other specific Terms and Conditions mentioned. of offers are required to furnish authorization letter for the same.
 - Tender Result can be viewed in the website.
- * The HSN/SAC no mentioned against the line items in the RFQ are indicative only.

For and On behalf of BHEL.

Saurabh Niranjana
Control Equipment