



2X660 MW SURATGARH TPS, STAGE-V

PRICE FORMAT FOR CABLE TRAY ACCESSORIES (ENQUIRY NO.: PE/PG/SGS/E-4396/14 DTD. 25/04/2014)

FOR INDIAN BIDDER										FOR FOREIGN BIDDER			
Sl. No.	ITEM CODE	ITEM DESCRIPTION	UNIT	ORDER QUANTITY	ORDER QUANTITY LOT-1	UNIT PRICE (EX WORKS) Rs.	TOTAL PRICE (EX-WORKS) Rs.	ED WITH CESS@....% (Rs.)	CST/VAT@....% (Rs.)	FREIGHT@....% INCL. SERVICE TAX (Rs.)	TOTAL FOR SITE PRICES (Rs.)	UNIT FOB PRICE (Currency:)	TOTAL FOB PRICE (Currency:)
1.0		HOT DIP GALVANISED LADDER TYPE CABLE TRAY COMPLETE WITH COUPLER PLATES, FASTENERS, CLAMPS AND FIXING HARDWARES ETC.											
a)	507-21105-A	CABLE TRAY 2.5MM THICK- LADDER TYPE 150W	MTR	4000	2800								
b)	507-21106-A	CABLE TRAY 2.5MM THICK- LADDER TYPE 300W	MTR	21000	14700								
c)	507-21107-A	CABLE TRAY 2.5MM THICK- LADDER TYPE 450W	MTR	6000	4200								
d)	507-21108-A	CABLE TRAY 2.5MM THICK- LADDER TYPE 600W	MTR	44000	30800								
2.0		HOT DIP GALVANISED PERFORATED TYPE CABLE TRAY COMPLETE WITH COUPLER PLATES, FASTENERS, CLAMPS AND FIXING HARDWARES ETC.											
a)	507-21113-A	CABLE TRAY 2.5MM THICK PERFORATED TYPE 150W	MTR	2000	1400								
b)	507-21114-A	CABLE TRAY 2.5MM THICKPERFORATED TYPE 300W	MTR	5000	3500								
c)	507-21115-A	CABLE TRAY 2.5MM THICK PERFORATED TYPE 450W	MTR	2000	1400								
d)	507-21116-A	CABLE TRAY 2.5MM THICKPERFORATED TYPE 600W	MTR	18000	12600								
3.0		HOT DIP GALVANISED CABLE TRAY ACCESSORIES											
3.1		LADDER TYPE HORIZONTAL 90 DEG. BEND-600mm RADIUS											
a)	507-21120-A	LAD HOR 90DEG BEND 2.5MM THICK 600 RAD 300W	NOS	75	53								
b)	507-21121-A	LAD HOR 90DEG BEND 2.5MM THICK 600 RAD 450W	NOS	15	11								
c)	507-21122-A	LAD HOR 90DEG BEND 2.5MM THICK 600 RAD 600W	NOS	340	238								
3.2		LADDER TYPE VERTICAL 90 DEG. BEND-600mm RADIUS (INSIDE)											
a)	507-21126-A	LAD VER 90DEG BEND 2.5MM THICK 600 RAD-INSIDE 300W	NOS	80	56								
b)	507-21127-A	LAD VER 90DEG BEND 2.5MM THICK 600 RAD-INSIDE 450W	NOS	20	14								
c)	507-21128-A	LAD VER 90DEG BEND 2.5MM THICK 600 RAD-INSIDE 600W	NOS	120	84								
3.3		LADDER TYPE VERTICAL 90 DEG. BEND-600mm RADIUS (OUTSIDE)											
a)	507-21132-A	LAD VER 90DEG BEND 2.5MM THICK 600 RAD-OUTSIDE 300W	NOS	35	25								
b)	507-21133-A	LAD VER 90DEG BEND 2.5MM THICK 600 RAD-OUTSIDE 450W	NOS	20	14								
c)	507-21134-A	LAD VER 90DEG BEND 2.5MM THICK 600 RAD-OUTSIDE 600W	NOS	90	63								
3.4		LADDER TYPE TEES-600mm RADIUS											
a)	507-21138-A	LAD TEES 2.5MM THICK 600MM RADIUS 300W	NOS	50	35								

Ravi



2X660 MW SURATGARH TPS, STAGE-V

PRICE FORMAT FOR CABLE TRAY ACCESSORIES (ENQUIRY NO.: PE/PG/SG5/E-4396/14 DTD. 25/04/2014)

FOR INDIAN BIDDER										FOR FOREIGN BIDDER			
Sr. No.	ITEM CODE	ITEM DESCRIPTION	UNIT	ORDER QUANTITY	ORDER QUANTITY LOT-1	UNIT PRICE (EX WORKS) Rs.	TOTAL PRICE (EX-WORKS) Rs.	ED WITH CESS@....% (Rs.)	CST/VAT@....% (Rs.)	FREIGHT@....% INCL. SERVICE TAX (Rs.)	TOTAL FOR SITE PRICES (Rs.)	UNIT FOB PRICE (Currency:)	TOTAL FOB PRICE (Currency:)
b)	507-21139-A	LAD TEES 2.5MM THICK 600MM RADIUS 450W	NOS	10	7			NIL (REFER SPECIAL CONDITION S OF CONTRACT CLAUSE NO. 27.0).					
c)	507-21140-A	LAD TEES 2.5MM THICK 600MM RADIUS 600W	NOS	645	452								
3.5		LADDER TYPE CROSS-600mm RADIUS											
a)	507-21144-A	LAD CROSS 2.5MM THICK 600 RAD 300W	NOS	5	4								
b)	507-21145-A	LAD CROSS 2.5MM THICK 600 RAD 450W	NOS	10	7								
c)	507-21146-A	LAD CROSS 2.5MM THICK 600 RAD 600W	NOS	40	28								
3.6		LADDER TYPE REDUCERS											
a)	507-21150-A	LAD REDUCER (50% LHS/RHS) 2.5MM THICK 450-300W	NOS	5	4								
b)	507-21151-A	LAD REDUCER (50% LHS/RHS) 2.5MM THICK 600-300W	NOS	25	18								
c)	507-21152-A	LAD REDUCER (50% LHS/RHS) 2.5MM THICK 600-450W	NOS	10	7								
3.7		PERFORATED TYPE HORIZONTAL 90 DEG. BEND-600mm RADIUS											
a)	507-21156-A	PER HOR 90DEG BEND 2.5MM THICK 600 RAD. 300W	NOS	40	28								
b)	507-21157-A	PER HOR 90DEG BEND 2.5MM THICK 600 RAD. 450W	NOS	10	7								
c)	507-21158-A	PER HOR 90DEG BEND 2.5MM THICK 600 RAD. 600W	NOS	280	196								
3.8		PERFORATED TYPE VERTICAL 90 DEG. BEND-600mm RADIUS (INSIDE)											
a)	507-21162-A	PER VER 90DEG BEND 2.5MM THICK 600 RAD-INSIDE 300W	NOS	20	14								
b)	507-21163-A	PER VER 90DEG BEND 2.5MM THICK 600 RAD-INSIDE 450W	NOS	10	7								
c)	507-21164-A	PER VER 90DEG BEND 2.5MM THICK 600 RAD-INSIDE 600W	NOS	15	11								
3.9		PERFORATED TYPE VERTICAL 90 DEG. BEND-600mm RADIUS (OUTSIDE)											
a)	507-21168-A	PER VER 90DEG BEND 2.5MM THICK 600 RAD-OUTSIDE 300W	NOS	60	42								
b)	507-21169-A	PER VER 90DEG BEND 2.5MM THICK 600 RAD-OUTSIDE 450W	NOS	10	7								
c)	507-21170-A	PER VER 90DEG BEND 2.5MM THICK 600 RAD-OUTSIDE 600W	NOS	30	21								
3.10		PERFORATED TYPE TEES-600mm RADIUS											
a)	507-21174-A	PER TEES 2.5MM THICK 600 RADIUS 300W	NOS	20	14								
b)	507-21175-A	PER TEES 2.5MM THICK 600 RADIUS 450W	NOS	10	7								



2X660 MW SURATGARH TPS, STAGE-V

PRICE FORMAT FOR CABLE TRAY ACCESSORIES (ENQUIRY NO.: PE/PG/SGS/E-4396/14 DTD. 25/04/2014)

FOR INDIAN BIDDER										FOR FOREIGN BIDDER			
Sr. No.	ITEM CODE	ITEM DESCRIPTION	UNIT	ORDER QUANTITY	ORDER QUANTITY LOT-1	UNIT PRICE (EX WORKS) Rs.	TOTAL PRICE (EX-WORKS) Rs.	ED WITH CESS@.....% (Rs.)	CST/VAT@.....% (Rs.)	FREIGHT@.....% INCL. SERVICE TAX (Rs.)	TOTAL FOR SITE PRICES (Rs.)	UNIT FOB PRICE (Currency:)	TOTAL FOB PRICE (Currency:)
c)	507-21176-A	PER TEES 2.5MM THICK 600 RADIUS 600W	NOS	380	266								
3.11		PERFORATED TYPE CROSS-600mm RADIUS											
a)	507-21180-A	PER CROSS 2.5MM THICK 600 RAD 300W	NOS	5	4								
b)	507-21181-A	PER CROSS 2.5MM THICK 600 RAD 450W	NOS	10	7								
c)	507-21182-A	PER CROSS 2.5MM THICK 600 RAD 600W	NOS	5	4								
3.12		PERFORATED TYPE REDUCERS											
a)	507-21186-A	PER REDUCER (50% LHS/RHS) 2.5MM THICK 450-300W	NOS	5	4								
b)	507-21187-A	PER REDUCER (50% LHS/RHS) 2.5MM THICK 600-300W	NOS	10	7								
c)	507-21188-A	PER REDUCER (50% LHS/RHS) 2.5MM THICK 600-450W	NOS	10	7								
3.1		NOT DIP GALVANISED CABLE TRAY COVER COMPLETE WITH FORMED CHANNEL, PIPE, GI FLAT, BOLTS WITH NUTS & WASHERS AND FIXING HARDWARES ETC. (1.7mm THICK GALVANISED MS SHEET)											
a)	507-21201-A	COVER 1.7 MM THK-NON PER GALV MS 300W	MTR	1200	840								
b)	507-21202-A	COVER 1.7 MM THK-NON PER GALV MS 450W	MTR	600	420								
c)	507-21203-A	COVER 1.7 MM THK-NON PER GALV MS 600W	MTR	2000	1400								

NOTES:

- The quantities will be released for manufacture in more than one lot. Lot-I quantities, which are indicated above, shall be released for manufacture along with LOI.
- Manufacturing of Lot-I quantities shall be done after the approval of technical and quality documentation, and supply of same shall be completed within four months of date of approval of documents.
- Subsequent lots shall be cleared for manufacture based on progress of engineering and site requirements. A lead-time of three months shall be given for completion of supply of each lot from the date of clearance of the quantities.
- The total quantity variation shall be limited from -30% to +30 % of the total contract value derived on the basis of the Order Quantities.
- Raw materials:- Steel shall be procured from SAIL/ISCO/RINL/BHUSAN/JINDAL STEEL/JINDAL ISPAT/ESSAR/LLOYD/ IISCO/ authorised SAIL Re Rollers.
- The number of coupler plates, washers, bolts & nuts shall be as per Data Sheet- A attached with the specification.

[Handwritten Signature]

Bidders Signature and Stamp