

PLANT PURCHASE SPECIFICATION

(CFFP - HARDWAR)

FF 05009 Rev 05

Page

1 of

3

FERRO MOLYBEDENUM

1. SCOPE

mation on this documents is the property of Bharat Heavy Electrical Limited It must used directly or indirectly in any way detrimental to the interest of the company

This specification governs the quality of Ferro Molybdenum with the following requirements.

2. APPLICATION

The material shall be used as alloying addition for manufacturing of alloy steel

3. CONDITION OF DELIVERY

The size should be in the range of 10-50 mm. However oversized material should not exceed 10% by weight and undersize material should not exceed 5% by weight.

4. COMPLIANCE WITH NATIONAL STANDARDS

The specification in general is based on Indian standards specification IS 1469-1993 (Reaffirmed 1999); Grade: FeMo63C10.

5. FREEDOM FROM CONTAMINATION

The material shall be free from extraneous contamination such as slag.

6. CHEMICAL COMPOSTION

The material shall conform to the following chemical composition when it is analyzed in accordance with IS: 12614. The sampling shall be done as per IS: 1472.

ELEMENT % MIN Carbon -		%MAX 0.10		
				Molybdenum
Silicon -		2.0		
Sulphur -		0.10		
Phosphorus -		0.05		

RMI	S.N.GHOSH	home	WORKED BY	M.K.SAHU	lahe
MPIC	N.K.VERMA	thent	CHECKED BY	RANJAN	(Zangan
CHAIRMAN CPSC	R.PARTHASARATHY	4120m2V	SECRETARY PPSC	Dr M.S.RAWAT	molow
APPROVED : PLANT STANDARDS COMMITTEE					
			PREPARED: SMS TECH	ISSUED: Steel Melting Shop	DATE : 30 · 01 · 10

HIJH

PLANT PURCHASE SPECIFICATION

(CFFP - HARDWAR)

FF 05009 Rev 05

Page

 2 of

3

7. INSPECTION AT SUPPLIER'S WORKS:

- CFFP reserves the right to witness the testing of the material at supplier works and therefore the supplier shall notify the readiness of the material in advance.
- CFFP may, at its discretion, test the material after receipt and acceptance of the material will be based on the CFFP'S test results.
- For result of analysis and properties of material the decision of CFFP shall be final and binding on the supplier.

8. TEST CERTIFICATES

One Original and three copies of Test Certificate from the Manufacturer containing the following information along with test result of clause 3,5 and the chemical composition as per clause 6 should be provided.

Manufacturer's Name Name of the material Batch/Lot No. Quantity.

Note:

- a) A manufacturer supplying directly to BHEL should include BHEL's P.O. No. and Challan No. also in the TC.
- b) Any other supplier should provide a covering letter along with original Manufacturer's TC as above mentioning BHEL's P.O. No. and Challan No.

9. PACKING AND MARKING

The material shall be packed in **Tamper proof metallic drum** such as to prevent loss / deterioration in quality during handling, transport and storage. It should be in the manufacturer's packing. Each package should be marked with the following details.

Name of the material Manufacturer's Name / Trade mark Batch/Lot No. Net weight.

10. REFFERED STANDARDS

IS: 1469 -1993, IS: 12614, IS: 1472 and AA 11311 (Corporate specification BHEL)

WORKED M.K.SAHU July 30.07.10

WORKED BY RANJAN Baigar 30.07.10

COPYRIGHT AND CONFIDENTIAL
the information on this documents is the property of Bharat Heavy Electrical
imited It must not be used directly or indirectly in any way detrimental to the
interest of the company



COPYRIGHT AND CONFIDENTIAL

PLANT PURCHASE SPECIFICATION

(CFFP - HARDWAR)

FF 05009 Rev 05

Page

3 **of**

3

REVISION RECORD SHEET

SN	Revision	Revision	Nature of Changes
	No.	date	
01.	04	07.09.2009	-Clauses 8 and 9 revised incorporating requirement of manufacturer's packing and Test certificate.
02	05	30.07.2010	 Clause 3: Size range redefined. Clause 6: Testing and sampling shall be done as per IS 12614 & 1472. Limit for sulphur content has been increased from 0.05% to 0.10%. Clause 8: Clause 5 included in the T.C. Clause 9: Size of the pack and tamper proof metallic drum incorporated as per SP-0612 dated 11.03.2010.

Moment

WORKED BY RANJAN

Wha 30.07.10

CHECKED BY

30.07.10