

Technical Specifications

SL · No	Description and Technical Specification of the item	QTY	UNIT	Delivery
1	<p><u>Digital Temperature Controller 48 x 48mm</u></p> <p>SPECIFICATION: Description: Digital Temperature Controller Control: ON/OFF Control Dimensions: 48 x 48 (W x H) mm Mounting: Panel mounting Analog Input: 4-20mA Temperature Input: Thermocouple type # K, J, R, S, B, E, N, T, W, PL II, U, L Input Resolution: 14 bit (each) or better Range: 0 to 1200 deg C Control Proportional Band (P): 0~200% (On/Off action at P=0) or better Control Integral Time (I): 0~3600 sec (PD action at I=0) or better Control Derivative Time (D): 0~900 sec (PI action at D=0) or better Control Cycle Time: 0~150 sec (4~20mA=0, SSR=1, Relay=10) or better Control Dead Band Time: 0~1000 sec (dead time compensation) or better Alarm: at least 17 Modes Retransmission output: Output Signal SP, PV, (4~20mA, 0~20mA, 0~5V, 0~10V, 1~5V, 2~10V) Relay Output: Electromechanical relay Current and Voltage outputs: 0~20mA, 4~20mA, 0~5V, 0~10V, 1~5V, 2~10V Rated Power Supply: AC 85 ~ 265V, 50Hz Ambient Temperature -20°C ~ 65°C (-4°F ~ 149°F) Ambient Humidity 50 ~ 85% RH (non-condensing) Output: 2 relay outputs contacts rated for 3A at 230VA Mode: Auto/Manual Programs: 2 programs of 8 segments each or better Display: Dual colour Display for PV, SP, configuration parameters Indication: PV/SP Indication 4-digit, 7 segment display Indication Accuracy: +/-0.2% FS or better Constant Value Storage System: Non-volatile memory (EEPROM) Warranty: 1 year from date of acceptance Reference Make <(>&<)> Model: Honeywell DC1010CT 112 000 E</p> <p>NOTE: 1. Detailed product catalogue to be enclosed with the offer. 2. Vendor may visit site to understand the requirement, if required. 3. Calibration certificate with traceability to be provided.</p>	11	NO	120 DAYS

2	<p>Digital Temperature Controller 96 x 96mm</p> <p>SPECIFICATION: Description: Digital Programmable Temperature Controller Control: ON/OFF Control Dimensions: 96 x 96 (W x H) mm Mounting: Panel mounting Analog Input: 4-20mA Temperature Input: Thermocouple type # K, J, R, S, B, E, N, T, W, PL II, U, L Input Resolution: 14 bit (each) or better Range: 0 to 1200 deg C Control Proportional Band (P): 0~200% (On/Off action at P=0) or better Control Integral Time (I): 0~3600 sec (PD action at I=0) or better Control Derivative Time (D): 0~900 sec (PI action at D=0) or better Control Cycle Time: 0~150 sec (4~20mA=0, SSR=1, Relay=10) or better Control Dead Band Time: 0~1000 sec (dead time compensation) or better Alarm: at least 17 Modes Retransmission output: Output Signal SP, PV, (4~20mA, 0~20mA, 0~5V, 0~10V, 1~5V, 2~10V) Relay Output: Electromechanical relay Current and Voltage outputs: 0~20mA, 4~20mA, 0~5V, 0~10V, 1~5V, 2~10V Rated Power Supply: AC 85 ~ 265V, 50Hz Ambient Temperature -20°C ~ 65°C (-4°F ~ 149°F) Ambient Humidity 50 ~ 85% RH (non-condensing) Output: 2 relay outputs contacts rated for 3A at 230VA Mode: Auto/Manual Programs: 2 programs of 8 segments each or better Display: Dual colour Display for PV, SP, configuration parameters Indication: PV/SP Indication 4-digit, 7 segment display Indication Accuracy: +/-0.2% FS or better Constant Value Storage System: Non-volatile memory (EEPROM) Warranty: 1 year from date of acceptance Reference Makes & Models: Honeywell DC1040CT 112 000 E NOTE: 1. Detailed product catalogue to be enclosed with the offer. 2. Vendor may visit site to understand the requirement, if required. 3. Calibration certificate with traceability to be provided.</p>	10	NO	120 DAYS
---	--	----	----	----------

3	<p>Digital Temperature Controller 1 loop</p> <p>SPECIFICATION: Description: Digital Programmable Temperature Controller Control: PID or ON/OFF (user selectable) Controller Function: Single Loop with autotune, on/off and valve positioning Program: 10 x 24 segment program or better (including hold, ramp, dwell, step etc.) Exterior Dimensions: 96mm * 96mm (W * H) Panel Cut-out Dimensions: 92mm * 92mm (W * H) Mounting: Panel mounting, DIN Rail mount Controller Supply Voltage: 100 - 230Vac +/-15% (48 to 62Hz) Operating Temperature: 0 to 55°C or better Operating/Storage Humidity: 5% to 90% RH non-condensing Display: PV/SP indication in dual-line, High visibility LCD with backlight or better Main PV: 5 digits, 4 decimal places; green/red bicolour (red in alarm) Second Line: 5 character 16 segment text or numeric Third Line: 16 segment scrolling text or numeric display Additional Display Functions: Program status indicator (ramp up, ramp down or dwell), Output indicators, Alarm indication, Units Input: Thermocouple (K, J, R, S and others), linear (mA, voltage) and RTDs. Accuracy ±0.1% of reading Front of Panel Sealing Protection: Standard bezel, compatible to IP65 or better Rear of Panel Protection: IP10 or better Outputs: 2 Relay and 1 linear (mA and voltage) Relay ratings: Outputs contacts Min 100mA @ 12V and Max 2A @ 264V AC resistive or better DC Analog Output ratings: Output Current: 0 - 20mA, lesser than 550 ohm load resistance, with calibration accuracy: ±(0.5% of reading + 100uA offset) or better Output Voltage: 0-10VDC, greater than 450 ohm load resistance, with calibration accuracy: ±(0.5% of reading + 50mV offset) or better Resolution for DC analog output: 13.5 bit or better Sample Time: Process Inputs 50ms (20Hz), Thermocouple 62.5ms (16Hz), RTD 100ms (10Hz) or better Mains Rejection (48-62Hz): Series mode rejection >80dB, Common mode rejection >150dB or better Sensor Break: AC sensor break. Break detected within 3 seconds or better Input Filtering: OFF to 60 seconds filter time constant or better User Calibration: User 2-point input adjust (offset/gradient), transmitter output scaling. Approvals and Certification: CE, RoHS, ISO or equivalent Electromagnetic Compatibility (EMC): shall be of industrial grade Warranty: 1 year from date of acceptance Reference Make & Model: Eurotherm EPC3004/P10/VH/D1/R1/R1/XX/XX/XX/XX/XXX/XXXX/XXXX/XX</p>	8	NO	120 DAYS
---	--	---	----	----------

	<p>NOTE: 1. Detailed product catalogue to be enclosed with the offer. 2. Vendor may visit site to understand the requirement, if required. 3. Calibration certificate with traceability to be provided.</p>			
4	<p><u>Digital Temperature Controller 2 loop</u></p> <p>SPECIFICATION: Description: Digital Programmable Temperature Controller No. of loops: 2 loops or better Options: Single, Cascade, Ratio or Override Modes: PID, ON/OFF or Valve Position Program: 20 programs or better No. of profiles: 1, 2 or 3 profiles No. of segments: 500 time to target segments (max.) or 400 ramp rate segments (max.) or better Event outputs: Up to 16 or better Exterior Dimensions: 96mm * 96mm (W * H) Panel Cut-out Dimensions: 92mm * 92mm (W * H) Mounting: Panel mounting, DIN Rail mount Power Supply: 85 to 260VAC, 50/60Hz or better Operating Temperature: 0 to 50°C or better Operating Humidity: 5 to 95% RH non-condensing or better IP rating: IP65 or better Input Ranges: mV, mA, volts or RTD (PT100) Precision PV input Accuracy: ±0.1% or better Thermocouple types: J, K, I, N, R, and others Indication: Dual 5-digit display of process value and set-point with an LCD panel for display of alarm messages, programmer and loop status information or better Precision PV input Accuracy: ±0.1% or better No. of PV inputs: 2 or better Analogue Input: 0 to 20mA Analogue output: DC Retransmission (0 to 20mA or 0 to 10Vdc) Digital Output: Dual Relay Electromagnetic Compatibility (EMC): shall be of industrial grade Approvals and Certification: CE, RoHS, ISO or equivalent Warranty: 1 year from date of acceptance Reference Makes & Models: Eurotherm 2604 VH 323 XX D6 PV D6 RR PV Y2 XX ENG XX TS0 XX</p> <p>NOTE: 1. Detailed product catalogue to be enclosed with the offer. 2. Vendor may visit site to understand the requirement, if required. 3. Calibration certificate with traceability to be provided.</p>	2	NO	120 DAYS

PR No: 89905342

PRE-QUALIFICATION CRITERIA:

If the vendor does not qualify as per pre-qualification criteria, the technical offer of such bidder / vendor offer will not be evaluated.

- I) The bidder should have supplied temperature or program controllers to any PSU / government / semi government organization / joint venture company of PSUS or Govt. Organization or both / private sector company registered under companies act 1956, in last five (05) years as on date of tender opening.
- II) Valid PO or any other document supporting the supply of similar controllers should be submitted along with the offer.

BHEL reserves the right to verify all information submitted by the bidders. Bidders shall be disqualified if any information is found to be false.

K
SUKUMARAN

Digitally signed by K
SUKUMARAN
Date: 2023.04.06
16:20:18 +05'30'

Annexure – A- Additional Terms and Conditions for GeM Enquiry

The terms and condition mentioned in this document are applicable in addition to the GeM General Terms and Conditions. Bidders shall furnish pointwise confirmation/details.

<i>To be filled by bidder</i>		
Description of the Equipment:		
GeM Tender No. & Date		
Name of the firm (Bidder)		:
Address		:
Contact details	<u>Contact person 1</u> Name: Designation: Office Phone: Mobile: e-mail: <u>Contact person 2</u> Name: Designation: Office Phone: Mobile: e-mail:	
Offer/Quotation reference with date		:
Sl. No	Terms and conditions	Vendor's confirmation
1.	Technical: Supply of Digital Programmable Temperature Controllers required for various machines/furnaces shall be as per technical Specifications attached with the enquiry. Bidder shall comply the technical specification as per the enquiry. Any clarifications/deviations to the specification requirements are to be clearly indicated in the above format. Hidden deviations indicated elsewhere in the offer will not be evaluated.	
2.	Pre-qualification requirement: Offer shall be considered only if bidder is meeting Tender Prequalification requirement (Annexure-B). Vendor to comply with Pre-Qualification requirement of the tender and submit along with their technical bid - the credentials and other documents as indicated in the PQR in the format prescribed. Otherwise their offer will get rejected.	
3.	Inspection by BHEL/as per Technical specification(if any).	
4.	Vendor offers will be considered for price bid opening subject to fulfilment of techno commercial suitability.	
5.	Evaluation of tender will be item wise.	
6.	Payment terms: <ol style="list-style-type: none"> 1. Payment terms for Non MSME Suppliers: Within 90 days after CRAC 2. Dealers/Traders (if the quoted items are not manufactured by the supplier) shall be considered as Non-MSME supplier for this tender. 3. Payment terms for Micro & Small Enterprises (MSEs): Within 45 days after CRAC. To entitle the above payment terms, the supplier should be manufacturer of the offered item and should upload UDYAM Registration Certificate in proof of MSE. 	

	<p>4. Payment terms for Medium Enterprises: Within 60 days after CRAC. To entitle the above payment terms, the supplier should be manufacturer of the offered item and should upload UDYAM Registration Certificate in proof of Medium Enterprises.</p> <p>Payment shall be as per above terms. This a mandatory deemed accepted clause if you are submitted your offer through GeM. Any deviation in this clause anywhere in the offer will be ignored. If a supplier has submitted their offer against this enquiry, it shall be construed that they have accepted the above payment terms relevant to their MSME category without any deviation (Dealers/Traders (if the quoted items are not manufactured by the supplier) shall be considered as Non-MSME supplier for this tender). In case of Auto PRC/CRAC, Payment due date shall be calculated from CRAC date or material acceptance date by BHEL whichever is later.</p>	
7.	<p>Firm Price: The quoted / finalised rates shall be Firm till execution of the supplies. Offer with PVC clause will not be considered.</p>	
8.	<p>Liquidated Damages: LD terms shall be as per GeM General Terms and Conditions. Invoice date/Bill of Lading date/Airway Bill date/Lorry way bill date/e-waybill/Railway Receipt date, whichever is later will be considered for LD calculation.</p>	
9.	<p>Delivery term: The quote shall be on FOR BHEL Trichy destination basis inclusive of Packing, forwarding, Freight also to yours account. Transit Insurance is under Supplier scope.</p>	
10.	<p>Performance Bank Guarantee: Not Applicable</p>	
11.	<p>If Guarantee / Warranty period is applicable as per tender specification, No deviation is permitted and deviated offers are liable for rejection.</p>	
12.	<p>Repair & replacements: Within the guarantee period vendor has to replace / rectify the defective/ damaged items on free of cost within a reasonable time of reporting from our end.</p>	
13.	<p>Kindly Indicate the HSN Code for all items</p>	HSN CODE : _____
14.	<p>Rate quoted in GeM portal should be on FOR destination basis inclusive of all taxes, freight etc. Transit Insurance is under Supplier scope.</p> <p>Please indicate the applicable GST %, P & F and freight cost (in % of material cost), which is included in your quoted rate in GeM portal.</p>	GST in %: _____
15.	<p>Documents are to be submitted along with technical bid (Part-1)</p> <ol style="list-style-type: none"> 01. Covering letter 02. Unpriced offer. 03. Filled up and signed technical specification (GeM Tender catalogue). 04. Filled BHEL Terms and condition sheet (Annexure-A). 05. Filled Annexure-B - PQR along with supporting documents. 06. Documents required along with offer as per technical specification 07. Product Catalogues (if any). 08. MSE UDYAM Certificate (if applicable). 	

	<p>09. Self-certification for local content declaration as per Make In India Policy</p> <p>Note: All the pages of documents are to be signed and sealed by authorized signatory of the company. Any query during enquiry stage shall be replied within two days failing which offer may be rejected as non-responsive.</p>	
16.	<p>Inspection and testing requirements: Inspection and testing requirements are to be carried out as per the specification and BHEL Technical specifications in the enquiry. All test certificates are to be submitted while supply. If required by BHEL, test certificates to be produced before supply.</p>	
17.	<p>Response to Tenders for Indigenous supplier will be entertained only if the vendor has a valid GST registration Number (GSTIN) which should be clearly mentioned in the offer. If the dealer is exempted from GST registration, a declaration with due supporting documents need to be furnished for considering the offer. Dealers under composition scheme should declare that he is a composition dealer supported by the screen shot taken from GSTN portal. The dealer has to submit necessary documents if there is any change in status under GST.</p>	
18.	<p>PACKING AND MARKING: The supplier shall arrange for securely protecting and packing the stores to avoid loss or damages during transit. (Wherever if applicable).Also, Supplier to comply for packing & marking as per Technical specification.</p>	
19.	<p>Supplier shall mention their GSTIN in all their invoices (incl. credit Notes, Debit Notes) and invoices shall be in the format as specified/prescribed under GST laws. Invoices shall necessarily contain Invoice number (in case of multiple numbering system is being followed for billing like SAP invoice no, commercial invoice no etc., then the Invoice No. which is linked/uploaded in GSTN network shall be clearly indicated), Billed to party (with GSTIN) & Shipped to party details, item description as per PO, Quantity, Rate, Value, applicable taxes with nomenclature (like IGST, SGST, CGST & UTGST) separately, HSN/ SAC Code, Place of Supply etc. Wherever E-Invoice is applicable, the tax invoice/ CN / DN submitted by the vendor must contain the QR code generated in E-Invoice Portal & IRN.</p>	
20.	<p>All invoices shall bear the HSN Code for each item separately (Harmonized System of Nomenclature)/ SAC code (Services Accounting Code).</p>	
21.	<p>Invoices will be processed only upon completion of statutory requirement and further subject to following:</p> <ul style="list-style-type: none"> • Vendor declaring such invoice in their GSTR-1 Return/ IFF • Receipt of Goods or Services and Tax invoice by BHEL. 	
22.	<p>As the continuous uploading of tax invoices in GSTN portal (in GSTR-1/ IFF) is available for all (i.e. both Small & Large) tax payers, all invoices raised on BHEL may be uploaded immediately in GST portal on dispatch of material /rendering of services. The supplier shall ensure availability of Invoice in GSTN portal before submission of invoice to BHEL. Invoices will be admitted by BHEL only if the invoices are available in GSTN portal (in BHEL's GSTR-2A/ GSTR-2B).</p>	
23.	<p>In case of discrepancy in the data uploaded by the supplier in the GSTN portal or in case of any shortages or rejection in the supply, then BHEL will not be able to avail the tax credit and will notify the supplier of the same. Supplier has to rectify the data discrepancy in the GSTN portal or</p>	

	issue credit note or debit note (details also to be uploaded in GSTN portal) for the shortages or rejections in the supplies or additional claims, within the calendar month informed by BHEL.	
24.	In cases where invoice details have been uploaded by the vendor but failed to remit the GST amount to GST Department (Form PMT-08 or Form GST RET-01 to be submitted) within stipulated time, then GST paid on the invoices pertaining to the month for which GST return not filed by the vendor will be recovered from the vendor along with the applicable interest (currently 24% p.a) and all subsequent bills of the vendor will not be processed till filing of the GST return by the vendor	
25.	In case GST credit is denied to BHEL due to non-receipt or delayed receipt of goods and/ or tax invoice or expiry of timeline prescribed in GST law for availing such ITC, or any other reasons not attributable to BHEL, GST amount claimed in the invoice shall be disallowed to the vendor.	
26.	Where any GST liability arising on BHEL under Reverse Charge (RCM), the vendor has to submit the invoices to BHEL well within the timeline prescribed in GST Law, to enable BHEL to discharge the GST liability. If there is a delay in submission of invoice by the vendor resulting in delayed payment of GST by BHEL along with Interest, then such Interest payable or paid shall be recovered from the vendor.	
27.	GST TDS will be deducted as per Section 51 of CGST Act 2017 and in line with Notification 50/2018 –Central Tax dated 13.09.2018. GST TDS certificate will be generated in GSTN portal subsequent to vendor accepting the TDS deduction in the GSTN portal & the vendor can directly download the Certificate from the GSTN Portal.	
28.	<p>As per the provisions of Section 194Q of the Income Tax Act, we BHARAT HEAVY ELECTRICALS LIMITED, HPBP, TRICHY having PAN AAACB4146P, had turnover in the preceding financial year for more than Rs 10 Crores.</p> <p>Hence, we are liable as buyer to deduct tax at source on the payment for invoices issued by Supplier on or after 1st July 2021. Accordingly, discontinue charging TCS u/s 206C(1H) on invoices issued from 1st Jul 2021 onward.</p> <p>We shall deduct the eligible TDS u/s 194Q on the payments for invoices issued on or after 1st Jul 2021. TDS deducted so, shall be deposited to the Income Tax Department, and TDS certificate to this effect. Tax credit of such TDS shall reflect in FORM26AS of the supplier at the end of same quarter in which TDS is deducted.</p> <p>For Suppliers who have not filed Income Tax returns for the last 2 preceding assessment years, TDS deduction at higher rates will be applicable as per Section 206AB and Section 206CCA of Income-tax act.</p>	
29.	GST CREDIT: Suppliers are advised to get registered to GSTN portal. Tenderer under "GST credit" shall be preferred.	
30.	<p>BILL PROCESSING METHOD:</p> <p>Supplier has to ensure the full quantity of material delivery within given PO delivery date to process the bill for payment. In case supplier fails to deliver full quantity within delivery date, bills received after PO delivery date will be processed after final despatch of the total pending supply. Further, bills will be clubbed and forwarded for payment processing as a single bunch.</p>	

31.	<p>MSE /START-UP VENDOR: <i>UDYAM Registration certificate shall be submitted by MSE vendors to avail MSE benefits. Start-up category certificate shall be submitted by start-up companies to avail exemption in Annual Turnover/Past experience if PQC stipulates requirement of Annual Turnover/Past experience.</i></p>	
32.	<p>Make in India Policy: Refer the Tender document regarding public procurement policy (Preference to Make in India), Order 2017. "Bidders shall ensure to apply for Make In India preference while quoting through GeM portal. Otherwise offer will not be considered. The local supplier at the time of tender, bidding or solicitation shall be required to provide self-certification that the item offered meets the minimum local content and shall give details of the Location(s) at which the local value addition is made."</p>	
33.	<p>BHEL has the right to test the materials at BHEL works, if required. If supplied materials are found not acceptable, then BHEL will inform to re-supply the materials as per tender specification mentioned in Purchase Order. If any subsequent failure of not meeting the tender specification, RISK PURCHASE is applicable for the full P.O quantity.</p>	
34.	<p>The offers of the bidders who are under suspension and also the offers of the bidders, who engage the services of the banned firms /principal/agents, shall be rejected. The list of banned firms is available on BHEL web site www.bhel.com</p>	
35.	<p>Fraud Prevention Policy Bidder along with its associate /collaborators /sub-contractors /sub-vendors / consultants / service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.</p>	
36.	<p>Risk purchase clause:</p> <p>a. In the event of any successful Tenderer's failure to fulfil any of the tender / Contract obligations including supply of whole or any part of the ordered items as per Contract / Agreement, BHEL has the right to terminate the contract and purchase from elsewhere, at the risk and cost of the defaulted supplier, either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated in the contract or if the same were not available, the best and nearest available substitute thereof. The supplier shall be liable for the additional expenditure/difference in Cost, if any, including consequential losses which BHEL may sustain by reason of risk purchase in addition to the applicable LD as per the Purchase order/contract.</p> <p>b) The decision of BHEL with regard to the additional expenditure / difference in cost and consequential losses incurred by BHEL shall be final and binding on the supplier.</p> <p>c) The amount recoverable under risk purchase shall be recovered from the defaulted supplier in all or any of the following manners:</p> <ol style="list-style-type: none"> i. from dues available in the form of Bills payable to defaulted supplier, SD, BGs against the same contract. ii. from the dues payable to defaulted supplier against other contracts in the same Region/Unit /any other region/unit iii. In-case recoveries are not possible with any of the above 	

	<p>available options, Legal action shall be initiated for recovery against defaulted supplier.</p> <p>iv. GST will be applicable to the amount recoverable under risk purchase</p>	
37.	<p><u>CONFLICT OF INTEREST:</u></p> <p>A bidder shall not have conflict of interest with other bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of Procuring Entity's interests. The bidder found to have a conflict of interest shall be disqualified. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:</p> <p>a) they have controlling partner (s) in common; or</p> <p>b) they receive or have received any direct or indirect subsidy financial stake from any of them; or</p> <p>c) they have the same legal representative/agent for purposes of this bid; or</p> <p>d) they have relationship with each other, directly or through common third parties, <u>that puts them in a position to have access to information about or influence on the bid of another Bidder;</u> or</p> <p>e) Bidder participates in more than one bid in this bidding process, Participation by a Bidder in more than one Bid will result in the disqualification of all bids in which the parties are involved. <u>However, this does not limit the inclusion of the components/ sub-assembly/ Assemblies from one bidding manufacturer in more than one bid;</u> or</p> <p>f) In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorise only one agent/dealer. There can be only one bid from the following:</p> <ol style="list-style-type: none"> 1. The principal manufacturer directly or through one Indian agent on his behalf; and 2. Indian/foreign agent on behalf of only one principal; <p style="text-align: center;">or</p> <p>g) A Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid, or</p> <p>h) In case of a holding company having more than one independently manufacturing units, or more than one unit having common business ownership/Management, only one unit shall quote. Similar restrictions would apply to closely related sister companies. Bidder must proactively declare such sister/common business/ management units in same/similar line of business.</p>	
38.	<p><u>Set off :</u> BHEL shall have the right to recover any money which in the sole opinion of BHEL is due from the supplier from any money due to the supplier under this Contract or any other contract or from the Security Deposit/BG furnished by the supplier under this Contract or any other contract.</p>	
39.	<p><u>Cartel Formation:</u></p> <p>The Bidder declares that they will not enter into any illegal or undisclosed agreement or understanding, whether formal or informal with other Bidder(s). This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce</p>	

	cartelization in the bidding process. In case, the Bidder is found having indulged in above activities, suitable action shall be taken by BHEL as per extant policies/ guidelines.	
40.	The following documents are to be sent along with consignment to store: One Duplicate for Transporter copy of tax invoice + one extra copy of tax invoice + Delivery challan + LR COPY+E-Way bill+ Test Certificates (if applicable).	
41.	Seller Tax invoice, LR copy, E-Way bill, Courier docket etc. are to be uploaded in GeM portal while updating dispatch details in GeM portal	
42.	Seller Tax invoices (Original for Recipient + Duplicate for Transporter) either in Original hard copies or Digitally Signed Soft copies along with copy of LR + E-Way bill are to be sent to the buyer	
43.	Any change in applicable rates of Tax or any other statutory levies (Direct / Indirect) or any new introduction of any levy by means of statute and its corresponding liability for the deliveries beyond the agreed delivery date for reasons not attributable to BHEL will be to vendors account. BHEL will not reimburse the same and any subsequent claim in this respect will be summarily rejected.	
	<p>Note:</p> <ol style="list-style-type: none"> 1. In the event of our customer order covering this tender being cancelled /placed on hold / otherwise modified, BHEL would be constrained to accordingly cancel / hold / modify the tender at any stage of execution. 2. BHEL may negotiate the L1 rate, if not meeting our budget / estimated cost. BHEL may re-float the tender opened, if L1 price is not acceptable to BHEL. 3. BHEL reserves its right to reject an offer due to unsatisfactory past performance by the respective Vendor in the execution of any contract to any BHEL project / Unit. 4. Any other commercial terms indicated by the vendor in their offer elsewhere will be ignored. BHEL will proceed with tender evaluation as per Annexure-A and GeM general terms and conditions only. 	

/ On Bidder's office letter pad /

Self-Declaration

Enquiry No.	
Enquiry Date	

In line with Government public procurement order Number P-45021/2/2017-B.E-II dated 15.06.2017, and further modified order dt. 28.05.2018, 29.05.2019 & order 04.06.2020 issued by DPIIT

I / We hereby declare that I / We are a "Local Supplier" meeting the requirement of minimum local content (..... %) defined in the above government notification for the goods against above mentioned enquiry Number.

Details of location at which local value addition will be made is as follows:

Door No.	
Street / Address 1	
Street / Address 2	
District	
State	
Country	
PIN Code	

We also understand that the false declarations will be in breach of the code of Integrity under rule 175(1)(i)(h) of the General financial rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

For Company Name:

Seal:

Signature:

Date:

Place:

Note:

" Local Content "means the amount of value added in India which shall ,unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured(excluding net domestic indirect taxes) minus the value of imported content in the item(including all customs duties) as a proportion of the total value, in percent. "Local Supplier "means a supplier or service provider whose product or service offered for procurement meets the minimum local content.

The above declaration shall be submitted mandatorily along with the offer in company letter head with seal & signature.

(Please fill all the yellow color field)