

## Technical Specifications


SL. No	Description and Technical Specification of the item	QTY	UNIT	Delivery
1	<p>SS Wire Brush 3 Row with plastic body</p> <p>Stainless Steel(SS) Wire Brush 3 Row with plastic body.</p> <p>Technical Specifications:</p> <p>1- As per SCHEMATIC DIAGRAM FOR 3 Row WIRE BRUSH.</p> <p>2- Body - plastic.</p> <p>3- Wire material - Stainless Steel.</p> <p>4- Overall length - 275 mm to 310 mm.</p> <p>5- Width of brush = prefer 25 mm (maximum 36 mm).</p> <p>6- Each tuft shall comprise minimum 32 strands (each strands length range: 30 mm - 40 mm)</p> <p>7- Three Row (middle row - minimum 15 tufts, both corner row = minimum 14 tufts).</p> <p>8- Wire brush shall have minimum 43 tufts and maximum 55 tufts.</p> <p>Total strands - 1900 (minimum).</p> <p>9- The filling wire comprising the tufts shall satisfy the following test.</p> <p>9.1 The binding or the anchorage of each tuft shall remain rigid inside the tuft hole and no filament shall come out when the individual tuft is subjected to a straight pull with thumb and finger grip.</p> <p>9.2 Bend Test - The filling wire shall be capable of being bent to an angle of 180° and when straightened, it shall do so without fracture. When doubled over a mandrel having a diameter of 6 mm, it shall, on release, return to an angle of 45°.</p>	1500.00	NO	Staggered delivery

### Delivery schedule:

Lot 1: 20 numbers - within 20 Days from date of GEM Contract.


Lot 2: 1480 numbers - within 90 Days from date of GEM Contract.

ALL DIMENSIONS ARE IN MM



NOTE:

1. STAINLESS STEEL (SS) WIRE BRUSH (3 ROW) WITH PLASTIC BODY.
2. TOTAL STRANDS-1900 MINIMUM.
3. WIDTH OF BRUSH PREFER 25MM (MAX. 36MM).
4. HANDLE SHAPE SHOULD PROVIDE PROPER GRIP.



SCHEMATIC DIAGRAM FOR WIRE BRUSH

Sl. No.	Pre-Qualification Criteria (PQC)	Bidder Remark
1	Seal and Sign on "Schematic diagram for Wire brush" for technical confirmation.	
2	<p>Stainless Steel(SS) Wire Brush 3 Row with plastic body.</p> <p>Technical Specifications:</p> <p>1- As per SCHEMATIC DIAGRAM FOR 3 Row WIRE BRUSH.</p> <p>2- Body - plastic.</p> <p>3- Wire material - Stainless Steel.</p> <p>4- Overall length - 275 mm to 310 mm.</p> <p>5- Width of brush = prefer 25 mm (maximum 36 mm).</p> <p>6- Each tuft shall comprise minimum 32 strands (each strands length range: 30 mm-40 mm)</p> <p>7- Three Row (middle row - minimum 15 tufts, both corner row = minimum 14 tufts).</p> <p>8- Wire brush shall have minimum 43 tufts and maximum 55 tufts.Total strands - 1900 (minimum).</p> <p>9- The filling wire comprising the tufts shall satisfy the following test.</p> <p>9.1 The binding or the anchorage of each tuft shall remain rigid inside the tuft hole and no filament shall come out when the individual tuft is subjected to a straight pull with thumb and finger grip.</p> <p>9.2 Bend Test - The filling wire shall be capable of being bent to an angle of 180° and when straightened, it shall do so without fracture. When doubled over a mandrel having a diameter of 6 mm, it shall, on release, return to an angle of 45°.</p>	

Seal and Sign

**Annexure – A- Additional Terms and Conditions for GeM Enquiry**

The terms and condition mentioned in this document are applicable in addition to the GeM General Terms and Conditions. Bidders shall furnish pointwise confirmation/details.

<b><u>To be filled by bidder</u></b>		
<b>Description of the Equipment:</b>		
<b>GeM Tender No. &amp; Date</b>		
<b>Name of the firm (Bidder)</b>		:
<b>Address</b>		:
<b><u>Contact person 1</u></b> <b>Name:</b> <b>Designation:</b> <b>Office Phone:</b> <b>Mobile:</b> <b>e-mail:</b>		<b><u>Contact person 2</u></b> <b>Name:</b> <b>Designation:</b> <b>Office Phone:</b> <b>Mobile:</b> <b>e-mail:</b>
<b>Offer/Quotation reference with date</b>		:
<b>Sl</b>	<b>Terms and conditions</b>	<b>Vendor's confirmation</b>
1.	Inspection by BHEL/as per Technical specification(if any).	
2.	<b>Payment terms:</b> <ol style="list-style-type: none"> <li>1. Payment terms for Non MSME Suppliers: 90 days from the Vehicle entry date (Against submission of GST invoice, GeM invoice, LR copy, Last Movement e-Way Bill, UD).</li> <li>2. Payment terms for Micro &amp; Small Enterprises (MSEs): 45 days from the Vehicle entry date (Against submission of GST invoice, GeM invoice, LR copy, Last Movement e-Way Bill, UD). The supplier should upload UDYAM Registration Certificate in proof of MSE.</li> <li>3. Payment terms for Medium Enterprises: 60 days from the Vehicle entry date (Against submission of GST invoice, GeM invoice, LR copy, Last Movement e-Way Bill, UD). The supplier should upload UDYAM Registration Certificate in proof of Medium Enterprises.</li> </ol> <b>Note:</b> Deviation in above payment terms is not acceptable.	
3.	Response to Tenders for Indigenous supplier will be entertained only if the vendor has a valid GST registration number which should clearly mentioned in the offer. Indicate the GST registration number. If any specific exemption is available, a declaration with due supporting documents need to be furnished for considering the offer.	GST Registration No. _____
4.	<b>EMD / Performance Security:</b>	Not Applicable
5.	Kindly Indicate the HSN Code for all items	HSN CODE : ____
6.	Rate quoted in GeM portal should be on FOR destination basis inclusive of all taxes, P&F, freight etc. Transit Insurance is under Supplier scope.  Please indicate how much GST percentage is included in quoted price.	GST in %: ____

Vendor's Seal & Signature