

Technical Specifications

SL. No	Description and Technical Specification of the item	QTY	UNIT	Delivery
1	<p>ER70S-A1 GMAW WIRE DIA 1.20MM:</p> <p>GMAW WIRE ER70S-A1(Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).</p> <p>The wires are intended for use as a welding electrode in GMAW process with Argon plus 5% to 20% CO2 gas shielding for radiographic quality high pressure boiler components.</p> <p>The chemical composition of the wire shall conform to ASME BPVC.II.C-2025 SFA-5.28, ER70S-A1.</p> <p>MECHANICAL PROPERTIES: Mechanical properties of the wire shall conform to ASME BPVC.II.C-2025 SFA-5.28, ER70S-A1 with 95% argon + 5% CO2 gas shielding.</p>	1400	KG	42 Days
2	<p>GMAW WIRE ER90S-B92 Diameter 1.2 mm:</p> <p>GMAW WIRE ER90S-B92 (Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).</p> <p>The wires are intended for use as a welding electrode in GMAW process with Argon plus 5% to 20% CO2 gas shielding for radiographic quality high pressure boiler components.</p> <p>The chemical composition of the wire shall conform to ASME BPVC.II.C- 2025 SFA-5.28, ER90S-B92 and additionally, (Mn+Ni =1.2%) and minimum Nitrogen content = (0.5xAl+0.03) %.</p> <p>MECHANICAL PROPERTIES: As per ASME BPVC.II.C-2025 SFA-5.28, ER90S-B92.</p>	1000	KG	150 days

3	<p>ER90S-B91 GMAW WIRE Diameter 1.2 mm:</p> <p>GMAW WIRE ER90S-B91(Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).</p> <p>The wires are intended for use as a welding electrode in GMAW process with Argon plus 5% to 20% CO2 gas shielding for radiographic quality high pressure boiler components.</p> <p>The chemical composition of the wire shall conform to ASME BPVC.II.C-2025 SFA-5.28, ER90S-B91 and additionally, (Mn+Ni =1.2%) and Nitrogen content = (0.5xAl+0.03) % minimum.</p> <p>MECHANICAL PROPERTIES: Mechanical properties of the wire shall conform to ASME BPVC.II.C-2025 SFA-5.28, ER90S-B91 with 95% argon + 5% CO2 gas shielding. Hardness of weld metal and HAZ shall be 195 HV to 320 HV.</p>	2000	KG	90 days
---	--	------	----	---------

RADIOGRAPHIC SOUNDNESS and USABILITY:

The wire when used in GMAW process with Argon plus 5% to 20% CO2 shall deposit a weld metal that flows freely, uniformly without sputtering or other defects and shall exhibit excellent wetting characteristics.

The resultant weld metal shall be smooth, uniform with no visible evidence of cracks, porosity or other defects and shall meet the radiographic soundness requirements ASME BPVC.II.C-2025 SFA-5.28, ER90S-B91.

The wire shall be supplied in diameter 1.2 mm as specified in the purchase order. The tolerance on diameter shall be as per SFA-5.02.

FORM and WEIGHT:

Plastic Spools (prefer Outer diameter 300 mm Maximum) as per "12 in [300 mm] Spools" of SFA-5.02/SFA-5.02M.

The wire shall be precision layer wound in "12 in [300 mm] Spools" as mentioned in the purchase order and the net weight of the wire shall be 15Kg. The spools shall meet the clause 5.3.4 of SFA-5.02. FINISH and UNIFORMITY, WINDING REQUIREMENTS, IDENTIFICATION and MARKING: as per SFA-5.02 (ASME BPVC.II.C-2025 SFA-5.28).

PACKAGING:

The wire should be completely devoid of moisture or any other foreign material with adequate sealing in suitable cartons to ensure no deterioration in the wire quality during transportation by sea or long duration storage.

The cartons shall be packed in waterproof boxes with crates so as to protect them from damage during shipment and storage under normal conditions. Weight of each crate shall not exceed 1000kg. The cartons shall have product information as per clause 4.6 of SFA-5.02

Test Certificate:

A copy of valid IBR approval certificate for the brand being supplied and manufacturer test certificate shall be sent along with every consignment

(OR)

Original Certified Material Test Report in English countersigned by Inspecting Authority approved by IBR (Latest) giving details of tests done for compliance to this Purchase instruction and ASME BPVC.II.C-2025, ER90S-B91 shall be sent.

GUARANTEE/WARRANTY:

The Guarantee/Warranty period shall remain valid for 17 months from the date of material acceptance at BHEL Trichy, or 18 months from the date both "the material and the required test certificates as per tender" are received at BHEL Trichy, whichever occurs first.

Note 1: The Wire shall be precision layer wound on spools so that kinks, waves, sharp bends, overlapping or wedging are not encountered, leaving the wire free to unwind without restriction. The outside end of the wire (The end with which welding is to begin) shall be identified so that it can be located readily and shall be fastened to avoid unwinding.

Note 2: The cast helix and temper of wire spools shall be such that the filler wire will feed in an uninterrupted manner.

Sign. of the AUTHORISED SIGNATORY
(With Name, Designation and Company seal)

Sl. No.	Pre –Qualification Criteria	Bidder remark
1	If Bidder is a manufacturer, Confirm “Yes or, No” in bidder remark.	
2	<p>Bidder shall be a manufacturer of the Quoted items or an authorized dealer of the same.</p> <p>If the offer is quoted by authorized dealer, letter of authorization or agreement duly signed by the manufacturer is required to consider the offer.</p> <p>Tender Enquiry details must available on Letter of authorization or agreement to consider the offer.</p>	
3	Quoted Welding Consumables Brand Name/Product Name	
4	Quoted Product Catalogue	
5	Manufacturing Plant Address / Mill Address	
6	Manufacturer/Bidder shall submit manufacturing process flow chart (Raw material to finished product) along with offer for Quoted Item	
7	Manufacturer/Bidder shall submit a valid ISO 9001 certificate or Quality management system certificate or Written down procedure for ISO 9001 or A valid ISO 45001 certificate or Written down procedure for Quality inspection.	

Seal and Sign of Authorized Person

Sl. No.	Pre –Qualification Criteria PR	Bidder remark
8	Manufacturing Plant capacity for quoted material	
9	Any deviation from the Specification are to be mentioned in the “Bidder remark Space”. If There is no deviation vendor should indicate “No Deviation”.	
10	Wire Diameter details Spool Weight details	
11	<p>Manufacturer/Bidder shall have successful experience for supplying of “GMAW Wire, GTAW Wire/Rod” to any govt. Organizations/ PSUs/ Public ltd./ Company/Reputed Industries etc.</p> <p>Purchase orders copies/ related documents to be submitted along with offer to consider the offer.</p> <p>Note: Successful experience means – supplied and accepted.</p>	

Seal and Sign of Authorized Person

GMAW WIRE ER70S-A1(Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).

The wires are intended for use as a welding electrode in GMAW process with Argon plus 5% to 20% CO₂ gas shielding for radiographic quality high pressure boiler components.

The chemical composition of the wire shall conform to ASME BPVC.II.C-2025 SFA-5.28, ER70S-A1.

MECHANICAL PROPERTIES: Mechanical properties of the wire shall conform to ASME BPVC.II.C-2025 SFA-5.28, ER70S-A1 with 95% argon + 5% CO₂ gas shielding.

RADIOGRAPHIC SOUNDNESS and USABILITY:

The wire when used in GMAW process with Argon plus 5% to 20% CO₂ shall deposit a weld metal that flows freely, uniformly without sputtering or other defects and shall exhibit excellent wetting characteristics.

The resultant weld metal shall be smooth, uniform with no visible evidence of cracks, porosity or other defects and shall meet the radiographic soundness requirements ASME BPVC.II.C-2025 SFA-5.28, ER70S-A1

The wire shall be supplied in diameter 1.2 mm as specified in the purchase order. The tolerance on diameter shall be as per SFA-5.02.

FORM and WEIGHT:

Plastic Spools (prefer Maximum Outer diameter 300 mm) as per "12 in [300 mm] Spools" of SFA-5.02/SFA-5.02M.

The wire shall be precision layer wound in "12 in [300 mm] Spools" as mentioned in the purchase order and the net weight of the wire shall be 15Kg. The spools shall meet the clause 5.3.4 of SFA-5.02.

FINISH and UNIFORMITY, WINDING REQUIREMENTS, IDENTIFICATION and MARKING: As per SFA-5.02 (ASME BPVC.II.C-2025 SFA-5.28).

PACKAGING:

The wire should be completely devoid of moisture or any other foreign material with adequate sealing in suitable cartons to ensure no deterioration in the wire quality during transportation by sea or long duration storage.

The cartons shall be packed in waterproof boxes with crates so as to protect them from damage during shipment and storage under normal conditions. Weight of each crate shall not exceed 1000kg. The cartons shall have product information as per clause 4.6 of SFA-5.02

Test Certificate:

A copy of valid IBR approval certificate for the brand being supplied and manufacturer test certificate shall be sent along with every consignment

(OR)

GMAW WIRE ER70S-A1(Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).

Original Certified Material Test Report in English countersigned by Inspecting Authority approved by IBR (Latest)giving details of tests done for compliance to this Purchase instruction and ASME BPVC.II.C-2025, ER70S-A1 shall be sent.

GUARANTEE/WARRANTY: The Guarantee/Warranty period shall remain valid for 17 months from the date of material acceptance at BHEL Trichy, or 18 months from the date both “the material and the required test certificates as per tender” are received at BHEL Trichy, whichever occurs first.

Note:

- The Wire shall be uniformly copper coated and shall have a smooth and glossy finish that is free from slivers, depressions, scratches, scales, seams, laps, drawing fluids and foreign matter that would adversely affect the welding characteristics, the operation of Welding equipment, or properties of Weld metal. The copper coating shall be well adhered without any flaking so as to ensure against any rusting during long storage and also ensuring good electrical conductivity.
- The Wire shall be precision layer wound on spools so that kinks, waves, sharp bends, overlapping or wedging are not encountered, leaving the wire free to unwind without restriction. The outside end of the wire (The end with which welding is to begin) shall be identified so that it can be located readily and shall be fastened to avoid unwinding.
- The cast helix and temper of wire spools shall be such that the filler wire will feed in an uninterrupted manner.

GMAW WIRE ER90S-B92 (Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).

GMAW WIRE ER90S-B92 (Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).

The wires are intended for use as a welding electrode in GMAW process with Argon plus 5% to 20% CO₂ gas shielding for radiographic quality high pressure boiler components.

The chemical composition of the wire shall conform to ASME BPVC.II.C-2025 SFA-5.28, ER90S-B92 and additionally, (Mn+Ni =1.2%) and minimum Nitrogen content = (0.5xAl+0.03) %.

MECHANICAL PROPERTIES: As per ASME BPVC.II.C-2025 SFA-5.28, ER90S-B92.

RADIOGRAPHIC SOUNDNESS and USABILITY:

The wire when used in GMAW process with Argon plus 5% to 20% CO₂ shall deposit a weld metal that flows freely, uniformly without sputtering or other defects and shall exhibit excellent wetting characteristics.

The resultant weld metal shall be smooth, uniform with no visible evidence of cracks, porosity or other defects and shall meet the radiographic soundness requirements ASME BPVC.II.C-2025 SFA-5.28, ER90S-B92

The wire shall be supplied in diameter 1.2 mm as specified in the purchase order. The tolerance on diameter shall be as per SFA-5.02.

FORM and WEIGHT:

Plastic Spools (prefer Maximum diameter 300 mm) as per "12 in [300 mm] Spools" of SFA-5.02/SFA-5.02M.

The wire shall be precision layer wound in "12 in [300 mm] Spools" as mentioned in the purchase order and the net weight of the wire shall be 15Kg. The spools shall meet the clause 5.3.4 of SFA-5.02.

FINISH and UNIFORMITY, WINDING REQUIREMENTS, IDENTIFICATION and MARKING:

As per SFA-5.02 (ASME BPVC.II.C-2025 SFA-5.28).

PACKAGING:

The wire should be completely devoid of moisture or any other foreign material with adequate sealing in suitable cartons to ensure no deterioration in the wire quality during transportation by sea or long duration storage.

The cartons shall be packed in waterproof boxes with crates so as to protect them from damage during shipment and storage under normal conditions. Weight of each crate shall not exceed 1000kg. The cartons shall have product information as per clause 4.6 of SFA-5.02

GMAW WIRE ER90S-B92 (Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).

Test Certificate:

A copy of valid IBR approval certificate for the brand being supplied and manufacturer test certificate shall be sent along with every consignment.

(Or)

Original Certified Material Test Report in English countersigned by Inspecting Authority approved by IBR (Latest) giving details of tests done for compliance to this Purchase instruction and ASME BPVC.II.C-2025, ER90S-B92 shall be sent.

GUARANTEE/WARRANTY: The Guarantee/Warranty period shall remain valid for 17 months from the date of material acceptance at BHEL Trichy, or 18 months from the date both “the material and the required test certificates as per tender” are received at BHEL Trichy, whichever occurs first.

Note 1: The Wire shall be precision layer wound on spools so that kinks, waves, sharp bends, overlapping or wedging are not encountered, leaving the wire free to unwind without restriction. The outside end of the wire (The end with which welding is to begin) shall be identified so that it can be located readily and shall be fastened to avoid unwinding.

Note 2: The cast helix and temper of wire spools shall be such that the filler wire will feed in an uninterrupted manner.

GMAW WIRE ER90S-B91(Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).

GMAW WIRE ER90S-B91(Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).

The wires are intended for use as a welding electrode in GMAW process with Argon plus 5% to 20% CO₂ gas shielding for radiographic quality high pressure boiler components.

The chemical composition of the wire shall conform to ASME BPVC.II.C-2025 SFA-5.28, ER90S-B91 and additionally, (Mn+Ni =1.2%) and Nitrogen content = (0.5xAl+0.03) % minimum.

MECHANICAL PROPERTIES: Mechanical properties of the wire shall conform to ASME BPVC.II.C-2025 SFA-5.28, ER90S-B91 with 95% argon + 5% CO₂ gas shielding. Hardness of weld metal & HAZ shall be 195 HV to 320 HV.

RADIOGRAPHIC SOUNDNESS & USABILITY:

The wire when used in GMAW process with Argon plus 5% to 20% CO₂ shall deposit a weld metal that flows freely, uniformly without sputtering or other defects and shall exhibit excellent wetting characteristics.

The resultant weld metal shall be smooth, uniform with no visible evidence of cracks, porosity or other defects and shall meet the radiographic soundness requirements ASME BPVC.II.C-2025 SFA-5.28, ER90S-B91

The wire shall be supplied in diameter 1.2 mm as specified in the purchase order. The tolerance on diameter shall be as per SFA-5.02.

FORM and WEIGHT:

Plastic Spools (prefer Outer diameter 300 mm Maximum) as per "12 in [300 mm] Spools" of SFA-5.02/SFA-5.02M.

The wire shall be precision layer wound in "12 in [300 mm] Spools" as mentioned in the purchase order and the net weight of the wire shall be 15Kg. The spools shall meet the clause 5.3.4 of SFA-5.02.

FINISH and UNIFORMITY, WINDING REQUIREMENTS, IDENTIFICATION and MARKING: As per SFA-5.02 (ASME BPVC.II.C-2025 SFA-5.28).

PACKAGING:

The wire should be completely devoid of moisture or any other foreign material with adequate sealing in suitable cartons to ensure no deterioration in the wire quality during transportation by sea or long duration storage.

The cartons shall be packed in waterproof boxes with crates so as to protect them from damage during shipment and storage under normal conditions. Weight of each crate shall not exceed 1000kg. The cartons shall have product information as per clause 4.6 of SFA-5.02

GMAW WIRE ER90S-B91(Diameter 1.2 mm) for Automated Welding System for Header to Stub Welding (Robotic Welding Machine).

Test Certificate:

A copy of valid IBR approval certificate for the brand being supplied and manufacturer test certificate shall be sent along with every consignment

(OR)

Original Certified Material Test Report in English countersigned by Inspecting Authority approved by IBR (Latest)giving details of tests done for compliance to this Purchase instruction and ASME BPVC.II.C-2025, ER90S-B91 shall be sent.

GUARANTEE/WARRANTY: The Guarantee/Warranty period shall remain valid for 17 months from the date of material acceptance at BHEL Trichy, or 18 months from the date both “the material and the required test certificates as per tender” are received at BHEL Trichy, whichever occurs first.

Note 1: The Wire shall be precision layer wound on spools so that kinks, waves, sharp bends, overlapping or wedging are not encountered, leaving the wire free to unwind without restriction. The outside end of the wire (The end with which welding is to begin) shall be identified so that it can be located readily and shall be fastened to avoid unwinding.

Note 2: The cast helix and temper of wire spools shall be such that the filler wire will feed in an uninterrupted manner.

Annexure – A- Special Conditions for GeM Enquiry

The terms and condition mentioned in this document are applicable in addition to the Buyer Added Bid Specific Additional Terms & Conditions and GeM General Terms and Conditions. Bidders shall furnish pointwise confirmation/details.

<i>To be filled by bidder</i>				
Description of the item/Equipment:				
GeM Tender No. & Date				
Name of the firm (Bidder)		:		
Address		:		
<u>Contact person 1</u>		<u>Contact person 2</u>		
Name:		Name:		
Designation:		Designation:		
Office Phone:		Office Phone:		
Mobile:		Mobile:		
e-mail:		e-mail:		
Sl	Terms and conditions/Details required			Vendor's confirmation
1.	<u>Quantity Splitting:</u> 60:40 ratios on two bidders for the line item following the GeM splitting guidelines.			
2.	Indicate the MSME status of the bidder. MICRO/SMALL/MEDIUM/Non-MSME (Udyam certificate is to be uploaded in proof of above).			
3.	Any Bidder falling under MSE category shall furnish the following details & submit documentary evidence/ Govt. Certificate etc. in support of the same along with their offer.			
	Type under MSE	SC/ST Owned	Women Owned	Others (excluding SC/ST & Women Owned)
	Micro			
	SMALL			
	Note: If the bidder does not furnish the above in the tender, offer shall be processed construing that the bidder is not falling under MSE category.			
4.	Payment terms shall be as per clause 9 of Buyer Added Bid Specific Additional Terms & Conditions for this tender. Confirm your acceptance for the payment terms relevance to your MSME status indicated above. Note: If it is indicated as "For availing benefits of Priority Sector Lending(PSL) ONLY" in Udyam certificate, then no MSME benefit will be considered for this tender.			
5.	Liquidated Damages shall be as per clause 18 of Buyer Added Bid Specific Additional Terms & Conditions. Confirm your acceptance.			

6.	Offers from Indigenous supplier will be considered only if they have a valid GST registration certificate. Please Indicate the GST registration number. If any specific exemption is available, a declaration with due supporting documents need to be furnished for considering the offer.	GST No. _____
7.	Performance Bank Guarantee: Not Applicable	
8.	HSN Code for the quoted items	HSN CODE : _____
9.	Rate quoted in GeM portal should be on FOR destination basis inclusive of all taxes, P&F, freight etc. Transit Insurance is under Supplier scope. Please indicate how much GST percentage is included in quoted price.	GST in %: _____
10.	Technical (Specification, brand, etc.) and commercial terms agreed against BHEL clarifications during the techno-commercial evaluation stage should also be honoured by the bidder, even if they aren't explicitly part of the final GeM contract. The rationale behind this is that such agreements influence the final decision and are not captured by GeM in to the GeM contract. Please confirm your acceptance.	
11.	All the terms and conditions in Buyer Added Bid Specific Additional Terms & Conditions of this tender are read, understood and agreed by the vendor without any deviation. Vendor to confirm.	
12.	Duly filled, signed and stamped copies of the annexures as indicated in clause 31 of Buyer Added Bid Specific Additional Terms & Conditions of the enquiry are to be provided in the letter head of the Supplier. Please fill the annexures with GeM enquiry number, Item description and your company name wherever required. Also please Tick the appropriate option wherever required.	

Vendor's Seal & Signature

CHECK LIST

NOTE: - Suppliers are required to fill in the following details in their Letterhead and no column should be left blank

A	Name and Address of the Supplier		
B	GSTN No. the Supplier (Place of Execution of Contract / Purchase Order)		
C	Details of Contact person for this Tender	Name: Mr./ Ms. Designation: Telephone No: Mobile No: Email ID:	
D	EMD DETAILS	Not applicable	
E	DESCRIPTION	APPLICABILITY (BY BHEL)	
		ENCLOSED BY BIDDER	
i.	Whether Pre - Qualification Criteria is understood and provided proper supporting documents.	Applicable/ Not Applicable	YES / NO
ii.	Whether all pages of the Tender documents including annexures, appendices etc are read and understood	Applicable/ Not Applicable	YES / NO
iii.	Audited Balance Sheet and profit & Loss Account for the last three years	Applicable/ Not Applicable	YES / NO
iv.	Copy of PAN Card & GST registration	Applicable/ Not Applicable	YES / NO
v.	Submission of Udyam certificate as specified in Tender (applicable in case of MSME supplier)	Applicable/ Not Applicable	YES / NO
vi.	Offer forwarding letter / tender submission letter as per Annexure – 2	Applicable/ Not Applicable	YES / NO
vii.	Submission of Certificate of No Deviation as per Annexure – 3	Applicable/ Not Applicable	YES / NO
viii.	Declaration regarding Insolvency/ Liquidation/ Bankruptcy Proceedings as per Annexure – 4	Applicable/ Not Applicable	YES / NO
ix.	Declaration by Authorized Signatory as per Annexure – 5	Applicable/ Not Applicable	YES / NO
x.	Declaration by Authorized Signatory regarding Authenticity of submitted Documents Annexure – 6	Applicable/ Not Applicable	YES / NO
xi.	Submission of Non-Disclosure Certificate as per Annexure – 7	Applicable/ Not Applicable	YES / NO
xii.	Submission of Integrity Pact as specified in Tender as per Annexure – 8	Applicable/ Not Applicable	YES / NO
xiii.	Declaration confirming knowledge about Site Conditions as per Annexure – 9	Applicable/ Not Applicable	YES / NO

xiv.	Declaration reg. Related Firms & their areas of Activities as per Annexure – 10	Applicable/ Not Applicable	YES / NO
xv.	Declaration for relation in BHEL as per Annexure – 11	Applicable/ Not Applicable	YES / NO
xvi.	Declaration reg. minimum local content in line with revised public procurement as per Annexure – 12	Applicable/ Not Applicable	YES / NO
xvii.	Declaration regarding compliance to Restrictions under Rule 144 (xi) of GFR 2017 as per Annexure – 13	Applicable/ Not Applicable	YES / NO
xviii.	Bank Account Details for E-Payment as per Annexure – 14	Applicable/ Not Applicable	YES / NO
xix.	Power of Attorney for submission of tender as per Annexure – 15	Applicable/ Not Applicable	YES / NO
xx.	Proforma of Bank Guarantee for Earnest Money as per Annexure – 16	Applicable/ Not Applicable	YES / NO
xxi.	Treatment of cases regarding conflict of interest as per Annexure – 20	Applicable/ Not Applicable	YES / NO

NOTE: Strike off 'YES' or 'NO', as applicable. Tender not accompanied by the prescribed **above applicable documents** are liable to be summarily rejected.

DATE:

**Sign. of the AUTHORISED SIGNATORY
(With Name, Designation and Company seal)**

CERTIFICATE OF NO DEVIATION

(To be Typed & submitted in the Letter Head of the Company/Firm of Bidder)

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Subject: **No Deviation Certificate**

Ref: 1) GeM Bid No:

2) All other pertinent issues till date

We hereby confirm that we have not changed/ modified/materially altered any of the tender documents as downloaded from the website/ issued by BHEL and in case of such observance at any stage, it shall be treated as null and void.

We also hereby confirm that we have neither set any Terms and Conditions and nor have we taken any deviation from the Tender conditions together with other references applicable for the above referred GeM Bid.

We further confirm our unqualified acceptance to all Terms and Conditions, unqualified compliance to Tender Conditions.

We confirm to have submitted offer in accordance with tender instructions and as per aforesaid references.

Thanking you,

Yours faithfully,

**(Signature, date & seal of
authorized representative of the
bidder)**

Date:

Place:

UNDERTAKING

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir/Madam,

Sub: DECLARATION REGARDING INSOLVENCY/ LIQUIDATION/ BANKRUPTCY PROCEEDINGS

Ref: GeM Bid Specification No:

I/We, _____ declare that, I/We am/are not admitted under insolvency resolution process or liquidation under Insolvency and Bankruptcy Code, 2016, as amended from time to time or under any other law as on date, by NCLT or any adjudicating authority/authorities

**Sign. of the AUTHORISED SIGNATORY
(With Name, Designation and Company seal)**

Place:

Date:

DECLARATION BY AUTHORISED SIGNATORY OF BIDDER

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub: **Declaration by Authorised Signatory regarding Authenticity of submitted documents.**

Ref: 1) GeM Bid No. & Date:

2) All other pertinent issues till date

I/We, hereby certify that all the documents submitted by us in support of possession of "Qualifying Requirements" are true copies of the original and are fully compliant required for qualifying / applying in the bid and shall produce the original of same as and when required by Bharat Heavy Electricals Limited.

I / We hereby further confirm that no tampering is done with documents submitted in support of our qualification as bidder. I / We understand that at any stage (during bidding process or while executing the awarded contract) if it is found that fake / false / forged bid qualifying / supporting documents / certificates were submitted, it would lead to summarily rejection of our bid / termination of contract. BHEL shall be at liberty to initiate other appropriate actions as per the terms of the Bid / Contract and other extant policies of Bharat Heavy Electricals Limited.

Yours faithfully,

(Signature, Date & Seal of Authorized Signatory of the Bidder)

Date:

NON-DISCLOSURE CERTIFICATE

(To be Typed & submitted in the Letter Head of the Company/Firm of Bidder)

I/We understand that BHEL, Trichy is committed to Information Security Management System as per their Information Security Policy.

Hence, I/We M/s who are submitting offer for providing Supply/services to BHEL, Trichy against GeM Bid No..... hereby undertake to comply with the following in line with Information Security Policy of BHEL, Trichy.

- To maintain confidentiality of documents & information which shall be used during the execution of the Contract.
- The documents & information shall not be revealed to or shared with third party which shall not be in the business interest of BHEL, Trichy.

(Signature, date & seal of Authorized Signatory of the bidder)

Date:

DECLARATION

Date: _____

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir/ Madam,

Sub: Details of related firms and their area of activities

Please find below details of firms owned by our family members that are doing business/ registered for same item with BHEL, _____ (NA, if not applicable)

1	Material Category/ Work Description	
	Name of Firm	
	Address of Firm	
	Nature of Business	
	Name of Family Member	
	Relationship	
2	Material Category/ Work Description	
	Name of Firm	
	Address of Firm	
	Nature of Business	
	Name of Family Member	
	Relationship	
...		

Note: I certify that the above information is true and I agree for penal action from BHEL in case any of the above information furnished is found to be false.

Regards,

(_____)

From: M/s

Supplier

Code:

Address:

DECLARATION FOR RELATION IN BHEL

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder failing which the offer of Bidder is liable to be summarily rejected)

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub: Declaration for relation in BHEL

Ref: 1) GeM Bid Specification No:

I/We hereby submit the following information pertaining to relation/relatives of Proprietor/Partner(s)/ Director(s) employed in BHEL

Tick (✓) any one as applicable:

1. The Proprietor, Partner(s), Director(s) of our Company/Firm DO NOT have any relation or relatives employed in BHEL

OR

2. The Proprietor, Partner(s), or Director(s) of our Company/Firm HAVE relation/relatives employed in BHEL and their particulars are as below:

i.

ii.

**(Signature, Date & Seal of
Authorized Signatory of the Bidder)**

Note:

1. Attach separate sheet, if necessary.
2. If BHEL Management comes to know at a later date that the information furnished by the Bidder is false, BHEL reserves the right to take suitable against the Bidder/Contractor.

**DECLARATION REGARDING MINIMUM LOCAL CONTENT IN LINE WITH
REVISED PUBLIC PROCUREMENT (PREFERENCE TO MAKE IN INDIA), ORDER
2017 DATED 04TH**

JUNE, 2020 AND SUBSEQUENT ORDER(S)

(To be typed and submitted in the Letter Head of the Entity/Firm providing certificate as applicable)

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub: Declaration reg. minimum local content in line with Public Procurement (Preference to Make in India), Order 2017-Revision, dated 04th June, 2020 and subsequent order(s).

Ref: 1) GeM Bid Specification No:

2) All other pertinent issues till date

We hereby certify that the items/works/services offered by.....
(specify the name of the organization here) has a local content of _____ % and this meets the local content requirement for '**Class-I local supplier**' / '**Class II local supplier**' ** as defined in Public Procurement (Preference to Make in India), Order 2017-Revision dated 04.06.2020 issued by DPIIT and subsequent order(s).

The details of the location(s) at which the local value addition is made are as follows:

- | | |
|----------|----------|
| 1. _____ | 2. _____ |
| 3. _____ | 4. _____ |

Thanking you,
Yours faithfully,

**(Signature, Date & Seal of
Authorized Signatory of the
Bidder)**

** - Strike out whichever is not applicable.

Note:

1. Bidders to note that above format, duly filled & signed by authorized signatory, shall be submitted along with the techno-commercial offer.
2. In case the bidder's quoted value is in excess of Rs. 10 crores, the authorized signatory for this declaration shall necessarily be the statutory auditor or cost auditor of the company (in the case of companies) or a practising cost accountant or practicing chartered accountant (in respect of suppliers other than companies).
3. In the event of false declaration, actions as per the above order and as per BHEL Guidelines shall be initiated against the bidder.

DECLARATION REGARDING COMPLIANCE TO RESTRICTIONS UNDER RULE 144 (xi) OF GFR 2017

(To be typed and submitted in the Letter Head of the Entity/ Firm providing certificate as applicable)

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub: Declaration regarding compliance to Restrictions under Rule 144 (xi) of GFR 2017

Ref: 1) GeM Bid Specification No:
2) All other pertinent issues till date

I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India. I certify that _____ (**SPECIFY THE NAME OF THE ORGANIZATION HERE**), is not from such a country/ has been registered with the Competent Authority (*attach valid registration by the Competent Authority, i.e., the Registration Committee constituted by the Dept. for Promotion of Industry and Internal Trade (DPIIT)*).

I hereby certify that we fulfil all requirements in this regard and is eligible to be considered.

Thanking you,

Yours faithfully,

**(Signature, Date & Seal of
Authorized Signatory of the Bidder)**

Note: Bidders to note that in case above certification given by a bidder, whose bid is accepted, is found to be false, then this would be a ground for immediate termination and for taking further action in accordance with law and as per BHEL guidelines.

TREATMENT OF CASES REGARDING CONFLICT OF INTEREST

The bidder notes that a conflict of interest would said to have occurred in the tender process and execution of the resultant contract, in case of any of the following situations:

i) If its personnel have a close personal, financial, or business relationship with any personnel of BHEL who are directly or indirectly related to the procurement or execution process of the contract, which can affect the decision of BHEL directly or indirectly;

ii) The bidder (or his allied firm) provided services for the need assessment/ procurement planning of the Tender process in which it is participating;

iii) Procurement of goods directly from the manufacturers/ suppliers shall be preferred. However, if the OEM/Principal insists on engaging the services of an agent, such agent shall not be allowed to represent more than one manufacturer/ supplier in the same tender. Moreover, either the agent could bid on behalf of the manufacturer/ supplier or the manufacturer/ supplier could bid directly but not both. In case bids are received from both the manufacturer/ supplier and the agent, bid received from the agent shall be ignored. However, this shall not debar more than one Authorised distributor (with/ or without the OEM) from quoting equipment manufactured by an Original Equipment Manufacturer (OEM) in procurements under a Proprietary Article Certificate.

iv) A bidder participates in more than one bid in this tender process. Participation in any capacity by a Bidder (including the participation of a Bidder as a partner/ JV member or sub-contractor in another bid or vice-versa) in more than one bid shall result in the disqualification of all bids in which he is a party. However, this does not limit the participation of an entity as a sub-contractor in more than one bid if he is not bidding independently in his own name or as a member of a JV.

The Bidder declares that they have read and understood the above aspects, and the bidder confirms that such conflict of interest does not exist and undertakes that they will not enter into any illegal or undisclosed agreement or understanding, whether formal or informal with other Bidder(s), in this regard. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process. **In case, the Bidder is found having indulged in above activities, the same will be considered as a violation of the tender conditions, and suitable action shall be taken by BHEL as per extant policies/ guidelines.**

(Signature, Date & Seal of Authorized
Signatory of the Bidder)