

Specification Document
Pre-Qualification Criteria & Technical Specifications

A. Pre-Qualification Criteria	
SL.No	Pre-Qualification Criteria
1.	Offer(s) from OEM M/s Honeywell Automation/Kromschroder or their Authorized dealers only will be acceptable for this tender. Offer from any other supplier will not be considered.

B. Technical Specifications		
SL. No	Description and Technical Specification of the item	Qty (Nos)
1.	Tightness controller Item: Tightness Controller Make: Kromschroder Model No.: TC 410-1T Part No.: 84765810 Rating: 240 V AC, 10 VA, I _{max} : 5 A IP40	2
2.	UV sensor Item: UV Sensor Make: Kromschroder Model No.: UVS 10D1G1 Part No.: 84315202 Rating: 240 V AC, 50 Hz IP65	5
3.	Automatic burner control unit Item: Automatic burner control unit Make: Kromschroder Model: IFD 258 – 5/1W Part No.: 84621630 230 V AC, 50 Hz IP54	25
4.	Impulse system Item: Impulse system Make: Kromschroder Model No.: MPT 700A Part No.: 84395050 Supply: 110-240 V AC, 50/60 Hz	2
5.	LPG low pressure switch Item: LPG low pressure switch Make: Kromschroder Model: DG 150U-3 Part no.: 84447500 Range: 30-150 mbar U = 250 V AC I = 5(1) A IP54	1

6.	<p>LPG high pressure switch Item: LPG high pressure switch Make: Kromschroder Model: DG 500U-3 Part no.: 84447550 Range: 100-500 mbar U = 250 V AC I = 5(1) A IP54</p>	1
7.	<p>LPG safety relief solenoid valve Item: LPG safety relief solenoid valve Make: Kromschroder Model: VAS115R/NW Part no.: 88000003 Fluid: NG, LPG air Pmax = 500 mbar V: 230 V AC, 50 Hz IP65</p>	1
8.	<p>LPG main line solenoid valve Item: LPG main line solenoid valve Make: Kromschroder Model: VAS 340R/NW Part no.: 88000042 Pumax = 500 mbar (7 psi) Supply: 230 V AC, 50 Hz IP 65</p>	1
9.	<p>Air solenoid valve Item: Air solenoid valve Make: Kromschroder Model: VAA 365R/NW Part no.: 88035689 Medium: Air Pmax = 500 mbar IP65 Supply: 230 V AC 50 Hz</p>	5
10.	<p>LPG flow regulator with solenoid valve Item: LPG flow regulator with solenoid valve Make: Kromschroder Model: VAH 115R/NWBE Part no.: 88020263 Medium: LPG gas Pmax = 500 mbar IP65 230 V AC 50 Hz 25 W</p>	1

Annexure B

Vendor's Details, HSN Code and GST % Details

(Suppliers to upload duly filled Annexure-B)

1	Supplier Name & Address	
2	Contact Person Name, email id and Mobile Number	
3	HSN code for the quoted items	
4	GST% included in the quoted price	

Vendor Signature & Seal