

BHARAT HEAVY ELECTRICALS LIMITED
(A Government of India Undertaking)
PURCHASE DEPT., PROJECT ENGINEERING & SYSTEMS DIVISION
BHEL, RAMACHANDRAPURAM, HYDERABAD
NOTICE INVITING TENDER



Ref: **T7E1U37779**

Date: **05.05.2021**

NOTE: BIDDER INTENDING TO PARTICIPATE MAY DOWNLOAD FROM WEB SITE OR PURCHASE TENDERS FROM THIS OFFICE

Sealed offers are invited from reputed & experienced bidders with sound technical and financial capabilities (meeting PRE QUALIFICATION CRITERIA as mentioned in Annexure-AA for the subject job) by the undersigned on the behalf of BHARAT HEAVY ELECTRICALS LIMITED as per the tender document. Issue of tender to any bidder shall not construe that the bidder is considered to be qualified. Consideration of their offer is subject to meeting PRE QUALIFICATION CRITERIA as mentioned in Annexure-AA of NIT. Following points relevant to the tender may please be noted and complied with:

SALIENT DETAILS OF NIT		
SL. NO.	ISSUE	DESCRIPTION
1.0	SUBJECT	The scope of bidder shall include Supply and supervision of Sulphur pit pumps and Degassing pumps for 525 TPD Standby SRU Project, IOCL Paradip refinery, Odisha Project.
2.0	ENQUIRY NO.	T7E1U37779
3.0	DETAILS OF TENDER DOCUMENT	
3.1	Technical Specifications	As per attached Technical documents.
3.2	Price schedule Format	Quoted prices should be as per Price bid format of specification.
4.0	TENDER START (ZERO) DATE	05.05.2021 Tender documents can be downloaded from BHEL website (http://www.bhel.com/index.php/tender) or BHEL's E-Procurement Portal (https://eprocurebhel.co.in/nicgep/app)
5.0	OFFER SUBMISSION PROCEDURE	<ul style="list-style-type: none"> Due Date: 26.05.2021 at 11:00 Hrs. TECHNO-COMMERCIAL OFFER (i.e. PART-1 Bid comprising of Declaration of Acceptance of Techno-Commercial Terms, Technical Offer, Unpriced copy of Price Bid, and other documents as specified in NIT) SHOULD BE SUBMITTED TO TECHNICALBID_HYD@BHEL.IN. PRICE OFFER (i.e. PART-2 Bid) SHOULD BE SUBMITTED TO PRICEBID_HYD@BHEL.IN. MANDATORY ANNEXURES OF GCC TO BE SUBMITTED ALONG WITH PART-1 BID: <ul style="list-style-type: none"> ANNEXURE-1 ANNEXURE-3 ANNEXURE-4 ANNEXURE-6 DOCUMENTS IN SUPPROT OF PQC (REFER PAGE 3 &4) TO BE SUBMITTED ALONG WITH PART-1 BID.
6.0	DUE DATE & TIME OF OPENING OF TECHNO-COMMERCIAL OFFER.	After 14:00 Hrs on latest due date of offer submission. Notes: (1) In case the due date of opening of tender becomes a non-working day, tenders shall be opened on next working day at the same time.
7.0	EMD AMOUNT	Not Applicable

BHARAT HEAVY ELECTRICALS LIMITED
(A Government of India Undertaking)
PURCHASE DEPT., PROJECT ENGINEERING & SYSTEMS DIVISION
BHEL, RAMACHANDRAPURAM, HYDERABAD
NOTICE INVITING TENDER



8.0	COST OF TENDER	Not Applicable
9.0	SCHEDULE OF PRE BID DISCUSSION (PBD)	Applicable 12.05.2021, BHEL-PE&SD Ramachandra Puram
10.0	SEEKING CLARIFICATION	Applicable Clarifications shall be furnished latest by 10.05.2021
11.0	INTEGRITY PACT	Applicable
12.0	DETAILS OF INDEPENDENT EXTERNAL MONITOR (IEM)	Applicable Independent External Monitors (IEMs): 1) Sh. Arun Chandra Verma, IPS (Retd.) 2) Sh Virendra Bahadur Singh, IPS (Retd.)
13.0	LATEST UPDATES	Latest updates on the important dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted in BHEL webpage (www.bhel.com → Tender Notifications → View Corrigendum) and not in the newspapers. Bidders to keep themselves updated with all such information.

- 1.0 Please refer Instructions to Bidders (ITB) section of GCC to participate in this tender.
- 2.0 No Deviation with respect to tender clauses and no additional clauses/ suggestions/ clarification in Techno-commercial bid/ Price bid shall normally be considered by BHEL. Bidders are requested to positively comply with the same. Offers with deviation are liable for rejection.
- 3.0 Bidders may consult this office before submitting their offers, for any clarifications regarding scope of work, facilities available at sites or on terms and conditions. No additional claim shall be entertained by BHEL in future, on account of non-acquaintance of above.
- 4.0 Tenderers must adhere to all volumes of tender and quote accordingly. Any terms & conditions not covered in SCC will be governed by GCC.
- 5.0 Corrigendum / extension / addendum, if any, pertaining to this tender will be published in the web site www.bhel.com / <https://eprocurebhel.co.in> or will be issued directly to you, as applicable.
- 6.0 The bidder may have to produce original document for verification if so decided by BHEL.
- 7.0 Offer received after the specified time of submission will be rejected. No further correspondence shall be entertained.

for M/s BHARAT HEAVY ELECTRICALS LTD
Manager/Purchase
PE&SD, Ramachandra Puram
Hyderabad

AGENCY	CONTACT DETAILS	
BHEL, PE&SD, Ramachandrapuram, Hyderabad	Address	Purchase Department / PE&SD, BHEL, Ramachandrapuram, Hyderabad – 502032
	Phone no	040 2318 3219/ 3211
	E-mail	venkateswarlu@bhel.in ; sivaprasadbabu@bhel.in

Enclosures

01. Annexure-AA- Format for Pre-qualification criteria.

BHARAT HEAVY ELECTRICALS LIMITED
(A Government of India Undertaking)
PURCHASE DEPT., PROJECT ENGINEERING & SYSTEMS DIVISION
BHEL, RAMACHANDRAPURAM, HYDERABAD
NOTICE INVITING TENDER



ANNEXURE-AA: PRE QUALIFICATION CRITERIA

ENQUIRY NO.	T7E1U37779
ITEM & SCOPE OF WORK	SUPPLY OF SUPHUR PIT PUMPS AND DEGASSING PUMPS
PROJECT	525 TPD STANDBY SRU PROJECT IOCL PARADIP REFINERY, ODISHA, INDIA
END CUSTOMER	M/s INDIAN OIL CORPORATION LIMITED PARADIP REFINERY PROJECT, PARADIP, ODISHA
Customer's Consultant	M/s TECHNIP ENERGIES
ESC of BHEL	M/s ENGINEERS INDIA LIMITED
CONTRACT DURATION	180 DAYS from the date of manufacturing clearance
BIDDER SHALL NOTE & COMPLY WITH THE BELOW POINTS:	
SL.NO.	DESCRIPTION
1.0	FINANCIAL CRITERIA:
A.	<p>Average Turnover: Average annual financial turnover of bidder, during the last three financial years, i.e. FY 2018-19, 2019-20, and 2020-21 should not be less than INR 150 Lakhs (or) equivalent in foreign currency. Audited financial statement (Audited Balance sheet & Profit & Loss Account) have to be submitted for all the three years as indicated above. If financial statements are not required to be audited statutorily, then instead of audited financial statements, financial statements are required to be certified by chartered accountant. Other income shall not be considered for arriving at annual financial turnover/sales.</p>
B.	Bidder has to submit copies of Certificate of Incorporation from the Registrar of Companies/ Partnership Deed/ Proprietorship documents etc., GSTIN registration, PAN card, etc. as applicable.
2.0	<p>TECHNICAL CRITERIA:</p> <p>I) SULPHUR PIT PUMPS:</p> <p>A) Technical Qualification Criteria for Sulphur Pit Pumps: Bidder to meet following requirement as mentioned in Sl. No. (1) & (2) below:</p> <ol style="list-style-type: none"> Bidder should have designed, manufactured, tested and supplied from the proposed manufacturing plant, at least TWO (2) Nos. of Pumps of the proposed model offered in the last FIFTEEN (15) years from initial bid submission due date and of which at least ONE pump should have completed successful operation in the field for at least 8000 hours individually without major problem from initial bid submission due date. To assess the above qualification, bidder to furnish the supporting documents along with technical offer as below: <ol style="list-style-type: none"> Purchase Order / LOI / Invoice / LR copy / IRN copy AND Satisfactory Performance Certificate / Customer's Letter of appreciation for pump operation of the above reference to establish successful operation of the pump at site for 8000 hours. <p># - In case bidder is unable to furnish any supporting documents, alternatively bidder to furnish PO / LOI / Invoice / IRN / LR copy dated at least 3 years before initial bid submission due date.</p> The references furnished by the bidder against Sl. No. (1) should also meet all the following criteria w.r.t offered model: <ol style="list-style-type: none"> Pumping fluid of pump for the reference project shall be Molten Sulphur Rated flow and head of pump for the reference project should be at least 50% of rated flow and head of pump offered for this enquiry. Column length of pump for the reference project should be at least 50% of the column length of pump offered for this enquiry. The speed of the pump of reference project shall be similar or higher to the pump offered for this enquiry.



To assess the above qualification, bidder to furnish the supporting documents along with technical offer as below:

- a) For references furnished above for Sl.No. (1), customer/consultant approved Pump datasheet indicating the pump details (Pumping Fluid, Flow & Head, Model Number, Column Length, Speed etc).

Bidder also to furnish reference list in enclosed format –Annexure-1 to PQC.

II) DEGASSING PUMPS:

A) Technical Qualification Criteria for Degassing pumps:

Bidder to meet following requirement as mentioned in Sl. No. (1) & (2) below:

1. Bidder should have designed, manufactured, tested and supplied from the proposed manufacturing plant, at least TWO (2) Nos. of Pumps of the proposed model offered in the last FIFTEEN (15) years from initial bid submission due date and of which at least ONE pump should have completed successful operation in the field for at least 8000 hours individually without major problem from initial bid submission due date.

To assess the above qualification, bidder to furnish the supporting documents along with technical offer as below:

- c) Purchase Order / LOI / Invoice / LR copy / IRN copy AND
- d) Satisfactory Performance Certificate / Customer's Letter of appreciation for pump operation of the above reference to establish successful operation of the pump at site for 8000 hours.

- In case bidder is unable to furnish any supporting documents, alternatively bidder to furnish PO / LOI / Invoice / IRN / LR copy dated at least 3 years before initial bid submission due date.

2. The references furnished by the bidder against Sl. No. (1) should also meet all the following criteria w.r.t offered model:
 - v. Pumping fluid of pump for the reference project shall be Molten Sulphur
 - vi. Rated flow and head of pump for the reference project should be at least 50% of rated flow and head of pump offered for this enquiry.
 - vii. Column length of pump for the reference project should be at least 50% of the column length of pump offered for this enquiry.
 - viii. The speed of the pump of reference project shall be similar or higher to the pump offered for this enquiry.

To assess the above qualification, bidder to furnish the supporting documents along with technical offer as below:

- b) For references furnished above for Sl.No. (1), customer/consultant approved Pump datasheet indicating the pump details (Pumping Fluid, Flow & Head, Model Number, Column Length, Speed etc).

Bidder also to furnish reference list in enclosed format –Annexure-1 to PQC.

3.0	GENERAL REQUIREMENTS:
A.	Bidder shall submit requisite documents, to comply with aforesaid criteria, properly indexed, along with offer.
B.	After satisfactory fulfillment of all the above criteria/ requirement, offer shall be considered for further evaluation as per NIT and all other terms of the tender.
C.	Bidder(s) already registered with BHEL other units or BHEL-PE&SD for subject package, also need to submit credentials for criteria indicated in sl. No. '1.0' '2.0' above. Also, they must submit the relevant documents as the proof of their registration with BHEL – other units for subject package.
D.	Consideration of offer will be subject to customer's approval of bidder.
E.	Bidders should have technological capability for communication/ transmit through electronic media/ reverse auction process.
F.	Mere submission of above documents does not entitle bidders for order placement/ enlistment as registered vendor/ issue of further tenders in future; the documents shall be subject to BHEL's scrutiny and physical verification of facilities, if required.