24 January 2024

VOLUME - IA

Technical Conditions of Contract (TCC) for General Civil Works

FOR

IOCL Paradip-Standby SRU (525TPD) Train project

BHARAT HEAVY ELECTRICALS LIMITED

All VII S VIT	Technical Conditions Of PROJECT ENGINEERI HYDERABAD			Ref No: HY/PE&SD/Proj ects/TCC/2023- 24/General Civil/01 Rev. No. 01
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED, It must not be used directly or indirectly in any way detrimental to the interest of the company.		CAL CONDITIONS OF FOR GENERAL CIVIL V FOR RADIP-STANDBY SRU (52)		
Revisions:	Prepared By:	Checked By:	Approved By:	Date
Refer to record of revi		D No gors in	A mic Nairran	18.07.2023
	Yash Pal Singh	D Nagaraju	Arif Naiyer	

Sl. No.	Description	Chapter No
Volume-IA	Part-I: Contract specific details	
1	Project Information	I
2	Scope of Works	II
3	Facilities in the scope of Contractor/BHEL (Scope Matrix)	III
4	T&Ps to be deployed by Contractor	IV
5	Time Schedule	V
6	Statutory Regulations	VI
7	Field quality control plan	VII
8	HSE (Health, Safety, Environment) and PPE (personal Protective Equipment) Guidelines	VIII
Volume-IA	Part-II : Technical Specifications	
1	Scope of work	Ι
2	Technical specification and drawings for information	II
3	Preamble for schedule of quantities	Ш
4	Annexure-I: HSE Guidelines	
5	Annexure-II: LIST OF TECHNICAL SPECIFICATIONS & DRAWINGS	
7	Annexure-IV: Field Quality plans	

Volume IA
Part I
Contract specific details

Chapter I- Project Information

1.0	Project Details		
1	Customer	:	IOCL, Paradip, Odisha
2	Project Information	:	IOCL Paradip-Standby SRU (525TPD) Train project
3	Location	:	Paradip, Odisha
4	Address Detail	:	IOCL, Paradip, Jagatsinghpur District, Odisha, India
5	Nearest Railway Station	:	Paradip Railway Station
6	Road Approach	:	118KM from Bhubaneswar via Cuttack and NH 53
7	Nearest Air Port	:	Biju Patnaik Airport, Bhubaneswar, Odisha, 125KM
11	Ambient Air Temperature	:	a) Maximum : 39 ⁰ C
	(Average)		b) Minimum : 16 ⁰ C
12	Average Relative Humidity	:	71 %
13	Climatic Condition	:	Tropical Climate

Bidder is advised to visit the project site and appraise himself about the local conditions and infrastructure available in the area for fulfilling their commitments under the contract. BHEL will not admit any claims whatsoever on account of Contractor's non-familiarization of local conditions.

Chapter II- Scope of Work

1. Filling, cutting, levelling and grading: Earthwork, cutting, filling and levelling in proposed SRU plant area.

2. Micro Grading:

The entire area shall be micro graded up to required levels by the contractor to achieve the ground profile as per pavement level requirement. Filling/ cutting required to bring the site up to the required finished levels is in the scope of the contractor. Extra earth required to make up to paved levels shall be arranged by the contractor at his own cost from approved borrow areas.

- 3. The work to be performed under the scope of this tender mainly consists of but not limited to complete **civil works** including excavation for foundations, backfilling, leveling and grading, pile cap works, RCC foundation works and their maintenance for specified period of the following steel structures, equipment foundations and other miscellaneous structures and services.
- 4. Construction of liquid retaining structure, cable trench, pipe trench, foundation, pedestal etc including providing and installing foundation bolts, templates, inserts, lugs, pockets etc for equipment foundation and structure foundations etc. as per drawings.
- **5.** Warranty and Guarantee of the Works: The present tender is floated at risk & cost of the already working contractor due to the non-performance.

The original contractor has completed a part of the contract and the balance part is being tendered in the present tender. However, the original contractor may keep working until the award of the present tender. The awarded quantities of the present tender shall be net of the work executed by the original tender until award of this tender. Further, as the balance work is dependent on the already executed works of the original contract, the guarantee, warrantee of the entire package (Including already executed works, supplies etc.) shall be the responsibility of the bidder.

Work shall be executed as per the instructions of BHEL site engineer. In case of any dispute, decision of BHEL site engineer shall be final and binding on contractor. For detailed scope of work, please refer chapter 1, part-II of this TCC

Chapter III- Facilities in the scope of BHEL/Contractor

	Description	Scope	/ to be		
S. No.	_	taken care by		Remarks	
	PART I	BHEL	Bidder	Tremums	
3.1	ESTABLISHMENT				
3.1.1	FOR CONSTRUCTION				
	PURPOSE:				
a	Open space for office (as per availability)		Yes		
b	Open space for storage (as per availability)		Yes		
С	Construction of bidder's office, canteen and storage building including supply of materials and other services		Yes		
d	Bidder's all office equipment, office / store / canteen consumables		Yes		
e	Canteen facilities for the bidder's staff, supervisors and engineers etc.		Yes		
f	Firefighting equipment like buckets, extinguishers etc.		Yes		
g	Fencing of storage area, office, canteen etc. of the bidder		Yes		
3.1.2	FOR LIVING PURPOSES OF THE BIDDER				
a	Open space for labor colony (as per availability)		Yes		
b	Labor Colony with internal roads, sanitation, complying with statutory requirements		Yes		
3.2.0	ELECTRICITY				
3.2.1	Electricity For construction purposes		Yes	Electricity shall be provided by BHEL/IOCL at one point on chargeable basis. Further distribution shall be done by contractor.	
3.2.2	Electricity for the office, stores, canteen etc. of the bidder		Yes		
3.2.3	Electricity for living accommodation of the bidder's staff, engineers, supervisors etc.		Yes		
3.3.0	WATER SUPPLY				

	Description	Scope	/ to be		
S. No.	•	taken care by		Remarks	
	PART I	BHEL	Bidder	Kemarks	
3.3.1	For construction purposes		Yes	Water shall be provided by IOCL at one point on chargeable basis. Further distribution shall be done by contractor.	
3.3.2	Water supply for bidder's office,		Yes		
	stores, canteen etc.				
3.3.3	Water supply for Living Purpose		Yes		
3.4.0	LIGHTING				
a	For construction work (supply of all the necessary materials) 1. At office/storage area 2. At the preassembly area 3. At the construction site /area		Yes		
b	For construction work (execution of the lighting work/ arrangements) 1. At office/storage area 2. At the preassembly area At the construction site /area		Yes		
С	Providing the necessary consumables like bulbs, switches, etc. during the course of project work		Yes		
d	Lighting for the living purposes of the bidder at the colony / quarters		Yes		
3.5.0	COMMUNICATION FACILITIES FOR SITE OPERATIONS OF THE BIDDER				
a	Téléphone, fax, internet, intranet, e-mail etc.		Yes		
3.6.0	6.0 COMPRESSED AIR wherever required for the work		Yes		
3.7.0	Demobilization of all the above facilities		Yes		
3.8.0	TRANSPORTATION				
a	For site personnel of the bidder		Yes		
b	For bidder's equipment and consumables (T&P, Consumables etc.)		Yes		

	Description PART II		/ to be are by	Remarks	
Sl. No			Bidder		
	3.9.0 CONSTRUCTION FACILITIES				
3.9.1	Engineering works for construction:				
a	Providing the construction drawings for all the works covered under this scope	Yes		Drawing schedule shall be finalized at the time of kick off meeting	
b	Drawings for construction methods			NA	
С	As-built drawings – where ever deviations observed and executed and also based on the decisions taken at site- example – routing of small bore pipes		Yes	In consultation with BHEL	
d	Shipping lists etc. for reference and planning the activities		Yes	In consultation with BHEL	
e	Preparation of construction (Concreting B/W, etc.) schedules and other input requirements		Yes	In consultation with BHEL	
f	Review of performance and revision of site construction schedules in order to achieve the end dates and other commitments	Yes	Yes	In consultation with BHEL	
g	Weekly construction schedules based on S. No. e. hard copy to Construction manager, by email to HO.		Yes	In consultation with BHEL	
h	Daily construction / work plan based on S. No. g. hard copy to Construction manager, by email to HO.		Yes	In consultation with BHEL	
i	Periodic visit of senior official of the bidder to site to review the progress so that works are completed as per schedule. It is suggested this review by the senior official of the bidder should be done once in every two Weeks.		Yes		
j	Arranging the materials required for Work		Yes		
k	Coordination for inspection & checking and getting clearance from customer		Yes		

	Description	Scope / to be taken care by		
Sl. No	PART II	BHEL	Bidder	Remarks
1	3.9.0 CONSTRUCTION FACILITIES		X 7	
1	Preparation of formats for completion of activities		Yes	
3.10	Work Permits, gate pass etc. from customer for manpower, machinery and material		Yes	
3.11	Ambulance Services for contractor's site staff		Yes	

Chapter IV- Tools & plants to be deployed by Contractor

LIST OF TOOLS AND PLANT:

The following tools and equipment but not limited to, are required for the efficient execution of the civil works. The contractor shall make them available for construction purposes, including all consumables likely to be used at his own cost at the time of mobilization.

S.No.	Description	Minimum Quantity	Remarks
1.	Concrete batching plant (Stationary/Movable)	2 nos.	
2.	Needle Vibrator (Needle type 40mm)	4 nos.	
3.	Needle Vibrator (Needle type 25mm)	2 nos.	
3.	Surface Vibrator	1 no.	
4.	Concrete Pump	1 no.	
5.	Dewatering Pump	2 nos.	
6.	Earth Compactor	2 nos.	Need based
7.	Reinforcement steel cutting & Bending machine	2 nos.	
8.	Welding Machine	2 nos.	
9.	Grinding Machine	4 nos.	
10.	Excavator	1 no.	Need based
11.	Theodolite with staff	1 no.	
12.	Dumpy level with staff	1 no.	
13.	Compression testing machine (for concrete cubes)		
14.	Cube mould (15cm x 15cm x 15cm)	6 nos.	
15.	Sieve analysis sieve sets for coarse & fine	1 set	
1.4	aggregates	1	
14.	Jar/Beaker for Bulk density test of sand	1 no.	

BHEL will not provide any tool, plants, facilities or any testing facility/apparatus for the work. It will be contractor's responsibility to arrange all required tools, plants and other testing apparatus, etc. at their own cost. The prices quoted & finalized are inclusive of the charges towards providing such T&P. No extra payment will be entertained because of this.

However, subject to availability, BHEL may provide few T&P to the contractor for expediting and in larger interest of the project. In case any such facility is provided to the contractor, BHEL will make necessary recovery in the running account/final bills towards the hire charges. A departmental charge @ 5% will also be affected such cases. The decision of BHEL on the hire charges will be final and binding on contractor.

Chapter V- Time Schedule

5.1 TIME SCHEDULE

5.1.1

The entire work of Balance General Civil Works as detailed elsewhere in the Tender Specification shall be completed within **02 Months** from the date of commencement of work at site.

5.1.2

During the total period of contract, the contractor has to carry out the activities in a phased manner as required by BHEL and the program of milestone events.

5.1.3

The work shall be commenced on the mutually agreed date between the bidder and BHEL engineer. The decision of BHEL in this regard shall be final and binding on the contractor. The scope of work under this contract is deemed to be completed only when so certified by the site Engineer.

5.2 COMMENCEMENT OF CONTRACT PERIOD

The date of commencement of contract period shall be the mutually agreed date between the bidder and BHEL engineer to start the work. In case of discrepancy, the decision of BHEL engineer will be final.

5.3 MOBILISATION

5.3.1

The activities for "General Civil Works" shall be started as per directions of Construction manager of BHEL.

5.3.2

The contractor should mobilize manpower in order to complete the work within 02 Months.

5.3.3

Requisite Material, men and machinery should be arranged in order to complete the project within stipulated time.

5.3.4

The contractor has to augment his resources in such a manner that following major milestones of the project are achieved on specified schedules:

In order to meet above schedule in general, and any other intermediate targets set, to meet project, contractor shall arrange & augment all necessary resources from time to time on the instructions of BHEL.

5.4 CONTRACT PERIOD

For the purpose of contract, the period shall be taken **as 02 Months**. Completion of the work shall be as per BHEL Bar Charts revised from time to time. In order to expedite the work, the contractor has to deploy manpower as per site requirement without any extra cost to BHEL.

5.5 GUARANTEE PERIOD

The guarantee period of twelve months shall commence from the date of completion of all works as certified by the BHEL site engineer.

5.6 PROTECTION OF WORK

The contractor shall have total responsibility for protecting his works until it is taken over by the Employer. No claim will be entertained by the Employer or the representative of the Employer for any damage or loss to the Contractor's works and the Contractor shall be responsible for complete restoration of the damaged works to original conditions to comply with the specification and drawings. Should any such damage to the Contractor's Works occur because of other party not being under his supervision or control, the Contractor shall make his claim directly with the party concerned.

If disagreement, conflict, or dispute develops between the Contractor and the other party or parties concerned regarding the responsibility for damage to the Contractor's Works the same shall be rectified. The Contractor shall not cause any delay in the repair of such damaged Works because of any delay in the resolution of such disputes. The Contractor shall proceed to repair the Work immediately and no cause thereof will be assigned pending resolution of such disputes.

Chapter VI- Statutory Regulation

6.1 GST: For All types of works excepting works covered under sl no 6.2

6.2 BUILDING & OTHER CONSTRUCTION WORKERS (REGULATION OF EMPLOYMENT AND CONDITIONS OF SERVICE) ACT, 1996 (BOCW Act) AND RULES OF 1998 READ WITH BUILDING & OTHER CONSTRUCTION WORKERS CESS Act, 1996 & CESS RULES, 1998 and

INTER-STATE MIGRANT WORKMEN ACT, 1979 (IN CASE BIDDER ENGAGE MANPOWER FROM OTHER STATE)

In case any portion of work involves execution through building or construction workers and/or inter-state migrant workers, then compliance to the above titled Acts as applicable shall be ensured by the contractor and contractor shall obtain license and deposit the cess under the Act. In the circumstances, it may be ensured as under:-

It shall be the sole responsibility of the contractor in the capacity of employer to forthwith (within a period of 15 days from the award of work) apply for a license to the Competent Authority under the BOCW Act and/or ISMW Act as applicable and obtain proper certificate thereof by specifying the scope of its work. It shall also be responsibility of the contractor to furnish a copy of such certificate of license / permission to BHEL within a period of one month from the date of award of contract.

It shall be the sole responsibility of the contractor as employer to ensure compliance of all the statutory obligations under these acts and rules including that of payment / deposit of cess as per the applicability under above referred Acts within a period of one month from the receipt of payment.

It shall be the responsibility of the sub-contractor to furnish the receipts / challans towards deposit of the cess together with the number, name and other details of beneficiaries (building/Inter-state Migrant workmen) engaged by the sub-contractor during the preceding month.

It shall be the absolute responsibility of the sub-contractor to make payment of all statutory payments & compensations to its workers including that is provided under the Workmen's Compensation Act, 1923.

Chapter VI- Field quality control plan

1.	Work shall be executed as per approved field quality control plan (FQCP). Indicative quality
	control plan of IOCL is attached as Annexure-IV. Contractor shall prepare, submit the field quality
	control plan in line with IOCL QCP.
	Submitted FOCP shall be reviewed and approved by BHEL/IOCL/ TECHNIP.

Chapter VIII: HSE (Health, Safety, Environment) and PPE (personal Protective Equipment) Guidelines

- 1. Contractor shall follow all the HSE guidelines as mentioned chapter IX off SCC and IOCL (Annexure-I).
- 2. Contractor shall deploy one (1) number of qualified and experienced safety officer for the entire period of contract.
- 3. Contractor shall submit the biodata of safety officer to BHEL/Customer (IOCL), for approval.
- 4. In case of any dispute/ contradiction, IOCL HSE rules and guidelines shall prevail.

Volume IA
Part II
Technical Specification

Chapter-I: SCOPE OF WORK

1. Filling, cutting, levelling and grading: Earthwork, cutting, filling and levelling in proposed SRU plant area.

2. Micro Grading:

The entire area shall be micro graded up to required levels by the contractor to achieve the ground profile as per pavement level requirement. Filling/cutting required to bring the site up to the required finished levels is in the scope of the contractor. Extra earth required to make up to paved levels shall be arranged by the contractor at his own cost from approved borrow areas.

- 3. The work to be performed under the scope of this tender mainly consists of but not limited to complete civil works including excavation for foundations, backfilling, leveling and grading, pile cap works, RCC foundation works and their maintenance for specified period of the following steel structures, equipment foundations and other miscellaneous structures and services.
- 4. Construction of liquid retaining structure, cable trench, pipe trench, foundation, pedestal etc including providing and installing foundation bolts, templates, inserts, lugs, pockets etc for equipment foundation and structure foundations etc. as per drawings.

For building/structure sizes and number of equipment refer plot plan, please note that these are tentative and likely to change.

I. Sheet piling, Pile cap, pedestal, foundation works for the following structure, equipment, pits and tanks etc

- 1) Technological structure
- 2) Pipe rack
- 3) Incinerator Stack
- 4) Incinerator Fans
- 5) Blowdown cooler
- 6) Acid Gas KO Drum Pumps
- 7) SWS Acid Gas KO Drum Pumps
- 8) Degassing Pumps
- 9) Sulfur Pit
- 10) Sulfur Pit Pumps
- 11) Condensate Pumps

- 12) Seal Cooling Water Sump Pumps
- 13) Any other structures/foundations/pit etc which required to complete the project but not listed here.

II. Construction of following services

- 1) Storm Water drain system
- 2) RCC approach roads
- 3) RCC pavements
- 4) Tank Foundation
- 5) Acid Alkali Proof Lining
- 6) Safety shower and eye wash system
- 7) Fire protection system
- 8) Fire proofing
- 9) Crane movement road, main road approach roads, drains culverts
- 10) ERC/IRC
- 11) Process waste collection system
- 12) WWS-Waste Water Sewer
 - i. Oily Waste Sewer (OWS)
 - ii. Contaminated Rain/Fire Water Sewer (CRWS)
- 13) WDK-Potable Drinking water system
- 14) RCC Electrical/Instrumentation cable trenches and pipe trenches
- 15) Road Crossings
- 16) Culverts
- 17) Pipe way Bridges
- 18) Pipe way Sleepers
- 19) Crossings (Culverts, bridges, sleeves as per applicable) of underground services below approach road for all services in the corridor including drains, fire water lines, cooling water lines, waste sewers.
- 20) Hard stand required for erection of heavy equipment.
- 21) Strengthening of existing roads for crane movement if required.
- 22) All approach roads from existing main roads as per detailed engineering requirement for maintenance and operation.
- 23) Maintenance and erection approach roads/ by strengthening of roads.
- 24) Preparation of basic/ detailed engineering drawings for construction, and getting approval of the same from PMC/ Owner/ Licensor.
- 25) Any temporary activities required to complete the work.
- 26) Micro grading & disposal of surplus and unserviceable material beyond IOCL Refinery complex's compound wall. Contractor to assess the lead by physically visiting the Plant site.
- 27) Approval from statutory and local authorities.
- 28) The sub-grade for roads & pavements and soil improvement/ preparation below foundation level of drains, culverts, pipe way bridges, manholes, etc. shall be carried out as per Geo- Technical recommendation.
 - 29) The plot for construction area/ fabrication yard/ field office/ construction stores has to be developed by the contractor of its own and the Client shall only identify the

space on as in where is basis if the same is available else bidder to develop plot on his own. All the infrastructure facilities which include roads, approaches, drainage system, pavements etc. shall be developed & provided by the contractor of its own.

5. THE WORK WILL INVOLVE

All civil, structural and architectural works connected with the above mentioned structures such as earth work, concrete work, brick work, steel work, embedment, plastering and painting, waterproofing, flooring, plumbing, road work, drainage, grouting etc.

6. CIVIL AND ARCHITECTURAL WORKS

The scope covers all Civil and Architectural within the battery limits. The important works covered are as below.

- 1) Excavation of earth and backfilling including dewatering of excavations for foundations, trenches, tunnels pits, etc. till the construction of the same is completed and disposal of surplus.
- 2) Construction of sheet piles, RCC pile caps with pedestals, foundation footing for lightly loaded structures, trenches, tunnels, sumps, grade beams, tie beams at foundation level, grade slabs, floor slabs and roof slabs, equipment foundations etc.
- 3) Complete civil and architectural works such as brick work, plastering, painting, all types of floor/roof finishes, all types joinery etc.
- 4) Preparation and submission of detailed calculations, arrangement drawings and detail drawings of formwork, staging and scaffolding for all reinforced concrete structures and foundations as directed by the Engineer for his checking and approval.
- 5) Preparation of detailed working drawings and bar bending schedules for all reinforced concrete work and getting them approved by the BHEL Engineer.
- 6) Supply, fabrication and fixing structural steelwork for cable trench covers, plates etc.
- 7) Supply, fabrication and fixing of anchor bolts, sleeves, fixing frames, embedment etc. in concrete.
- 8) Supply of all instruments and personnel for conducting necessary tests at site as specified/as directed by the Engineer.
- 9) Making appropriate fabrication drawing as per agreed schedule before starting fabrication work for any structural GA drawing.
- 10) Taking delivery from BHEL stores fabrication and erection of structural steel work including all interfacing works and miscellaneous works, supply of steel will be made by BHEL. The nature of work shall include deck sheeting, columns, beams, splicing of steel works as needed, bracings, sheeting runners, sag rods, ties struts, walkways, galleries, stairs, ladders, hand railing, floor gratings, chequered plate work, M.S pipes, equipment supporting platform, and all other structures required for the successful completion of the project.
- 11) Preparation of bar bending schedules for all reinforced concrete work and getting them approved by the BHEL Engineer.
- 12) Supply of all equipment/ instruments and personnel for conducting necessary tests at site as specified/as directed by the Engineer.

- 13) Type of cement shall be one of the following:
 - a. 43 or 53 grade ordinary portland cement (OPC) as per IS:8112 / IS:12269.
 - b. Portland slag cement (PSC) conforming to IS:455.
 - c. Portland pozzolona (fly ash based)cement conforming to IS:1489 part-1
 - d. Portland pozzolona (clacined clay based) conforming to IS:1489 part-2
 - e. * Sulphate resistant portland cement (SRC) conforming to IS:12330.
 - * For specific requirement as specified in respective drawings
- 14) Sheet piles materials shall be in accordance with the BS EN 10248 (I&II)/ IS: 2314 (latest revision) or equivalent ASTM.

7. STRUCTURAL WORKS

The work involves:

- 1) Supplying and/or Taking delivery from BHEL stores fabrication and erection of structural steel work including all interfacing work and miscellaneous work. Supply of steel will be made by BHEL. The nature of work shall include columns, beams, splicing of steel works as needed, bracings, purling, sheeting runners, sag rods, ties, struts walkways, galleries, stairs, ladders, handrails, floor gratings, chequered plate work, M.S, pipes, equipment supporting platforms and all other structures required for successful completion of project.
- 2) Supplying (and/or Taking delivery from BHEL stores), providing reinforcement HYSD TMT Fe 500D, Fe500D CRS (AS PER IS 1786), Mild Steel as detailed elsewhere in the contract/BOQ (Bill of Quantities) from BHEL stores.
- 3) Supplying (and/or Taking delivery from BHEL stores), providing of M.S pipes from BHEL stores, fabrication and erection of handrail as per drawing and specifications.
- 4) Supply and fixing of floor gratings as per Specifications.
- 5) Supply of high tensile bolts, mild steel bolts, nuts, plain/taper and spring washers, all electrodes required for shop and field work.
- 6) Shop and final painting as per Technical Specification after properly cleaning the Steel surfaces.
- 7) Grouting under stanchion bases.

8. GENERAL

- 1) The drawings enclosed with this tender are intended to give the tenderer a general idea of the type and extent of work involved. The drawings are as such only indicative and not to be considered as the exact construction drawings.
 - Further this is to be noted that the drawings and the documents furnished along with this specification are the sole property of BHEL. It must not be used directly or indirectly in any way detrimental to the interest of the company.
- a) The scope of work will also include such other related works although they may not be specifically mentioned in the above paragraph and all such incidental items not specified but reasonably imply and necessary for completion of the job as a whole all as desired and as directed by the engineer.

b) The detail scope of work covered above is not a comprehensive list of items of work involved. The detail scope of work may vary considerably depending on the actual construction requirements.

9. ALSO INCLUDED IN THE SCOPE

Unless otherwise specified, the work to be provided by the contractor for the items mentioned in the "Schedule of items" shall include but not be limited to the following.

- 1) Furnishing all labour, materials, supervision, construction plans, equipment, supplies, transport, to and from the site, fuel, electricity, compressed air, water, transit and storage insurance and all other incidental items and temporary works not shown on specified but reasonably implied or necessary for the proper completion, maintenance and handling over the works, except in accordance with the stipulations laid down in the contract documents and additional stipulations as may be provide by the engineer during the course of works.
- 2) Furnishing samples of all materials required by the engineers for testing/inspection and approval for use in the works. The samples may be retained by the engineer for final incorporation in the works.
- 3) Furnishing test reports for the products used or intended to be used, if called for the specifications or if so desired by the engineer.
- 4) Giving all notices, paying all fees, taxes etc., in accordance with the general conditions of contract, that are required for all works including temporary works.
- 5) Arranging manufacturer's supervision for items of work done as per manufacturer's specifications when so specified.
- 6) Carrying out topographic survey of the entire and establish levels and coordinates at suitable intervals from existing grid levels and coordinates furnished by the owner established bench marks, setting out the locations and levels of proposed structures, constructions and marking of reference pillars and other identification works etc., The contractor shall provide the owner/BHEL such a assistance, instruments, machines, labour and materials as are normally required for examining, measuring and testing any work and the quality, weight or quantity of any material used.
- 7) Providing all incidental items not shown or specified but reasonably implied or necessary for the successful completion of the work in accordance with contract.
- 8) Sample testing of reinforcement.

10. WORK BY OTHERS

No work under the specification will be provided by any agency other than the contractor unless specifically mentioned elsewhere in the contract.

Chapter-II: TECHNICAL SPECIFICATIONS & DRAWINGS FOR INFORMATION.

TECHNICAL SPECIFICATIONS & DRAWINGS FOR INFORMATION.

NOTE: Contractor has to make himself well conversant with the Customer specification and drawings.

LIST OF TECHNICAL SPECIFICATIONS & DRAWINGS

S.NO.	DRAWING No.	TITLE	REV.NO.
1	080557C-26899053-PIP- A0201-001	PLOT PLAN (TENDER PURPOSE ONLY)	R1
2	080557C-000-DW-1702-001	GENERAL NOTES FOR CONCRETE WORKS-PMC	С
3	080557C-000-DW-1802-001	GENERAL NOTES FOR STR STEEL WORKS-PMC	В
4	080557C-088-DW-1425-001	SCOPE DRAWING FOR CIVIL NETWORK ROADS AND PAVING	Е
5	080557C-000-LD-1490-001	CONSTRUCTION STANDARD FOR UG WORKS	С
6	080557C-000-LD-1790-001	CONSTRUCTION STANDARD FOR CONCRETE WORKS	A
7	080557C-000-LD-1890-001	CONSTRUCTION STANDARD FOR STEEL WORKS	В
8	080557C-26899053-CIV- A2011-001	GENERAL NOTES FOR PCC & RCC WORKS	R01
9	080557C-26899053-CIV- A2011-002	GENERAL NOTES FOR STR STEEL WORKS	R01
10	080557C-000-JSS-1300-001	JOB SUPPLY SPECIFICATION FOR 3 LAYER POLYETHYLENE COATING	В
11	080557C-000-JSS-1400-001	SPECIFICATION FOR U/G PIPING WORKS	В
12	080557C-000-JSS-1400-002	SPECIFICATION FOR COATING AND RAPPING OF U/G PIPES	В
13	080557C-000-JSS-1421-001	SPECIFICATION FOR SITE GRADING	В
14	080557C-000-JSS-1422-001	SPECIFICATION FOR LAND SURVEY	В
15	080557C-000-JSS-1422-003	SPECIFICATION FOR TOPOGRAPHY SURVEY	A
16	080557C-000-JSS-1423-001	SPECIFICATION FOR EARTHWORK	В
17	080557C-000-JSS-1425-001	SPECIFICATION FOR ASPHALT ROAD / PAVING	В
18	080557C-000-JSS-1425-002	STANDARD SPECIFICATION FOR ROADS AND FLEXIBLE PAVEMENTS (UPTO WMM LAYER)	В

		STANDARD SPECIFICATION FOR FLEXIBLE	
19	080557C-000-JSS-1425-003	PAVEMENTS WITH BITUMEN PREMIX CARPET	A
20	080557C-000-JSS-1700-001	SPECIFICATION FOR PLAIN AND REINFORCED CEMENT CONCRETE	В
21	080557C-000-JSS-1700-002	SPECIFICATION FOR REBAR WORKS	В
22	080557C-000-JSS-1700-003	SPECIFICATION FOR CONCRETE PAVEMENTS	В
23	080557C-000-JSS-1700-004	SPECIFICATION FOR GROUTING	В
24	080557C-000-JSS-1700-005	SPECIFICATION FOR MATERIALS OF CIVIL & STRUCTURAL WORKS	В
25	080557C-000-JSS-1700-006	SPECIFICATION FOR AUGMENTING EXISTING CONCRETE	В
26	080557C-000-JSS-1700-008	SITE SPECIFIC SEISMIC SPECTRA	В
27	080557C-000-JSS-1700-010	SPECIFICATION FOR PLASTERING AND POINTING	В
28	080557C-000-JSS-1700-011	SPECIFICATION FOR WATER PROOFING WORKS	В
29	080557C-000-JSS-1700-012	SPECIFICATION FOR ACID PROOFING TILES	В
30	080557C-000-JSS-1700-013	SPECIFICATION FOR MASONRY WORKS	В
31	080557C-000-JSS-1700-014	SPECIFICATION FOR DISTEMPERING, PAINTING AND POLISHING	С
32	080557C-000-JSS-1700-016	SPECIFICATION FOR ACID PROOF BRICK LINING	В
33	080557C-000-JSS-1800-001	SPECIFICATION FOR STRUCTURAL STEEL WORKS	В
34	080557C-000-JSS-1800-002	SPECIFICATION FOR MS GRATINGS	С
35	080557C-000-JSS-1800-003	SPECIFICATION FOR FIRE PROOFING OF STEEL STRUCTURES	A
36	080557C-000-JSS-1800-004	SPECIFICATION FOR ROOFING AND CLADDING	В
37	080557C-000-JSS-2000-001	SPECIFICATION FOR DEMOLITION & DISMANTLING WORKS	В
38	080557C-000-PP-805	SITE COORDINATION & COMMUNICATION PROCEEDURE	0

39	080557C-000-PP-807	JOB SPECIFICATION FOR MATERIAL RECEIVING, INSPECTION, HANDLING, STORAGE & PRESERVATION	0
40	080557C-SOW-LSTK1-003	CONTRACTOR'S SCOPE OF WORK & SUPPLY FOR STANDBY SRU CIVIL, STRUCTURAL & UG WORKS	В
41	080557C-SOW-LSTK1-101	CONTRACTOR'S SCOPE OF WORK & SUPPLY FOR STANDBY SRU GENERAL	A

Note: Please refer annexure-II for all the specifications mentioned above.

Chapter-III: PREAMBLE FOR THE SCHEDULE OF QUANTITIES.
For documents PY-CD-4-M170-1201-03

PREAMBLE TO THE SCHEDULE OF QTS. (SOQ)

- 1) Details of the items in this Schedule shall be read in conjunction with the corresponding Technip FMC/IOCL specifications, drawings and other documents and shall have precedence over any contrary statement mentioned anywhere in this document.
- 2) The work shall be carried out as per construction drawings, specifications, the description of the items in this schedule and/or Engineer's instructions., Drawings enclosed with these documents are only indicative giving some idea of the type of work involved. The layout, sizes and details of the building, structures and foundations shown in tender drawings may vary at a large extent during actual construction. Final drawings will be issued progressively during the execution of the work.
- 3) Items of work provided in this schedule but not covered in the specifications shall be executed strictly as per instructions of the Engineer.
- 4) Unless specifically mentioned otherwise in the contract, the bidder shall quote his rates for the finished items and shall provide for the complete cost towards fuel, tools, tackle, equipment, constructional plant, temporary works, labour materials, levies, taxes, transport, layout, repairs, rectification, maintenance till handing over, supervision, shops, establishments, services, temporary roads, revenue expenses, contingencies, overheads, profits and all incidental items not specifically mentioned but reasonably implied and necessary to complete the works according to the contract.
- 5) The rate quoted shall be inclusive of cleaning the site of any vegetation's, dressing and leveling etc., required for commencement of site activities. No separate payment will be made towards the same.
- 6) The rate shall also be inclusive of carrying out topography survey of site to establish levels and coordinates at suitable intervals, form existing grid levels and coordinates furnished by the owner, establish bench marks, setting out the location and levels of the proposed structures, constructions and making references, pillars and other identification marks etc. No separate payment will be made towards the same.
- 7) Rates shall be quoted both in figures and in words in clear legible writing. No over writing is allowed. All scoring and cancellation should be counter signed by the bidder. In case of illegibility, the interpretation of the engineer shall be final. All entries shall be in English language.
- 8) Engineers decision shall be final and binding on the contractors regarding clarification of items in this schedule with respect to the other section of the contract.
- 9) In case of any discrepancy between item descriptions, relevant drawing and / or specification, clarification shall be sought at tender stage itself. Otherwise, it shall be assumed that the bidder has quoted for the more stringent requirement.

HIERARCHY

In case of any conflict/deviations amongst various documents, the order of precedence shall be as follows

- > Statutory Regulations
- ➤ Technip FMC/ IOCL specification
- > EIL specification
- > Items in Schedule of quantities
- ➤ IS/BS standards
- > BHEL's standard specification (with prior approval of Engineer-in-charge).