



# भारत हेवी इलेक्ट्रिकल्स लिमिटेड

( भारत सरकार का उपक्रम )

## BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

**TCN - 01**

Ref: PSER:SCT:BAR-C1971:TCN-01

Date: 01-07-2019

Sub	Tender Change Notice (TCN)- 01.	
Job	Levelling grading, piling work including testing of piles and other associated works etc. of FGD system for Barh Stage-I (3x660 MW) & Stage-II (2x660 MW), STPP, Bihar.	
Ref	1.0	Tender no PSER:SCT:BAR-C1971:19.
	2.0	BHEL's NIT, vide reference no PSER:SCT:BAR-C1971:7593 Date: 17-06-2019.
	3.0	Other References, if any.

With reference to above, following points/documents, relevant to tender, may please be noted and complied with while submitting the offer.

1. Revised BOQ cum Price Schedule, **VOLUME-III-PRICE SCHEDULE, REV-01** is attached superseding **VOLUME-III-PRICE SCHEDULE, REV-00** issued earlier along with NIT. **Bidders shall quote as per this revised Volume-III, Rev-01 only.** Bidders are also requested to submit a declaration in techno-commercial offer that they have submitted their price bid as per **REVISED Price Schedule** format.
2. Revised 'No deviation certificate' is attached. Bidder to submit 'No deviation certificate' as per attached format only.
3. All other terms & conditions shall remain unchanged.

Thanking you,

Yours faithfully,  
for BHARAT HEAVY ELECTRICALS LTD

Dy. Mgr (SCT)

Encl: As Above.

पावर सेक्टर पूर्वी क्षेत्र ( मुख्यालय )

POWER SECTOR EASTERN REGION, DJ-9/1, SALT LAKE CITY, KOLKATA - 700 091

फैक्स/Fax : (033) 23211960

फोन/Phone : बोर्ड/EPABX : (033) 2339 8000

<b>VOLUME-III PRICE SCHEDULE, REV-01</b>	
<b>JOB: LEVELLING GRADING, PILING WORK INCLUDING TESTING OF PILES AND OTHER ASSOCIATED WORKS ETC. OF FGD SYSTEM FOR BARH STAGE-I (3X660 MW) &amp; STAGE-II (2X660 MW), STPP, BIHAR.</b>	
<b>TENDER NO PSER:SCT:BAR-C1971:19</b>	
<b>PREAMBLE</b>	
1	This preamble forms part of tender document and schedule of items. The tenderer should read this preamble carefully before filling in rates for various items. Clauses under this preamble shall be read in conjunction with various volumes of tender and other tender sections as applicable and shall have precedence over any contrary statement mentioned any where in this document.
2	The work shall be carried out strictly as per specifications, description of the items in these schedule and / or engineer's instructions. Drawings enclosed with the tender are only preliminary and for tender purposes and giving some idea of the work involved. The work is to be executed as per drawings & documents, which shall be furnished during execution.
3	Items of work provided in this schedule but not covered in this specification shall be executed strictly as per instruction of the engineer.
4	Unless specifically mentioned otherwise in the tender document, the tenderer shall quote for the finished items and shall provide for the complete cost towards power, fuel, tools, tackles, equipment, constructional plants, temporary works, labour, dismantling of all temporary piping, structures, valves, pumps, tanks & other misc. equipment, strengthening of roads/culverts/bridges etc. including arranging all clearances etc. required for carrying out different activities & tests, materials, levies, transport, layout, repairs, rectification, maintenance till handing over, supervisions, colonies, shops, establishments, overheads, profits and all incidental items not specifically mentioned but reasonably implied and necessary to complete the work according to the complete tender document and this schedule.
5	The quantities of the various items mentioned in this schedule of items are approximate, based on very preliminary information and may vary to any extent or be deleted altogether. The quoted rates of each item will remain firm throughout the period of execution including extension, for reasons whatsoever, as long as variation in the total value of work executed under any part of this contract including extra items, if any but excluding any price variation remains, within plus minus thirty percent ( $\pm 30\%$ ) of the awarded price as per LOI.
6	Prior written approval of BHEL shall be sought by the contractor in case quantity variation of any item crosses +50% (plus fifty percent) limit during execution, an approval to be obtained before execution of further quantity for this item.
7	In case Sealed /Paper Price Bids are opened for finalisation of the tender, for any Item Rate/BOQ based contract, possibility of variation of quantity/ addition/deletion of items can not be ruled out. Under such circumstances, after execution of work, if it is observed that standing as L-1 is changed based on actual quantity executed, the bidder shall give suitable rebate to maintain your standing as L-1. Since this aspect can be assessed at the end of execution, necessary adjustment will be effected at the end of execution in final bill. This condition shall not be applicable where the tender is finalised through Reverse Auction.
8	BHEL reserve the right to rationalize the rates, quoted by L-1 bidder against unit rate items and/ or other optional items with respect to item-wise lowest rates (amongst the participating bidders), before placement of order.
9	The rates quoted shall be inclusive of cleaning of site of any vegetation, dressing, clearing of old structures and leveling etc. including fixing of grid pillars, benchmarks etc. required for commencement of site activities. No separate payment will be made towards the same. However, if separate rate for such item is available in the rate schedule, the same shall be considered.
10	Rates shall be quoted in figures and in words in clear legible writing. No overwriting is allowed. All scoring and cancellations should be countersigned and in case of illegibility the interpretation of engineer shall be final. All entries shall be in English language.
11	All works item wise shall be measured upon completion and paid for at the rates quoted and accepted as per BHEL approved payment schedule/billing break-up.
12	The tender shall be deemed to have visited site and made himself aware of all the site conditions, studied the specifications and details of work to be done within the time schedule attached and to have acquainted himself of the conditions prevailing at site.
13	No splitting of the job is envisaged. Decision of BHEL in this regard shall be final and binding to the bidders.
14	Bidders are not allowed to alter the Price Schedule format including item description, quantity etc. and the offer is liable for rejection if the bidders submit their prices in Price Schedules modified by them. BHEL reserves the right to reject the offers of bidders who submit offers in Price Formats which are modified/ altered by them. Also putting any comments instead of rates/price in the designated column of the rate schedule shall make the offer liable for rejection.
15	Bidders to note that for Civil & Structural packages, against a particular item against a ST No. appearing in more than one schedule of the BOQ, same rate must be quoted in all schedules for that particular items with same descriptions. If by error, different rates are quoted in different schedules for same ST No. (i.e. item with same description), then the higher of the rates shall be considered for evaluation but awarding shall be done with the lower rate, if the bidder becomes L-1."
16	For Lumpsum Service Contract : The items/components indicated in the tender is indicative and may vary to any extent. No compensation shall be payable in case of any variation in the items/components listed in the bill of quantities if the executed weight remains within the variation limit. However, in case of deletion of any item or addition of new items over and above the items listed or variation of existing quantity beyond variation limit specified, adjustment (i.e. Payment or recovery as the case may be ) shall be done on pro-rata basis based on the Rate per MT worked out from the quoted lump-sum Price and the total weight of components listed /indicated in price schedule plus 15% weight variation limit.
17	Engineer's decision shall be final and binding on the contractor regarding clarification of items in the schedule with respect to the other sections/volumes of the contract.
18	In case of tender for Civil and/or Structural works, if the Non-schedule items are not quoted by the bidder, it will be treated at par with rate of corresponding item of CPWD/PWD/DSR schedule as prescribed in the tender/BOQ cum Rate Schedule.
19	No interest, whatsoever, shall be payable by BHEL on the security deposit, any bank guarantee submitted or any amount due to successful bidder/contractor.
20	Size and weights of various items are mentioned in the attached BOQ cum rate/price schedule for reference purpose only & these shall not be taken into consideration for quoting/calculating amount in the rate schedule. These shall be utilised as per relevant sections of tender. Bidders shall quote for each item in the rate column, taking unit as mentioned in the quantity column. Rates shall be filled in both figures and words. Amount shall be calculated based upon these rates multiplied by the mentioned quantity for the respective items.
21	Bidder's Total price shall be considered for evaluation unless stated otherwise.
22	In case of BOP packages, if Bidder does not quote/indicate the price for freight charges against indicated rate schedule, the same shall be considered as 2% of basic price and adjusted with the total quoted price against each item keeping the total quoted price unaltered.

VOLUME-III  
PRICE SCHEDULE, REV-01

JOB: LEVELLING GRADING, PILING WORK INCLUDING TESTING OF PILES AND OTHER ASSOCIATED WORKS ETC. OF FGD SYSTEM FOR BARH STAGE-I (3X660 MW) & STAGE-II (2X660 MW), STPP, BIHAR.

TENDER NO PSER:SCT:BAR-C1971:19

SCH-1 : TOTAL PRICE

SL NO	DESCRIPTION	PRICE SCHEDULE REF	TOTAL PRICE (IN INR)
1.0	TOTAL PRICE FOR LEVELLING GRADING, PILING WORK INCLUDING TESTING OF PILES AND OTHER ASSOCIATED WORKS ETC. OF FGD SYSTEM FOR BARH STAGE-I (3X660 MW) & STAGE-II (2X660 MW), STPP, BIHAR AS PER TENDER SPECIFICATION.	SCH 2 - PRICE BREAK UP	<u>IN FIGURES:-</u>  <u>IN WORDS:-</u>
2.0	<b>NON-SCHEDULE ITEM</b> For items not covered in Schedule 2, quote % above or below or at par the CPWD Schedule of rates 2016		
a)	Rate of complete item	_____ % above / _____ % below/ at par of CPWD Rate Schedule 2016	
b)	Rate of supply of material at site only	_____ % above / _____ % below/ at par of CPWD Rate Schedule 2016	
c)	Rate for execution complete excluding supply of materials.	_____ % above / _____ % below/ at par of CPWD Rate Schedule 2016	

**NOTE**

1.0	Bidder shall quote total price for SCH-2- Part only at SI No. 1 above. All other amounts / rates of each item of works in respective schedules / parts will be derived based on allocated percentages. As such, any uncalled figure/ amount noted at any other place / schedule of Volume-III will not be reckoned & will stand null & void.
2.0	Bidder to note that total price at SI No. 1 above shall be considered for evaluation & awarding. As such grand total price should be complete in all respect for the full scope defined and considering all terms and conditions.
3.0	Bidder's quoted total price of SCH-2 at SI. No 1 above, shall be apportioned into amount of various items of works based on allocated percentages against respective item, in respective schedules / parts. As such, bidder shall not indicate / quote any amount / rate in these schedules / parts and any amount / rate quoted against any item shall not be taken into cognizance / account and offer may be liable for rejection.
4.0	Based on the itemwise percentage allocations, the amount for the individual items of the Bill of Quantity shall be arrived at. The rates of individual items shall be derived from the amount against each items and its quantity after rounding off to upto 2 decimal places. However, RA bill payment shall be done after rounding off the gross amount to two decimal points. Any adjustment, if required, due to such methodology, will be effected / adjusted in final bill.
5.0	Bidders to note that this is an item rate contract. Payment shall be made for the actual quantities of work executed at the unit rate arrived at as per SI No.3 above.
6.0	Any item as per scope of work, if not included in the price quoted above and shown separately will not be taken cognizance of and the offer shall be liable for rejection.
7.0	Price format shall not be changed by bidder in any case and it may lead to cancellation of their offer.
8.0	The quoted price shall be excluding GST including freight on FOR site basis.
9.0	The quantity of items may vary during execution mainly due to actual requirement etc. The unit rates work out from the overall amount quoted & accepted by BHEL shall be considered and no separate unit rates shall be allowed. Unit rates shall be valid throughout the contract period.
10.0	For payment of non schedule items, the rate shall be derived from CPWD Schedule - 2016.

**VOLUME-III  
PRICE SCHEDULE, REV-01**

**JOB: LEVELLING GRADING, PILING WORK INCLUDING TESTING OF PILES AND OTHER ASSOCIATED WORKS ETC. OF FGD SYSTEM FOR BARH STAGE-I (3X660 MW) & STAGE-II (2X660 MW), STPP, BIHAR.**

**TENDER NO PSER:SCT:BAR-C1971:19**

**SCH-2 - SERVICE**

ST NO.	ITEM DESCRIPTION	UNIT	Stage-I	Stage-II	Total Quantity	Weightage
<b>400</b>	<b>REINFORCEMENT WORK: Reinforcement work including all labour, material (unless otherwise specified in BOQ/contract specification), equipment, transportation, handling etc at all level as per specification, drawings and as directed by engineer - in - charge for the following:.</b>					
A402	Straightening, cutting, bending, placing in position at all level, binding in position of steel reinforcements of high yield strength deformed TMT steel bars of grade Fe-500 having minimum elongation of 14.5 % or Fe-500D conforming to IS:1786 including cost of reinforcement steel, binding wire, labour, scaffolding, transportation to & from stores etc complete all as per specifications, drawings and as directed by Engineer. <b>(Reinforcement steel shall be supplied by BHEL free of cost as per TCC)</b>	MT	2602	3638	6240	0.12400029
<b>2500</b>	<b>PILING WORK: Piling works including all labour, material (unless otherwise specified in BOQ/contract specification), equipment etc. as per specification, drawings and as directed by engineer - in - charge for the following:</b>					
2501	Mobilisation of hydraulic rotary piling rigs and accessories capable of pile boring/drilling in all types of strata/ash etc., installing various size of bored cast in situ RCC piles to project site and demobilisation of the same after completion of piling works etc all complete. (35% payment shall be released on mobilisation, further 25% payment on completion of 100 piles by the individual rig, further 30% payment on completion of 350 piles by the individual rig, balance 10% payment on demobilisation)	EACH	5	5	10	0.03682969
2503	Mobilisation of conventional DMC/RMC piling rigs and accessories capable of pile boring/drilling in all types of strata/installing various size of bored cast in situ RCC piles to project site and demobilisation of the same after completion of piling works etc all complete. (35% payment shall be released on mobilisation, further 25% payment on completion of 50 piles by the individual rig, further 30% payment on completion of 175 piles by the individual rig, balance 10% payment on demobilisation)	EACH	2	2	4	0.00088445
A2504	Installation of Bored cast-in-situ RCC vertical pile as per IS 2911 (Part 1 Sec 2) with diameter and length as specified (length to be measured from pile cut-off level to the bottom of pile) using cement concrete grade M30 conforming to IS:456 with 20 mm nominal size stone aggregates with a minimum cement content of 400Kg per cum of concrete including providing all materials (but excluding reinforcement steel for which measurement/payment shall be made separately), boring / drilling in all types of soil, providing bentonite slurry and / or casing for stabilization of pile bore, flushing of pile bore, cleaning, etc. wherever required including empty boring from ground level to pile cutoff level etc all complete as per specification, drawing and as directed by the engineer-in-charge for the following. Breaking of pile head up to pile cut-off level and exposing reinforcement for embedment into pile cap is not included in this item. <b>[Concrete will be supplied by BHEL at Batching Plant free of cost, Transportation from Batching Plant to site to be done by the contractor.]</b>					
d	Pile with 600 mm diameter and <b>27</b> m length below cut off level	EACH	3221	3736	6957	0.57647834
Ae(i)	Pile with 760 mm diameter and <b>27</b> m length below cut off level	EACH	250		250	0.02514459
Ae(ii)	Pile with 760 mm diameter and <b>32</b> m length below cut off level	EACH		870	870	0.10720737
A2505	Extra over ST. No. A2504 for pile length more than the specified length below cut off level for the following.					
d	For 600 mm diameter pile	RM	50	450	500	0.00317452
A2506	Rebate on ST.No. A2504 for pile length less than the specified length below cut off level for the following.					
d	For 600 mm diameter pile	RM	500		500	-0.00300621
e	For 760 mm diameter pile	RM	100		100	-0.00080602
A2511	Conducting initial load test upto a maximum test load of 3 times the safe load capacity on single pile as specified in accordance with IS 2911 Part-4 including preparation of pile head for testing, necessary excavation including suitable dewatering (if/as required), all arrangements of loading, unloading, test equipments/ accessories, jacks, recording of results, labour, submission of test report but excluding the cost of installation of pile ( installation of pile shall be paid separately) etc. all complete as per specification, drawing and as directed by engineer in - charge for the following:					
a	For vertical compression test by cyclic load method					
iii	600 mm diameter pile	EACH	4	4	8	0.00782161
iv	760 mm diameter pile	EACH	2	2	4	0.00409983
b	For lateral load test					
iii	600 mm diameter pile	EACH	4	4	8	0.00573287

**VOLUME-III  
PRICE SCHEDULE, REV-01**

**JOB: LEVELLING GRADING, PILING WORK INCLUDING TESTING OF PILES AND OTHER ASSOCIATED WORKS ETC. OF FGD SYSTEM FOR BARH STAGE-I (3X660 MW) & STAGE-II (2X660 MW), STPP, BIHAR.**

**TENDER NO PSER:SCT:BAR-C1971:19**

**SCH-2 - SERVICE**

ST NO.	ITEM DESCRIPTION	UNIT	Stage-I	Stage-II	Total Quantity	Weightage
iv	760 mm diameter pile	EACH	2	2	4	0.00356820
c	For tension/uplift test					
iii	600 mm diameter pile	EACH	4	4	8	0.00415925
iv	760 mm diameter pile	EACH	2	2	4	0.00258468
2512	Conducting routine load test on single job pile as specified in accordance with IS 2911 (Part-4) including preparation of pile head for testing, necessary excavation, providing all arrangements of loading, unloading, test equipments/accessories, jacks, recording of results, labour, submission of test report etc but excluding the cost of installation of job pile complete as per specification, drawing and as directed by the engineer-in-charge for the following.					
a	For vertical compression test by maintained load method					
iii	600 mm diameter pile	EACH	20	21	41	0.03798741
iv	760 mm diameter pile	EACH	2	4	6	0.00693036
b	For lateral load test					
iii	600 mm diameter pile	EACH	20	21	41	0.02448415
iv	760 mm diameter pile	EACH	2	4	6	0.00446025
A2513	Carrying out pile integrity test on 600mm/760mm diameter pile including all arrangements for test, equipments/ accessories, materials, labour, submission of test report etc but excluding the cost of installation of job pile all complete as per specification and as directed by the engineer-in-charge.	EACH	3753	4606	8359	0.02340154
<b>2600</b>	<b>LEVELING &amp; GRADING: Levelling &amp; grading works including all labour, material (unless otherwise specified in BOQ/contract specification), equipment etc. as per specification, drawings and as directed by engineer - in - charge.</b>					
2601	Cutting of trees having girth more than 300 mm measured at a height of 1m above ground level including removal of roots, stacking the serviceable material like trunks,branches etc at specified area within the plant boundary and disposal of unserviceable parts/materials within a lead upto 1km etc all complete.					
a	300 mm upto 600 mm girth.	Nos	10	10	20	0.00001294
b	601 mm upto 1200 mm girth.	Nos	15	15	30	0.00008696
c	1200mm and above.	Nos	5	5	10	0.00013493
2602	Earth work in stripping of top soil upto a maximum depth of 0.30m below ground level so as to exclude all debris, grass, vegetation, bushes, trees having girth upto 300 mm including roots and organic materials etc for leveling and grading including dressing to specified levels & grades and compacting the graded/stripped surface by manual/mechanical means, disposal of stripped materials within a lead upto 1km etc all complete as per specification, drawing and as directed by the engineer-in-charge.	SQM	300	300	600	0.00002132
2603	Earth work in excavation upto any depth below ground level in all types of soil including moorum, ash which can be excavated by any means for grading including setting out, levelling, dewatering (wherever required), dressing the sides & bottom, levelling to grade, all lifts, ramming/compacting the excavated bottom/graded surface, stacking/disposal of surplus excavated materials within a lead upto 1km, spreading/levelling of disposed materials etc all complete as per specification, drawing and as directed by the engineer-in-charge.	CUM	250	250	500	0.00007013
2604	Earth work in excavation upto any depth below ground level in soft rock (rock without any recovery of excavated materials in the form of hard stone/boulder) including weathered rock which can be excavated by means of crow bar, pick axe, pneumatic rock breaker attachment with excavator machine etc (but does not require chiselling or blasting) for grading including setting out, levelling, dewatering (wherever required), dressing the sides & bottom, all lifts, ramming/compacting the excavated bottom, stacking/disposal of surplus excavated materials within a lead upto 1km, spreading/levelling of disposed materials etc all complete as per specification, drawing and as directed by the engineer-in-charge.	CUM	100	100	200	0.00005199
2610	Extra over ST No. 2601 to 2609 for carriage of unserviceable material/earth for every 500m or part thereof beyond an initial lead of 1km.					
a	Carriage for stacking/ backfilling of serviceable material/ earth	CUM	15	15	30	0.00000039
b	Carriage for disposal of serviceable/unserviceable material/ earth	CUM	15	15	30	0.00000039

**VOLUME-III  
PRICE SCHEDULE, REV-01**

**JOB: LEVELLING GRADING, PILING WORK INCLUDING TESTING OF PILES AND OTHER ASSOCIATED WORKS ETC. OF FGD SYSTEM FOR BARH STAGE-I (3X660 MW) & STAGE-II (2X660 MW), STPP, BIHAR.**

**TENDER NO PSER:SCT:BAR-C1971:19**

**SCH-2 - SERVICE**

ST NO.	ITEM DESCRIPTION	UNIT	Stage-I	Stage-II	Total Quantity	Weightage
2611	Earth work in filling upto any depth below ground level for grading to proper grade and level in layers not exceeding 300 mm loose thickness so as to achieve at least 95% maximum dry density as per IS-2720 (Part-VII) with approved borrowed soil (borrowed soil to be arranged by the bidder) and compacted as specified including supplying boorowed soil, royalty/seignorage fee (if any), sorting, spreading, breaking clods, watering, ramming/compaction by manual/mechanical means, dressing, finishing to required lines, grades and slopes, tesing, all lead and lifts etc all complete as per specification, drawing and as directed by the engineer for the following.	CUM	120	120	240	0.00010413
2612	Providing and laying 225mm thick stone pitching including caulking with 1 cement: 4 sand mortar on the slopes of earth fill/cut with approved quality of rock fragments including materials, testing, necessary excavations if any, compaction etc all complete as per specification, drawing and as directed by the engineer.	CUM	150	150	300	0.00187890
2613	Providing and laying 300mm thick good quality dry stone pitching on the slopes of earth fill/cut with approved quality of rock fragments including materials, testing, necessary excavations if any, compaction etc all complete as per specification, drawing and as directed by the engineer.	CUM	200	200	400	0.00231146
2614	Providing and laying of Concrete of grade M10 (1 part cement, 3 part sand, 6 parts of 40 mm graded aggregate by volume) as lean concrete, levelling course, mud mat under and around foundations/floors at any depth below finished floor level etc.	CUM	10	10	20	0.00018929
<b>TOTAL</b>						<b>1.00000000</b>

**FORMAT FOR NO DEVIATION CERTIFICATE**  
**(To be submitted in the bidder's letter head)**

BHARAT HEAVY ELECTRICALS LIMITED,  
Power Sector - Eastern Region,  
Plot no 9/1, DJ Block, Sector – II, Salt Lake City,  
Kolkata – 700 091

Sub	No Deviation Certificate.	
Job	Levelling grading, piling work including testing of piles and other associated works etc. of FGD system for Barh Stage-I (3x660 MW) & Stage-II (2x660 MW), STPP, Bihar.	
Ref	1.0	Tender no PSER:SCT:BAR-C1971:19.
	2.0	BHEL's NIT, vide reference no: PSER:SCT:BAR-C1971:7593 Date: 17-06-2019.
	3.0	BHEL's TCN-01, vide reference no PSER:SCT:BAR-C1971:TCN-01 Date: 01-07-2019.
	4.0	All other pertinent issues till date.

Dear Sirs,

With reference to above, this is to confirm that as per tender conditions, we have visited site before submission of our offer and noted the job content & site conditions etc. We also confirm that we have not changed/ modified the tender documents as appeared in the website/ issued by you and in case of such observance at any stage, it shall be treated as null and void.

We hereby confirm that we have not taken any deviation from tender clauses together with other references as enumerated in the above referred NIT. We hereby confirm our unqualified acceptance to all terms & conditions, unqualified compliance to technical specification, integrity pact (if applicable) and acceptance to reverse auctioning process.

In the event of observance of any deviation in any part of our offer at a later date whether implicit or explicit, the deviations shall stand null & void.

We confirm to have submitted/uploaded offer/documents in accordance with tender instructions with acceptance of the terms & conditions of the tender by us and as per aforesaid references.

Thanking you,

Yours faithfully,

(Signature, date & seal of authorized  
representative of the bidder)