

	PRE-QUALIFYING REQUIREMENTS (TECHNICAL) SELF CLEANING STRAINER (SCS).	TECHNICAL SPECIFICATION NO: PE-TS-RC5-165-N004 TECHNICAL PQR NO: PE-PQ-RC5-165-N004 REV NO. 00 DATE: 20.07.2021
		STANDARD PQR NO: PE-PQ-STD-165-N004 REVISION NO: 03 DATE: 12.03.2020
		SHEET: 1 of 3
FORM NO. PEM 6100-0	ENQUIRY NO.:	
	PROJECT: Rate Contract-5	
	PACKAGE: SELF CLEANING STRAINER (SCS)	
	1. The bidder should have designed, manufactured, tested, inspected & supplied the SCS with minimum flow of 325 CuM/Hr, which have been successfully in use for at least 1 year in thermal power plant or similar industry/ application and bidder is in business of SCS on continuous basis.	
	2. Offers of the JV companies/ Joint Bidders/ bidders having collaboration / licensing agreement/ MOU/ Indian subsidiaries meeting the PQR at sl. no. 1 above shall be evaluated as follows: a. If bidder happens to be an Indian subsidiaries of foreign OEM, then the credentials of the foreign OEM can also be considered for meeting PQR. b. If bidder happens to be the Joint Venture Company, then the credentials of any of JV partners can be also considered for meeting PQR. c. If bidder happens to bid jointly with their partner, then credentials of both the partners will be considered for meeting PQR as per distribution of the work. In all such cases, lead bidder as specified in bid documents shall be responsible for overall execution of the contract and all guarantee/ warranty d. If bidder happens to be the having valid collaboration agreement/ MOU/ licensing agreement with some other company, then the credentials of collaborator/ MOU partner/ licensing company can also be considered for meeting PQR. Note: Bidder quoting on above route(s) should be manufacturer of SCS and qualifying on the basis of credentials of his principal/ JV partner/ Collaborator/ MOU partner/joint bidder/licensing Company etc., then the principal/ JV partner/ Collaborator/ MOU partner/ joint bidder/ licensing Company shall be responsible for overall design vetting and warranty/ guarantee of the package. The scope matrix clearly defining their respective roles including design vetting, manufacturing of critical component, E&C etc. and warranty/ guarantee shall be submitted along with the offer.	
3. The Bidders shall furnish following support documents for assessment of Bidder w.r.t. PQR as indicated at Sl. No. 1 & 2 above: A. Bidder's Experience list of SCS for last 5 years (as on the enquiry/NIT date) for assessment of bidder for supplying the SCS on regular basis for establishing business continuity in enclosed format- Annexure-1. Bidder shall furnish the PO copy of at least one executed Contract as indicated in the experience list.		

PREPARED BY: NAME: DESIGNATION / DEPT.:	REVIEWED BY: NAME: DESIGNATION / DEPT.:	APPROVED BY: NAME: DESIGNATION / DEPT.:
--	--	--

	PRE-QUALIFYING REQUIREMENTS (TECHNICAL) SELF CLEANING STRIANER (SCS).	TECHNICAL SPECIFICATION NO:PE-TS-RC5-165-N004
		TECHNICAL PQR NO: PE-PQ-RC5-165-N004 REV NO. 00 DATE: 20.07.2021
		STANDARD PQR NO: PE-PQ-STD-165-N004 REVISION NO: 03 DATE: 12.03.2020
		SHEET: 2 of 3

	B. Bidder shall furnish any one from below in support of successful performance of SCS for one year: i. Satisfactory Performance feedback certificates from End Customer (Owner) (in English) for at least one successfully executed contract which has been in use for at least one year indicating salient features like year of commissioning of SCS, rating of project, Size of SCS, project name etc., date of issue of certificate and name/ designation of the certificate issuer for power plant/similar application industry. The reference SCS should have been in successful operation for at least one (1) year prior to the date of subject enquiry/NIT. OR ii. The bidder has been awarded One repeat contract for SCS from End Customer (Owner) / Purchaser (in English) for power plant/similar application industry. Repeat contract shall be considered when the second contract is given by the same purchaser/ owner after lapse of minimum 1 year from execution (viz. commissioning) of first contract. Supporting documents for execution of the first contract like commissioning report or PG test report along with the PO Copy to be furnished, if bidder intends to submit the documents for Repeat Contracts. The date of repeat contract order should not be later than the date of subject enquiry/NIT.
	Notes: - Purchase order copy, supporting drgs/technical data sheets etc. are to be submitted along with the bid for which the bidder intends to furnish the performance feedbacks / repeat contracts for reference purpose only. Any additional document required in support of above documents to establish the correlation between the above documents and the supplied item shall be provided by the bidder.
	4. Bidder to note that the arrangement of bidding (joint bid partners/ collaborator/ MOU partner/ licensing company etc.) once offered to BHEL as a part of bidding documents cannot be changed till the execution of the project.
	5. Consideration of offer shall be subject to customer's approval of bidders, if applicable.
	6. Bidder to submit all supporting documents in English, If documents submitted by bidder are in language other than English, a self-attested English translated document should also be submitted.
	7. Purchase order for spare items shall not be considered as repeat order qualifying criteria.
	8. Notwithstanding anything stated above, BHEL reserves the right to assess the capabilities and capacity of the bidder/collaborators to perform the contract, should the circumstances warrant such assessment in the overall interest of

PREPARED BY:	REVIEWED BY:	APPROVED BY:
NAME:	NAME:	NAME:
DESIGNATION / DEPT.:	DESIGNATION / DEPT.:	DESIGNATION / DEPT.:

	PRE-QUALIFYING REQUIREMENTS (TECHNICAL) SELF CLEANING STRAINER (SCS).	TECHNICAL SPECIFICATION NO:PE-TS-RC5-165-N004 TECHNICAL PQR NO: PE-PQ-RC5-165-N004 REV NO. 00 DATE: 20.07.2021
		STANDARD PQR NO: PE-PQ-STD-165-N004 REVISION NO: 03 DATE: 12.03.2020
		SHEET: 3 of 3

	BHEL.
	9. After satisfactory fulfilment of all the above criteria/ requirement, offer shall be considered for further evaluation as per NIT and all the other terms of the tender.

PREPARED BY:	REVIEWED BY:	APPROVED BY:
NAME:	NAME:	NAME:
DESIGNATION / DEPT.:	DESIGNATION / DEPT.:	DESIGNATION / DEPT.:

EXPERIENCE LIST**EQUIPMENT/PACAKAGES : SELF CLEANING STRAINER****Vendor :**

SL. NO.	PROJECT	CUSTOMER/ CONSULTANTS	YEAR OF SUPPLY	SIZE (MM)	CAPACITY (Cub. M/ Hr)	QTY	MATERIAL OF CONSTRUCTION (HOUSING/STRAINER ELEMENT)	QUALITY OF WATER HANDLED	Performance feedback certificate from end user (enclosed/not enclosed)	

COMPANY SEAL