



TENDER DOCUMENT

For Works Contract

For Tender Enquiry No : FCX/TW/23/03

For

“MISC. CIVIL MAINTENANCE WORK IN FACTORY AREA.”

Contact Person :

Name : Vinod Kevre

Designation : DGM (CMM)

Email : kevre@bhel.in

PH : 0510 – 241 – 2797

Tender Due Date 04/07/2023 at 13 :15 Hrs

Tender Opening Date : 04/07/2023 at 14 :00 Hrs

**Material Management Department
BHEL, PO : BHEL, Jhansi 284120 (UP)**

Detail of Bidder and Documents to be submitted along with Technical Bid

Please number your documents in continuation with tender documents at bottom (footer) of page.

S.No.	Particular	Detail	
1.	Name of the firm		
2.	Name of the Proprietor/Partners		
3.	Address		
4.	Mobile No.		
5.	E-mail ID		
Documents			
	Particular	Detail	Page No
6.	Acceptance of Terms & conditions Signature on all pages without conditions of contractor	Submitted/ Not submitted	
7.	Blank price bid format duly signed by the contractor.	Submitted/ Not submitted	
8.	Copy of ESI Registration	ESI No-	
9.	Copy of PAN card	PAN No-	
10.	Copy of GST registration	GST No-	
11.	Self declaration as per annexure V on letter head.	Submitted/ Not submitted	
12.	Copy of ownership of firm	Submitted/ Not submitted	
13.	Reciept of tender fees deposition	Amount	
14.	Reciept of EMD deposition	Amount	
15.	Copy of turn over and income tax return for last three year i. 2019-20 ii. 2020-21 iii. 2021-22	Submitted/ Not submitted	

BHARAT HEAVY ELECTRICALS LIMITED, JHANSI**Factory Civil Department****TENDER DOCUMENT****TENDER ENQUIRY NO. : FCX/TW/23/03****DATE:- 19/06/2023**

16.	Work Experience i. Work order ii. Completion Certificate iii. Bill of Quantity Tax invoice / TDS Certificate (Traces form 26AS or 16A) submission is also required along with the offer for experience in Private/GOVT/PSU works	Submitted/ Not submitted	
17.	Copy of PF registration	PF No-	

We will fulfill all the obligations of the contractor and abide by the terms & Conditions mentioned in the enquiry.

Date :-

Signature With Name & Seal

We hereby accepted above (Signature & seal of bidder)

Seal & Signature OF BHEL contracting authority

TABLE OF CONTENTS**PART I: TECHNO-COMMERCIAL BID**

Sl no	Section	Page No.
1.	TENDER ENQUIRY NO	01
2.	DETAIL OF BIDDERS & DOCUMENTS TO BE SUBMITTED	02-03
3.	TABLE OF CONTENT	04
4.	NOTICE INVITING TENDER	05-07
5.	BRIEF DESCRIPTION OF WORK	08
6.	QUALIFYING CRITERIA	09-10
7.	GENERAL TRERM AND CONDITIONS OF ENQUIRY	10
8.	TECHNICAL SPECIFICATION	11-12
9.	BLANK PRICE BID JS-472	13-16
10.	Annexures-(I-XII) (shall be uploaded separately)	17
11.	DECLARATION BY BIDDER family firms or sister concern affiliates / subsidiary firms are participating in the tender (Annexure- A)	18
12.	SOP For Implementation of Risk and Cost	19

PART II: PRICE BID**(Separate envelope)**

S. No.	Section	Page No.
1.	PRICE BID (JS-146)	20

NOTICE INVITING TENDER



BHARAT HEAVY ELECTRICALS LIMITED, JHANSI**Factory Civil Department****TENDER DOCUMENT****TENDER ENQUIRY NO. : FCX/TW/23/03****DATE:- 19/06/2023****1- NOTICE INVITING TENDER**

S. No.	Particulars	Details
1.	Name of work	Misc. civil maintenance work in factory area.
2.	Tender Evaluation Criteria	As per GTC issued by "Central Contracting Cell" and Tender Documents.
3.	Duration of the Contract	06 Months
4.	Last date of receipt of the Tender	(As on page # 1)
5.	Date of opening Tender	(As on page # 1)
6.	Address for submitting the tender	(As on page # 7)
7.	Earnest Money Deposit (EMD)	Rs. 7444.0
8.	Cost of tender (Non refundable)	Rs. Nil
9.	Validity of Offer	120 days
10.	Defect liability period	One year from the date of work order completion
11.	Reverse Auction	RA will not be conducted for this tender
12.	MSME Benefit	Not Applicable
13.	Start-up scheme Benefit	Not Applicable

Note: The EMD may be accepted only in the following forms:

(i) Electronic Fund Transfer credited in BHEL account (before tender opening)

BHEL account details: Bank Name: - SBI; A/c No.:- 10670828866; IFSC Code:- SBIN0003807 A/c Holder Name:- BHARAT HEAVY ELECTRICALS LIMITED

(ii) At BHEL cash office through POS machine **No Demand Drafts shall be accepted.**

The contractors may physically visit the work place before quoting their rates. For relevant details, please visit our website "www.bhel.com" & "www.eprocure.gov.in"

Note: BHEL takes no responsibility for any delay / loss of documents or correspondence sent by courier or post. Late tenders shall be rejected outright.

The techno-commercial bid comprising (i) all its sections, (ii) all enclosures in support of various clauses and requirements and (iii) EMD, shall be duly signed and sent in a sealed envelope boldly super-scribing **"PART-I TECHNO COMMERCIAL BID FOR "Misc. Civil maintenance work in factory area.** Similarly, the Price-bid must be duly signed and sent in a sealed envelope boldly super-scribing **"PART-II PRICE "Misc. civil maintenance work in factory area."** Both these envelopes shall be placed inside 3rd sealed envelope super-scribing" duly signed and sent in a sealed envelope boldly super-scribing **"Misc. Civil maintenance work in factory area."**

We hereby accepted above (Signature & seal of bidder)

Seal & Signature OF BHEL contracting authority

Factory Civil Department

TENDER DOCUMENT

TENDER ENQUIRY NO. : FCX/TW/23/03

DATE:- 19/06/2023

The tender shall be addressed to as follows:

Name : Vinod Kevre
Designation : DGM (CMM)
Email : kevre@bhel.in
PH : 0510 – 241 – 2797

Sealed Tenders can be submitted (i) personally, (ii) by Courier/Post

If submitted personally

Tender Box
Security Control Room/Office
Administrative Building
Bharat Heavy Electricals Limited
Jhansi-284120 (U P)

Or if sent through Courier / Post

Office of
Name : Vinod Kevre
Designation : DGM (CMM)
Email : kevre@bhel.in
PH : 0510 – 241 – 2797

Or if sent through email

Email Id: tinderbox.jhs@bhel.in

(Kindly do not send on any other email id of any official of BHEL)

Part-I Techno Commercial bid:

Part I of the sealed tenders alone will be opened by BHEL in the presence of tenderers who are present at the time & place of opening. A signed blank price-bid copy should be enclosed with this bid. The spaces for prices should be crossed (x).

Part-II Price bid:

The price bid should contain prices only. Price bid will be opened only for the parties who qualify in techno commercial bid.

TO BE SIGNED BY THE TENDERER

Certified that all Sections of the Tender have been read / complied & agreed to, and each page of the tender offer has been signed & stamped.

(Signature of Authorized person(s))

Brief Description of Work / Scope of work

Name of work: **“Misc. civil maintenance work in factory area.”**

Scope of work shall consist of:

1. Demolishing of existing broken shop floors /Concrete area.
2. Excavation work as per the site requirement.
3. Surface preparation for laying of CC/RCC.
4. Laying of PCC and RCC.
5. Plastering of walls.
6. Supply of sand, aggregate and bricks.
7. Demolishing of walls and floor as per requirements.
8. All the above-mentioned work is to be carried out while following the best safety practices. Only the trained workers must be deployed for the work.

The above list is indicative and not exhaustive and shall include any other work not mentioned above but becomes important for successful completion of the entire work.

Note:-

1. It is also advised that the bidder shall visit the Jhansi plant and physically see the work area/areas in order to have visualization of the work content involved for the above works.
2. The quantity of items in the BOQ can vary to any extent during the execution as per the actual site requirement.

Qualifying Requirements

1. Copy of PAN Card to be submitted.
2. Copy of GST Registration to be submitted.
3. Self-Declaration undertaking duly signed with stamp of the bidder on letter Pad of contractor to be submitted.
4. Copy of independent ESI Registration.
5. Signed copy of Blank Price Bid.
6. Similar Completed work- The bidder should have the experience of having successfully completed similar work against completed work order in past seven years ending last day of the month previous to the one in which applications are invited for amounting to values mentioned as under:

One Work valuing not less than **Rs 2.98** Lakhs. Or

Two works each valuing not less than **Rs 1.86** Lakhs. Or

Three works each valuing not less than **Rs 1.49** Lakhs.

Definition of Similar Work: All type Civil construction/Maintenance/Renovation works.

(Note: For verification by the department, work order copy and work completion certificate mentioning successful completion by the client shall be submitted by the vendor. "Tax invoice / TDS Certificate (Traces form 26AS or 16A) submission is also required along with the offer for experience in Private/GOVT/PSU works". In case experience is submitted for work done in BHEL Jhansi, TDS/Tax invoice is not required.

7. Turnover criteria: Average annual financial turnover during the last three years, ending 31st March, 2022 {i.e. FY-2019-20, FY-2020-21 and FY 2021-22) applicable as per norm shall be at least Rs. 1.12 Lakhs. Duly audited financial statement / balance sheet / certified by CA to be submitted as supporting documents. If all balance sheet/financial statement are not available for three years than the average shall be calculated by dividing the sum of turnover of submitted balance sheet/certificate from CA/Financial statement by three.

Note-1:- Benefits under MSMED Act: Being a work contract involving usage of incidental material, benefits under MSMED act will not be applicable under this contract.

Note-2:- Benefits under Start Up Scheme: Considering critical quality aspects and technical specification implications for the work, no relaxation shall be given to Start-up bidders on account of turnover criteria & prior experience.

8. Documentary proof in support of above eligibility criteria along with EMD shall be submitted along with Techno Commercial Bid. **(EMD Rs - 7444/-)**

9. The documents required for legal entities under whose name and style contractor has participated in the tender are as follows:

Factory Civil Department

TENDER DOCUMENT

TENDER ENQUIRY NO. : FCX/TW/23/03

DATE:- 19/06/2023

(i) Partnership Firm: Partnership Deed & registration certificate issued by office of registrar of Firms.

(ii) Company: Certified copy Memorandum of Association, Article of Association and Incorporation Certificate.

(iii) Society: Registration certificate issued by Registrar of societies.

(iv) Sole Proprietor-ship: Undertaking on oath (Rs. 100 stamp paper) that Proprietor is solely responsible for all rights and liabilities while working under the name and style of Sole Proprietorship firm namely (_____)

10. Bidders are required to submit a self-declaration to avoid cartel formation on their letter head as per the Format enclosed in Annexure A.

GENERAL TERMS AND CONDITIONS OF ENQUIRY FOR WORKS
CONTRACTS (JHS 2055C R02)

UPLOADED IN SEPERATE FILE - PAGE NO 01 TO 14
(To be signed by contractor and submitted along with bid)

TECHNICAL SPECIFICATION

1. The works shall be executed with the directions, instructions, which shall be given to the contractor by BHEL from time to time and as per technical specifications in price schedule and drawings available in the office to give a general idea of the work to be executed and is liable for modifications during the actual execution based on the designs prepared and approved by the Competent authority.
2. If the specifications found wanting relevant technical specifications along with the tender shall be followed. Further missing details relevant CPWD and IS specifications shall be followed. Wherever, there is difference in between CPWD and IS specifications latter shall prevail.
3. For execution of all scheduled items CPWD specifications and relevant IS codes are to be followed. For execution of non-scheduled items specifications enclosed with this tender are to be followed.
4. Specialized works are to be executed by specialized agency with the approval of BHEL.
5. The materials in the scope of contractor shall have to be got approved by the contractor from the Engineer-in-charge before supplying inside the factory area. Testing of these materials (If required) shall be carried out at any BHEL or Govt approved/NABL approved lab whose cost will be borne by the contractor.
6. Contractor shall ensure that quality is maintained in all works connected with this contract all stages as per requirement of BHEL. Contractor shall ensure all inspection, measuring and testing equipment are calibrated by authorized agency/BHEL and valid calibration must be available with them for verification by BHEL.
7. The contractor shall be fully and finally responsible for correctness and quality of his work to the entire satisfaction of the BHEL/Customer.
8. If in the opinion of the contractor any work is insufficiently specified or required modifications, the contractor shall refer the same in writing to the Engineer and obtain his instruction/approval in writing before proceeding with the work. If contractor fails to refer such instance, any excuse for faulty erection, for poor workmanship or delay in completion shall not be entertained.
9. Material reconciliation statement has to be submitted by the contractor as & when required by BHEL.
10. The BHEL reserves the right to deviate either by additions or by deductions from the schedule of items of work given in the tender document after awarding work.
11. The quantity of items in the BOQ can vary to any extent during the execution as per the actual site requirement.
12. In case of any difference between agreement, wording and detailed drawings the interpretation of the BHEL shall be final and binding on the contractor.
13. The final acceptance of work in all items are subject to proper performance regardless of whether the items are paid for or not.
14. If discrepancy in specifications observed between schedule of quantities and general / technical conditions, the specifications in schedule of quantities will have precedence over the general / technical conditions.
15. Water will be supplied free of cost at one point for drinking and construction.
16. Quantity records shall be prepared, maintained and submitted by contractor on regular basis during the course of execution. Test records shall be prepared, maintained and submitted by contractor during the course of execution and as demanded by Engineer-In-Charge. Contractor shall strictly adhere to quality requirements and shall follow the norms mentioned in Field Quality Plan (if applicable).

Factory Civil Department**TENDER DOCUMENT****TENDER ENQUIRY NO. : FCX/TW/23/03****DATE:- 19/06/2023**

17. In case of defective work BHEL will have full right to reject the work or part thereof. Such defective work if any, will have to be rectified by the contractor at his own cost. The opinion of Engineer in charge shall be final in this matter. If the defective work is allowed to stand BHEL shall have the absolute right to reduce the rates for such items and the contractor shall have no claims over such defective work allowed on reduced rates.
- 17 The contractor shall have to make his own storage sheds for materials to be issued by BHEL. If deemed necessary by engineer in charge, the contractor shall make separate store for cement with double lock system. The empty cement bags shall be stocked at one place and at least 90% of them shall be returned to BHEL at BHEL stores in good condition without any additional payment. Therefore, if the total quantity of 90% empty cement bags is not returned by the contractor, the same will be recovered at the rate of Rs 3/- per bag from the bills.
- 18 For all natural minerals used in the work like sand, aggregate etc. royalty certificate (MM-11) must be submitted along with bills. If royalty certificate is not submitted the cost of royalty shall be deducted from contractor's bill as per prevailing Govt. order including penalty as applicable.
19. Any electric power required for contractors' lighting/machinery for the purpose of work including fabrication work shall be supplied FREE OF COST at one point by the company on the written request of the contractor, subject to the observance of rules and regulations of Electric board / company. If it is observed that power is being wasted, BHEL shall have the right to recover cost of such consumption including arrears. Power will not be allowed for cooking and room (air) heating in winter season: For this purpose, on written application chargeable power can be allowed. The rates shall be the rates applicable for industrial consumption in U.P.

20. ACCOUNTING

- a) Proper method of accounting of steel, TOR steel, cement & scrap material shall be followed. The books of such accounting be offered for auditing by BHEL at pre-decided regular interval.
- b) All debris and surplus materials shall be cleared from the site as and when directed by the Engineer-in-charge. Any temporary structure / stores made by the contractor for the work shall be demolished and site cleared before payment of final bill.
- c) Structural steel wastage / scrap shall be permissible upto 2% of total quantity of issued quantity. The wastage / scrap steel must be returned by contract for reconciliation of steel. Wastage scrap beyond 2% will be deducted @ Rs.75 per kg.

21. METHODS OF MEASUREMENTS

Except where any general or detailed description of the work in quantities expressly shows the contrary, schedule of quantities shall be deemed to have been prepared and measurements shall be taken in accordance with the procedure set forth in the schedule of rates – specification notwithstanding any provision in the relevant standard method of measurement or any general or local custom. In the case of items which are not covered by the CPWD schedule of rates – specification, measurement shall be taken in accordance with the relevant standard method of measurement issued by the Indian standards institution.

22. FREE ISSUE MATERIAL TO THE CONTRACTOR.**SCHEDULE "A"**

S No.	Particulars	Rs.	Quantity
1	Cement	Free of Cost	As per requirements
2	Reinforcement steel	Free of Cost	As per requirements

BHARAT HEAVY ELECTRICALS LIMITED, JHANSI**Factory Civil Department****TENDER DOCUMENT****TENDER ENQUIRY NO. : FCX/TW/23/03****DATE:- 19/06/2023**

Note: Tools and Plants if issued to contractor on chargeable basis than the amount shall be deducted as per rates decided by BHEL prior to issue.

Blank Price bid (JS-476)

Part A-DSR-ITEM							
Sl. No.	DSR 2016	Description of Work	% allocation	Unit	Quantity	Rate	Amount (Rs)
1	1.1.1/68	By Mechanical Transport including loading, unloading and stacking: Lime, moorum, building rubbish	0.18139%	Cum	15.0	#####	#VALUE!
2	1.1.2/68	By Mechanical Transport including loading, unloading and stacking: Carriage of Earth up 1 km.	0.30228%	Cum	20.0	#####	#VALUE!
3	2.6.1/76	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.	0.38715%	Cum	20.0	#####	#VALUE!
4	2.25/79	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	0.19327%	Cum	10.0	#####	#VALUE!
5	4.1.3/88	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : "1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size).	2.98367%	Cum	6.0	#####	#VALUE!
6	4.1.6/88	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III): 6 graded stone aggregate 40 mm nominal size).	4.98118%	Cum	10.0	#####	#VALUE!
7	4.1.8/88	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size)	5.02915%	Cum	10.0	#####	#VALUE!
8	5.1.3/97	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size).	10.83899%	Cum	20.0	#####	#VALUE!

We hereby accepted above (Signature & seal of bidder)**Seal & Signature OF BHEL contracting authority**

BHARAT HEAVY ELECTRICALS LIMITED, JHANSI

Factory Civil Department

TENDER DOCUMENT

TENDER ENQUIRY NO. : FCX/TW/23/03

DATE:- 19/06/2023

9	5.3/97	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:1.5:3 (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size).	5.66860%	Cum	8.0	#####	#VALUE!
10	5.9.1/98	Centering and shuttering including strutting, propping etc. and removal of form for all heights : Foundations, footings, bases of columns, etc. for mass concrete	4.25154%	Sqm	150.0	#####	#VALUE!
11	5.9.3/98	Centering and shuttering including strutting, propping etc. and removal of form for all heights : Suspended floors, roofs, landings, balconies and access platform	6.41627%	Sqm	100.0	#####	#VALUE!
12	5.22.6	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more. (Steel Shall be issued free of cost by BHEL)	1.18234%	Kg	700.00	#####	#VALUE!
13	6.1.2/111	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	3.01020%	Cum	5.0	#####	#VALUE!
14	6.4.2/111	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)	8.75744%	Cum	12.0	#####	#VALUE!
15	6.8/111	Brick work 7 cm thick with common burnt clay F.P.S. (non modular) brick of class designation 7.5 in cement mortar 1:3 (1 cement : 3 coarse sand) in superstructure above plinth level and upto floor five level.	1.30588%	Sqm	20.0	#####	#VALUE!
16	6.13.2/112	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. Cement mortar 1:4 (1 cement : 4 coarse sand)	1.73765%	Sqm	20.0	#####	#VALUE!
17	7.1.1/119	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) upto plinth level with : Cement mortar 1:6 (1 cement : 6 coarse sand)	2.05003%	Cum	4.0	#####	#VALUE!
18	11.1.2/191	Brick on edge flooring with bricks of class designation 7.5 on a bed of 12 mm cement mortar, including filling the joints with same mortar, with common burnt clay non modular bricks: 1:6 (1 cement : 6 coarse sand)	0.77332%	Sqm	10.0	#####	#VALUE!

We hereby accepted above (Signature & seal of bidder)

Seal & Signature OF BHEL contracting authority

BHARAT HEAVY ELECTRICALS LIMITED, JHANSI**Factory Civil Department****TENDER DOCUMENT****TENDER ENQUIRY NO. : FCX/TW/23/03****DATE:- 19/06/2023**

19	11.2/191	Dry brick on edge flooring in required pattern with bricks of class designation 7.5 on a bed of 12 mm mud mortar, including filling joints with sand, with common burnt clay non modular bricks.	0.71259%	Sqm	10.0	#####	#VALUE!
20	11.3.1/191	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate	1.13571%	Sqm	30.0	#####	#VALUE!
21	11.4/191	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	0.60789%	Sqm	10.0	#####	#VALUE!
22	11.38/196	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including pointing the joints with white cement and matching pigments etc., complete	1.41892%	Sqm	15.0	#####	#VALUE!
23	13.1.2/227	12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand)	1.56188%	Sqm	75.0	#####	#VALUE!
24	13.2.2/227	15 mm cement plaster on the rough side of single or half brick wall of mix : 1:6 (1 cement: 6 fine sand)	0.95602%	Sqm	40.0	#####	#VALUE!
25	13.3.2/227	20 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand)	0.41934%	Sqm	15.0	#####	#VALUE!
26	13.8.2/227	15 mm cement plaster on rough side of single or half brick wall finished with a floating coat of neat cement of mix : 1:4 (1 cement: 4 fine sand)	0.42167%	Sqm	15.0	#####	#VALUE!
27	15.2.1/253	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	1.53237%	Cum	10.0	#####	#VALUE!
28	15.2.2/253	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	1.41814%	Cum	15.0	#####	#VALUE!

We hereby accepted above (Signature & seal of bidder)**Seal & Signature OF BHEL contracting authority**

BHARAT HEAVY ELECTRICALS LIMITED, JHANSI

Factory Civil Department

TENDER DOCUMENT

TENDER ENQUIRY NO. : FCX/TW/23/03

DATE:- 19/06/2023

29	15.3/253	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	3.35326%	Cum	15.0	#####	#VALUE!
30	15.7.4/253	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.	1.94284%	Cum	15.0	#####	#VALUE!
31	15.9.2/253	Demolishing stone rubble masonry manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge : In cement mortar	1.08197%	Cum	7.0	#####	#VALUE!
32	15.12.1/254	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : Of area 3 sq. metres and below	0.24260%	Each	10.0	#####	#VALUE!
33	15.56/258	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	0.06885%	Sqm	20.0	#####	#VALUE!
34	19.1.5/354	Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : 300 mm diameter	1.04018%	Mtr	10.0	#####	#VALUE!
35	19.3.5/354	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) up to haunches of S.W. pipes including bed concrete as per standard design : 300 mm diameter S.W. pipe	0.88864%	Mtr	10.0	#####	#VALUE!
36	0293/7	Stone Aggregate (Single size) : 40 mm nominal size	2.10410%	Cum	10.0	#####	#VALUE!
37	0295/8	Stone Aggregate (Single size) : 20 mm nominal size	2.62591%	Cum	12.0	#####	#VALUE!
38	0297/8	Stone aggregate - 10 MM	2.62591%	Cum	12.0	#####	#VALUE!
39	0982/15	Coarse sand	2.01994%	Cum	10.0	#####	#VALUE!
40	983/15	Fine Sand	1.27929%	Cum	10.0	#####	#VALUE!
41	2602/27	FPS Bricks class designation 7.5	2.27242%	1000 Nos	3.0	#####	#VALUE!
42	DSR 2016	Item covered in DSR 2016 but not covered above	3.07381%	DSR	20000.0	#####	#VALUE!
Sub Total (A)			94.85459%				#VALUE!
<u>Part 'B' (NON DSR ITEM)</u>							
40		Work for unloading the cement bags(50 kg) from trucks and stacking it inside closed shed on wooden pallets as per instruction of Engineer - in charge.	5.14541%	Nos	5000.00		#VALUE!
Total D			5.145406%				#VALUE!

GST EXTRA

Don't Fill rates in this sheet.

We hereby accepted above (Signature & seal of bidder)

Seal & Signature OF BHEL contracting authority

Annexures (I-XII)

Attached below

(To be signed by contractor and submitted along with bid)

DECLARATION BY BIDDER (on letter pad)

We declare that the following family firms or sister concern affiliates / subsidiary firms are participating in the tender No- _____.

1.0.....

2.0.....

3.0.....

I..... , hereby declare on behalf of M/s..... and the family firms or sister concern affiliates / subsidiary firms listed above that we are not indulging in cartel formation for tender No _____.

Name & signature of the bidder
(Seal)

**SOP For Implementation of Risk and Cost (TOTAL 10
PAGES)**

UPLOADED IN SEPARATE FILE

(To be signed by contractor and submitted along with bid)

Format JS 146 - Price Bid Sheet (in a separate envelope)

UPLOADED IN SEPARATE FILE