114419/2020/PS-PEM-CIV



PROJECT: 4X210 MW+3X500MW_KAHALGAON

(ST I&II) FGD

TECHNICAL PREQUALIFYING REQUIREMENT FOR WIND TUNNEL STUDY OF CHIMNEY

DOCUMENT NO. PE-TS-481-600-C031
REV.NO. 0
DATE 04-11-2020
Page 1 of 3

TECHNICAL PREQUALIFYING REQUIREMENT OF BIDDERS **FOR** WIND TUNNEL STUDY OF CHIMNEY

DOCUMENT NO. PE-TS-481-600-031



BHARAT HEAVY ELECTRICALS LIMITED Project Engineering Management PPEI BUILDING, HRD & ESI COMPLEX Plot No. 25, Sector 16A NOIDA, U.P. - 201301



114419/2020/PS-PEM-CIV PROJECT: 4X210 MW+3X500MW_KAHALGAON

(ST I&II) FGD

TECHNICAL PREQUALIFYING REQUIREMENT FOR WIND TUNNEL STUDY OF CHIMNEY

l	DOCUMENT NO. PE-TS-481-600-C031
ĺ	REV.NO. 0
ĺ	DATE 04-11-2020
ĺ	
ĺ	Page 2 of 3

Project Title	:	4X210 MW+3X500MW_KAHALGAON (ST I&II) FGD			
Job No.	:	481			
Document No.	:	PE-TS-481-600-C031			
Building / System	:	CHIMNEY	Sheet		
Subject	:	TECHNICAL PREQUALIFYING REQUIREMENT OF BIDDERS FOR WIND TUNNEL STUDY OF CHIMNEY			

Rev.	Particulars	Prepared	Checked	Approved	Remarks
No.		By	$\mathbf{B}\mathbf{y}$	By	
	Name	MA	SP	СРК	
0	Sign				
	Date	04.11.2020	04.11.2020	04.11.2020	

114419/2020/PS-PEM-CIV

वीरम इंस्ल BHFI PROJECT: 4X210 MW+3X500MW_KAHALGAON (ST L&II) FGD

(ST I&II) FGD

TECHNICAL PREQUALIFYING REQUIREMENT FOR WIND TUNNEL STUDY OF CHIMNEY

DOCUMENT NO. PE-TS-481-600-C031					
REV.NO. 0					
DATE 04-11-2020					
Page 3 of 3					

TECHNICAL PREQUALIFYING REQUIREMENT FOR WIND TUNNEL STUDY OF CHIMNEY

- 1. Bidder should have successfully executed Wind Tunnel model and testing on aero-elastic model of a structure, of minimum height 100m, for any one of the following in the last seven years from the latest date of bid submission
 - a) One (1) work of value not less than 24,00,000 Rs (twenty four lakh rupees) Ex-works price.

OR

b) Two (2) works each of value not less than 15,00,000 Rs (fifteen lakh fifty thousand rupees) Ex-works price.

OR

- c) Three (3) works each of value not less than 12,00,000 Rs (twelve lakh rupees) Ex-works price.
- 2. Bidder should have their own Wind tunnel testing facility which shall be suitable for testing on model having a scale not less than 1:250.