

TECHNO COMMERCIAL BID COMPLIANCE

TENDER REF: 12302885 _12302937 – R1 [SUPPLY OF TUBULAR TYPE CORONA RINGS]

ITEM: CORONA RING (ø300X140HT) 3 987 14 38023

ESSENTIAL CRITERIA OF TECHNO COMMERCIAL OFFER ADDRESS OF THE FIRM

SL.NO	PARAMETER	BHEL SPEC/ REQUIREMENT	VENDOR TO SUBMIT THEIR ACCEPTENCE
1	Name of Contact person	To be mentioned	
2	E-mail ID	To be mentioned	
3	Mobile number	To be mentioned	
4	Land line number	To be mentioned	
5	Fax number	To be mentioned	
6	Are you belong to SC/ST enterprises	If yes please enclosed certificate	
7	Are you MSE enterprises	If yes-enclose UDYAM certificate	
8	RFQ document	Acceptance Required	
9	NIT document	Acceptance Required	
10	SCC document	Acceptance Required	
11	GCC document	Acceptance Required	
12	Annexure I,II,III, XII of GCC	To be filled by the bidder and submitted with seal & sign	
13	Annexure-A conciliation	To be filled by the bidder and submitted with seal & sign	
14	Payment terms (refer SCC)	Acceptance Required	
15	Delivery terms (refer SCC)	Acceptance Required	
16	Annexure D, E, F of SCC	To be filled by the bidder and submitted with seal & sign	
17	Financial PQR (if applicable)	To be filled by the bidder and submitted with seal & sign and supporting documents.	
18	Technical PQR (if applicable)	To be submitted with seal & sign	
19	GeM Seller ID	To be mentioned	
20	Any Other Documents	To be mentioned	

NOTE: In case of any deviation to SCC/GCC/TS, the same can be submitted through Annexure-II deviation sheet only. The unpriced Annexure-II deviation sheet has to be submitted with Part-I offer and cost of withdrawn i.e. Annexure-II deviation sheet- Priced copy to be submitted with Part-II offer.

SIGNATURE OF THE BIDDER WITH SEAL