

Technical Pre-Qualification Requirement (TPQR) of Cable Lead



Date: 09.10.24

Technical Pre-Qualification Requirement of Cable Lead is as under:

Sl. No.	Description	Vendor to comment	
		Complied / Not complied	Supporting relevant document to be submitted
1.	Cable Lead (fluonex cable/fluoro elastomeric cable) should be exactly as per enquiry/NIT.	Yes/No	-
2.	Supply experience in preceding 5 years (from original tender opening date) of same/similar* item to Indian railway / Traction machines manufacturers. Developmental/Trial experience shall not be considered.	Yes/No	Unpriced PO copy along with supply proof (delivery challan, invoice etc.)
3.	Please specify whether supplier is OEM or agent/distributor/Trader.	OEM/Agent/ Distributor/ Trader	Authorization required from OEM for Agent / Distributor/ Trader.

Notes:

1. Declaration by vendors regarding information / compliance submitted by vendor shall be correct in all respect. In case any deviation/false information is revealed later on, BHEL is free to initiate appropriate punitive proceeding as per prevalent processes and guidelines of company.
2. (*) Cable Lead / Cable shall be considered as similar item.

 9/10/24	 09/10/24
Manager/TME S. S. Patel	SDGM/TME Vikas Rawtiya