

ELEVATORS – 2 X 800 MW YERMARUS TPS

TECHNICAL PRE-QUALIFICATION CRITERIA

JOB	DESIGN, ENGINEERING, MANUFACTURING, SUPPLY/ DELIVERY, ERECTION, COMMISSIONING, TRIAL RUN, HANDING OVER TO CUSTOMER, ETC. OF PASSENGER ELEVATOR FOR 2X800MW YERMARUS TPS.
------------	--

BIDDER SHALL NOTE & COMPLY WITH THE POINTS REFERRED UNDER 'NOTE' BELOW.

SL NO	CRITERIA
1.0	<p>VENDOR SHOULD HAVE EXECUTED FOLLOWING WORK IN POWER PLANT /PROCESS INDUSTRIES /REFINERIES / STEEL/CEMENT/FERTILISER/ BUILDING/MALL/OFFICE, DURING LAST SEVEN YEARS ENDING ON LAST DATE OF BID SUBMISSION :</p> <p>A) DESIGN, ENGINEERING, SUPPLY, ERECTION AND COMMISSIONING OF AT LEAST TWO (2) ORDERS OF ELEVATORS CONSISTING OF PASSENGER ELEVATORS having MINIMUM CAPACITY of 680 Kg MEETING FOLLOWING MINIMUM TECHNICAL CRITERION, WHICH SHOULD BE IN SUCCESSFUL OPERATION FOR AT LEAST LAST TWO (2) YEARS AT EACH INSTALLATION ON THE DATE OF BID SUBMISSION-</p> <p>A.1 DEGREE OF PROTECTION OF INDOOR MOTOR SHALL BE MINIMUM IP 54 RESPECTIVELY.</p> <p>A.2 DEGREE OF PROTECTION OF CONTROL PANEL SHALL BE MINIMUM IP 21</p> <p>RELEVANT DOCUMENT IN SUPPORT OF ABOVE SHALL BE SUBMITTED.</p>

NOTE

1.0	IN CASE BIDDER IS NOT A MANUFACTURER OF EQUIPMENT, CAN ALSO QUOTE PROVIDED HE IS HAVING THE DESIGN AND ENGINEERING, ERECTION AND COMMISSIONING CAPABILITY (ELEVATOR SHOULD HAVE BEEN DESIGNED WRT IS:14665), FURTHER HE SHOULD HAVE A VALID TIE- UP/AGREEMENT/JV/LICENCE/COLLABORATION (CONTINUES TILL COMPLETION OF CONTRACT) WITH MANUFACTURER OF ELEVATOR (COMPONENTS). THE CONSORTIUM SHOULD MEET THE PQ CRITERIA MENTIONED ABOVE AT SL NO 1.
2.0	AFTER SATISFACTORY FULFILLMENT OF ALL THE ABOVE CRITERIA/ REQUIREMENT, OFFER SHALL BE CONSIDERED FOR FURTHER EVALUATION AS PER NIT AND ALL OTHER TERMS OF THE TENDER.
3.0	CONSIDERATION OF OFFER WILL BE SUBJECT TO CUSTOMER'S APPROVAL OF BIDDER.
	BIDDER(S) ALREADY REGISTERED WITH PEM FOR SUBJECT PACKAGE, NEED NOT SUBMIT CREDENTIALS FOR CRITERIA INDICATED IN SL. NO. '2.0' ABOVE. HOWEVER, THEY MUST SUBMIT THE RELEVANT DOCUMENTS AS THE PROOF OF THEIR REGISTRATION WITH PEM FOR SUBJECT PACKAGE.

Handwritten signature