

## Dineshwar Pahan

---

**From:** Barada Prasanna Swain <barada@bhel.in>  
**Sent:** 29 September 2023 15:06  
**To:** 'K Prasath (ENGINEER / WCM / HPBP- BHEL TRICHY)'  
**Cc:** hemalatha@bhel.in; 'GOVINDHA RAO'; 'Dineshwar Pahan'  
**Subject:** RE: Request for Quotation of ANNUAL MAINTENANCE CONTRACT FOR COMPUTED/ DIGITAL RADIOGRAPHY SYSTEM AT MAIN HOSPITAL BHEL-TRICHY FOR 2023-24 reg.

Dear Sir,  
Request for extension of tender opening date for 7 more days.

Regards,

B P SWAIN  
Dy. Engr.  
BHEL MEDICAL ADMN.  
0431-257-3923

---

**From:** Dineshwar Pahan [mailto:dineshwar@bhel.in]  
**Sent:** Friday, September 29, 2023 12:15 PM  
**To:** ayyappan.somu@fujifilm.com; 'Neeraj Pahwa' <neeraj.pahwa@fujifilm.com>; 'S. Muthukumar' <muthukumar.s@fujifilm.com>; 'contact' <contact@fujifilm.com>  
**Cc:** 'K Prasath (ENGINEER / WCM / HPBP- BHEL TRICHY)' <prasath@bhel.in>; 'M SUDALA SRINIVASAN' <mssvasan@bhel.in>; 'Barada Prasanna Swain' <barada@bhel.in>  
**Subject:** RE: Request for Quotation of ANNUAL MAINTENANCE CONTRACT FOR COMPUTED/ DIGITAL RADIOGRAPHY SYSTEM AT MAIN HOSPITAL BHEL-TRICHY FOR 2023-24 reg.

### Gentle Reminder Please!

---

**From:** Dineshwar Pahan <dineshwar@bhel.in>  
**Sent:** 19 September 2023 16:30  
**To:** 'ayyappan.somu@fujifilm.com' <ayyappan.somu@fujifilm.com>; 'Neeraj Pahwa' <neeraj.pahwa@fujifilm.com>; 'S. Muthukumar' <muthukumar.s@fujifilm.com>; 'contact' <contact@fujifilm.com>  
**Cc:** 'K Prasath (ENGINEER / WCM / HPBP- BHEL TRICHY)' <prasath@bhel.in>; 'M SUDALA SRINIVASAN' <mssvasan@bhel.in>; 'Barada Prasanna Swain' <barada@bhel.in>  
**Subject:** Request for Quotation of ANNUAL MAINTENANCE CONTRACT FOR COMPUTED/ DIGITAL RADIOGRAPHY SYSTEM AT MAIN HOSPITAL BHEL-TRICHY FOR 2023-24 reg.

Dear Madam/ Sir,

**Kind Attn.: M/s. FUJIFILM INDIA PVT. LTD (73905),**

**NAME OF WORK - ANNUAL MAINTENANCE CONTRACT FOR COMPUTED/  
DIGITAL RADIOGRAPHY SYSTEM AT MAIN HOSPITAL BHEL-TRICHY FOR  
2023-24.**

**GeM Bid No. - GEM/2023/B/3969965**  
**Enquiry no. - 9472300068/ 18.09.2023**

With reference to above subject tender, you are requested to go through the GeM Tender Notice and submit your competitive offer online via GeM Portal i.e. **<https://gem.gov.in>**

Details can also be view from BHEL's website **<https://www.bhel.com>** (Go to Notice Board >> Search by NIT No.) against **NIT Ref. No. - 77037**

**Bid submission End Date/ Time : 29.09.2023/ 16:00 hrs.**

**Bid Opening Date/ Time : 29.09.2023/ 16:30 hrs.**

**All corrigenda/addenda/amendments/time extensions/clarifications, etc. to the tender will be hosted on above website(s) only and will not be published in any other media. Bidders should regularly visit above website(s) to keep themselves updated.**

Kind Regards,  
D. Pahan  
WCM  
0431-2574564, 2571573  
BHEL-Trichy.

## Dineshwar Pahan

---

**From:** S. Muthukumar <muthukumar.s@fujifilm.com>  
**Sent:** 29 September 2023 15:44  
**To:** Dineshwar Pahan; ayyappan somu  
**Cc:** 'K Prasath (ENGINEER / WCM / HPBP- BHEL TRICHY)'; 'M SUDALA SRINIVASAN';  
'Barada Prasanna Swain'; service south  
**Subject:** Re: Request for Quotation of ANNUAL MAINTENANCE CONTRACT FOR COMPUTED/  
DIGITAL RADIOGRAPHY SYSTEM AT MAIN HOSPITAL BHEL-TRICHY FOR 2023-24 reg.

Dear sir,

As discussed over the phone, kindly extend the tender date for one week.(06-10-2023)

**Thanks & Regards,**  
**S.MUTHUKUMAR**  
**FUJIFILM INDIA PVT LTD**  
**MEDICAL DIVISION**  
**+91-8939828104**  
**+91-44-43994012**

---

**From:** Dineshwar Pahan <dineshwar@bhel.in>  
**Sent:** Friday, September 29, 2023 12:14 PM  
**To:** ayyappan somu <ayyappan.somu@fujifilm.com>; Neeraj Pahwa <neeraj.pahwa@fujifilm.com>; S. Muthukumar <muthukumar.s@fujifilm.com>; contact <contact@fujifilm.com>  
**Cc:** 'K Prasath (ENGINEER / WCM / HPBP- BHEL TRICHY)' <prasath@bhel.in>; 'M SUDALA SRINIVASAN' <mssvasan@bhel.in>; 'Barada Prasanna Swain' <barada@bhel.in>  
**Subject:** RE: Request for Quotation of ANNUAL MAINTENANCE CONTRACT FOR COMPUTED/ DIGITAL RADIOGRAPHY SYSTEM AT MAIN HOSPITAL BHEL-TRICHY FOR 2023-24 reg.

### **Gentle Reminder Please!**

---

**From:** Dineshwar Pahan <dineshwar@bhel.in>  
**Sent:** 19 September 2023 16:30  
**To:** 'ayyappan.somu@fujifilm.com' <ayyappan.somu@fujifilm.com>; 'Neeraj Pahwa' <neeraj.pahwa@fujifilm.com>; 'S. Muthukumar' <muthukumar.s@fujifilm.com>; 'contact' <contact@fujifilm.com>  
**Cc:** 'K Prasath (ENGINEER / WCM / HPBP- BHEL TRICHY)' <prasath@bhel.in>; 'M SUDALA SRINIVASAN' <mssvasan@bhel.in>; 'Barada Prasanna Swain' <barada@bhel.in>  
**Subject:** Request for Quotation of ANNUAL MAINTENANCE CONTRACT FOR COMPUTED/ DIGITAL RADIOGRAPHY SYSTEM AT MAIN HOSPITAL BHEL-TRICHY FOR 2023-24 reg.

Dear Madam/ Sir,

**Kind Attn.: M/s. FUJIFILM INDIA PVT. LTD (73905),**

# NAME OF WORK - ANNUAL MAINTENANCE CONTRACT FOR COMPUTED/ DIGITAL RADIOGRAPHY SYSTEM AT MAIN HOSPITAL BHEL-TRICHY FOR 2023-24.

GeM Bid No. - GEM/2023/B/3969965

Enquiry no. - 9472300068/ 18.09.2023

With reference to above subject tender, you are requested to go through the GeM Tender Notice and submit your competitive offer online via GeM Portal

i.e. <https://gem.gov.in>

Details can also be view from BHEL's website <https://www.bhel.com> (Go to Notice Board >> S  
Click Search by NIT No.) against NIT Ref. No. - 77037

**Bid submission End Date/ Time : 29.09.2023/ 16:00 hrs.**

**Bid Opening Date/ Time : 29.09.2023/ 16:30 hrs.**

**All corrigenda/addenda/amendments/time extensions/clarifications, etc. to the tender will be hosted on above website(s) only and will not be published in any other media. Bidders should regularly visit above website(s) to keep themselves updated.**

Kind Regards,

D. Pahan

WCM

0431-2574564, 2571573

BHEL-Trichy.

Follow us on :



इलेक्ट्रॉनिक ट्रांसमिशन संदेश- ई-मेल के लिए डिस्क्लेमर

इस इलेक्ट्रॉनिक ट्रांसमिशन संदेश में दी गई जानकारी अर्थात ई-मेल और इस इलेक्ट्रॉनिक संदेश के साथ प्रेषित कोई अटैचमेंट केवल प्रेषिती (प्रेषितियों) के उपयोग के लिए है और इसमें व्यक्ति विशेष के लिए, गोपनीय या विशेष रूप से अधिकृत जानकारी हो सकती है। यदि यह जानकारी आपके लिए नहीं है तो आपको इस ई-मेल को प्रसारित, वितरित या कॉपी न करें। यदि आपको यह संदेश गलती से मिला है, तो आपको इस संदेश को नष्ट करना चाहिए और ई-मेल द्वारा प्रेषक को सूचित कर दें।

ई-मेल ट्रांसमिशन सुरक्षित या त्रुटिरहित होने की गारंटी नहीं है, क्योंकि जानकारी ट्रांसमिशन के दौरान अवरुद्ध हो सकती है, विकृत हो सकती है, खो सकती है, नष्ट हो सकती है, देर से या अपूर्ण रूप में पहुंच सकती है, या वायरस से ग्रस्त हो सकती है। इसलिए, ई-मेल और इसकी विषय-वस्तु (निर्दिष्ट त्रुटियों के साथ या उनके बगैर) की जिम्मेवारी ई-मेल तैयार करने वाले / प्रेषक या बीएचईएल या उसके सहयोगियों की नहीं होगी। इस ई-मेल में उल्लिखित विचार या राय, यदि कोई हो, प्रेषक के ही हैं। यह आवश्यक नहीं है कि ये बीएचईएल या इसकी सहयोगी कंपनियों के विचार या राय के साथ मेल खाएं। लक्षित प्राप्तकर्ता ई-मेल या

इसकी विषय-वस्तु पर कार्रवाई करने से पहले वैकल्पिक संचार तंत्र के माध्यम से जानकारी या निहितार्थ को सत्यापित करवा सकते हैं।

चेतावनी: यद्यपि कंपनी ने यह सुनिश्चित करने के लिए कि इस ई-मेल में कोई वायरस मौजूद नहीं हो, काफी सावधानी बरती है, फिर भी प्राप्तकर्ता यह जाँच कर लें कि इस ई-मेल और इसके अटैचमेंट्स में वायरस न हों। इस ई-मेल द्वारा संक्रामित किसी वायरस के कारण होने वाली किसी क्षति के लिए ई-मेल का प्रेषक या बीएचईएल जिम्मेदार नहीं हैं।

#### Disclaimer for the Electronic Transmission Message- E-mail

The information contained in this Electronic Transmission Message i.e. E-Mail and any attachments to this electronic message are intended for the exclusive use of the address(s) and may contain proprietary, confidential or privileged information. If you are not intended recipient, you should not disseminate, distribute or copy this e-mail. If you have received this message in error, you should destroy this message and may please notify the sender by email.

E-mail transmission is not guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or may contain virus in transmission. The E-mail and its contents (with or without referred errors) shall therefore not attach any liability on the originator/sender of message or BHEL or its affiliates. Views or opinions, if any, presented in this e-mail are solely those of the sender and may not necessarily reflect the views or opinions of BHEL or its affiliates. Intended recipients(s) may like to verify the information or intended meaning through alternate communication mechanism before taking action on the E-mail or its contents.

**WARNING:** Although the company has taken reasonable precaution to ensure no viruses are present in this email, the recipient should check this email and any attachments for the presence of virus. The sender of the mail or BHEL accepts no liability for any damage caused by any virus transmitted by this email.

\*\*\*\*\*

**NOTICE: [1]** This message and any attachments may contain copyright material of FUJIFILM group companies and other third parties, confidential, proprietary information or privileged information protected from disclosure by law. If the reader of this message is not the intended recipient, you are hereby notified that (a) any use or dissemination of such material and information in any manner is strictly prohibited; and (b) any confidentiality, copyrights and legal privilege that might be attached herein are not waived or lost by reason of delivery of this message in error. If you received this message in error, please contact the sender immediately and destroy this message, including all attachments, and any copies hereof. **[2]** Any views or opinions presented in the message are solely those of the sender and do not necessarily represent those of Fujifilm India Private Limited or any of its affiliates. **[3]** None of our staff is authorized to enter into contracts on behalf of the FUJIFILM group company or its affiliates by email correspondence alone and all negotiations via email correspondence are subject to a final contract reduced in writing duly endorsed by the parties' authorized persons. **[4]** This message has been scanned for the presence of computer viruses, while due care is taken, Fujifilm India Private Limited accepts no liability for any loss or damage caused by any computer viruses or other defects transmitted with this email and any attachments hereof.