E-TENDER SPECIFICATION

E-Tender Specification no.

BHE/PW/PUR/LRPT2 ENABLING/2879

FOR

Development of open storage yard of approx. 2,00,000 Sqm area including approach roads & drains, internal roads & drains, pipe culverts, fencing & gates, Hard Surfacing, Concrete Raised Platform, concrete sleepers, Mess Building, RO Plant Building, 13nos. PEB Shed foundations, 3nos. first aid center, 7nos. security cabins, Electrification and Illumination, High Mast Foundations etc. at 2X800 MW NTPC Lara, Stage-II

VOLUME I - TECHNICAL BID

THIS TENDER SPECIFICATION CONSISTS OF:

Notice Inviting Tender	
Volume-IA	Technical Conditions of Contract
Volume-IB	Special conditions of Contract
Volume-IC	General conditions of Contract
Volume-ID	Forms & Procedures
Volume-IE	Technical Annexure
Volume-II	Price Bid



Bharat Heavy Electricals Limited

(A Government of India Undertaking) Power Sector - Western Region 345-Kingsway, Nagpur-440001

CONTENTS					
Volume No	Description	Hosted in website ww.bhel.com (Briefly) and detailed in BHEL e- Procurement Portal as files titled			
NIL	Tender Specification Issue Details	(Part of Vol-I-A-2879)			
NIL	Notice Inviting Tender	(Part of Vol-I-A-2879)			
I-A	Technical Conditions of Contract	Vol-I-A-2879			
I-B	Special Conditions of Contract	(Part of Vol-I-BCD-2879)			
I-C	General Conditions of Contract	(Part of Vol-I-BCD-2879)			
I-D	Forms & Procedures	(Part of Vol-I-BCD-2879)			
I-E	Technical Annexure	Vol-I-E-2879			
II	Price Bid Specification as specified in E-Procurement Portal	Volume-II-PRICE-BID-2879			

E-TENDER SPECIFICATION

E-Tender Specification no. BHE/PW/PUR/LRPT2 ENABLING/2879

FOR

Development of open storage yard of approx. 2,00,000 Sqm area including approach roads & drains, internal roads & drains, pipe culverts, fencing & gates, Hard Surfacing , Concrete Raised Platform, concrete sleepers, Mess Building, RO Plant Building, 13nos. PEB Shed foundations, 3nos. first aid center, 7nos. security cabins, Electrification and Illumination, High Mast Foundations etc. **at 2X800 MW NTPC Lara ,Stage-II**

EARNEST MONEY DEPOSIT: Refer Notice Inviting Tender

For Bharat Heavy Electricals Limited

GM (Purchase)

Place: Nagpur

Date:

2879 **NOTICE INVITING TENDER Bharat Heavy Electricals Limited**

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 5 of 111

Date: 03/11/2023

NOTICE INVITING TENDER (NIT) NOTE: BIDDER MAY DOWNLOAD FROM WEB SITES

To,

Dear Sir/Madam,

Sub: NOTICE INVITING E-TENDER

Sealed offers in two part bid system (National competitive bidding (NCB) or International Co07/11mpetitive Bidding (ICB are invited from reputed & experienced bidders (meeting PRE QUALIFICATION CRITERIA as mentioned in Annexure-1) through E-Procurement Portal https://eprocurebhel.co.in only, for the subject job by the undersigned on the behalf of BHARAT HEAVY ELECTRICALS LIMITED as per the tender document. Following points relevant to the tender may please be noted and complied with.

1.0 Salient Features of NIT

S No.	ISSUE	DESCRIPTION					
i	TENDER NUMBER	BHE/PW/PUR/LRPT2 ENABLING/2879					
ii	Broad Scope of job	Development of open storage yard of approx. 2,00,000 Sqm area including approach roads & drains, internal roads & drains, pipe culverts, fencing & gates, Hard Surfacing, Concrete Raised Platform, concrete sleepers, Mess Building, RO Plant Building, 13nos. PEB Shed foundations, 3nos. first aid center, 7nos. security cabins, Electrification and Illumination, High Mast Foundations etc. at 2X800 MW NTPC Lara, Stage-II					
iii	DETAILS OF TENDER	DOCUMENT					
A	Volume-IA	Technical Conditions of Contract (TCC) consisting of Scope of work, Technical Specification, Drawings, Procedures, Bill of Quantities, Terms of payment, etc.	Applicable				
В	Volume-IB	Special Conditions of Contract (SCC)	Applicable				
С	Volume-IC	General Conditions of Contract (GCC)	Applicable				
D	Volume-ID	Forms and Procedures	Applicable				
E	Volume-IE	Additional Annexure	Applicable				
F	Volume-II	Price Schedule (Absolute value).	Applicable				
iv	Issue of Tender Documents	Tender documents will be available for downloading from BHEL website (www.bhel.com) or e-procurement portal (https://eprocurebhel.co.in) as per schedule below: Start: 03/11/2023, Time: 18:00 Hrs Closes: 13/11/2023, Time: 13:00 Hrs Brief information of the tenders shall also be available at central public procurement portal.					

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

.....

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 6 of 111

S No.	No. ISSUE DESCRIPTION					
		(https://eprocure.gov.in/epublish/app)				
v	DUE DATE & TIME OF OFFER SUBMISSION	Date: 13/11/2023, Time: 13:00 Hrs The bidder should submit their offer online only in e- Procurement portal at https://eprocurebhel.co.in Bidders are requested to upload their offer well in advance in order to avoid last minute congestion at this website. Hard copy bid or bids through E-mail / fax shall not be	Applicable			
		accepted.				
vi	OPENING OF TENDER (Techno- Commercial Bid)	Notes: (1) In case the due date of opening of tender becomes a non-working day, then the due date & time of offer submission and opening of tenders get extended to the next working day. (2) Bidder may depute representative to witness the opening of tender. For e-Tender, Bidder may witness the opening of tender through e-Procurement portal only.	Applicable			
vii	EMD AMOUNT	Rs. 20,00,000/- (Rupees Twenty Lakh Only) Important Note: Bidders kindly to take note that EMD (Earnest Money Deposit) shall be furnished by MSE bidders as well, as per the amount and procedure indicated in the NIT/GCC	Applicable			
viii	COST OF TENDER	NIL	Not Applicable			
ix	LAST DATE FOR SEEKING CLARIFICATION	One day before due date of offer submission. Along with soft version also, addressing to undersigned & to others as per contact address given below: 1) Name: Tapish Kumar Designation: Manager Deptt: Purchase Address: Floor no. 5 & 6,Shree Mohini Complex, 345 Kingsway, Nagpur-440001 Mobile-9010903666 Email:tapishkhandelwal@bhel.in 2) Mr. Kamlesh Kumar Designation: DGM Deptt: Purchase Address: Floor no. 5 & 6,Shree Mohini Complex, 345 Kingsway, Nagpur-440001 Email: kamleshbhel@bhel.in Mob: 9425554615	Applicable			

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 7 of 111

S No.	ISSUE	DESCRIPTION					
		3) Name: R. M. Malhotra Designation: GM Deptt: Purchase Address: Floor no. 5 & 6, Shree Mohini Complex, 345 Kingsway, Nagpur-440001 Email:rmalhotra@bhel.in					
x	SCHEDULE OF Pre Bid Discussion (PBD)		Not Applicable				
xi	INTEGRITY PACT & DETAILS OF INDEPENDENT EXTERNAL MONITOR (IEM)	1) Shri Otem Dai, IAS (Retd.) 2) Shri Bishwamitra Pandey, IRAS (Retd.) 3) Shri Mukesh Mittal, IRS (Retd.)	Applicable				
xii	Latest updates	Latest updates on the important dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc to Tender Specifications will be hosted in BHEL webpage (www.bhel.com>Tender Notifications →View Corrigendum), & on e-tender portal https://eprocurebhel.co.in and not in the newspapers. Bidders to keep themselves updated with all such information.					

2.0 The offer shall be submitted as per the instructions of tender document and as detailed in this NIT. Bidders to note specifically that all pages of tender document, including these NIT pages of this particular tender together with subsequent correspondences shall be submitted by them, duly signed digitally using Class III DSC & uploaded in E-Procurement Portal, as part of offer. Rates/Price including discounts/rebates, if any, mentioned anywhere/in any form in the techno-commercial offer other than the Price Bid, shall not be entertained.

3.0 Not Used

4.0 Unless specifically stated otherwise, bidder shall deposit EMD as per clause 1.9 of General Conditions of Contract.

For Electronic Fund Transfer the details are as below-:

NAME OF THE BENEFICIARY	BHARAT HEAVY ELECTRICALS LTD			
ADDRESS OF THE COMPANY	5th Floor, SHREE MOHINI COMPLEX 345,			
ADDRESS OF THE COMPANT	KINGSWAY,NAGPUR			
NAME OF BANK	STATE BANK OF INDIA			
NAME OF BANK BRANCH AND BRANCH CODE	SBI,NAGPUR MAIN BRANCH ,CODE-00432			
CITY	NAGPUR			
ACCOUNT NUMBER	40227423158			
ACCOUNT TYPE	MC-C C Clean (C&I)			
IFSC CODE OF THE BENEFICIARY BANK	SBIN0000432			
BRANCH	3DIN0000432			
MICR CODE OF THE BANK BRANCH	440002002			

(Note -: In case of E-Tenders, proof of remittance of EMD should be uploaded in the E-Procurement Portal and originals, as applicable, shall be sent to the officer inviting tender within a reasonable time, failing which the offer is liable to be rejected.

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 8 of 111

(Note -: In case of E-Tenders, proof of remittance of EMD should be uploaded in the E-Procurement Portal and originals, as applicable, shall be sent to the officer inviting tender within a reasonable time, failing which the offer is liable to be rejected.

5.0 Procedure for Submission of Tenders:

This is an E-tender floated online through our E-Procurement Site (https://eprocurebhel.co.in). The bidder should respond by submitting their offer online only in our e-Procurement platform at (https://eprocurebhel.co.in). Offers are invited in two-parts only.

Documents Comprising the e-Tender

The tender shall be submitted online ONLY EXCEPT EMD (in physical form) as mentioned below:

a. Technical Tender (UN priced Tender)

All Technical details (e.g. Eligibility Criteria requested (as mentioned below)) should be attached in e-tendering module, failing which the tender stands invalid & may be REJECTED. Bidders shall furnish the following information along with technical tender (preferably in pdf format):

- **i.** Earnest Money Deposit (EMD) furnished in accordance with NIT Clause 4.0. Alternatively, documentary evidence for claiming exemption as per clause 29 of NIT.
- ii. Technical Bid (without indicating any prices).

b. Price Bid:

- i. Prices are to be quoted in the attached Price Bid format online on e-tender portal.
- ii. The price should be quoted for the accounting unit indicated in the e-tender document.

Note:

- It is the responsibility of tenderer to go through the Tender document to ensure furnishing all required documents in addition to above, if any. Any deviation would result in REJECTION of tender and would not be considered at a later stage at any cost by BHEL.
- A person signing (manually or digitally) the tender form or any documents forming
 part of the contract on behalf of another shall be deemed to warrantee that he has
 authority to bind such other persons and if, on enquiry, it appears that the persons so
 signing had no authority to do so, the purchaser may, without prejudice to other civil
 and criminal remedies, cancel the contract and hold the signatory liable for all cost and
 damages.
- A tender, which does not fulfil any of the above requirements and/or gives evasive information/reply against any such requirement, shall be liable to be ignored and rejected.

DO NOT'S

Bidders are requested NOT to submit the hard copy of the Bid. In case offer is sent through hard copy/fax/telex/cable/electronically in place of e-tender, the same shall not be considered. **Also, uploading of the price bid in prequalification bid or technical bid may RESULT IN REJECTION of the tender**.

Digital Signing of e-Tender

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 9 of 111

Tenders shall be uploaded with all relevant PDF/zip format. The relevant tender documents should be uploaded by an authorized person having Class 3- SHA2- 2048 BIT- SIGNING & ENCRYPTION digital signature certificate (DSC).

The Requirement:

- 1. A PC with Internet connectivity &
- 2. DSC (Digital Signature Certificate) (Class 3- SHA2- 2048 BIT- SIGNING & ENCRYPTION)

BHEL has finalized the e-procurement service Provider-:

NIC PORTAL (https://eprocurebhel.co.in)

For E-PROCUREMENT ASSISTANCE & TRAINING, NIC PORTAL HELPDESK CONTACTS AS PER FOLLOWING:

For any technical related queries, please call at 24 x 7 Help Desk Number

0120-4001 002

0120-4200 462

0120-4001 005

0120-6277 787

1. Peter Raj, NIC, Ph: 9942069052 Email Support: support-eproc@nic.in

Other details/update yourself from: https://eprocurebhel.co.in

The process of utilizing e-procurement necessitates usage of **DSC (Digital Signature Certificate) (Class 3- SHA2- 2048 BIT- SIGNING & ENCRYPTION)** and you are requested to procure the same immediately, if not presently available with you. Please note that only with DSC, you will be able to login the e-procurement secured site and take part in the tendering process.

The contact details of the DSC certifying authority:please refer http://www.mca.gov.in/ → MCA SERVICES → DSC SERVICES

Vendors are requested to go through seller manual available on https://eprocurebhel.co.in.

<u>Procedure for Submission of Tenders (To be used in case of Paper bid only):</u> The Tenderers must submit their Tenders to Officer inviting Tender, as detailed below:

- PART-I consisting of 'PART-I A (Techno Commercial Bid)' & 'PART-I B (EMD)' in two separate sealed and superscribed envelopes (ENVELOPE-I & ENVELOPE-II)
- PART-II (Price Bid) in sealed and superscribed envelope (ENVELOPE-III)

One set of tender documents shall be retained by the bidder for their reference

6.0 The contents for ENVELOPES and the superscription for each sealed cover/Envelope are as given below. (All pages to be signed and stamped) (To be used in case of Paper bid only):

Sl. no.	Description	Remarks
	Part-I A	
	ENVELOPE - I superscribed as:	
	-PART-I (TECHNO COMMERCIAL BID)	
	TENDER NO:	
	NAME OF WORK:	

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 10 of 111

	PROJECT:	
	DUE DATE OF SUBMISSION:	
	CONTAINING THE FOLLOWING:	
i.	Covering letter/Offer forwarding letter of Tenderer.	
ii. —	Duly filled in 'No Deviation Certificate' as per prescribed format to be placed after	
	document under sl no (i) above.	
	Note:	
	a. In case of any deviation, the same should be submitted separately for	
	technical & commercial parts, indicating respective clauses of tender	
	against which deviation is taken by bidder. The list of such deviation	
	shall be placed after document under sl no (i) above. It shall be	
	specifically noted that deviation recorded elsewhere shall not be	
	entertained.	
	b. BHEL reserves the right to accept/reject the deviations without	
	assigning any reasons, and BHEL decision is final and binding.	
	i). In case of acceptance of the deviations, appropriate loading shall be done by BHEL	
	ii). In case of unacceptable deviations, BHEL reserves the right to	
	reject the tender	
iii.—	Supporting documents/ annexure/ schedules/ drawing etc. as required in line	
111.	with Pre-Qualification criteria.	
	It shall be specifically noted that all documents as per above shall be indexed	
	properly and credential certificates issued by clients shall distinctly bear the	
	name of organization, contact ph. no, FAX no, etc.	
iv. 	All Amendments/Correspondences/Corrigenda/Clarifications/Changes/ Errata etc. pertinent to this NIT.	
	Integrity Pact Agreement (Duly signed by the authorized signatory)	If applicabl
vi.	Duly filled-in annexures, formats etc. as required under this Tender	п аррисави
V1.	Specification/NIT	
vii.	Notice inviting Tender (NIT)	
viii.	Volume I A: <u>Technical Conditions of Contract (TCC) consisting of Scope of work,</u>	
V 1111	Technical Specification, Drawings, Procedures, Bill of Quantities, Terms of	
	payment, etc.	
ix.	Volume – I B : Special Conditions of Contract (SCC)	
X.—	Volume – I C : General Conditions of Contract (GCC)	
xi.	Volume – I D : Forms & Procedures	
xii.	Volume II (UNPRICED without disclosing rates/price, but mentioning only	
	'QUOTED' or 'UNQUOTED' against each item	
xiii.—	Any other details preferred by bidder with proper indexing.	
	PART-I B	
	ENVELOPE - II superscribed as:	
	PART-I (EMD)	
	TENDER NO:	
	NAME OF WORK:	
	PROJECT:	
	DUE DATE OF SUBMISSION:	
	CONTAINING THE FOLLOWING:-	
	Earnest Money Deposit (EMD) in the form as indicated in this Tender	
	PART-II	
	PRICE BID consisting of the following shall be enclosed	
	ENVELOPE-III	1

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India Website: www.bhel.com

superscribed as:

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 11 of 111

• • • • • • • • • • • • • • • • • • • •		
	PART-II (PRICE BID)	
	TENDER NO:	
	NAME OF WORK:	
	PROJECT:	
	DUE DATE OF SUBMISSION:	
	CONTAINING THE FOLLOWING	
i	Covering letter/Offer forwarding letter of Tenderer enclosed in Part-I	
ii	Volume II PRICE BID (Duly Filled in Schedule of Rates rate/price to be entered	
	in words as well as figures)	

	OUTER COVER	
	ENVELOPE-IV (MAIN ENVELOPE / OUTER ENVELOPE)	
	superscribed as:	
	TECHNO-COMMERCIAL BID, PRICE BID & EMD	
	TENDER NO:	
	NAME OF WORK:	
	PROJECT:	
	DUE DATE OF SUBMISSION:	
	CONTAINING THE FOLLOWING:	
i	→ Envelopes I	
	→ Envelopes II	

- SPECIAL NOTE: All documents/ annexures to be submitted should be uploaded in respective places in the E-Tender portal as per the list mentioned given in this NIT. BHEL shall not be responsible for any in-complete documents.
- 7.0 Deviation with respect to tender clauses and additional clauses/suggestions in Techno-commercial bid / Price bid shall NOT be considered by BHEL. Bidders are requested to positively comply with the same.
- 8.0 BHEL reserves the right to accept or reject any or all Offers without assigning any reasons thereof. BHEL also reserves the right to cancel the Tender wholly or partly without assigning any reason thereof. Also BHEL shall not entertain any correspondence from bidders in this matter (except for the refund of EMD).

9.0 Assessment of Capacity of Bidders:

Bidder's capacity for executing the job under tender shall be assessed based on its 'LOAD and PERFORMANCE' and 'AVERAGE ANNUAL TURNOVER', as per the following:

LOAD: Load takes into consideration **ALL** the contracts of the Bidder under execution with BHEL Regions, irrespective of whether they are similar to the tendered scope or not. The cut off month for reckoning 'Load' shall be the 3rd Month preceding the month corresponding to the 'latest date of bid submission', in the following manner -

(Note: For example, if latest bid submission is in Jan 2017, then the 'load' shall be calculated up to and inclusive of Oct 2016)

Total number of Packages in hand = Load (P)

Where 'P' is the sum of all unit wise identified packages (refer table-1) under execution with BHEL Regions as on the cut off month defined above, including packages yet to be commenced, excepting packages which are on Long Hold.

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

Page 12 of 111

E-Tender Spec 1	No: BHE/PW/	PUR/LRPT2 ENABLING,	/2879
-----------------	-------------	---------------------	-------

II. <u>PERFORMANCE</u>: Here 'Monthly Performance' of the bidder for all the packages (under execution/ executed during the 'Period of Assessment' in all Power Sector Regions of BHEL) <u>SIMILAR</u> to the packages covered under the tendered scope, excepting packages not commenced shall be taken into consideration. The 'Period of Assessment' shall be 6 months preceding and including the cut off month. The cut off month for reckoning 'Period of Assessment' shall be the 3rd Month preceding the month corresponding to 'latest date of bid submission', in the following manner:

(**Note**: For example, if 'latest date of bid submission' is in Jan 2017, then the 'performance' shall be assessed for a 6 months' period up to and inclusive of Oct 2016 (i.e. from May 2016 to Oct 2016), for all the unit wise identified packages (refer Table I))

i). <u>Calculation of Overall 'Performance Rating' for 'Similar Package/Packages' for the tendered scope under execution at Power Sector Regions for the 'Period of Assessment'</u>:

This shall be obtained by summing up the 'Monthly Performance Evaluation' scores obtained by the bidder in all Regions for all the similar Package/packages', divided by the total number of Package months for which evaluation should have been done, as per procedure below:

- a) P_1 , P_2 , P_3 , P_4 , P_5 , P_N etc. be the packages (under execution/ executed during the 'Period of Assessment' in all Regions of BHEL) **SIMILAR** to the packages covered under the tendered scope, excepting packages not commenced. Total number of similar packages for all Regions = P_T (i.e. $P_T = P_1 + P_2 + P_3 + P_4 + ... P_N$)
- b) Number of Months ' T_1 ' for which 'Monthly Performance Evaluation' as per relevant formats, should have been done in the 'Period of Assessment' for the corresponding similar package P_1 . Similarly T_2 for package P_2 , T_3 for package P_3 , etc. for the tendered scope. Now calculate cumulative total months ' T_T ' for total similar Packages ' P_T ' for all Regions (i.e. $T_T = T_1 + T_2 + T_3 + T_4 + ... T_N$)
- c) Sum 'S₁ 'of 'Monthly Performance Evaluation' Scores (S₁₋₁, S₁₋₂, S₁₋₃, S₁₋₄, S₁₋₅.... S_{1-T1}) for similar package P_1 , for the 'period of assessment' 'T₁' (i.e. $S_1 = S_{1-1} + S_{1-2} + S_{1-3} + S_{1-4} + S_{1-5} + ... S_{1-T1}$). Similarly, S₂ for package P_2 for period T₂, S₃ for package P_3 for period T₃ etc. for the tendered scope for all Regions. Now calculate cumulative sum 'S_T' of 'Monthly Performance Evaluation' Scores for total similar Packages '**P**_T' for all Regions (i.e. 'S_T' = S₁ + S₂ + S₃ + S₄ + S₅ + S_N.)
- d) Overall Performance Rating 'R_{BHEL}' for the Similar Package/Packages (under execution/ executed during the 'Period of Assessment') in all the Power Sector Regions of BHEL

Aggregate of Performance scores for all similar packages in all the Regions

Aggregate of months for each of the similar packages for which performance

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 13 of 111

should have been evaluated in all the Regions

$$= \frac{S_T}{T_T}$$

- e) Bidders to note that the risk of non-evaluation or non-availability of the 'Monthly Performance Evaluation' reports as per relevant formats is to be borne by the Bidder.
- f) Table showing methodology for calculating 'a', 'b' and 'c' above

Sl. No.	Item Description		Details for all Regions					Total	
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)
1	Similar Packages for all Regions → (under execution/ executed during period of assessment)	P ₁	P ₂	P ₃	P ₄	P ₅		P _N	Total No. of similar packages for all Regions = P_T i.e. Sum (Σ) of columns (iii) to (ix)
2	Number of Months for which 'Monthly Performance Evaluation' as per relevant formats should have been done in the 'period of assessment' for corresponding Similar Packages (as in row 1)	T ₁	T ₂	T ₃	T ₄	T ₅	:	Tn	Sum (Σ) of columns (iii) to (ix) = T_T
3	Monthly performance scores for the corresponding period (as in Row 2)	S_{1-2} ,	S ₂₋₁ , S ₂₋₂ , S ₂₋₃ , S ₂₋₄ , S _{2-T2}	S ₃₋₁ , S ₃₋₂ , S ₃₋₃ , S ₃₋₄ , S _{3-T3}	S ₄₋₁ , S ₄₋₂ , S ₄₋₃ , S ₄₋₄ , S _{4-T4}	S ₅₋₁ , S ₅₋₂ , S ₅₋₃ , S ₅₋₄ , S _{5-T5}		S _{N-1} , S _{N-2} , S _{N-3} , S _{N-4} , 	
4	Sum of Monthly Performance scores of the corresponding Package for the corresponding period (as in row-3)	S ₁	S ₂	S ₃	S ₄	S ₅		S_N	Sum (Σ) of columns (iii) to (ix) = S_T

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 14 of 111

ii). <u>Calculation of Overall 'Performance Rating'</u> (**R**_{BHEL}) in case at least 6 evaluation scores for 'similar Package/Packages' for the tendered scope ARE NOT AVAILABLE, during the 'Period of Assessment':

This shall be obtained by summing up the 'Monthly Performance Evaluation' scores obtained by the bidder in all Regions for ALL the packages, divided by the total number of Package months for which evaluation should have been done. 'R_{BHEL}' shall be calculated subject to availability of 'performance scores' for at least 6 'package months' in the order of precedence below:

- a) 'Period of Assessment' i.e. 6 months preceding and including the cut-off month
- b) 12 months preceding and including the cut-off month
- c) 24 months preceding and including the cut-off month

In case, R_{BHEL} cannot be calculated as above, then Bidder shall be treated as 'NEW VENDOR'. Further eligibility and qualification of this bidder shall be as per definition of 'NEW VENDOR' described in 'Explanatory Notes'.

iii). Factor "L" assigned based on Overall Performance Rating (RBHEL) at Power Sector Regions:

Sl.	Overall Performance	Rating	Corresponding Value of 'L'
no.	(R _{BHEL})		Corresponding value of L
1	=60		NA
2	> 60 and ≤ 65		0.5
3	> 65 and ≤ 70		0.45
4	> 70 and ≤ 75		0.4
5	> 75 and ≤ 80		0.375
6	> 80 and < 90		0.35
7	≥90		0.33

iv). <u>Performance Systems</u>: The performance rating as mentioned in II (i) and (ii) above, shall be calculated as per Online Systems i.e. Contractor Performance Evaluation System (CPES) and Safety Performance Evaluation System (HSEPES). The scores assigned in HSEPES shall be scaled down to 10 and assigned in CPES against the category "HSE" (mentioned in Form F-15).

III. i) 'Assessment of Capacity based on 'LOAD and PERFORMANCE':

a) 'Assessment of Capacity of Bidder' is based on the Maximum number of packages for which a vendor is eligible, considering the performance scores of similar packages, as below: Max number of packages P_{Max} = (R_{BHEL} - 60) divided by corresponding value of 'L', i.e. (R_{BHEL} - 60)/L

Note:

- i). In case the value of P_{Max} results in a fraction, the value of P_{Max} is to be rounded off to next whole number
- ii). For $R_{BHEL} = 60$, $P_{Max} = '1'$

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 15 of 111

The Bidder shall be considered 'Qualified' on 'Performance basis' as per 'Assessment of Capacity of Bidder' for the subject Tender if $P \le P_{Max}$ (Where P is calculated as per clause 'I' above)

b) In addition to above, in case contractor fails to score 5 or more than 5 (five) marks in the scaled down scores of HSEPES for "3 or more than 3 months in a period of 6 months preceding and including the cut-off month in any single package", the contractor shall be considered disqualified for ongoing tender(s) of BHEL. Qualification of bidder for further tendering process shall be subject to qualifying this condition in addition to qualifying requirements mentioned in PQR. Bidders who did not qualify this condition shall not be considered under the provisions of clause 9 IV (iv) of NIT.

ii) Assessment of Capacity based on 'AVERAGE ANNUAL TURNOVER':

If the 'value of contracts in hand' across all PS Regions by a contractor is less than the product of "annual average turnover of the Contractor and multiplying factor", then such bidder shall be considered qualified on 'Annual Average Turnover basis'. The 'value of contracts in hand' will be computed by summing up "50% of the annualized awarded value of each contract" unless performance evaluation is not closed in the online CPES.

Based on the performance rating of the Contractor, the above mentioned multiplying factor shall be as below:

Sl. no.	Overall Performance	(Multiplying factor to Average
on nor	Rating (R_{BHEL})	Annual Turnover)
1	≥ 60 and ≤ 70	1
2	> 70 and ≤ 80	2
3	> 80	3

'Assessment of Capacity of Bidder':

The bidder will be considered qualified for the tender if it qualifies on 'Load and Performance basis' as well as on 'Average Annual Turnover basis'.

However, 'New Vendor'/ 'Consortium Partner' shall be considered qualified based on only 'Load and Performance' (they will be regarded pre-qualified on 'Average Annual Turnover' criteria).

IV. **Explanatory note**:

i). Similar package means Boiler or ESP or Piping or Turbine or Civil or Structure or Electrical or C&I etc. at the individual level irrespective of rating of Plant and irrespective of whether the subject tender is a single package or as part of combined/composite packages. Normally Boiler, ESP, Piping, Turbine, Electrical, C&I, Civil, Structure etc. is considered individual level of package. For example, in case the tendered scope is a Boiler Vertical Package comprising of Boiler, ESP and Power Cycle Piping (i.e. the 'identified packages as per Table-1 below), the 'PERFORMANCE' part against sl.no. II above, needs to be evaluated considering all the identified packages (i.e. Boiler, ESP and Power Cycle Piping) and finally the Bidder's capacity to execute the tendered scope is assessed in line with III above.

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 16 of 111

ii). Identified Packages (Unit wise)

Table-1

Civil	Electrical and C&I	Mechanical
i). Enabling works	i). Electrical	i). Boiler & Aux (All types
ii). Pile and Pile Caps	ii). C&I	including CW Piping if applicable)
iii). Civil Works including foundations	iii). Others (Elect. and C&I)	ii). Power Cycle Piping/Critical Piping
iv). Structural Steel Fabrication &	iv). Electrical Enabling	iii). ESP
Erection	Works	iv). LP Piping
v). Chimney		v). Steam Turbine Generator set & Aux
vi). Cooling Tower		& Aux
vii). Others (Civil)		vi). Gas Turbine Generator set & Aux
		vii). Hydro Turbine Generator set & Aux
		viii). Turbo Blower (including Steam Turbine)
		ix). Material Management
		x). FGD
		xi). ACC
		xii). Others (Mechanical)

iii). Bidders who have not been evaluated for at least six package months in the last 24 months preceding and including the Cut-off month in the online BHEL system for contractor performance evaluation in BHEL PS Regions, shall be considered "NEW VENDOR".

A 'NEW VENDOR' shall be considered qualified subject to satisfying all other tender conditions.

A 'NEW VENDOR' if awarded a job (of package/packages identified under this clause) shall be tagged as "FIRST TIMER" on the date of first LOI from BHEL.

The "FIRST TIMER" tag shall remain till completion of all the contracts against which vendor has been tagged as First Timer or availability of 6 evaluation scores within last 24 months

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 17 of 111

preceding and including the Cut-off month in the online BHEL system for contractor performance evaluation in BHEL PS Regions.

A Bidder shall not be eligible for the next job as long as the Bidder is tagged as "FIRST TIMER" excepting for the Tenders which have been opened on or before the date of the bidder being tagged as 'FIRST TIMER'.

After removal of 'FIRST TIMER' tag, the Bidder shall be considered 'QUALIFIED' for the future tenders subject to satisfying all other tender conditions including 'Assessment of Capacity of Bidders'.

- iv). Consequent upon applying the criteria of 'Assessment of Capacity of Bidders' detailed above on all the bidders qualified against Technical and Financial Qualification criteria, if the number of qualified bidders reduces to less than four, then for further processing of the Tender, BHEL at its discretion reserves the right to also consider the bidders who are "not qualified" as per criteria of 'Assessment of Capacity of Bidders' and for this, procedure described in following three options shall be followed:
 - a) All the bidders having Overall Performance Rating (' R_{BHEL} ') \geq 60 shall be considered qualified against criteria of 'Assessment of Capacity of Bidders'.
 - b) If even after using option "a", the number of qualified bidders remains less than four, then in addition to bidders considered as per option "a", "First timer" bidders having average of available performance scores ≥60 upto and including the Cut Off month shall also be considered qualified against criteria of 'Assessment of Capacity of Bidders'.
 - c) If even after using option "a" and "b", the number of qualified bidders remains less than four, then in addition to bidders considered as per option "a" and "b", "First timer" bidders for whom no performance score is available in the system upto and including the Cut Off month, shall also be considered qualified against criteria of 'Assessment of Capacity of Bidders'.

Note:- In case, the number of bidders qualified against Technical and Financial Qualification criteria itself is less than four, then all bidders (a)- having Overall Performance Rating (' R_{BHEL} ') \geq 60, (b)- First timer" bidders having average of available performance scores \geq 60 upto and including the Cut Off month, (c)- "First timer" bidders for whom no performance score is available in the system upto and including the Cut Off month, shall be considered qualified against criteria of 'Assessment of Capacity of Bidders' for further processing of tender.

- v). 'Under execution' shall mean works in progress as per the following:
 - a. Up to execution of 90% of anticipated Contract Value in case of Civil, MM, Structural and Turbo Blower Packages
 - b. Up to Steam Blowing in case of Boiler/ESP/Piping Packages
 - c. Up to Synchronization in all Balance Packages

Note: BHEL at its discretion can extend (or reduce in exceptional cases in line with Contract conditions) the period defined against (a), (b) and (c) above, depending upon the balance scope of work to be completed.

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 18 of 111

- vi). Contractor shall provide the latest contact details i.e. mail-ID and Correspondence Address to SCT Department, so that same can be entered in the Contractor Performance Evaluation System, and in case of any change/discrepancy same shall be informed immediately. Login Details for viewing scores in Contractor Performance Evaluation System shall be provided to the Contractor by SCT Department.
- vii). Performance Evaluation for Activity Month shall be completed in Evaluation Month (i.e. month next to Activity Month) or in rare cases in Post Evaluation Month (i.e. month next to Evaluation Month) after approval from Competent Authority. In case scores are not acceptable, Contractor can submit Review Request to GM Site/GM Project latest by 27th of Evaluation Month or 5 days after approval of score, whichever is later. However, acceptance/rejection of 'Review Request' solely depends on the discretion of GM Site/GM Project. After acceptance of Review Request, evaluation score shall be reviewed at site and the score after completion of review process shall be acceptable and binding on the contractor.
- viii). Project on Hold due to reasons not attributable to bidder
 - a. **Short hold:** Evaluation shall not be applicable for this period, however, Loading will be considered.
 - b. **Long hold:** Short hold for continuous six months and beyond or hold on account of Force Majeure shall be considered as Long Hold. Evaluation as well as Loading shall not be considered for this period.
- ix). Performance evaluation as specified above in this clause is applicable to Prime bidder and Consortium partner (or Technical tie up partner) for their respective scope of work
- 10.0 Since the job shall be executed at site, bidders must visit site/ work area and study the job content, facilities available, availability of materials, prevailing site conditions including law & order situation, applicable wage structure, wage rules, etc. before quoting for this tender. They may also consult this office before submitting their offers, for any clarifications regarding scope of work, facilities available at sites or on terms and conditions.
- 11.0 For any clarification on the tender document, the bidder may seek the same in writing or through e-mail and/or through e-procurement portal https://eprocurebhel.co.in, as per specified format, within the scheduled date for seeking clarification, from the office of the undersigned. BHEL shall not be responsible for receipt of queries after due date of seeking clarification due to postal delay or any other delays. Any clarification / query received after last date for seeking clarification may not be normally entertained by BHEL and no time extension will be given.
- 12.0 BHEL may decide holding of pre-bid discussion [PBD] with all intending bidders as per date indicated in the NIT. The bidder shall ensure participation for the same at the appointed time, date and place as may be decided by BHEL. Bidders shall plan their visit accordingly. The outcome of pre-bid discussion (PBD) shall also form part of tender.
- 13.0 In the event of any conflict between requirement of any clause of this specification/documents/drawings/data sheets etc. or requirements of different codes/standards specified, the same to

.....

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 19 of 111

be brought to the knowledge of BHEL in writing for clarification before due date of seeking clarification (whichever is applicable), otherwise, interpretation by BHEL shall prevail. Any typing error/missing pages/ other clerical errors in the tender documents, noticed must be pointed out before pre-bid meeting/submission of offer, else BHEL's interpretation shall prevail.

- 14.0 Unless specifically mentioned otherwise, bidder's quoted price shall deemed to be in compliance with tender including PBD.
- 15.0 Bidders shall submit Integrity Pact Agreement (Duly signed by authorized signatory who signs in the offer), <u>if applicable</u>, along with techno-commercial bid. This pact shall be considered as a preliminary qualification for further participation. <u>The names and other details of Independent External Monitor</u> (IEM) for the subject tender is as given at point (1) above.

"Integrity Pact (IP)"

(a) IP is a tool to ensure that activities and transactions between the Company and its Bidders/Contractors are handled in a fair, transparent and corruption free manner. Following Independent External Monitors (IEMs) on the present panel have been appointed by BHEL with the approval of CVC to oversee implementation of IP in BHEL.

	Sl. No.	IEM	Email
	1 .	Shri Otem Dai, IAS (Retd.)	iem1@bhel.in
	<mark>2.</mark>	Shri Bishwamitra Pandey, IRAS (Retd.)	<u>Iem2@bhel.in</u>
(b)	т <mark>3.</mark>	Shri Mukesh Mittal, IRS (Retd.)	<u>Iem3@bhel.in</u>

he IP as enclosed with the tender is to be submitted (duly signed by authorized signatory) along with techno-commercial bid (Part-I, in case of two/ three part bid). Only those bidders who have entered into such an IP with BHEL would be competent to participate in the bidding. In other words, entering into this Pact would be a preliminary qualification.

(c) Please refer Section-8 of IP for Role and Responsibilities of IEMs. In case of any complaint arising out of the tendering process, the matter may be referred to any of the above IEM(s). All correspondence with the IEMs shall be done through email only.

Note:

No routine correspondence shall be addressed to the IEM (phone/ post/ email) regarding the clarifications, time extensions or any other administrative queries, etc. on the tender issued. All such clarification/ issues shall be addressed directly to the tender issuing (procurement) department's officials whose contact details are provided below:

Details of contact person(s):

Name:	R M Malhotra/ GM (Purchase)	Tapish Kumar/Manager (Purchase)	
Dept:	Purchase Department		
Address:	Floor No. 5 & 6, Shreemohini Complex, 345 Kingsway, Nagpur-440001		
Email:	rmalhotra@bhel.in tapishkhandelwal@bhel.in		
Phone:		9010903666	

16.0 The Bidder has to satisfy the Pre-Qualifying Requirements stipulated for this Tender in order to be qualified. The Price Bids of only those bidders will be opened who will be qualified for the subject job on the basis of satisfying the Pre-Qualification Criteria specified in this NIT as per Annexure-I (as applicable), past

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 20 of 111

performance etc. and date of opening of price bids shall be intimated to only such bidders. BHEL reserves the right not to consider offers of parties under HOLD.

- **17.0** In case BHEL decides on a 'Public Opening', the date & time of opening of the sealed PRICE BID shall be intimated to the qualified bidders and in such a case, bidder may depute one authorized representative to witness the price bid opening. BHEL reserves the right to open 'in-camera' the 'PRICE BID' of any or all Unsuccessful/Disqualified bidders under intimation to the respective bidders.
- 18.0 Validity of the offer shall be for **Six months** from the latest due date of offer submission (including extension, if any) unless specified otherwise.
- 19.0 **Reverse Auction:** "BHEL shall be resorting to Reverse Auction (RA) (Guidelines as available on www.bhel.com) (https://www.bhel.com/guidelines-reverse-auction-2021) for this tender. RA shall be conducted among the techno-commercially qualified bidders.

Price bids of all techno-commercially qualified bidders shall be opened and same shall be considered for RA. In case any bidder(s) do(es) not participate in online Reverse Auction, their sealed envelope price bid along with applicable loading, if any, shall be considered for ranking."

Note:-

- **1.** No benefits to MSE bidders w.r.t Reverse Auction Guidelines as available on www.bhel.com against works contract.
- **2**. In case of enquiry through e-procurement the sealed electronic price bid (e-bid) is to be treated as sealed envelope price bid.
- 20.0 On submission of offer, further consideration will be subject to compliance to tender & qualifying requirement and customer's acceptance, as applicable.
- 21.0 In case the bidder is an "Indian Agent of Foreign Principals", 'Agency agreement has to be submitted along with Bid, detailing the role of the agent along with the terms of payment for agency commission in INR, along with supporting documents.
- 22.0 The bidders shall not enter into any undisclosed M.O.U. or any understanding amongst themselves with respect to tender.

23.0 Void

- 24.0 The bidder shall submit/upload documents in support of possession of 'Qualifying Requirements' duly self-certified and stamped by the authorized signatory, indexed and properly linked in the format for PQR. In case BHEL requires any other documents/proofs, these shall be submitted immediately.
- 25.0 The bidder may have to produce original document for verification if so decided by BHEL.
- 26.0 The consultant / firm (and any of its affiliates) shall not be eligible to participate in tender(s) for the related works or services for the same project, if they were engaged for the consultancy services.
- 27.0 Guidelines/rules in respect of Suspension of Business dealings, Vendor evaluation format, Quality, Safety & HSE guidelines, Experience Certificate, etc. may undergo change from time to time and the latest one shall be followed. The abridged version of extant 'Guidelines for suspension of business dealings with suppliers/contractors' is available on www.bhel.com on "supplier registration page".
- 28.0 The offers of the bidders who are on the banned/ hold list and also the offer of the bidders, who engage the services of the banned/ hold firms, shall be rejected. The list of **banned/ hold firms** is available on BHEL web site www.bhel.com.

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 21 of 111

28.1 Integrity commitment, performance of the contract and punitive action thereof:

28.1.1 Commitment by BHEL:

BHEL commits to take all measures necessary to prevent corruption in connection with the tender Process and execution of the contract. BHEL will during the tender process treat all Bidder(s) in a transparent and fair manner, and with equity.

28.1.2 Commitment by Bidder/Supplier/Contractor:

- (i) The bidder/ supplier/ contractor commit to take all measures to prevent corruption and will not directly or indirectly influence any decision or benefit which he is not legally entitled to nor will act or omit in any manner which tantamount to an offence punishable under any provision of the Indian Penal Code, 1860 or any other law in force in India.
- (ii) The bidder/ supplier/ contractor will, when presenting his bid, disclose any and all payments he has made, and is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract and shall adhere to relevant guidelines issued from time to time by Govt. of India/ BHEL.
- (iii) The bidder/ supplier/ contractor will perform/ execute the contract as per the contract terms & conditions and will not default without any reasonable cause, which causes loss of business/ money/ reputation, to BHEL.

If any bidder/ supplier/ contractor during pre-tendering/ tendering/ post tendering/ award/ execution/ post-execution stage indulges in mal-practices, cheating, bribery, fraud or and other misconduct or formation of cartel so as to influence the bidding process or influence the prices or acts or omits in any manner which tantamount to an offence punishable under any provision of the Indian Penal Code, 1860 or any other law in force in India, then, action may be taken against such bidder/ supplier/ contractor as per extent guidelines of the company available on www.bhel.com and / or under applicable legal provisions.

29.0 Micro and Small Enterprises (MSE)

Any Bidder falling under MSE category, shall furnish the following details & submit documentary evidence/Govt. Certificate etc. in support of the same along with their techno-commercial offer.

Type under MSE	SC/ST owned	Women owned	Others (excluding SC/ ST & Women Owned)
Micro			
— Small			

Note: - If the bidder does not furnish the above, offer shall be processed construing that the bidder is not falling under MSE category.

a) MSE suppliers can avail the intended benefits in respect of the procurements related to the Goods and Services only (Definition of Goods and Services as enumerated by Govt. of India vide Office Memorandum F. No. 21(8)/2011-MA dtd. 09/11/2016 office of AS & DC, MSME) only if they submit along with the offer, attested copies of either Udyam Registration Certificate or EM-II certificate having deemed validity (five years from the date of issue of acknowledgement in EM-II) or valid NSIC certificate or Udyog Aadhar Memorandum (UAM) & Acknowledgement or EM-II Certificate along with attested copy of a CA certificate (format enclosed as Annexure – 3) where deemed validity of EM-II certificate of five years has expired applicable for the relevant financial year (latest audited). Date to be reckoned for determining the deemed validity will be the last date of Technical Bid submission. Non submission of such documents will lead to consideration of their bids at par with other bidders. No benefits shall be applicable for this enquiry if the above required documents are not submitted before price bid opening. If the tender is to be submitted through e-procurement portal, then the above required documents are to be uploaded on the portal. Documents should be notarized or attested by a

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 22 of 111

Gazetted officer. Documents submitted by the bidder may be verified by BHEL for rendering the applicable benefits.

30.0 The Bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.

31.0 PREFERENCE TO MAKE IN INDIA:

For this procurement, the local content to categorize a supplier as a Class I local supplier/ Class II local Supplier/Non-Local Supplier and purchase preferences to Class I local supplier, is as defined I Public Procurement (Preference to Make in India), Order 2017 dated 04.06.2020 issued by DPIIT. In case of subsequent orders issued by the nodal ministry, changing the definition of local content for the items of the NIT, the same shall be applicable even if issued after issue of this NIT, but before opening of Part-II bids against this NIT.

31.1 Compliance to Restrictions under Rule 144 (xi) of GFR 2017

- I. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. The Competent Authority for the purpose of this Clause shall be the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT).
- II. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- III. "Bidder from a country which shares a land border with India" for the purpose of this Clause means:
 - a. An entity incorporated established or registered in such a country; or
 - b. A subsidiary of an entity incorporated established or registered in such a country; or
 - c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - d. An entity whose beneficial owner is situated in such a country; or
 - e. An Indian (or other) agent of such an entity; or
 - f. A natural person who is a citizen of such a country; or
 - g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.
- IV. The beneficial owner for the purpose of (III) above will be as under:
 - 1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together or through one or more juridical person, has a controlling ownership interest or who exercises control through other means. Explanation
 - a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company.
 - b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements.
 - 2. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership.

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 23 of 111

- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person has ownership of or entitlement to more than fifteen percent of the property or capital or profits of the such association or body of individuals.
- 4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- 5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- V. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- VI. The successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

Note:

- (i) The bidder shall provide undertaking for their compliance to this Clause, in the Format provided in **Annexure-11**.
- (ii) Registration of the bidder with Competent Authority should be valid at the time of submission as well as acceptance of the bids.
- 32.0 Bid should be free from correction, overwriting, using corrective fluid, etc. Any interlineation, cutting, erasure or overwriting shall be valid only if they are attested under full signature(s) of person(s) signing the bid else bid shall be liable for rejection.

All overwriting/cutting, etc., will be numbered by bid opening officials and announced during bid opening.

33.0 In the course of evaluation, if more than one bidder happens to occupy L-1 status, effective L-1 will be decided by soliciting discounts from the respective L-1 bidders.

In case more than one bidder happens to occupy the L-1 status even after soliciting discounts, the L-1 bidder shall be decided by a toss/ draw of lots, in the presence of the respective L-1 bidder(s) or their representative(s).

Ranking will be done accordingly. BHEL's decision in such situations shall be final and binding.

34.0 The Bidder declares that they will not enter into any illegal or undisclosed agreement or understanding, whether formal or informal with other Bidder(s). This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.

In case, the Bidder is found having indulged in above activities, suitable action shall be taken by BHEL as per extant policies/guidelines.

35.0 Order of Precedence:

In the event of any ambiguity or conflict between the Tender Documents, the order of precedence shall be in the order below:

- a. Amendments/Clarifications/Corrigenda/Errata etc. issued in respect of the tender documents by BHEL
- b. Notice Inviting Tender (NIT)
- c. Price Bid
- d. Technical Conditions of Contract (TCC)—Volume-1A
- e. Special Conditions of Contract (SCC) —Volume-1B
- f. General Conditions of Contract (GCC) —Volume-1C

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 24 of 111

g. Forms and Procedures —Volume-1D

It may please be noted that guidelines/ circulars/ amendments/ govt. directives issued from time to time shall also be applicable.

For BHARAT HEAVY ELECTRICALS LTD

(General Manager - Purchase)

Enclosure:

- 1.0 Annexure-1: Pre Qualifying Requirements.
- 2.0 Annexure-2: Check List.
- 3.0 Annexure-3: Certificate by Chartered Accountant
- 4.0 Annexure-4: Reverse Auction Process Compliance Form
- 5.0 Annexure-5: Authorization of representative who will participate in the online Reverse Auction Process
- 6.0 Annexure-6: RA Price Confirmation and Breakup
- 7.0 Annexure-7: Integrity Pact
- 8.0 Annexure-8: Undertaking as per PQR C4 of Annexure-1 i.e. PQR
- 9.0 Annexure-9: Declaration reg. Related Firms & their areas of Activities
- 10.0 Annexure-10: Declaration regarding minimum local content
- 11.0 Annexure-11: Declaration regarding compliance to restrictions under rule 144 (xi) of GFR 2017
- **12.0** Annexure 12: Important information.

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 25 of 111

ANNEXURE-1

PRE QUALIFYING CRITERIA

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879		
Development of open storage yard of approx. 2,00,000 Sincluding approach roads & drains, internal roads & drains culverts, fencing & gates, Hard Surfacing, Concrete Platform, concrete sleepers, Mess Building, RO Plant I 13nos. PEB Shed foundations, 3nos. first aid center, 7nos. cabins, Electrification and Illumination, High Mast Foundation at 2X800 MW NTPC Lara, Stage-II		

S No	PRE QUALIFICATION CRITERIA	Bidders claim fulfilling the	in respect of PQR Criteria
NU		Applicability	
A	Submission of Integrity Pact duly signed (if applicable) (Note: To be submitted by Prime Bidder & Consortium / Technical Tie up partner jointly in case Consortium bidding is permitted, otherwise by the sole bidder)	Applicable	
В	Bidder shall essentially meet the Qualifying Requirements as under, in the last seven years as on latest date of bid submission: B.1: Bidder should have Executed "Piling or Civil or Structure or 'Civil and Structural Works' or RCC Chimney or RCC Cooling Tower or RCC Silo or Mill Bunker or any combination of these works" for any one of the following in the last seven years from latest date of bid submission: B.1.1) Executed One work of value not less than Rs. 948.80 Lakhs against single work order. OR B.1.2) Executed Two works each of value not less than Rs. 593 Lakhs against maximum two work orders. OR B.1.3) Executed Three works each of value not less than Rs. 474.40 Lakhs against maximum three work orders.	Applicable	

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 26 of 111

	FINANCIAL TURNOVER		
C-1	Bidders must have achieved an average annual financial turnover (audited) of ₹ 355.80 Lakhs or more over last three Financial Years (FY) i.e. '2020-21, 2021-22 & 2022-23'	Applicable	
C-2	NETWORTH (only in case of Companies) Net worth of the Bidder based on the latest Audited Accounts as furnished for 'C-1' above should be positive.	Applicable	
C-3	PROFIT Bidder must have earned profit in any one of the three Financial Years as applicable in the last three Financial Years as furnished for 'C-1 above.	Applicable	
C-4	Bidder must not be under Insolvency Resolution Process or Liquidation or Bankruptcy Code Proceedings (IBC) as on date, by NCLT or any adjudicating authority/authorities, which will render him ineligible for participation in this tender, and shall submit undertaking (Annexure-8) to this effect	Applicable	
D	Assessment of Capacity of Bidder to execute the work as per sl no 9 of NIT (if applicable) Applicable, The "Assessment of Capacity of Bidders" for this Tender shall be carried out by considering the identified packages i.e. "Enabling Works".	Applicable	
E	Approval of Customer (if applicable)	Not Applicable	
F	Price Bid Opening Note: Price Bids of only those bidders shall be opened who stand qualified after compliance of criteria A to E		BY BHEL
G	Consortium tie-ups	Not Applicable	

Explanatory Notes for the POR (unless otherwise specified in the POR):

Explanatory Notes for PQR B.1 (Technical)

- 1. The evaluation currency for this tender shall be INR.
- 2. For the criteria (B.1), actual executed value shall be considered.
- 3. Value of work is to be updated with indices for "All India Avg. Consumer Price index for industrial workers" and "Monthly Whole Sale Price Index for All Commodities" with base month as per last month of work execution and indexed up to three (3) months prior to the month of latest due date of bid submission as per following formula-

$$P = R + 0.425 \times R \times \underbrace{(X_N - X_0)}_{X_0} + 0.425 \times R \times \underbrace{(Y_N - Y_0)}_{Y_0}$$
 Where

P = Updated value of work

.....

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 27 of 111

- R = Value of executed work
- X_N = All India Avg. Consumer Price index for industrial workers for three months prior to the month of latest due date of bid submission (e.g. If latest bid submission date is 02-Mar-17, then bid submission month shall be reckoned as March'17 and index for Dec'2016 shall be considered).
- X_0 = All India Avg. Consumer Price index for industrial workers for last month of work execution
- Y_N = Monthly Whole Sale Price Index for All Commodities for three months prior to the month of latest due date of bid submission (e.g. If latest bid submission date is 02-Mar-17, then bid submission month shall be reckoned as March'17 and index for Dec'2016 shall be considered).
- Y_0 = Monthly Whole Sale Price Index for All Commodities for last month of work execution

Explanatory Notes for Technical Criteria (B2):

- 1. VOID
- 2. Unless otherwise specified, for the purpose of "B2 Technical Criteria", the word 'EXECUTED' means achievement of milestones as defined below
 - a. "ACHIEVEMENT OF PHYSICAL QUANTITIES" as per PQRs.
 - b. "READINESS FOR COAL FILLING" of at least one Bunker, in respect of Mill Bunker Structure.
 - c. "CHARGING" in respect of Power Transformers/ Bus Ducts/ "HT/LT Switchgears" / "HT/LT Cabling".
 - d. For C&I works: "SYNCHRONISATION" in case of power project (Excluding Nuclear Projects) / "WORK EXECUTION of the value as defined in PQR" in case of industry & Nuclear Projects.
 - **e.** "BOILER LIGHT UP" in respect of Boiler / CFBC / ESP.
 - f. "CHARGING OF ATLEAST ONE PASS" in respect of ESP(R&M)
 - g. "GAS IN" in respect of HRSG.
 - h. "STEAM BLOWING" in respect of Power Cycle Piping.
 - i. "HYDRAULIC TEST"/ ANY OTHER EQUIVALENT TEST LIKE "100% RT/UT OF WELDED JOINTS" of the system in respect of Pressure parts/ LP Piping/CW Piping.
 - j. "FULL LOAD OPERATION OF THE UNIT" in respect of Insulation work.
 - k. "SYNCHRONISATION" in respect of STG / GTG.
 - l. "SPINNING" in respect of HTG.
 - m. "GAS IN" in respect of FGD
- 3. Boiler means HRSG or WHRB or any other types of Steam Generator.
- 4. Power Cycle piping means Main Steam, Hot Reheat, Cold Reheat, HP Bypass.
- 5. For the purpose of evaluation of the PQR, one MW shall be considered equivalent to 3.5 TPH where ever rating of HRSG/BOILER is mentioned in MW. Similarly, where ever rating of Gas Turbine is mentioned in terms of Frame size, ISO rating of the same in terms of MW shall be considered for evaluation.

Explanatory Notes for PQR -C (Financial):

C-1:

i. Bidder to submit Audited Balance Sheet and Profit and Loss Account for the respective years as

.....

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 28 of 111

indicated against C-1 above.

- ii. Evaluation of Turnover criteria shall be calculated from the Audited Balance Sheet and Profit & Loss Account for the three Financial Years (FY).
- iii. In case audited Financial statements have not been submitted for all the three years as indicated against C-1 above, then the applicable audited statements submitted by the bidders against the requisite three years, will be averaged for three years.
- iv. If financial statements are not required to be audited statutorily, then instead of audited financial statements, financial statements are required to be certified by Chartered Accountant.
- <u>C-2:</u> Net Worth (Only in case of companies) of the bidder should be positive.

Note: Net worth shall be calculated based on the latest Audited Accounts as furnished for 'C-1' above.

Net worth = Paid up share capital + Reserves

<u>C-3</u>: Bidder must have earned profit in any one of the three financial years as applicable in the last three financial years as furnished for 'C-1' above.

Note: PROFIT shall be PBT earned during any one year of last three financial years as in 'C-1' above.

<u>C-4</u>: Bidder must not be under Bankruptcy Code Proceedings (IBC) by NCLT or under Liquidation / BIFR, which will render him ineligible for participation in this tender, and shall submit undertaking to this effect.

Common Explanatory Notes:

- 1. For evaluation of PQR, in case Bidder alone does not meet the pre-qualifying technical criteria B1 above, bidder may utilize the experience of its Parent/ Subsidiary Company along with its own experience, subject to following:
 - a. The parent company shall have a controlling stake of \geq 50% in the subsidiary company (as per Format-1).
 - b. The Parent Company/ Subsidiary Company of which experience is being utilized for bidding shall submit Security Deposit(SD) equivalent to 1% of the total contract value
 - c. The parent/ subsidiary company and bidder shall provide an undertaking that they are jointly or severally responsible for successful performance of the contract (as per Format-2).
 - d. In case Bidder is submitting bid as a Consortium Partner, option of utilizing experience of parent/subsidiary Company can be availed by Prime Bidder only.
 - e. Parent Company/ Subsidiary Company of which experience is being used for bidding, cannot participate as a 'Standalone Bidder' or as a 'Consortium bidder'.
- 2. Completion date for achievement of the technical criteria specified in the 'B' above should be in the last 7 years ending on the 'latest date of Bid Submission' of Tender irrespective of date of the start of work. Completion date shall be reckoned from the "Financial Year quarter of bid submission". (for e.g. -Work completed on 01.01.2014 shall be considered even if latest date of bid submission is 20.03.2021).
- 3. "Executed" means the bidder should have achieved the technical criteria specified in the

.....

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 29 of 111

Common QR even if the Contract has not been completed or closed.

- 4. In case the Experience/PO/WO certificate enclosed by bidders do not have separate break up of prices for the E&C portion for Electrical and C&I works (i.e. the certificates enclosed are for composite order for supply and erection of Electrical and C&I and other works if any), then value of Erection & Commissioning for the Electrical and C&I portion shall be considered as 15% of the price for supply & erection of Electrical and C&I.
- 5. Following shall be complied with in case of consortium:
 - a. The Prime Bidder and Consortium Partner(s) are required to enter in to a consortium agreement and certify to BHEL regarding existence and validity of their consortium agreement in line with validity period mentioned in NIT.
 - b. Prime Bidder and Consortium partners shall be approved by Customer for being considered for the tender (applicable if customer approval is required).
 - c. Number of partners including prime Bidder shall be NOT more than 3 (three).
 - d. Prime Bidder alone shall necessarily comply with "B1Technical Criteria" except for mechanical package where B1 criteria is not applicable.
 - e. Prime Bidder and Consortium Partner shall together comply with the 'Pre-Qualification Requirements' specified for the respective category of technical requirement as per "B2 technical criteria".
 - f. Prime Bidder shall comply with all other Pre Qualifying criteria for the Tender unless otherwise specified.
 - g. All other conditions shall be read in conjunction with clause no 23.0 of NIT.
 - h. Prime Bidder shall be the Bidder who has a major share of work.
 - i. Prime Bidder shall be responsible for the overall execution of the Contract.
 - j. Performance shall be evaluated for Prime Bidder and the Consortium partner for their respective scope of work.
 - k. In case the Consortium partner backs out, another consortium partner meeting the QRs, has to be engaged by Prime Bidder and if not, the respective work will be withdrawn and executed on risk and cost basis of the prime bidder.
 - l. In case Prime Bidder withdraws or insolvency / liquidation / winding up proceedings have been initiated / admitted against the Prime Bidder, BHEL reserves the right to cancel, terminate or short close the contract or take any other action to safeguard BHEL's interest in the Project / Contract. This action will be without prejudice to any other action that BHEL can take under Law and the Contract to safeguard interests of BHEL
 - m. After successful execution of one work with a consortium partner under direct orders of BHEL, the Prime Bidder shall be eligible for becoming a 'standalone' bidder for works similar to that for which consortium partner was engaged, for subsequent tenders.
 - n. The Consortium partner shall submit SD equivalent to 1% of the total contract value in addition to the SD to be submitted by the Prime Bidder for the total contract value.

BIDDER SHALL SUBMIT ABOVE PRE-QUALIFICATION CRITERIA FORMAT, DULY FILLED-IN, SPECIFYING RESPECTIVE ANNEXURE NUMBER AGAINST EACH CRITERIA AND FURNISH RELEVANT DOCUMENT INCLUSIVE OF WORK ORDER AND WORK COMPLETION CERTIFICATE ETC IN THE RESPECTIVE ANNEXURES IN THEIR OFFER.

BHEL PSWR Notice Inviting Tender		
E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879	Page 30 of 111	
Credentials submitted by the bidder against "PRE QUALIFYII authenticity. In case, any credential (s) is/are found unauthe rejection. BHEL reserves the right to initiate any further Suspension of Business Dealings.	entic, offer of the bidder is liable to the	

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

ender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879		Page 31 of 111	
		Format-1	
Certificate for relationship be	etween Parent Company / Subsid	iary Company and the bidder	
То,			
Dear Sir,			
Sub: Bid for NIT No	dated for "	" (name of the tender).	
	is Parent		
	Company as on(the bidder) and as below:		
Name of Parent Company	Name of Subsidiary Company	Percentage of Equity Holding of Parent Company in Subsidiary Company	
withhere its to reason used appearing	Common Residenta di seria per	color gogethers reduction as marginary	
Transactional automorphism on county	CONTRACTOR OF THE STATE OF THE		

E-Tender Spec No. BHE/FW/FOR/LRF12 ENABLING/20/9	rage 32 01 111

Format-2

Undertaking from the Parent Company/ Subsidiary Company of the bidder (On the Letter Head of Parent Company/ Subsidiary Company, as applicable)

From,	
Name:	
Full Address:	
Telephone No.:	
E-mail address:	
Fax/No.:	
То,	
The second secon	
Dear Sir,	
We refer to the NIT No dated for "	" (name of the Tender)
vve relet to the NT No	(name of the foliatio).
"We have carefully read and examined in detail the NIT/Tender Terms particular, Clause of the NIT/Tender, regarding submission of an Under Format 1 of the NIT/ Tender.	
We confirm that M/s(the Bidder) has be our Technical capability for meeting the Technical Criteria as specified in of the NIT/Tender referred above.	
We agree to submit the Security Deposit equivalent to 1% of the total	contract value in addition to
Security Deposit to be submitted by Bidder as per Clause	NIT/Tender for fulfillment of
We confirm that we along with M/sseverally responsible for successful performance of the contract.	(the bidder), are jointly or
We confirm that our company shall not participate in the above tender as a 'Consortium bidder' and also shall not authorize any other bidder to use or above tender.	
All the terms used herein but not defined, shall have the meaning as ascrib	oed to the said terms under

Signature of Managing Director/Authorized signatory of Parent/ Subsidiary Company

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 33 of 111

ANNEXURE-2

CHECK LIST

NOTE: - Tenderers are required to fill in the following details and no column should be left blank

1	Name and Address of the Tenderer			
2	Details about type of the Firm/Company			
3.a	Details of Contact person for this Tender	Name: Mr/Ms Designation: Telephone No: Mobile No: Email ID: Fax No:		
3.b	Details of alternate Contact person for this Tender	Name: Mr/Ms Designation: Telephone No: Mobile No: Email ID: Fax No:		
4	EMD DETAILS	DD No: Date : Bank : Amount: Please tick ($\sqrt{\ }$) whichever applicable:- ONE TIME EMD / ONLY FOR THIS TENDER		
5	Validity of Offer	TO BE VALID FO	R SIX MONTHS FRO	M DUE DATE
		'	APPLICABILITY (BY BHEL)	ENCLOSED BY BIDDER
6	Whether the format for compliance with PRE QUALIFICATION CRITERIA (ANNEXURE-I) is understood and filled with proper supporting documents referenced in the specified format		Applicable	YES / NO
7	Audited profit and Loss Account for the last thi		Applicable/ Not Applicable	YES/NO
8	Copy of GST & PAN Card		Applicable/ Not Applicable	YES/NO
9	Whether all pages of the Tender documents including annexures, appendices etc. are read understood and signed		Applicable/ Not Applicable	YES/NO
10	Integrity Pact	Ü	Applicable/ Not Applicable	YES/NO
11	Offer Forwarding Letter / Tender Submission	Letter	Applicable/ Not Applicable	YES/NO
12	Declaration by Authorized Signatory		Applicable/Not Applicable	YES/NO
13	No Deviation Certificate		Applicable/ Not Applicable	YES/NO

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 34 of 111

14	Declaration confirming knowledge about Site Conditions	Applicable/ Not Applicable	YES/NO
15	Declaration for relation in BHEL	Applicable/ Not Applicable	YES/NO
16	Non-Disclosure Certificate	Applicable/ Not Applicable	YES/NO
17	Bank Account Details for E-Payment	Applicable/ Not Applicable	YES/NO
18	Capacity Evaluation of Bidder for current Tender	Applicable/ Not Applicable	YES/NO
19	Tie Ups/Consortium Agreement are submitted as per format	Applicable/Not Applicable	YES/ NO
20	Power of Attorney for Submission of Tender/Signing Contract Agreement	Applicable/ Not Applicable	YES/NO
	Power of Attorney of Consortium Partner.		
21	Analysis of Unit rates	Applicable/ Not Applicable	YES/NO
22	Annexure-5: Authorization of representative who will participate in the online Reverse Auction Process	Applicable/ Not Applicable	YES/NO
23	Annexure-6: RA Price Confirmation and Breakup	Applicable/ Not Applicable	YES/NO
24	Annexure-8: Undertaking as per PQR C4 of Annexure-1 i.e. PQR	Applicable/ Not Applicable	YES/NO
25	Annexure-9: Declaration reg. Related Firms & their areas of Activities (x) Other Tender documents as per this NIT.	Applicable/ Not Applicable	YES/NO
26	Annexure-10 Declaration regarding minimum local content	Applicable/ Not Applicable	YES/NO
27	Annexure-11: Declaration regarding compliance to restrictions under rule 144 (xi) of GFR 2017	Applicable/ Not Applicable	YES/NO

NOTE: STRIKE OFF 'YES' OR 'NO', AS APPLICABLE. TENDER NOT ACCOMPANIED BY THE PRESCRIBED ABOVE **APPLICABLE DOCUMENTS** ARE LIABLE TO BE SUMMARILY REJECTED.

DATE:

AUTHORISED SIGNATORY

(With Name, Designation and Company seal)

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 35 of 111

ANNEXURE-3

Certificate by Chartered Accountant on letter head

This is to Co	rtify that M	/S						
(hereinafter referre		ny') ha	ving its re	gistered office at				,
				s registered un			-	
Memorandum	No	Part-	,,	Udyam dtd:	0		Certificate (Micro (Small /	Modium))
(Copy enclosed).				utu	······, t	ategory.	(Micro/Sinall/1	vieuiumjj.
				s that the investi	nent of the com	pany as	per the late	st audited
financial year	as po	er MSMED	Act 2006	is as follows:				
1 For Manut	Sacturing En	tornricos	Invoctm	ent in plant and	machinary (i a	origina	L cost oveludi	ng land and
				y of Small Scale Ind				
5,2006:				,			()	
Rs]	Lacs						
				nt (original cost exc or as may be notif				ire, fittings and
	•		æ rendered	or as may be noth	rea unaer the M	I SMED	'1CL, 2UUO:	
Ks]	Lacs						
For Entorphia	Charring EM II	Contificato	/ realid MC	HC Certificate or Uc	lvog Aadhan Mom	o non dun	n). Investment	in plant and
machinery c	r amman	15 KS						
				acs and turnover	IS KS		Lacs (as notifi	ed in MSMI
notification r	10. S.O. 2119 (I			acs and turnover	IS KS		Lacs (as notif	ed in MSMI
	no. S.O. 2119 (I	E) dated 26.	06.2020)				,	
. For Enterprises	no. S.O. 2119 (I	E) dated 26. I Certificate	06.2020) / valid NS	HC Certificate or Uc	lyog Aadhar Mem	orandur	n): Investment	in plant and
. For Enterprises machinery o	no. S.O. 2119 (I	E) dated 26. I Certificate is Rs	06.2020) / valid NS L		lyog Aadhar Mem	orandur	n): Investment	in plant and
. For Enterprises machinery o	no. S.O. 2119 (I having EM II or equipment	E) dated 26. I Certificate is Rs	06.2020) / valid NS L 06.2020)	HC Certificate or Uc	lyog Aadhar Mem is Rs	orandur	n): Investment	in plant and
For Enterprises machinery of notification r	ho. S.O. 2119 (I Chaving EM II or equipment no. S.O. 2119 (I	E) dated 26. I Certificate is Rs E) dated 26.	06.2020) / valid NS L 06.2020) (Strike	HC Certificate or Uc acs and turnover off whichever is n	lyog Aadhar Mem is Rs ot applicable) acs is within	permi	n): Investment Lacs (as notif	in plant and ed in MSMI
For Enterprises machinery o notification r The above inves	having EM II (having EM II requipment ho. S.O. 2119 (I stment of I Lacs for	E) dated 26. I Certificate is Rs E) dated 26.	06.2020) / valid NS L 06.2020) (Strike	HC Certificate or Uc acs and turnover off whichever is n	lyog Aadhar Mem is Rs ot applicable) acs is within	permi	n): Investment Lacs (as notif	in plant and ed in MSMI
For Enterprises machinery of notification r	having EM II (having EM II requipment ho. S.O. 2119 (I stment of I Lacs for	E) dated 26. I Certificate is Rs E) dated 26.	06.2020) / valid NS L 06.2020) (Strike	FIC Certificate or Uc acs and turnover off whichever is n L Micro / Small/	lyog Aadhar Mem is Rs ot applicable) acs is within	permi	n): Investment Lacs (as notif	in plant and ed in MSMI
For Enterprises machinery o notification r The above inves Same	thaving EM II thavin	E) dated 26. Certificate is Rs E) dated 26.	/ valid NS / valid NS L 06.2020) {Strike	CIC Certificate or Uc acs and turnover off whichever is n L Micro / Small/ !	lyog Aadhar Mem is Rs ot applicable) acs is within dedium (Strike o	permi	n): Investment Lacs (as notifi ssible lim is not applic	in plant and ed in MSMI it of able)
For Enterprises machinery of notification records The above invested above inve	(having EM II) or equipment no. S.O. 2119 (II) stment of II Lacs for	E) dated 26. I Certificate is Rs E) dated 26. Rs	/ valid NS L 06.2020) (Strike	CIC Certificate or Ucacs and turnover off whichever is n	lyog Aadhar Mem is Rs ot applicable) acs is within Medium (Strike o	permi ff which	n): Investment Lacs (as notificies is sible liminate in the li	in plant and ed in MSME it of able) which is no
For Enterprises machinery of notification recognition in the second sec	the character of Faces of the control of Faces for the control of	E) dated 26. I Certificate is Rs E) dated 26. Rs	/ valid NS L 06.2020) (Strike	off whichever is n off whichever is n L Or s original category s status till expiry	lyog Aadhar Mem is Rs ot applicable) acs is within dedium (Strike of y (micro/small/ of one year from	permi ff which	n): Investment Lacs (as notifications is sible liminated in the liminated in the lack of t	in plant and ed in MSME it of able) which is now
For Enterprises machinery o notification r The above inves Rs Category under MSM The enterprise has rpplicable), the enterposition of the continuous control of the continuous control of the content of the conte	the character of Faces of the control of Faces for the control of	E) dated 26. I Certificate is Rs E) dated 26. Rs	/ valid NS L 06.2020) (Strike	off whichever is n off whichever is n L Or s original category s status till expiry	lyog Aadhar Mem is Rs ot applicable) acs is within dedium (Strike of y (micro/small/ of one year from	permi ff which	n): Investment Lacs (as notifications is sible liminated in the liminated in the lack of t	in plant and ed in MSME it of able) which is now
For Enterprises machinery of notification recognition in the second sec	the character of Faces of the control of Faces for the control of	E) dated 26. I Certificate is Rs E) dated 26. Rs	/ valid NS L 06.2020) (Strike	off whichever is n off wh	lyog Aadhar Mem is Rs ot applicable) acs is within dedium (Strike of y (micro/small/ of one year from	permi ff which	n): Investment Lacs (as notifications is sible liminated in the liminated in the lack of t	in plant and ed in MSME it of able) which is now
For Enterprises machinery of notification restriction	the character of the ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Inted upwarmaintain its dated 26.00	/ valid NS	off whichever is n off wh	lyog Aadhar Memis Rs	permi ff which medium the close	n): Investment Lacs (as notifications) is sible liminated in the liminated in the lack of	in plant and ed in MSMI it of able) which is not gistration, as a ministry o
For Enterprises machinery of notification recognition	the character of the ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Ited upwar naintain its lated 26.06	/ valid NS / valid NS	off whichever is n off whichever is n off whichever is n or s original category status till expiry blished in the gar or or	lyog Aadhar Memis Rs	permi ff which medium the close dated i	n): Investment Lacs (as notifications) is sible liminated in the liminated in the lack of	in plant and ed in MSMI it of able) which is not gistration, as which is not which
For Enterprises machinery of notification recognition	the character of the ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Atted upwarmaintain its lated 26.00 e-graduate ontinue in i	/ valid NS	off whichever is n off whichever is n	lyog Aadhar Memis Rs	permi	n): Investment Lacs (as notificated in the lace of the	in plant and ed in MSMF it of able) which is not gistration, as a ministry of able is not be given the
For Enterprises machinery of notification reconstruction reconstru	chaving EM II ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Inted upwarmaintain its lated 26.06 e-graduate ontinue in ity with effe	/ valid NS	off whichever is n off whichever is n or soriginal category g status till expiry blished in the gas category till the off	lyog Aadhar Memis Rs	permi ff which medium the close dated i	n): Investment Lacs (as notificated in the lact of the	in plant and ed in MSMI it of able) which is not gistration, as which is not be given the such change
For Enterprises machinery of notification report of the above invested and the second states of the enterprise has applicable), the enterprise has applicable), the enterprise has applicable), the enterprise has applicable), the enterprise has applicable, as notificable,	chaving EM II ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Inted upwarmaintain its lated 26.06 e-graduate ontinue in ity with effe	/ valid NS	off whichever is n off whichever is n or soriginal category g status till expiry blished in the gas category till the off	lyog Aadhar Memis Rs	permi ff which medium the close dated i	n): Investment Lacs (as notificated in the lact of the	in plant and ed in MSMI it of able) which is not gistration, as which is not be given the such change
For Enterprises machinery of notification r The above invests Category under MSA The enterprise has repplicable), the enterprise has repplicable, the enterprise has repplicable), the enterprise has repplicable, the enterprise has repplicable, as notification of MSME.	chaving EM II ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Inted upwarmaintain its lated 26.06 e-graduate ontinue in ity with effe	/ valid NS	off whichever is n off whichever is n or soriginal category g status till expiry blished in the gas category till the off	lyog Aadhar Memis Rs	permi ff which medium the close dated i	n): Investment Lacs (as notificated in the lact of the	in plant and ed in MSMI it of able) which is not gistration, as which is not be given the such change
For Enterprises machinery of notification report of the above invested and the second states of the enterprise has applicable), the enterprise has applicable), the enterprise has applicable), the enterprise has applicable), the enterprise has applicable, as notificable,	chaving EM II ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Inted upwarmaintain its lated 26.06 e-graduate ontinue in ity with effe	/ valid NS	off whichever is n off whichever is n or soriginal category g status till expiry blished in the gas category till the off	lyog Aadhar Memis Rs	permi ff which medium the close dated i	n): Investment Lacs (as notificated in the lact of the	in plant and ed in MSMI it of able) which is not gistration, as which is not be given the such change
For Enterprises machinery of notification r The above invests Category under MSA The enterprise has repplicable), the enterprise has repplicable, the enterprise has repplicable), the enterprise has repplicable, the enterprise has repplicable, as notification of MSME.	chaving EM II ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Inted upwarmaintain its lated 26.06 e-graduate ontinue in ity with effe	/ valid NS	off whichever is n off whichever is n or soriginal category g status till expiry blished in the gas category till the off	lyog Aadhar Memis Rs	permi ff which medium the close dated i	n): Investment Lacs (as notificated in the lact of the	in plant and ed in MSMI it of able) which is not gistration, as which is not be given the such change
For Enterprises machinery of notification r The above invests Category under MSA The enterprise has repplicable), the enterprise has repplicable, the enterprise has repplicable, the enterprise has repplicable, the change cook place, as notifications Ministry of MSME. Date: Gignature)	chaving EM II ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Inted upwarmaintain its lated 26.06 e-graduate ontinue in ity with effe	/ valid NS	off whichever is n off whichever is n or soriginal category g status till expiry blished in the gas category till the off	lyog Aadhar Memis Rs	permi ff which medium the close dated i	n): Investment Lacs (as notificated in the lact of the	in plant and ed in MSMI it of able) which is no gistration, as which is no be given the such change
For Enterprises machinery of motification r The above investes Category under MSM The enterprise has applicable), the enterprise has applicable vide S.O. Notes The enterprise has applicable, the enterprise has applicable of the change cook place, as notification with the cook place, as notification of MSME. Date:	the character of the ch	E) dated 26. I Certificate is Rs E) dated 26. Rs Inted upwarmaintain its lated 26.06 e-graduate ontinue in ity with effe	/ valid NS	off whichever is n off whichever is n or soriginal category g status till expiry blished in the gas category till the off	lyog Aadhar Memis Rs	permi ff which medium the close dated i	n): Investment Lacs (as notificated in the lact of the	in plant and ed in MSMI it of able) which is not gistration, as which is not be given the such change

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 36 of 111

ANNEXURE-4

Reverse Auction Process Compliance Form

(The bidders are required to print this on their company's letterhead and sign, stamp before RA)

To

- M/s. {Service provider
- Postal address}

Sub: Agreement to the Process related Terms and Conditions

Dear Sir,

This has reference to the Terms & Conditions for the Reverse Auction mentioned in the RFQ document for {Items} against BHEL enquiry/ RFQ no. { BHE/PW/PUR/LRPT2 ENABLING/2879 } dt. {......} This letter is to confirm that:

- 1) The undersigned is authorized official/ representative of the company to participate in RA and to sign the related documents.
- 2) We have studied the Reverse Auction guidelines (as available on www.bhel.com), and the Business rules governing the Reverse Auction as mentioned in your letter and confirm our agreement to them.
- 3) We also confirm that we have taken the training on the auction tool and have understood the functionality of the same thoroughly.
- 4) We also confirm that, in case we become L1 bidder, we will FAX/ email the price confirmation & break up of our quoted price as per <u>Annexure 6</u> within **two** working days (of BHEL) after completion of RA event, besides sending the same by registered post/ courier both to M/s. BHEL and M/s. {Service provider.}

We, hereby confirm that we will honor the Bids placed by us during the auction process.

With regards

Signature with company seal

Name:

Company / Organization:

Designation within Company / Organization:

Address of Company / Organization:

Sign this document and FAX/ email it to M/s {Service provider} at {.......} prior to start of the Event.

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/28/9	Page 37 of 111

ANNEXURE-5

Authorization of representative who will participate in the on line Reverse Auction Process:

1	NAME OF THE BIDDER	
2	NAME & DESIGNATION OF OFFICIAL	
3	POSTAL ADDRESS (COMPLETE)	
4	TELEPHONE NOS. (LAND LINE & MOBILE BOTH)	
5	E-MAIL ADDRESS	
6	NAME OF PLACE/ STATE/ COUNTRY, WHEREFROM S/HE WILL PARTICIPATE IN THE REVERSE AUCTION	

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 38 of 111

ANNEXURE-6

Reverse Auction price confirmation and breakup (To be submitted by L1 bidder after completion of Reverse Auction)

M/s. Service providerPostal address	
CC: M/s BHEL BHEL-PSWR, 345, KIN	GSWAY, NAGPUR-440001
Sub: Final price quoted d	luring Reverse Auction and price breakup
Dear Sir,	
We confirm that we have o	quoted.
Rs.{in value & in BHE/PW/PUR/LRPT2 EN	words} for item(s) covered under tender enquiry No. { ABLING/2879} dt.{}
C.S.T., freight and insuranc	vered under above cited enquiries is inclusive of {Packing & forwarding, GST, E.D., e charges up to {} District,{
as our final landed prices a for a period of { in nos.	as quoted during the Reverse Auction conducted today {date} which will be valid & in words }} days.
The price break-up is as gi	ven below.
Total	====== - Rs. in value & in words ======
Yours sincerely,	
For	
Name: Company: Date: Seal:	

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 39 of 111

ANNEXURE-7

INTEGRITY PACT

Between

Bharat Heavy Electricals Ltd. (BHEL), a company registered under the Companies Act 1956 and having its registered office at "BHEL House", Siri Fort, New Delhi -110049 (India) hereinafter referred to as "The Principal", which expression unless repugnant to the context or meaning hereof shall include its successors or assigns of the ONE PART

and

______, (description of the party along with address), hereinafter referred to as "The Bidder/ Contractor" which expression unless repugnant to the context or meaning hereof shall include its successors or assigns of the OTHER PART

Preamble

The Principal intends to award, under laid-down organizational procedures, contract/s for **E-Tender Spec No:** BHE/PW/PUR/LRPT2 ENABLING/2879 (Job Description Development of open storage yard of approx. 2,00,000 Sqm area including approach roads & drains, internal roads & drains, pipe culverts, fencing & gates, Hard Surfacing, Concrete Raised Platform, concrete sleepers, Mess Building, RO Plant Building, 13nos. PEB Shed foundations, 3nos. first aid center, 7nos. security cabins, Electrification and Illumination, High Mast Foundations etc. at 2X800 MW NTPC Lara ,Stage-II)

(hereinafter referred to as "Contract"). The Principal values full compliance with all relevant laws of the land, rules and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder(s)/Contractor(s).

In order to achieve these goals, the Principal will appoint panel of Independent External Monitor(s) (IEMs), who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section 1-Commitments of the Principal

- 1.1 The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:
- 1.1.1 No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
- 1.1.2 The Principal will, during the tender process treat all Bidder(s) with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/ additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.
- 1.1.3 The Principal will exclude from the process all known prejudiced persons.
 - 1.2 If the Principal obtains information on the conduct of any of its employees which is a penal

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 40 of 111

offence under the Indian Penal Code 1860 and Prevention of Corruption Act 1988 or any other statutory penal enactment, or if there be a substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

Section 2 -Commitments of the Bidder(s)/Contractor(s)

- 2.1 The Bidder(s)/ Contractor(s) commit himself to take all measures necessary to prevent corruption. The Bidder(s)/ Contractor(s) commits himself to observe the following principles during participation in the tender process and during the contract execution.
- 2.1.1 The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm, offer, promise or

give to the Principal or to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material, immaterial or any other benefit which

he/ she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever

during the tender process or during the execution of the contract.

- 2.1.2 The Bidder(s)/ Contractor(s) will not enter with other Bidder(s) into any illegal or undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- 2.1.3 The Bidder(s)/ Contractor(s) will not commit any penal offence under the relevant Indian Penal Code (IPC) and Prevention of Corruption Act; further the Bidder(s)/ Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- 2.1.4 Foreign Bidder(s)/ Contractor(s) shall disclose the name and address of agents and representatives in India and Indian Bidder(s)/ Contractor(s) to disclose their foreign principals or associates. The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose any and all payments he has made, and is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
 - 2.2 The Bidder(s)/ Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
 - 2.3 The Bidder(s)/ Contractor(s) shall not approach the Courts while representing the matters to IEMs and shall await their decision in the matter.

Section 3 -Disqualification from tender process and exclusion from future contracts

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 41 of 111

If the Bidder(s)/ Contractor(s), before award or during execution has committed a transgression through a violation of Section 2 above, or acts in any other manner such as to put his reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/ Contractor(s) from the tender process, terminate the contract, if already awarded, exclude from future business dealings and/ or take action as per the separate "Guidelines on Banning of Business dealings with Suppliers/ Contractors", framed by the Principal.

Section 4 - Compensation for Damages

- 4.1 If the Principal has disqualified the Bidder (s) from the tender process before award / order acceptance according to Section 3, the Principal is entitled to demand and recover the damages equivalent to Earnest Money Deposit/ Bid Security.
- 4.2 If the Principal is entitled to terminate the Contract according to Section 3, or terminates the Contract in application of Section 3 above, the Bidder(s)/Contractor (s) transgression through a violation of Section 2 above shall be construed breach of contract and the Principal shall be entitled to demand and recover from the Contractor an amount equal to 5% of the contract value or the amount equivalent to Security Deposit/Performance Bank Guarantee, whichever is higher, as damages, in addition to and without prejudice to its right to demand and recover compensation for any other loss or damages specified elsewhere in the contract.

Section 5 - Previous Transgression

- 5.1 The Bidder declares that no previous transgressions occurred in the last 3 (three) years with any other company in any country conforming to the anti-corruption approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.
- 5.2 If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason or action can be taken as per the separate "Guidelines on Banning of Business dealings with Suppliers/Contractors", framed by the Principal.

Section 6 -Equal treatment of all Bidder (s)/ Contractor (s) / Sub-contractor (s)

- 6.1 The Principal will enter into Integrity Pacts with identical conditions as this Integrity Pact with all Bidders and Contractors.
- 6.2 In case of Sub-contracting, the Principal Contractor shall take the responsibility of the adoption of Integrity Pact by the Sub-contractor(s) and ensure that all Sub-contractors also sign the Integrity Pact.
- 6.3 The Principal will disqualify from the tender process all Bidders who do not sign this Integrity Pact or violate its provisions.

Section 7 - Criminal Charges against violating Bidders/ Contractors / Subcontractors

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 42 of 111

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

Section 8 - Independent External Monitor(s)

- 8.1 The Principal appoints competent and credible panel of Independent External Monitor (s) (IEMs) for this Integrity Pact. The task of the IEMs is to review independently and objectively, whether and to what extent the parties comply with the obligations under this Integrity Pact.
- 8.2 The IEMs are not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the CMD, BHEL.
- 8.3 The IEMs shall be provided access to all documents/ records pertaining to the Contract, for which a complaint or issue is raised before them as and when warranted. However, the documents/records/information having National Security implications and those documents which have been classified as Secret/Top Secret are not to be disclosed.
- 8.4 The Principal will provide to the IEMs sufficient information about all meetings among the parties related to the Contract provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the IEMs the option to participate in such meetings.
- 8.5 The advisory role of IEMs is envisaged as that of a friend, philosopher and guide. The advice of IEMs would not be legally binding and it is restricted to resolving issues raised by a Bidder regarding any aspect of the tender which allegedly restricts competition or bias towards some Bidders. At the same time, it must be understood that IEMs are not consultants to the Management. Their role is independent in nature and the advice once tendered would not be subject to review at the request of the organization.
- 8.6 For ensuring the desired transparency and objectivity in dealing with the complaints arising out of any tendering process or during execution of Contract, the matter should be examined by the full panel of IEMs jointly, who would look into the records, conduct an investigation, and submit their joint recommendations to the Management.
- 8.7 The IEMs would examine all complaints received by them and give their recommendations/ views to the CMD, BHEL at the earliest. They may also send their report directly to the CVO, in case of suspicion of serious irregularities requiring legal/ administrative action. Only in case of very serious issue having a specific, verifiable Vigilance angle, the matter should be reported directly to the Commission. IEMs will tender their advice on the complaints within 30 days.
- 8.8 The CMD, BHEL shall decide the compensation to be paid to the IEMs and its terms and conditions.
- 8.9 IEMs should examine the process integrity; they are not expected to concern themselves with fixing of responsibility of officers. Complaints alleging mala fide on the part of any officer of the Principal should be looked into by the CVO of the Principal.

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 43 of 111

8.10 If the IEMs have reported to the CMD, BHEL, a substantiated suspicion of an offence under relevant Indian Penal Code / Prevention of Corruption Act, and the CMD, BHEL has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the IEMs may also transmit this information directly to the Central Vigilance Commissioner, Government of India.

- 8.11 After award of work, the IEMs shall look into any issue relating to execution of Contract, if specifically raised before them. As an illustrative example, if a Contractor who has been awarded the Contract, during the execution of Contract, raises issue of delayed payment etc. before the IEMs, the same shall be examined by the panel of IEMs. Issues like warranty/guarantee etc. shall be outside the purview of IEMs.
- 8.12 However, the IEMs may suggest systemic improvements to the management of the Principal, if considered necessary, to bring about transparency, equity and fairness in the system of procurement.
- 8.13 The word 'Monitor' would include both singular and plural.

Section 9 - Pact Duration

- 9.1 This Integrity Pact shall be operative from the date this Integrity Pact is signed by both the parties till the final completion of contract for successful Bidder, and for all other Bidders 6 months after the Contract has been awarded. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings.
- 9.2 If any claim is made/ lodged during currency of this Integrity Pact, the same shall be binding and continue to be valid despite the lapse of this Pact as specified above, unless it is discharged/ determined by the CMD, BHEL.

Section 10 -Other Provisions

- This Integrity Pact is subject to Indian Laws and exclusive jurisdiction shall be of the competent Courts as indicated in the Tender or Contract, as the case may be.
- 10.2 Changes and supplements as well as termination notices need to be made in writing.
- 10.3 If the Bidder(s)/ Contractor(s) is a partnership or a consortium or a joint venture, this Integrity Pact shall be signed by all partners of the partnership or joint venture or all consortium members.
- 10.4 Should one or several provisions of this Integrity Pact turn out to be invalid, the remainder of this Integrity Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- Only those bidders / contractors who have entered into this Integrity Pact with the Principal would be competent to participate in the bidding. In other words, entering into this Integrity Pact would be a preliminary qualification.

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 44 of 111

In the event of any dispute between the Principal and Bidder(s)/ Contractor(s) relating to the Contract, in case, both the parties are agreeable, they may try to settle dispute through Mediation before the panel of IEMs in a time bound manner. In case, the dispute remains unresolved even after mediation by the panel of IEMs, either party may take further action as the terms & conditions of the Contract. The fees/expenses on dispute resolution through mediation shall be shared by both the parties. Further, the mediation proceedings shall be confidential in nature and the parties shall keep confidential all matters relating to the mediation proceedings including any settlement agreement arrived at between the parties as outcome of mediation. Any views expressed, suggestions, admissions or proposals etc. made by either party in the course of mediation shall not be relied upon or introduced as evidence in any further arbitral or judicial proceedings, whether or not such proceedings relate to the dispute that is the subject of mediation proceedings. Neither of the parties shall present IEMs as witness in any Alternative Dispute Resolution or judicial proceedings in respect of the dispute that was subject of mediation.

Color.	
For & On behalf of the Principal	For & On behalf of the Bidder/ Contractor
(Office Seal) Place Nogphi Date Db 11 2023	(Office Seal)
Witness:	Witness:
(Name & Address)	(Name & Address)

Page 45 of 111

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

	der Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879	Page 46 of 111
		ANNEXUR
	<u>DECLARATION</u>	
		Date:
	JRCHASE PSWR, 345, KINGSWAY, NAGPUR-440001	
ub:	Details of related firms and their area of activities	
ear Si	Sir/ Madam,	
	e find below details of firms owned by our family members item with BHEL,(NA, if not ap	
1	Material Category/ Work Description	
	Name of Firm	
	Address of Firm	
	Nature of Business	
	Name of Family Member	
	Relationship	
2	Material Category/ Work Description	
	Name of Firm	
	Address of Firm	
	Nature of Business	
	Name of Family Member	
	Relationship	

Page 47 of 111

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Annexure-10
DECLARATION REGARDING MINIMUM LOCAL CONTENT IN LINE WITH REVISED PUBLIC PROCUREMENT (PREFERENCE TO MAKE IN INDIA), ORDER 2017 DATED 04 TH JUNE, 2020 AND SUBSEQUENT ORDER(S) (To be typed and submitted in the Letter Head of the Entity/Firm providing certificate as applicable)
Γο, GM-PURCHASE BHEL-PSWR, 345, KINGSWAY, NAGPUR-440001
Dear Sir,
Sub : Declaration reg. minimum local content in line with Public Procurement (Preference to Make in India), Order 2017-Revision, dated 04th June, 2020 and subsequent order(s).
Ref: 1) NIT/Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 2) All other pertinent issues till date
We hereby certify that the items/works/services offered by
 Thanking you, Yours faithfully,
(Signature, Date & Seal of Authorized Signatory of the Bidder)
** - Strike out whichever is not applicable.
Note:

- 1. Bidders to note that above format Duly filled & signed by authorized signatory, shall be submitted along with the techno-commercial offer.
- 2. In case the bidder's quoted value is in excess of Rs. 10 crores, the authorized signatory for this declaration shall necessarily be the statutory auditor or cost auditor of the company (in the case of companies) or a practising cost accountant or practicing chartered accountant (in respect of suppliers other than companies).
- 3. In the event of false declaration, actions as per the above order and as per BHEL Guidelines shall be initiated against the bidder.

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 48 of 111

ANNEXURE-11

DECLARATION REGARDING COMPLIANCE TO RESTRICTIONS UNDER RULE 144 (xi) OF GFR 2017 (To be typed and submitted in the Letter Head of the Entity/Firm providing certificate as applicable) To. **GM-PURCHASE** BHEL-PSWR, 345, KINGSWAY, NAGPUR-440001 Dear Sir. Sub: Declaration regarding compliance to Restrictions under Rule 144 (xi) of GFR 2017 Ref: 1) NIT/Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879, 2) All other pertinent issues till date I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries. I certify that _ (specify the name of the organization here), is not from such a country a. h. has been registered with the Competent Authority (attach valid registration by the Competent Authority, i.e., the Registration Committee constituted by the Dept. for Promotion of Industry and *Internal Trade (DPIIT)*); and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. (attach relevant valid registration, if applicable) I hereby certify that we fulfill all requirements in this regard and is eligible to be considered.

(Signature, Date & Seal of Authorized Signatory of the Bidder)

Note: Bidders to note that in case above certification given by a bidder, whose bid is accepted, is found to be false, then this would be a ground for immediate termination and for taking further action in accordance with law and as per BHEL guidelines.

Thanking you, Yours faithfully,

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 49 of 111

ANNEXURE-12

IMPORTANT INFORMATION

E -Tender for this work is invited by BHEL PSWR NAGPUR and offer shall be submitted through BHEL e-procurement portal only. All correspondences regarding this tender shall be through E-procurement portal.

Postal Address:

GM /Purchase BHEL PSWR, SRIMOHINI COMPLEX, Floor No. 5 & 6, 345 KINGSWAY, NAGPUR 440001, INDIA

Following are the concerned BHEL officials to whom bidders can contact in case of any difficulty:

Manager Purchase, Email: tapishkhandelwal@bhel.in, Mob: 9010903666

DGM Purchase, Email: kamleshbhel@bhel.in
GM Purchase, Email: rmalhotra@bhel.in

- 1. Refer the abridged version of extant 'Guidelines for suspension of business dealings with suppliers/contractors' which is available at www.bhel.com/sites/default/files/suspension_guidelines_abridged.pdf
- 2. "Pradhan Mantri Kaushal Vikas Yojna: The contractor shall, at all stages of work deploy skilled/semi-skilled tradesmen who are qualified and possess certificate in particular trade from CPWD Training Institute/Industrial Training Institute/ National Institute of Construction Management and Research (NICMAR), National Academy of Construction, CIDC or any similar reputed and recognized Institute managed/ certified by State/ Central Government. The number of such qualified tradesmen shall not be less than 20% of total skilled/semi-skilled workers required in each trade at any stage of work. The contractor shall submit number of man days required in respect of each trade, its scheduling and the list of qualified tradesmen along with requisite certificate from recognized Institute to Engineer-in-Charge for approval. Notwithstanding such approval, if the tradesmen are found to have inadequate skill to execute the work of respective trade, the contractor shall substitute such tradesmen within two days of written notice from Engineer-in-Charge. Failure on the part of contractor to obtain approval of Engineer-in-Charge or failure to deploy qualified tradesmen will attract a compensation to be paid by contractor at the rate of Rs.100 per such tradesman per day. Decision of Engineer-in-Charge as to whether particular tradesman possesses requisite skill and amount of compensation in case of default shall be final and binding".
- 3. All Statutory Requirements as applicable for this project shall be complied with.
- 4. BHEL Fraud Prevention Policy: "The Bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice."
- 5. Void
- 6. Following clause shall form part of the HSE documents issued under Chapter IX of Volume IB 'Special Conditions of Contract'

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 50 of 111

"In case of any financial deduction made by Customer for lapses of safety other than what is provided elsewhere in the contract, the same shall be charged on back-to-back basis on the defaulting contractor without prejudice to any other right spelt anywhere in the tender /contract".

- 7. BHEL Fraud Prevention Policy: "The Bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice."
- 8. The clause 2.7.9.1 below is added under the heading "Rights of BHEL" of General Conditions of Contract Volume-IC GCC:

.....

- **2.7.9.1** Provision of Penalty in case of slippage of Intermediate Milestones:
 - i) Two major Intermediate Milestones are mentioned as M1 & M2 in Chapter VI: Time Schedule of Vol IA Technical Conditions of Contract.
 - ii) In case of slippage of these identified Intermediate Milestones, Delay Analysis shall be carried out on achievement of each of these two Intermediate Milestones in reference to Form 14.
 - iii) In case delay in achieving M1 Milestone is solely attributable to the contractor, 0.5% per week of Executable Contract Value*, limited to maximum 2% of Executable Contract Value, will be withheld.
 - iv) In case delay in achieving M2 Milestone is solely attributable to the contractor, 0.5% per week of Executable Contract Value*, limited to maximum 3% of Executable Contract Value, will be withheld.
 - v) Amount already withheld, if any against slippage of M1 milestone, shall be released only if there is no delay attributable to contractor in achievement of M2 Milestone.
 - vi) Amount required to be withheld on account of slippage of identified intermediate milestone(s) shall be withheld out of respective milestone payment and balance amount (if any) shall be withheld @10% of RA Bill amount from subsequent RA bills.
 - vii) Final deduction towards LD (if applicable as per clause 2.7.9 above), on account of delay attributable to contractor shall be based on final delay analysis on completion / closure of contract. Withheld amount, if any due to slippage of identified intermediate milestone(s) shall be adjusted against LD or released as the case may be.
 - viii) In case of termination of contract due to any reason attributable to contractor before completion of work, the amount already withheld against slippage of intermediate milestones shall not be released and be converted into recovery.
 - * **Executable Contract Value** Value of work for which inputs/ fronts were made available to contractor and were scheduled for execution till the date of achievement of that milestone.
- 9. Commencement Period for "Performance Guarantee for Workmanship" as per clause no 2.24 of Vol-IC GCC: This period shall commence after the completion of Contract as certified by Engineer-in-Charge.
- 10. Acceptance of Bank Guarantee (BG)

Revision in Acceptance of Bank Guarantee (BG) Clause no. 1.10.3 (iii) of Vol I C GCC:

Clause No. 1.10.3 (iii) of Vol IC GCC is revised as below: -

"Bank Guarantee issued by:

a. Any of the BHEL consortium bank listed below:

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 51 of 111

.....

State Bank of India

ABN Amro Bank N.V.

Bank of Baroda

Canara Bank

Citi Bank N.A.

Corporation Bank

Deutsche Bank

HDFC Bank Ltd.

The Hongkond and Shanghai Banking Corporation Ltd

ICICI Bank Ltd.

IDBI Ltd.

Punjab National Bank

Standard Chartered Bank

State Bank of Travancore

State Bank of Hyderabad

Syndicate Bank

- b. Any public sector Bank (other than consortium banks) with a clause in the text of Bank Guarantee that "It is enforceable at Nagpur, Maharashtra".
- c. Any private sector banks, with a clause in the text of Bank Guarantee that "<u>It is enforceable by being presented at any branch of the bank</u>".

Note: "Bank Guarantees issued by Co-operative Banks are not acceptable".

11. Broad Terms & Conditions of Reverse Auction:

In continuation to Clause 19.0 of NIT (Notice Inviting Tender) following are the broad terms and conditions of Reverse Auction:

"BHEL shall be resorting to Reverse Auction (RA) (Guidelines as available on <u>www.bhel.com</u>) (<u>https://www.bhel.com/guidelines-reverse-auction-2021</u>) for this tender. RA shall be conducted among the techno-commercially qualified bidders.

Price bids of all techno-commercially qualified bidders shall be opened and same shall be considered for RA. In case any bidder(s) do(es) not participate in online Reverse Auction, their sealed envelope price bid along with applicable loading, if any, shall be considered for ranking."

Note:-

- 1. No benefits to MSE bidders w.r.t Reverse Auction Guidelines as available on <u>www.bhel.com</u> against works contract.
- 2. In case of enquiry through e-procurement the sealed electronic price bid (e-bid) is to be treated as sealed envelope price bid.
- 3. Reverse Auction will be conducted if two or more bidders are techno-commercially qualified. In case of two or three qualified bidders, there shall be no elimination of H1 bidder (whose quote is highest in sealed envelope price bid). In case of four qualified bidders, the H1 bidder shall be eliminated whereas in case of five qualified bidders, H1 & H2 bidders shall be eliminated. However, in case of six or more qualified bidders are available, RA would be conducted amongst first 50% of the bidders arranged in the order of prices from lowest to highest. Number of bidders eligible for participating in RA would be rounded off to next higher integer value if number of qualified bidders is

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 52 of 111

odd (e.g. if 7 bids are qualified, then RA will be conducted amongst lowest four bidders). However, there will be no elimination of qualified bidders who are MSE or qualifying under PPP-MII, Order 2017, provided their bids are within their respective margin of purchase preference {presently 15% for MSEs and 20% for PPP-MII, or as amended from time to time}.

In case of multiple H1 bidders, all H1 bidders (except MSEs and bidders qualifying under PPP-MII, Order 2017, who are within the margin of purchase preference) shall be removed provided minimum two bidders remain in fray, else no H1 removal

- **12.** Bidder to strictly follow all the necessary guidelines issued by Customer, District Magistrate, State Government and Central government to control Pandemic/Epidemic outbreak. The related towards quarantine Centre/Medical expenses etc., if any, shall be in the bidder's scope
- 13. Over Run Compensation Clause no. 2.12 of Vol IC GCC Shall not be Applicable.
- 14. PRICE VARIATION COMPENSATION Clause no. 2.17 of Vol-I-C-GCC : PVC shall not be applicable
 - **15.** Conflict of Interest among Bidders/ Agents:

"A bidder shall not have conflict of interest with other bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of Procuring Entity's interests. *The bidder found to have a conflict of interest shall be disqualified*. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:

a) they have controlling partner (s) in common;

or

- b) they receive or have received any direct or indirect subsidy/ financial stake from any of them; or
- c) they have the same legal representative/agent for purposes of this bid; or
- d) they have relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder; or
- e) Bidder participates in more than one bid in this bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components/ sub-assembly/ Assemblies from one bidding manufacturer in more than one bid; **or**
- f) In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorize only one agent/dealer. There can be only one bid from the following:
- 1. The principal manufacturer directly or through one Indian agent on his behalf; and

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879	Page 53 of 111	
-		

2. Indian/foreign agent on behalf of only one principal;

or

- g) A Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid; **or**
- h) In case of a holding company having more than one independently manufacturing units, or more than one unit having common business ownership/management, only one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister/common business/management units in same/similar line of business."
- **16.** Bidder to take note of the following clauses which have been revised
 - General Conditions of Contract: Clause No. 1.9, 1.10, 2.7, 2.11, 2.13, 2.19, 2.22, 2.24
 & 2.27
 - Special Conditions of Contract: Clause no. 4.2.1.7, 4.2.2.5, 5.14 & 6.1.11

E-Tender Spec No: BHE/PW/PUR/LRPT2 ENABLING/2879

Page 54 of 111

2879

TECHNICAL CONDITIONS OF CONTRACT (TCC)

BHARAT HEAVY ELECTRICALS LIMITED



TECHNICAL CONDITIONS OF CONTRACT (TCC) CONTENTS

Sl No	DESCRIPTION	Chapter
Volume-IA	Part-I: Contract specific details	
1	Project Information	Chapter-I
2	Scope of Works and Technical Specifications	Chapter-II
3	Facilities in the scope of Contractor/BHEL (Scope Matrix)	Chapter-III
4	T&Ps and MMEs to be deployed by Contractor	Chapter-IV
5	T&Ps and MMEs to be deployed by BHEL on sharing basis	Chapter-V
6	Time Schedule	Chapter-VI
7	Terms of Payment	Chapter-VII
8	Taxes and other Duties	Chapter-VIII
9	Technical Specifications and Plot Plan	Chapter-IX
10	General	Chapter-X
11	Bill of Quantities and % Weightage of Individual Items	Chapter-XI

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-I: Project Information

Sl. No.	Description	Details
1	Project Title	2X800MW Lara Super Thermal Power Station,Stage-II
2	Customer	National Thermal Power Corporation Limited (NTPC Limited)
3	Location	The project is located in Raigarh district of Chhattisgarh State. The project is located south-east of Raigarh town near village Lara, bounded by villages Lara, Chhapora & Lohakhan and on the western side of Odisha State boundary.
4	Nearest Railway Station	The project site is approachable from NH-200 (Raigarh–Sarangarh) via Kondatarai through State PWD Road.
5	Nearest Airport	The nearest commercial airport, Raipur is about 250 kms from the project site.
6	Access By Road/Major Cities	The project site is approachable from NH-200 (Raigarh–Sarangarh) via Kondatarai through State PWD Road
7	Temperature	Mean of daily minimum temperature = 13.2°C Mean of daily maximum temperature = 41.8°C
8	Wind Speed	Design wind speed is 39 m/sec as per IS: 875 Part III

Above information furnished are for general guidance of Contractor. However, Contractor has advised to visit the site and appraise himself about the conditions of site and infrastructure available in the area for fulfilling their commitments under the contract.

2. SCOPE OF WORK

2.1 The scope of work comprises of but not limited to the following;

- i) Development of open storage yard (inside Project premises/Outside project premises) of approx. 2,00,000 Sqm area including approach road, internal roads & drains, pipe culverts, fencing & gates, electrical & illumination, weigh bridge etc.
- ii) RO plant building
- iii) Security Cabins
- iv) Mess Building
- v) First aid Center
- vi) PEB Shed Foundation
- vii) Foundation Works of Office Builling

2.2 The scope of work will involve following civil, structural and architectural works and shall be executed as per relevant IS Codes.

- i) Topography Survey of Storage yard, preparation and submission of contour drawing for finalization of Earthwork Quantity. No additional payment will be made for this activity agency has to asses accordingly.
- ii) Earth work in stripping of top soil up to a maximum depth of 0.30m below ground level.
- iii) Preparation of sub-grade by excavating earth to required depth for all types of soil.
- iv) Earthwork in excavation in all types of soil.
- v) Earthwork in backfilling up to any depth below ground level.
- vi) Supplying and filling up to any depth below ground level for grading to proper grade and level with Granular Morrum.
- vii) Providing and filling in trenches, plinths, area paving and other underground structures with graded stone aggregate.
- viii) Providing & laying water bound macadam base course.
- ix) Providing and placing concrete of grade 1:4:8, 1:3:6, 1:2:4 & 1:1.5:3
- x) Brickwork, Plastering etc.
- xi) Supplying and erecting in position 2.4 m high galvanized chain linked fencing.
- xii) Supply, fabrication and installing in position and testing MS Gates.
- xiii) Concrete Sleeper 8000 nos
- xiv) Painting
- xv) Door Window Fixing

Page 57 of 111

- xvi) Water supply
- xvii) Sanitary Fitting
- xviii) Providing 6" Dia. Borwells with Submersible pumps and boring the same complete in all respect as per BHEL's requirement.
- xix) Miscellaneous.

Standard specifications for various items of work for building and road construction as per the relevant IS-codes (latest edition) shall be applicable for this work. The work has to be executed as per standard specification and drawings to the satisfaction of BHEL. However, the following Drawings/Sketches are to be read along with specifications and shall be treated as in the scope of work.

2.2.1 Preparations of actual layout and BOQ as per site condition.

(a) BOQ & drawing given in tender is tentative only as the tender is prepared on the basis of preliminary information which may vary during execution as per actual site condition. As soon as the area for construction of civil work closed store shed and open yard etc. is taken over from BHEL/customer, Contractor has to ensure actual layout open storage yard, roads, drains and etc. after doing detailed survey of site. Contractor shall submit detailed survey report after plotting in graph sheet along with actual BOQ for each & every work – section/Part wise and submit the same to BHEL for further comparison with the respective BOQ. All endeavors have to be made to restrict the quantities as per BOQ except some "exceptional cases" which are very necessary due to site condition. Individual item qty. variation may be allowed up to reasonable extent unless the overall executed value of the contract is within the LOA value. For any variation beyond the total contract value, prior approvals are required from BHEL PSWR HQ before release of payment.

2.3 Electricals and Illumination works:

- i) The electrical installation shall generally be carried out in conformity with the requirements of the Indian electricity act, 1910 as amended up to date and the Indian electricity rules, 1956 framed there under and also the relevant regulations of the electric supply authority concerned as well as IS: 732-1963 (revised). Before commencement of work Contractor has to submit for approval of BHEL detail electrical layout drawings prepared by experienced & licensed electrical agency/engineer indicating the cable route, internal/external panels, DBs, cable sizing, fittings & fixtures, Earthing, etc. in line with the BOQ of electrical work.
- ii) Good workmanship is an essential requirement for compliance with the rules in the code. The work shall be carried out under the direct supervision of a person holding a valid certificate of competency issued by the state government concerned for the type of work involved.

- iii) All out door/external lamps shall have weatherproof fittings of design approved by BHEL Engineer so as to effectively prevent the admission of moisture.
- iv) The distribution fuse boards shall be located as near as possible to the center of the load they are intended to control.
- v) All main switches shall be of metal clad enclosed pattern, which shall be fixed at close proximity to the point of entry of supply.
- vi) Main and branch distribution boards shall be in accordance with Indian standard 732-1963 "code of practice for electrical wiring installation".
- vii) PVC conduit (concealed type) wiring system should be adopted throughout and all conduit pipes/channel shall be conforming to latest IS.
- viii) Approved and good quality copper wire with adequate current carrying capacity/voltage rating with proper insulation as per IS should be used for the entire electrical wiring/installation.
- ix) The service connection from outside mains to the switchboard inside the building shall also be carried out by the contractor.
- x) All earthing system shall be in accordance with IS: 3043-1966 "code of practice for earthing".
- xi) The installation and earthing shall generally be carried out in accordance with the Indian electricity rules 1956 as amended from time to time and the relevant regulations of the electricity supply authority concerned.
- xii) All plugs and sockets shall be of three-pin type, one of the pins being connected to earth.
- xiii) Bodies of all electrical appliances shall be earthed by the use of three pin plugs. The covers of the regulators if or metallic construction, shall be earthed by means of a separate earth wire. A separate earth wire shall be used for earthing these appliances.
- xiv) All earth wires and earth continuity conductors shall be of copper/-galvanized iron. They shall be either stranded or solid bars of flat rectangular strips and may be bard, provided, due care is taken to avoid corrosion and mechanical damage to it. Inter connections of earth continuity conductors and main and branch earth wires shall be made in such a way that reliable and good electrical connections are permanently ensured.
- xv) The neutral conductor shall not be used as earth wire.
- xvi) Welded, bolted and clamped joints only are permissible. For stranded conductor, sleeve connectors are permissible. Bolted connectors and their screws shall be protected against any possible corrosion.
- xvii) The path of the earth wire shall, as far as possible, be out of reach of any person and shall be visible for inspection.
- xviii) The galvanized iron pipe electrodes shall not be smaller than 38mm internal diameter and shall not be less than 3.5M. In length and shall, as far as possible, be embedded below permanent moisture level and shall be one piece only without any joints.

2.4 General Scope:

- i) Furnishing all labour, materials, supervision, construction plans, equipment, supplies, transport to and fro the site, fuel, electricity, compressed air, water, transit and storage insurance and all other incidental items and temporary works not shown on specified but reasonably implied or necessary for the proper completion, maintenance and handling over the works, except in accordance with the stipulations laid down in the contract documents and additional stipulations as may be provide by the engineer during the course of works.
- ii) Furnishing samples of all materials required by the engineers for testing/inspection and approval for use in the works. The samples may be retained by the engineer for final incorporation in the works.
- iii) Furnishing test reports for the products used or intended to be used, if called for the specifications or if so desired by the engineer.
- iv) During execution of the job, it is very essential that proper and adequate inspection should be made constantly by the contractor to maintain quality of workmanship and to ensure that deviations from BHEL drawings not exceed the permissible limits, which shall be approved by BHEL. Necessary laboratory test shall be conducted on random sampling basis for the materials like Bricks, steel, cement etc. if so desired by BHEL Engineer. Apart from that contractor shall also ensure Field Quality Test (FQA) like Compressive Strength Test of concrete (cube test), Sieve Analysis of aggregates, and Compaction Test for backfilling as per Standard Practice and Relevant IS codes either at site or nearby Field Quality Laboratory approved by BHEL. All the testing charges shall be borne by the contractor. Decision of BHEL engineer shall be binding on the contractor.
- v) Contractor shall procure reinforced / structural steel & cement from reputed manufacturer/ Authorized dealer & approval for the same shall be obtained from BHEL well in advance before ordering of the materials.
- vi) Giving all notices, paying all fees, taxes etc., in accordance with the general conditions of contract, that is required for all works including temporary works.
- vii) Providing all incidental items not shown or specified but reasonably implied or necessary for the successful completion of the work in accordance with contract.
- viii) Arranging for joint checking with BHEL of all site construction activities, preparation of joint protocols for each & every activity and maintaining quality records for audit/inspection as per instruction of BHEL.
- ix) The drawings enclosed with this tender are intended to give the tenderer a general idea of the type and extent of work involved. The drawings are as such only indicative and not to be considered as the exact construction drawings.
- x) Further this is to be noted that the drawings and the documents furnished along with this specification are the sole property of BHEL. It must not be used directly or indirectly in any way detrimental to the interest of the company.

- xi) The scope of work will also include such other related works although they may not be specifically mentioned in the above paragraph and all such incidental items not specified but reasonably imply and necessary for completion of the job as a whole all as desired and as directed by the engineer.
- xii) The detail scope of work covered above is not a comprehensive list of items of work involved. The detail scope of work may vary considerably depending on the actual construction requirements as per RFC Drawings.
- xiii) BHEL at its discretion may include other area works, limited to 15% of awarded contract value, although not be specially mentioned in above scope of works. All such incidental works not specified but reasonably implied and necessary for completion of the project as a whole, contractor shall execute the works as desired and as directed by BHEL engineer which is binding on the contractor. The item rates & contract conditions shall remain unchanged for such works.
- 2.5 Preparation of actual layout and BOQ as per site condition.
- 2.5.1 Excavation of Foundation, Roads and Trenches etc shall be made as per IS specification.
- 2.5.2 Any filling/loose soil met below the foundation shall be made up with lean cement concrete 1:4:8 mix (min).
- 2.5.3 The excess/unutilized suitable earth and debris shall be disposed & leveled to the proposed mentioned area for development. All unusable earth debris, trees, vegetation's etc. shall be disposed of at a location embarked by BHEL / Client. Rate quoted for excavation shall be inclusive of such disposal.
- 2.5.4 **PCC:** below foundation and PCC capping: This shall include supplying and placing PCC at all depths below plinth level including form work, curing, all materials, tools and plants and labour complete. **Concrete of 1:4:8/1:3:6/1:2:4 grade** as defined in IS- 456 with 40mm/20mm/6mm and downgraded stone aggregates as per drawing. Nominal mix (volumetric) shall be allowed to use as per the guidelines of IS-456 (latest edition) with min. W/C ratio & cement content as per IS stipulation for moderate condition. Concrete shall be produced by concrete mixer machine & hand mix is generally not acceptable.
 - However, in certain unavoidable circumstances, hand mix shall be permitted with 10% extra cement content as per the discretion of BHEL engineer.
- 2.5.5 **Brick masonry:** Brick masonry shall be done by using best quality locally available burnt clay bricks / Fly Ash Lime (FAL) bricks of standard size. Minimum strength of the bricks should not be less than 35 KG/sq. cm. Other quality requirement shall be in line with the relevant IS Code. One-brick thick brickwork shall be constructed as specified, in Cement

mortar 1:4 including linking, plumbing, leveling, pacing, joints curing etc. Including all materials, tools, plants and labor complete at all level/elevation.

Rubble masonry: Rubble masonry shall be done by using best quality locally available hard stone (black basalt) in foundation/wall. BHEL should be approved quality of stone before placing in use. Irregular hard stones should be rounded of before use. Maximum size of stone should be between 200 – 230mm.

- 2.5.6 **RCC:** RCC 1:2:4 (M15)/ 1:1.5:3 (M20)/ 1:1:2 (M25) shall be provided for foundation, column, grade beam, lintel, sun sheds, roof slab wherever required as per Drawing and IS specification.
- 2.5.7 **Formwork**: The formwork should be capable of carrying the dead load of concrete, the reinforcements and the forces of vibration. The form works shall be designed by the contractor and approved by engineer in charge. After sufficient curing period & after attaining adequate strength of concrete the formwork shall be removed with the approval of BHEL engineer. The item of PCC/RCC shall be deemed as completed after removal of forms and required finishing is completed.

Fencing work

Chain Link Fencing

2.5.8 Providing and fixing chain link fencing of 2.4 m height around open storage yard as per BHEL drawing. Posts shall be spaced at 3m centers and struts at 30m centers and at all turnings with foundations, supplying and fixing chain link fencing confirming to is 2761 by means of GI hook bolts, rings and washers, hot dip galvanized tension wires,25x6 mm GI flat stretcher bar at end posts accessories all complete. Rate quoted shall be inclusive of excavation, disposal of surplus earth, concrete (1:3:6), form work and all materials, cost of posts, chain link, transporting, fixing in position etc. Including cost of all labour and two coats of enamel paint of approved shade with a shop coat of primer in all structural members etc. complete.

2.5.10 PAINTING

All the steel items such as doors, windows, ventilators, roof trusses, columns, purlins etc. shall be supplied with one coat of red oxide primer; two coats of synthetic enamel paint of approved color and quality shall be applied after fixing in position to achieve uniform finishing. Rates shall be quoted taking into account cost of painting for woodwork, steel work etc.

Three coats of white/color washing shall be provided uniformly on all wall surfaces as per IS specification.

PVC water tank of Sintex or any approved make shall be supplied and erected on brick pillars or steel staging and to be constructed on location shown as per item rate given in rate schedule.

2.6 Prior Approval from BHEL Engineer

Contractor shall take prior approval from BHEL Engineer for use of Type **of Cement (OPC/PPC)**, Brick, Steel, structural steel and for other items as specified in respective items description and necessary **manufacturer's test certificate (MTC)** and laboratory test as required by BHEL shall be arranged by contractor within their quoted rate.

2.7 Works by others:

No work under the specification will be provided by any agency other than the contractor unless specifically mentioned elsewhere in the contract.

2.8 Site Visits:

Bidder shall visit the site and ascertain the local conditions, entry and traffic restrictions, all obstructions in the area and also ascertain all site conditions and particularly the sub-soil conditions etc. together with all the statutory, obligatory, mandatory requirements of various authorities before submission of the bid. The contractor shall carry out the survey and/or soil investigation to study the properties of soil/sub soil like strength to withstand the weight of structure during all weather conditions without sinking of foundation. If any of such defects like cracks, sinking of foundation etc. occur after completion of work till the performance guarantee period, it shall be rectified by contractor free of cost including the supply of materials required. No claim shall be entertained on this account under any circumstances from the contractor.

2.9 Preamble for the schedule of quantities/BOQ:

- i) The work shall be carried out as per construction drawings, specifications and the description of the items in this schedule and/or Engineer's instructions. Drawings enclosed with these documents are only indicative giving some idea of the type of work involved. The layout, sizes and details of the building, structures and foundations shown in tender drawings may vary at a large extent during actual construction. Final drawings will be issued progressively during the execution of the work.
- ii) Items of work provided in this schedule but not covered in the specifications shall be executed strictly as per instructions of the Engineer.
- iii) Unless specifically mentioned otherwise in the contract, the bidder shall quote his rates for the finished items and shall provide for the complete cost towards fuel, tools, tackle, equipment, constructional plant, temporary works, labour materials, levies, taxes, transport, layout, repairs, rectification, maintenance till handing over,

supervision, shops, establishments, services, temporary roads, revenue expenses, contingencies, overheads, profits and all incidental items not specifically mentioned but reasonably implied and necessary to complete the works according to the contract.

- iv) The quantities of the various items mentioned in the schedule are approximate and may vary up to any extent or be deleted altogether. Contractor has to obtain prior approval of BHEL before procurement of bought out items/building materials.
- v) Engineer decision shall be final and binding on the contractors regarding clarification of items in this schedule with respect to the other section of the contract.
- vi) In case of any discrepancy between item description, relevant drawing and/or specification, clarification shall be sought at tender stage itself. Otherwise it shall be assumed that the bidder has quoted for the more stringent requirement.

2.10 Procurement and Testing of Materials by Contractor:

Material required for the entire job like cement, sand, aggregates, steel, windows, doors, ventilators, sanitary fixtures, painting & finishing material, electrical fittings and wiring material and all other material required for the completion of entire scope have to be arranged by the contractor. BHEL reserves the right to reject any material not found satisfactory. Rates quoted shall be inclusive of all such contingencies and no additional payment shall be made on this account. For this purpose, sample shall be collected at site in presence of BHEL representative.

2.11 GENERAL

All works at Contractor place shall be carried out in proper workmanship. Items of works covered by the following specification shall be carried out as per approved MQP by BHEL. Unless otherwise specified in this section or in the description of item, the cost of stage of works including all materials mentioned hereunder shall be deemed to have been included in the rates of items provided in the schedule.

Bidders may take note of the following points while sending their offers:

- a) The quoted prices also include the cost of receipt, unloading, stacking and handling of materials supplied by vendor from its work to LARA site, assembly and erection with associated works.
- b) Bidders are requested to gather all relevant information & prevailing local laws etc. in the specified regions. No claim shall be entertained on account of lack of knowledge of site condition.
- c) The above technical specification is a minimum requirement and idea for the bidders only.
- d) The materials and workmanship must be of good quality and accepted standards and specifications. BHEL reserves the right to reject any material not up to the specification. After completion of work, the building and areas around them should be cleared of all rubbish, debris etc. and handed over in fit condition for occupation.

2.11 Other Related Activities: -

The contractor shall take adequate precautions to ensure complete safety and prevention of accidents at site. The safety precautions shall conform to IS codes wherever applicable.

All the above jobs shall be as per BHEL Engineer's instructions, drawings, and detailed specification.

Safety Manual of BHEL/NTPC as applicable for LARA Project must be implemented during execution of works at LARA Site. Bidder shall also be responsible for execution of site works under the supervision of Safety Officer to be deployed by bidder himself during course of erection at site.

2.12 In case of non-finalization of delay analysis, BHEL at its discretion may provide provisional time extension with withholding 10% of running bills.

Note:

- 1 Heavy equipment will be tracked with real-time position location for fleet management. Deployment vs planned reports shall be generated. Equipment Condition monitoring data like Service Meter Reading, Operation maps, Loading, fuel levels, operating information, idle time etc. shall be captured. This data shall be captured through Integrated Online Project Monitoring system. All T&P equipment deployed by contractor will be covered/monitored through this system. Minimum 5 signals per equipment should be made available to provide the input to Integrated Online Project Monitoring system. Necessary software/ hardware for aforesaid system shall be provided by BHEL.
- All manpower hired/deployed by Contractor for this project shall be monitored through Integrated Online Project Monitoring system by BLE beacons & LoRa backhaul. Every personnel entering in to NTPC site premises for carry out any work shall be tracked. [Separate tagging for visitors]. Geo-fencing /BLE beacon based zoning of the erection area shall be done to track workforce deployment and safety purposes. Work force monitoring Dash board (planned vs actual deployment) shall be made available. BLE beacons & LoRa backhaul shall be provided by BHEL on chargeable basis to contractor. BHEL will provide Tags free of cost for maximum 300 workers, additional tags as required shall be provided by BHEL on chargeable basis @ Rs. 1000/- per tag. In case of damage or missing of issued worker tag, Rs. 1000/- per tag will be charged for issuing new worker tag.
- 3 Medical/First aid center/medicine purchased for emergency/Doctor purpose along with ambulance services with fuel and operator (round the clock) shall be arranged by BHEL for handling medical emergencies. Cost against these facilities shall be distributed / shared among the vendors working in Lara Project site proportionately based on contract value.

Bidders are requested to specifically note the following:

Bidders are requested to have **pre-bid visit/inspection of site** to make them fully acquainted with the site situation & nature of job. No claim shall be entertained at later date on account of non-familiarization of site conditions. Bidders may fix up their site visit in consultation with below mentioned contact person:

Sh PRATISH GEE VARGHESE	Sh. ANAND KUMAR
BHEL Site Office: 2X800 MW Lara TPS	PSWR Nagpur

Email: pgv@bhel.in	Email: aanand@bhel.in
Ph. No: + 91 9730644485	Ph. No: +91-7410783776

- 2.13 Labour and Staff Colony: The following are in the Bidder's scope of work for labour & staff colony:
- Development of Bidders temporary staff colony and labour colony having adequate no. of rest rooms along with toilets & fencing etc
- All Civil and Structural work associated with drinking and service water for Bidder's labour and other personnel at the work site/colony/offices including pump houses, pipes, overhead tank, tube wells etc.
- > Providing and maintaining facilities for safety, welfare, drinking water and sanitation, hygiene, biennial health check-up etc. for construction workers at their workplaces as well as at labour & staff colonies.
- The facilities for occupational safety, healthy environment, first aid, drinking water, resting place & toilets, canteen, crèche, etc. shall be provided at the workplace for construction workers by the contractor.
- Development and maintenance of above facilities for construction workers hired by the Contractor shall solely rest with the Contractor.
- 2.14 Construction Power: Bidder has to arrange the Construction Power and further distribution
- 2.15 Construction water: Bidder has to arrange the Construction Water at his own cost.

Sl.	Description	Scope / to be taken care by		- Remarks
No.	PART I	BHEL	Bidder	Kemarks
3.1	ESTABLISHMENT			
3.1.1	For construction purpose			
a	Open space for office (as per availability)	Yes		Location will be finalized after joint survey with owner
b	Open space for storage (as per availability)	Yes		Location will be finalized after joint survey with owner
С	Construction of bidder's office, canteen and storage building including supply of materials and other services		Yes	
d	Bidder's all office equipment, office / store / canteen consumables		Yes	
e	Canteen facilities for the bidder's staff, supervisors and engineers etc		Yes	
f	Firefighting equipment like buckets, extinguishers etc		Yes	
g	Fencing of storage area, office, canteen etc of the bidder		Yes	
3.1.2	For living purpose			
a	Open space for labour colony (as per availability)		Yes	Contractor has to make his own arrangements for space, shelter and transportation of labors as per their requirement.
b	Labour Colony with internal roads, sanitation, complying with statutory requirements		Yes	
3.2	ELECTRICITY			
3.2.1	Electricity for construction purposes 3 Phase 415/440 V			Contractor has to make his own arrangement.
a	Single point source of 440 V		Yes	
b	Further distribution including all materials, Energy Meter, Protection devices and its service		Yes	
С	Duties and deposits including statutory clearances if applicable		Yes	

Sl.	Description	Scope / to be taken care by		Remarks
No.	PART I	BHEL	Bidder	Kemarks
3.2.2	Electricity for the office, stores, canteen etc. of the bidder (to be specified whether chargeable or free)			Contractor has to make his own arrangement.
а	Single point source		Yes	
b	Further distribution including all materials, Energy Meter, Protection devices and its service		Yes	
С	Duties and deposits including statutory clearances if applicable		Yes	
3.2.3	Electricity for living accommodation of the bidder's staff, engineers, supervisors etc		Yes	Contractor has to make his own arrangement.
а	Single point source		Yes	
b	Further distribution including all materials, Energy Meter, Protection devices and its service		Yes	
С	Duties and deposits including statutory clearances if applicable		Yes	
3.3	WATER SUPPLY			
3.3.1	For construction purposes (to be specified whether chargeable or free)			Contractor has to make his own arrangement.
a	Making the water available at single point		Yes	
b	Further distribution as per the requirement of work including supply of materials and execution		Yes	
3.3.2	Water supply for bidder's office, stores, canteen etc			Contractor has to make his own arrangement.
a	Making the water available at single point		Yes	
b	Further distribution as per the requirement of work including supply of materials and execution		Yes	
3.3.3	Water supply for Living Purpose			Contractor has to make his own arrangement.
a	Making the water available at single point		Yes	
b	Further distribution as per the requirement of work including supply of materials and execution		Yes	

E-Tender Spec. No: BHE/PW/PUR/LRPT2 ENABLING/2879

Sl.	Description	Scope / to be taken care by		Remarks	
No.	PART I	BHEL	Bidder	Remarks	
3.4	LIGHTING			Contractor has to make his own arrangement.	
a	For construction work (supply of all the necessary materials) 1. At office/storage area 2. At the preassembly area 3. At the construction site /area		Yes		
b	For construction work (execution of the lighting work/ arrangements) 1. At office/storage area 2. At the preassembly area 3 At the construction site /area		Yes		
С	Providing the necessary consumables like bulbs, switches, etc during the course of project work		Yes		
d	Lighting for the living purposes of the bidder at the colony / quarters		Yes		
3.5	COMMUNICATION FACILITIES FOR SITE OPERATIONS OF THE BIDDER			Contractor has to make his own arrangement.	
a	Telephone, fax, internet, intranet, e-mail etc.		Yes		
3.6	COMPRESSED AIR (wherever required for the work)		Yes	Contractor has to make his own arrangement.	
3.7	DEMOBILIZATION OF ALL THE ABOVE FACILITIES		Yes	Contractor has to make his own arrangement.	
3.8	TRANSPORTATION			Contractor has to make his own arrangement.	
a	For site personnel of the bidder		Yes		
b	For bidder's equipments and consumables (T&P, Consumables etc)		Yes		

Sl. No.	Description	Scope / to be taken care by		
3.9	PART II ERECTION FACILITIES	BHEL	Bidder	Remarks
3.9.1	Engineering works for construction			Not Applicable
a	Providing the erection/constructions drawings for all the equipment covered under this scope	Yes		

Sl. No.	Description	Scope / to be taken care by		
3.9	PART II ERECTION FACILITIES	BHEL	Bidder	Remarks
b	Drawings for construction methods	Yes	Yes	In consultation with BHEL
С	As-built drawings – where ever deviations observed and executed and also based on the decisions taken at site- example – routing of small bore pipes		Yes	Changes are to be marked in drawing & handover to BHEL on completion of work.
d	Shipping lists etc for reference and planning the activities			NOT APPLICABLE
е	Preparation of site erection schedules and other input requirements		Yes	In consultation with BHEL
f	Review of performance and revision of site erection schedules in order to achieve the end dates and other commitments		Yes	In consultation with BHEL
g	Weekly erection schedules based on Sl. No. e		Yes	In consultation with BHEL
h	Daily erection / work plan based on Sl. No. g		Yes	In consultation with BHEL
i	Periodic visit of the senior official of the bidder to site to review the progress so that works are completed as per schedule.		Yes	
j	Preparation of preassembly bay		Yes	
k	Laying of racks for gantry crane if provided by BHEL or brought by the contractor/bidder himself			Not Applicable
L	Arranging the materials required for preassembly		Yes	

TECHNICAL CONDITIONS OF CONTRACT (TCC) CHAPTER-IV: T&PS AND MMES TO BE DEPLOYED BY CONTRACTOR

4. TOOL & PLANTS:

Nos. of T&Ps to be deployed at site shall be decided based on site requirement.

Below given nos. are tentative for planning purposes by the bidder.

Sl. No.	Description of T&P	Quantity
1.	Concrete Mixer	2Nos.
2.	Vibrators	4 Nos.
3.	Leveling instrument with calibration certificate	As per requirement
4.	Total Station with calibration certificate	As per requirement
5.	Hydraulic Excavator /Poclain	1 No.
6.	JCB	2 Nos.
7.	Tipper	4 Nos.
8.	Road roller/Vibro roller	1 Nos.
9.	Water Tanker	1 Nos.
10.	Tractor with Trolley	2 Nos.
11.	DG set of required capacity	As per requirement

MEASURING AND MONITORING DEVISES (MMD):

To be finalized as per site requirement.

NOTE:

This above list is only indicative and neither exhaustive nor limiting. Quantities indicated above are only the minimum required. Contractor shall deploy all necessary T&P to meet the schedules & as prescribed by BHEL engineer and required for completion of work. In the event of non-mobilization of any T&P by the successful bidder and as a result progress of work suffered, BHEL reserves the right to deduct suitable amount from the dues of the bidder, with assigning reasons thereof.

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-V: T&Ps AND MME TO BE DEPLOYED BY BHEL ON SHARING BASIS

Chap	ter-V: T&Ps AND MME TO BE DEPLOYED BY BHEL ON SHARING BASIS
5.1	BHEL WILL NOT PROVIDE ANY T&P's FOR THIS WORK

TECHNICAL CONDITIONS OF CONTRACT (TCC) CHAPTER-VI: TIME SCHEDULE

6 TIME SCHEDULE & MOBILIZATION

After issue of LOI (though Fax/courier/email) the contractor shall report to the Construction Manager/Site In-Charge of BHEL at site within seven (07) days from date of LOI and submit detailed mobilization plan to start work within 15 days from date of LOI; unless instructed by BHEL to differ start of work in writing.

The contractor has to subsequently augment his resources in such a manner that the entire works are completed within the contract period of 11 (Eleven) Months from the date of start of work in a manner required by BHEL to match with the project schedule.

Start of work shall be considered as 15 days after date of LOI or as instructed by BHEL in writing. The contractor has to subsequently augment his resources in such a manner that the entire works are completed within the contract period of **11 (eleven month)** in a manner required by BHEL to match with the following schedule:

Sl No	Description	Time Schedule
1	Open Storage Yard 50,000.00	3rd Month
2	Balance Open Storage Yard	6th Month
3	Road & Drains	7th Month
4	Open Storage Yard Illumination	7th Month
5	Mess Building	4th Month
6	RO Plant Building	3rd Month
7	3nos. First Aid Centres	5th Month
8	Security Cabins	6th Month
9	PEB shed Foundation 2 Sheds	3rd Month
10	PEB shed Electrification 2 Sheds	5th Month
11	PEB shed Foundation 3 Sheds	6th Month
12	PEB shed Electrification 3 Sheds	8th Month
13	PEB shed Foundation 8 Sheds	9th Month
14	PEB shed Electrification 8 Sheds	11th Month
15	Foundation works of Office Building	3 rd Month

E-Tender Spec. No: BHE/PW/PUR/LRPT2 ENABLING/2879 Page 73 of 111

TECHNICAL CONDITIONS OF CONTRACT (TCC) CHAPTER-VI: TIME SCHEDULE

- The above schedule is only tentative. The above schedule shall be advanced, if there are requirements to advance the project schedule and the civil works in the scope of the contractor is to be advanced to meet the project requirement. No extra payment whatsoever shall be paid on this account.
- In order to meet above schedule in general, and any other intermediate targets set, to meet customer/project schedule requirements, contractor shall arrange & augment all necessary resources from time to time on the instructions of BHEL.

6.2 Provision of penalty in case of slippage of intermediate milestones:

• In case of slippage of Two Major Intermediate Milestones, mentioned as M1 & M2 hereunder, delay Analysis shall be carried out on achievement of each of these two Intermediate Milestones in reference to F-14.

Milestones	Activity	Schedule of completion from start of work
M1	Open Storage Yard 50,000.00 Sqm	3 rd Month
M2	5 Nos. PEB Shed Foundation (2+3)	6 th Month

• Note: Refer clause no 8 of NIT "Annexure-12" regarding modalities against provision of penalty in case of slippage of Intermediate Milestones.

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-VII: TERMS OF PAYMENT

7.0 TERMS OF PAYMENT

7.1 The payments for works under the scope of this contract shall be as per clause no 2.6; 2.22; 2.23 of General Conditions of Contract and Volume-IB, Chapter-X of SCC. However, Clause No. 10.5 on RA Bill Payments, in Volume-IB, Chapter-X of SCC, is revised as under:

The payment for running bills will normally be released within 30 days of submission of running bill complete in all respects with all documents. It is the responsibility of the contractor to make his own arrangements for making timely payments towards labour wages, statutory payments, outstanding dues etc. and other dues in the meanwhile. No interest shall be payable for the payment (if any) made beyond 30 days.

All documents like HR Clearance, Quality and Safety Compliances, etc. required for processing the RA Bills should be submitted along with RA Bills.

Few points of consideration are as below:

- 7.1.1 The measurements sheets of work done in a month shall be submitted in triplicate duly agreed/signed by BHEL Engineer. The contractor shall extend all necessary assistance for verification of measurements of works without any extra cost.
- 7.1.2 The RA bill payments are interim payments and bills shall be submitted in prescribed formats.
- **7.1.3 BHEL** will release payment through **Electronic Fund Transfer (EFT)/RTGS**.
- 7.1.4 Final bill shall be submitted after completion of works and upon material reconciliation along with all prescribed formats.
- 7.2 Release of payment in each running bill will be restricted to **95% of the value of work admitted**, as per the percentage break-up for the stage of work completion stipulated vide clauses hereinafter.

The 5% retention amount shall be released as per GCC clause no. 2.22. The workmanship guarantee period for this contract shall be 12 months from the date of completion of entire work as certified by BHEL.

- 7.3 The Bill will be paid at BHEL's Site office, 2X800 MW NTPC Lara Chattishgarh where the PEB sheds will be erected.
- 7.4 Extra/Additional Items of Work: The works shall be regulated as per clause no 2.15 and clause no 2.16 of General Conditions of Contract.

TECHNICAL CONDITIONS OF CONTRACT (TCC)

Chapter-VIII: Taxes and Duties

TAXES, DUTIES, LEVIES (Rev 14 dated 09/10/2020)

- 1. All taxes excluding GST, GST Cess & BOCW Cess but including, Royalties, fees, license, deposits, commission, any State or Central Levy and other charges whatsoever, if any, shall be borne by you and shall not be payable extra.
- 2. Any increase of the taxes excluding GST, GST Cess & BOCW **Cess**, at any stage during execution including extension of the contract shall have to be borne by the contractor. Quoted/accepted rates/ price shall be inclusive of all such requirements. Please note that since GST on output will be paid by BHEL separately as enumerated below, your quoted rates/ price should be after considering the Input Credit under GST law at your end.

3. **GST**:

The successful bidder shall furnish proof of GST registration .GST along with Cess (as applicable) legally leviable & payable by the successful bidder as per GST Law, shall be paid by BHEL. Hence Bidder shall not include GST along with Cess (as applicable) in their quoted price.

- 4. GST charged in the Tax Invoice/Debit note by the contractor shall be released separately to the contractor only after contractor files the outward supply details in GSTR-1 on GSTN portal and input tax credit of such invoice is matched with corresponding details of outward supply of the contractor and has paid the GST at the time of filing the monthly return
- 5. E-invoicing under GST has been implemented with effect from 1st October 2020 for all the taxable persons having turnover more than the threshold limit in any preceding financial year from 2017-18 onwards. Therefore, for all the taxable persons falling under the purview of E-invoice, it is mandatory to mention a valid unique Invoice Reference No. (IRN) and QR code as generated from E-Invoicing portal of the Government for the purpose of issuing a valid Tax Invoice. Only an E-invoice issued in the manner prescribed under rule 48(4) of CGST Rules shall be treated as valid invoice for reimbursement of GST amount.
 - If the successful Bidder is not falling under the purview of E-Invoicing then he has to submit a declaration in that respect along with relevant financial statements.
- 6. Bidder shall note that the GST Tax Invoice complying with GST Invoice Rules (Section 31 of GST Act & Rules referred there under) wherein the 'Bill To' details will as below:

BHEL GSTN - As per Annexure -1

NAME -- Bharat Heavy Electricals Limited

ADDRESS - Site address

7. Bidder to immediately intimate on the day of removal of Goods (in case of any supply of goods) to BHEL along with all relevant details and a scanned copy of Tax Invoice to below email ids to enable BHEL to meet its GST related compliances:-

Email id ---- to be intimated later on.

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-VIII: Taxes and Duties

In case of delay in submission of the abovementioned documents on the date of dispatch, BHEL may incur penalty /interest for not adhering to Invoicing Rules under GST Law. The same will be liable to be recovered from the successful bidder, if such delay is not attributable to BHEL.

- 8. In case of raising any Supplementary Tax Invoice (Debit / Credit Note) Bidder shall issue the same containing all the details as referred to in Section 34 read with Rule 53.
- 9. Bidder shall note that in case GST credit is delayed/ denied to BHEL due to delayed / non receipt of goods and /or tax invoice or expiry of the timeline prescribed in GST Law for availing such ITC, or any other reasons not attributable to BHEL, GST amount shall be recoverable from the vendor along with interest levied / leviable on BHEL, as the case may be.
- 10. Bidder shall upload the Invoices raised on BHEL in GSTR-1 within the prescribed time as given in the GST Act. Bidder shall note that in case of delay in declaring such invoice in your return and GST credit availed by BHEL is denied or reversed subsequently as per GST Law , GST amount paid by BHEL towards such ITC reversal as per GST law shall be recoverable from the bidder along with interest levied / leviable on BHEL.
- 11. Way Bill: Successful Bidder to arrange for way bill / e-waybill for any transfer of goods for the execution of the contract.
 - The Bidder has to make their own arrangement at their cost for completing the formalities, if required, with Issuing Authorities, for bringing materials, plants & machinery at site for execution of the works under this contract, Road Permit/ Way Bill, if required, shall be arranged by the contractor and BHEL will not supply any Road Permit/ Way Bill for this purpose.
- 12. **New taxes and duties**:-Any New taxes & duties, if imposed subsequent to due date of offer submission as per NIT & TCN, by statutory authority during contract period including extension, if the same is not attributable to you, shall be reimbursed by BHEL on production of relevant supporting document to the satisfaction of BHEL. However, you shall obtain prior approval from BHEL before depositing new taxes and duties.
 - Benefits and/or abolition of all existing taxes must be passed on to BHEL against new Taxes, if any, proposed to be introduced at a later date.
 - In case any new tax/levy/duty etc. becomes applicable after the date of bidder's offer but before opening of the price bid, the bidder must convey its impact on his price duly substantiated by documentary evidence in support of the same before opening of the price bids. Claim for any such impact after opening the price bid will not be considered by BHEL for reimbursement of tax or reassessment of offer.
- 13. For transportation work, bidder shall declare in his quotation whether he is registered under GST, if yes, whether he intends to claim GST on forward charge basis. In absence of this declaration, BHEL will proceed further with the assumption that bidder intends not to claim GST on forward charge basis. However, in case of GST registered transporter, the amount to the

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-VIII: Taxes and Duties

extent of goods and service tax will be retained till BHEL avails the credit of GST. Further, transporter shall issue tax invoice which inter alia includes gross weight of the consignment, name of the consigner and the consignee, registration number of vehicle in which the goods are transported, details of goods transported, details of place of origin and destination, GSTIN of the person liable for paying tax whether as consigner, consignee or goods transport agency, and also containing other information as mentioned under rule 46.

- 14. TDS under Income Tax shall be deducted at prevailing rates on gross invoice value from the running bills unless exemption certificate from the appropriate authority/authorities is furnished.
- 15. TDS under GST shall be deducted at prevailing rates on applicable value from the running bills.
- 16. TCS under Income Tax 1961 has been implemented with effect from 1st October 2020 for every seller having turnover more than threshold limit during financial year immediately preceding financial year in which the sale of goods is carried out, who receives any amount as consideration for sale of any goods of the value or aggregate of such value exceeding threshold limit other than export of goods or who is already covered under other provision of section 206C, collect from the buyer, TCS as per applicable rates of the sale consideration exceeding threshold limit subject to following conditions
 - i. Buyer shall be as per clause (a) of section 206C- (1H)
 - ii. Seller shall be as per clause (b) of section 206C- (1H)
 - iii. No TCS is to be collected, if the seller is liable to collect TCS under other provision of section 206C or the buyer is liable to deduct TDS under any provision of the Act and has deducted such amount.

If Successful Bidder is falling under the purview of TCS then he has to submit a declaration in that respect along with relevant financial statements before the start of work or if bidder is falling under preview of TCS during the work in progress then bidder is compulsorily required to submit relevant financial statement in the beginning of the respective FY.

For TCS claim, vendor has to submit relevant documents required as per Income Tax Act.

17. Refer Annexure – 2 for BOCW Act & Cess Act.

ANNEXURE-1

State wise GSTIN no.s of BHEL

Sl. No	Projects under state	GSTIN
--------	----------------------	-------

TECHNICAL CONDITIONS OF CONTRACT (TCC)

Chapter-VIII: Taxes and Duties

1	Andhra Pradesh	37AAACB4146P7Z8
2	Bihar	10AAACB4146P1ZU
3	Chhattisgarh	22AAACB4146P1ZP
4	Gujarat	24AAACB4146P1ZL
5	Jharkhand	20AAACB4146P5ZP
6	Madhya Pradesh	23AAACB4146P1ZN
7	Maharashtra	27AAACB4146P1ZF
8	Orissa	21AAACB4146P1ZR
9	Telangana	36AAACB4146P1ZG

ANNEXURE-2

BOCW Act & Cess Act

Bidder may please note that the sub-contractor/bidder of BHEL engaging building or construction worker in connection with building or other construction work, are required to follow the procedures enumerated below:

- 1. It shall be the sole responsibility of the contractor as employer to ensure compliance of all the statutory obligations under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder.
- 2. It shall be sole responsibility of the contractor engaging Building Workers in connection with the building or other construction works in the capacity of employer to apply and obtain registration certificate specifying the scope of work under the relevant provisions of the Building and Other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 from the appropriate Authorities.
- 3. It shall be responsibility of the contractor to furnish a copy of such Registration Certificate within a period of one month from the date of commencement of Work.
- 4. It is responsibility of the contractor to register under the Building and other Construction Workers' Welfare Cess Act, 1996 and deposit the required Cess for the purposes of the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 at such rate as the Central Government may, by notification in the Official Gazette, from time to time specify. However, before registering and deposit of Cess under the Building and other Construction Workers' Welfare Cess Act, 1996, the contractor will seek written prior approval from the Construction Manager.
- 5. It shall be sole responsibility of the contractor as employer to get registered every Building Worker, who is between the age of 18 to 60 years of age and who has been engaged in any

TECHNICAL CONDITIONS OF CONTRACT (TCC)

Chapter-VIII: Taxes and Duties

building or other construction work for not less than ninety days during the preceding twelve months as Beneficiary under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996.

- 6. It shall be sole responsibility of the contractor as employer to maintain all the registers, records, notices and submit returns under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder.
- 7. It shall be sole responsibility of the contractor as employer to provide notice of poisoning or occupation notifiable diseases, to report of accident and dangerous occurrences to the concerned authorities under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the rules made thereunder and to make payment of all statutory payments & compensation under the Employees' Compensation Act, 1923.
- 8. It shall be the responsibility of the sub-contractor as employer to make payment/deposit of applicable cess amount on the extent of work involving building or construction workers engaged by the sub-contractor within a period of one month from the receipt of payment. It shall also be responsibility of the Contractor to furnish BHEL on monthly basis, Receipts/ Challans towards Deposit of the Cess under the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder along with following statistics:
 - (i) Number of Building Workers employed during preceding one month.
 - (ii) Number of Building workers registered as Beneficiary during preceding one month.
 - $\label{thm:continuous} \mbox{(iii)} Disbursement of Wages \ made \ to \ the \ Building \ Workers \ for \ preceding \ wage \ month.$
 - (iv) Remittance of Contribution of Beneficiaries made during the preceding month
- 9. BHEL shall reimburse the contractor the Cess amount deposited for the purposes of the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 under the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder. However, BHEL shall not reimburse the Fee paid towards the registration of establishment, fees paid towards registration of Beneficiaries and Contribution of Beneficiaries remitted.
- 10. It shall be responsibility of the Building Worker engaged by the Contractor and registered as a beneficiary under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 to contribute to the Fund at such rate per mensem as may be specified by the State government by notification in the Official Gazette. Where such beneficiary authorizes the contractor being his employer to deduct his contribution from his monthly wages and to remit the same, the contractor shall remit such contribution to the Building and other construction Workers' Welfare Board in such manner as may be directed by the Board , within the fifteen days from such deduction.
- 11. Bidders may please note that though the quoted price is exclusive of BOCW (which will be reimbursed by BHEL as per sub-clause 9 above), however, If at any point of time during the contract period, non-compliance of the provisions of the Building and other Construction

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-VIII: Taxes and Duties

Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder is observed, BHEL reserves the right to deduct the applicable cess (1%) on the contract value and penalty (if any, imposed by Cess Authorities) from the payables on account of non-compliance.

The contractor shall declare to undertake any liability or claim arising out of employment of building workers and shall indemnify BHEL from all consequences / liabilities / penalties in case of non-compliance of the provisions of the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder.

TECHNICAL CONDITIONS OF CONTRACT (TCC) CHAPTER-IX: Drawings

Annexure E with drawings has been attached	

TECHNICAL CONDITIONS OF CONTRACT (TCC) CHAPTER-X: General

- 10.1 THE WORK SHALL BE EXECUTED UNDER USUAL CONDITIONS AFFECTING MAJOR THERMAL POWER PROJECTS IN AN EXISTING POWER PLANT AND IN CONJUNCTION WITH NUMEROUS OTHER OPERATIONS AT SITE. THE CONTRACTOR AND HIS PERSONNEL SHALL COOPERATE WITH PERSONNEL OF CUSTOMER'S CONTRACTORS, COORDINATING HIS WORK WITH OTHERS AND PROCEED IN A MANNER THAT SHALL NOT DELAY OR HINDER THE PROGRESS OF WORK AS A WHOLE.
- 10.2 ALL THE WORK SHALL BE CARRIED OUT AS PER THE INSTRUCTIONS OF BHEL ENGINEER. BHEL ENGINEER'S DECISION REGARDING CORRECTNESS OF THE WORK AND METHOD OF WORKING SHALL BE FINAL AND BINDING ON THE CONTRACTOR.
- 10.3 THE CONTRACTOR SHALL PERFORM ALL REQUIRED SERVICES WHICH MAY NOT BE SPECIFIED HEREIN BUT NEVERTHELESS REQUIRED FOR THE COMPLETION OF WORK WITHIN QUOTED RATES.
- 10.4 ALL NECESSARY CERTIFICATES AND LICENSES REQUIRED TO CARRY OUT THIS WORK ARE TO BE ARRANGED BY THE CONTRACTOR EXPEDITIOUSLY.
- 10.5 ALL CRANES, TRANSPORT EQUIPMENTS, HANDLING EQUIPMENT, TOOLS, TACKLES, FIXTURES, EQUIPMENT, MANPOWER, SUPERVISORS/ENGINEERS, CONSUMABLES ETC REQUIRED FOR THIS SCOPE OF WORK SHALL BE PROVIDED BY THE CONTRACTOR.
- 10.6 ALL EXPENDITURE, INCIDENTALS IN THIS CONNECTION WILL HAVE TO BE BORNE BY THE CONTRACTOR UNLESS OTHERWISE SPECIFIED IN THE RELEVANT CLAUSES ELSEWHERE IN THESE SPECIFICATIONS. THE CONTRACTOR'S QUOTED RATES SHALL INCLUDE ALL SUCH CONTINGENCIES. IN THIS CONNECTION REFER RELEVANT CLAUSE OF GENERAL CONDITIONS OF CONTRACT.
- 10.7 THE CONTRACTOR SHALL PERFORM ALL REQUIRED SERVICES WHICH MAY NOT BE SPECIFIED HEREIN BUT NEVERTHELESS REQUIRED FOR THE COMPLETION OF WORK WITHIN QUOTED RATES.
- 10.8 THE DISTANCES INDICATED IN THESE SPECIFICATIONS ARE ONLY APPROXIMATE. HOWEVER, THE TENDERERS SHOULD ASSESS THE VARIOUS DISTANCES AND SITE CONDITIONS BY VISITING SITE BEFORE SUBMITTING THEIR OFFER. NO ADDITIONAL/EXTRA CLAIMS FOR ANY VARIATION IN THIS REGARD WILL BE ENTERTAINED.

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	EARTH WORK			
	Earth work In excavation, backfilling and disposal including necessary men/women, materials, equipment, loading, transportation, unloading, dewatering etc as per specification, drawing and as directed by engineer- in-charge for the following.			
1	Earth work in stripping of top soil upto a maximum depth of 0.30m below ground level so as to exclude all debris, grass, vegetation, bushes, trees having girth upto 300mm including roots and organic materials etc for leveling and grading including dressing to specified levels & grades and compacting the graded/stripped surface by manual/mechanical means, disposal of stripped materials within a lead upto 1km etc all complete as per specification, drawing and as directed by the engineer-in-charge.	SQM	192966	3.2098173545
2	Earth work in excavation in all types of soil including ash which can be excavated by any means including setting out, levelling, dewatering (but excluding special type of dewatering viz. well point method), shoring & strutting (wherever required), dressing the sides & bottom, all lifts, ramming/compacting the excavated bottom, stacking, disposal of surplus excavated materials within a lead upto 1Km, spreading/levelling of disposed materials etc all complete for following depths below ground level.			
a	Depth from ground level but not exceeding 2 m	CUM	11478	0.8938702760

	11 11/13			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
3	Earthwork in Back filling upto any depth below ground level around foundations, plinths, trenches, drains etc to proper grade and level in layers not exceeding 250 mm thickness using/with selected materials from compulsorily excavated earth available within a lead upto 1Km and compacted as specified including reexcavation of stacked earth, watering, ramming/compaction by manual/mechanical means, dressing etc all complete.for the following.			
a	Each layer compacted so as to achieve at least 90% maximum dry density as per IS2720 (Part-VII)	CUM	13711	0.9848317377
4	Earthwork in Back filling upto any depth below ground level around foundations, plinths, trenches, drains etc to proper grade and level in layers not exceeding 250 mm thickness using/with selected materials directly from excavation within a lead upto 1Km and compacted as specified including reexcavation of stacked earth, watering, ramming/compaction by manual/mechanical means, dressing etc all complete.for the following.	-		
a	Each layer compacted so as to achieve at least 90% maximum dry density as per IS-2720 (Part-VII)	CUM	884	0.0300765678
5	Extra over ST No. 1, 2, 3 and 4 for carriage of excavated earth/selected materials for every 500m or part thereof beyond an initial lead of 1Km.	CUM	54098	0.4090328306
6	Earthwork in backfilling upto any depth below ground level around foundations, plinths, trenches, drains etc to proper grade and level in layers not exceeding 250 mm thickness so as to achieve required compaction with approved borrowed soil (borrowed soil to be arranged by the bidder) and compacted as specified including supplying boorowed soil, royalty/seignorage fee (if			

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	any), sorting, spreading, breaking clods, watering, ramming/compaction by manual/mechanical means, dressing, finishing to required lines, grades and slopes, tesing, all lead and lifts etc all complete as per specification, drawing and as directed by the engineer for the following:			
a	Each layer compacted so as to achieve at least 90% maximum dry density as per IS-2720 (Part-VII)	CUM	5000	3.1226766065
7	Providing and Filling in trenches, plinths, area paving and other underground structures with graded stone aggregate of size range 63 mm to 45 mm in layers not exceeding 200 mm in thickness including breaking of stone boulders to required sizes, filling the interstices with selected sand/ Murram and compacting to 85 % of original volume of stone stack for all lifts etc. all complete. Payment shall be made for the measurement of the volume of the compacted fill. 1.40% payment on supply of material prorata basis(with stack measurement) 2.60% payment on completion of work	CUM	3337	4.4604288319
	CONCRETE WORKS			
	Providing and placing concrete work including cost of labour, materials and equipment for handling, transportation, batching, mixing, placing, vibrating and curing, (excluding cost of centering, shuttering and reinforcement) with mechanised equipments like batching plant, transit mixer, concrete pump etc. complete as per drawing, specifications and as per direction of engineer in charge for the following.			

ST.	DECOMPTION OF FEEN	TINITE	OTV	0/ 14/0: -1-1-
NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
8	Concrete of grade M7.5 (1 part cement, 4 part sand, 8 parts of 40/20 mm graded aggregate by volume) as mass filling course, lean concrete, levelling course, mud mat under and around foundations/floors, at any depth below finished floor level etc. 1. 12% payment on supply of sand on prorata basis 2. 24% payment on supply of Aggregates on prorata basis 3. 64% payment on completion of work on prorata basis	CUM	396	1.2645804092
9	Concrete of grade M10 (1 part cement, 3 part sand, 6 parts of 40 mm graded aggregate by volume) as lean concrete, levelling course, mud mat under and around foundations/floors at any depth below finished floor level etc. 1. 12% payment on supply of sand on prorata basis 2. 24% payment on supply of Aggregates on prorata basis 3. 64% payment on completion of work on prorata basis	CUM	321	1.0737434922
10	Concrete of grade M15 (1 part cement, 2 part sand, 4 parts of 40mm / 20mm graded aggregate by volume) as lean concrete, levelling course, mud mat under and around foundations/floors at any depth below finished floor level etc. 1. 12% payment on supply of sand on prorata basis 2. 24% payment on supply of Aggregates on prorata basis 3. 64% payment on completion of work on prorata basis	CUM	1997	7.2539023961
11	Concrete of grade M20 (1 part cement, 2 part sand, 4 parts of 20mm graded aggregate by volume) as foundation, raft, column, plinth beam & wherever required including	CUM	765	2.8519832641

	TILNIS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
12	Providing and laying Design Mix cement concrete as per IS:456 & IS 10262-2009 for reinforced concrete works using graded aggregate for Concrete in precast works like roof slabs/trench covers, fins, lintels, chajas, beams, columns, wall panels, facias etc.at all levels in all kinds of work including formwork/moulds, curing, rendering the top exposed surface with cement sand mortar (1:3), handling, storing, transpoting, all leads, erection without damage, setting in position with cement sand mortar (1:3), filling the gaps between adjacent preacast units with M30 grade concrete or cement sand mortar (1:3) and including making of holes for bolts for fixing, welding etc.complete with graded aggregate (20/12.5/10 mm) and as per specification and drawing for following grades.) M-25 Grade	CUM	413	2.5539001890
	FORM WORKS			
	Providing, fixing and removing formwork at any elevations for all structures, as per specifications and including all labour, material, scaffoldings and centereing complete including pockets etc. complete as per drawing, specifications and as per direction of engineer in charge for the following.			
13	Fairface form work with good quality water proof ply wood of minimum 12mm thickness and smooth surface below and above finished ground floor level for foundations, footings, base of columns, walls, columns, pilasters, beams, mass concrete, trenches etc.including chamfering of edges as per drawing, specification and instruction of engineer in charge.	SQM	4819	2.2590485984
	REINFORCEMENT			

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
14a	Providing, straightening, cutting, bending, placing in position at all level, binding in position of steel reinforcements of TMT steel of grade Fe500D or 500EQR confirming to IS:1786 including cost of reinforcement steel, binding wire, labour, scaffolding, transportation to & from stores etc complete all as per specifications, drawings and as directed by Engineer. 1. 50% Payement of supply of material (TMT) on prorata basis 2. 50% payment of completion of work on prorata basis	МТ	60	3.6011279632
14b	Supply & fixing of bamboo splint reinforcement as per IS 15192 (2018) for footing, beam, column and slab including supply, loading, transportation, unloading & making it in shape and size as per drawing & fixing with binding wire etc. all complete as per drawing specifications.	KG	10000	0.1381387448
	MS EMBEDMENTS			
15a	Supply, fabricating and fixing of mild steel embedments, inserts, pipe sleeves, foundation bolts, angle pieces, rungs of various diameters, plates of dimensions as required etc. including welding, bolting, cutting, drilling, scaffolding, buffing 1coat of primer, 2coat of paint etc. all complete. (Same item may be used for small structural, supply, fabrication, painting & erection including all) 1. 50% Payement of supply of material (TMT) on prorata basis 2. 50% payment of completion of work on prorata basis	МТ	15	1.1266515728
15 b	Mild steel foundation bolt assembly conforming to IS:2062 and grade 1 of IS:432 in concrete along with nuts, lock nuts (as per IS:1363, 1364 and IS:3138), washers, anchor plates, stiffner plates, protective tape, pipe sleeves, templates etc.	МТ	3	0.0528828686

	TIEMS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	Doors & Windows			
16	Providing, fitting and fixing solid core flush door shutter as per IS 2202 part II, 35mm thick homogenous particle board bonded with BWP type phenolformaldihyde synthetic resin, partical board core conforming to IS 3087 type I, 35x12 mm thick teakwood beading all around including preparation of working drawings. godrej or equivalent make mortice lock with handels on both sides,approved ISI mark anodised fittings like door stopper,300mm long tower bolts,16x300mm long aldrops ,125mm long handles on both sides etc. butt hinges, sliding bolt, knobs, (all fittings shall be anoidised aluminium color dyed), finish synthetic paint over primer, screws etc. all complete as per drawing, specification and instruction of engineer in charge. with commercial faces and teak wood edges. (Finish painting paid separately) 1. 60% Payement of supply of material (including all accesories) on prorata basis 2. 40% payment of completion of work on prorata basis	Sqm	35	0.1097700217
17	Providing and fixing teak wood frame panel door shutter as per IS 1003 with 35 mm x 150 mm vertical rail & 35mm x 125 mm horizontal rail and 12 mm thick interlocked panels of teakwood with proper wood joinery including beading, preperation of working drawings,godrej or equivalent make mortice lock with handels on both sides,approved ISI mark anodised fittings like door stopper,300mm long tower bolts,16x300mm long aldrops ,125mm long handles on both sides etc. butt hinges, sliding bolt ,knobs, (all fitting shall be anodised aluminium color dyed), screws, primer and finish painting /	Sqm	10	0.0379711427

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	polishing etc. all complet 1. 60% Payement of supply of material (including all accesories) on prorata basis 2. 40% payment of completion of work on prorata basis			
18	Providing and fixing of openable type steel windows/ventilator with steel sections as per IS:1038, IS:1361 & IS:7452 latest revision including all fittings, metal beadings, hold fasts, shop and final painting, glazing etc. all complete. (Glazing shall be paid separately) (Glazing shall be paid separately). Openable Type 1. 60% Payement of supply of material (including all accesories) on prorata basis 2. 40% payment of completion of work on prorata basis	Sqm	59	0.1202230494
19	Providing, fixing and fitting of 4mm thick clear float glass glazing of first grade class in steel/aluminium/wooden frames, where ever required, cleaning after fixing including hardware, gaskets, clips, beadings etc. all complete. 1. 60% Payement of supply of material (including all accesories) on prorata basis 2. 40% payment of completion of work on prorata basis	Sqm	59	0.0674498147
20	Providing and fixing of door closers as per specification ,of approved make & quality all complete of following type :			
a	Over head hydraulic door closures as per IS 3564	Nos	8	0.0124120724
21	Providing and fixing PVC doors (25 thk double skin) of sintex or equivalent make including all fitting & fixtures as per specification, drawing and instructions of engineer in charge.	Sqm	6	0.0115410498
	BRICKWORK			
	Brickwork masonry including all labour, material, equipment, transportation, handling, scaffolding etc. at all levels as per specification,			

	11 LIVIS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	drawings and as directed by engineer – in – charge.			
22	Providing brick work in cement mortar 1:6 (1 part cement 6 parts coarse sand) in walls, chambers etc. in thickness varying from 230mm to 460mm at all depths, places and positions below plinth including raking out joints, curing, scaffolding etc. complete excluding plastering and painting.			
a	Using fly ash lime bricks confirming to IS 12894 with crushing strength of 50 kg/cm2 1. 50% Payement of supply of bricks on prorata basis 2. 50% payment of completion of work on prorata basis	CUM	1769	6.9723525086
23	Providing and filling brick bats in soak pits all complete	Cum	11	0.0101135405
	Damp Proof Course			
24	Providing Damp Proof Course 40mm thick 1:1.5:3 concrete (6 mm and down graded stone chips) with 1% of approved admixture of water proofing compound all complete. Then hot bitumen (residual petroleum bitumen of penetration 80/100 of approved quality) shall be applied over the prepared surface in two coats at the rate of 1.7kg per sq. meter per coat and dry sand spread over it before starting of masonry work.	SQM	616	0.1454919415
	PLASTERING:			
25	Providing 18mm thick plaster in two layers outside the building/boundary wall/rough surface of internal wall in cement mortar 1:6 on walls, finished to a smooth finish including providing 3mmx3mm size grooves at junctions of two dissimilar materials all complete.	Sqm	1568	0.3165934887
26	Providing 12mm thick plaster inside the building/boundary wall in cement mortar	Sqm	3067	0.4058290163

			ı	
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	1:6 on walls finished to a smooth finish as per specification all complete.			
27	Providing 12mm thick plaster inside the Walls, drains walls with paste of neat cement @ 1kg/Sqm and rubbed smooth with trowel etc. all complete.	Sqm	7200	0.8883083435
28	Providing 6mm thick plaster on ceiling in cement mortar 1:4 finished to a smooth all complete.	Sqm	186	0.0256152049
	FINISHES TO CONCRETE / PLASTERED SURFACES:			
29	Two or more coats of white wash/colour wash as per IS 627 of approved brand and manufacture to give an even shade including a priming coat as per specifications.	Sqm	1200	0.0320282279
30	Providing and applying two or more coats of oil bound destemper as per IS 428 of approved brand, shade and manufacture to give smooth, hard, durable & glossy finish over a coat of primer over prepared plaster surface as per manufacturers guideline.	Sqm	327	0.0244523725
31	Providing and applying 2 mm thick plaster of paris punning on walls including preparation of surface, staging, etc. to achieve a smooth even surface all complete as per specification and as directed by Engineer.	Sqm	327	0.0260594546
32	Providing and applying two or more coats of Acrylic based weather coat paint of approved brand and manufacture and required shade over one coat of primer after necessary cleaning/ washing, preparing the surface using coir brush/ wire brush, sand paper, including filling of cracks with putty wherever required etc. all complete to give smooth, hard, durable & glossy finish over a coat of primer over prepared plaster surface as per manufacturers guidelines. The final finished coating shall be fungus resistant, UV resistant, water repellant	Sqm	150	0.0126570476

	TILIVIS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	and extremely durable with color fastness as per specification			
	FLOORING AND SKIRTING			
33	Providing and laying 50 mm thick heavy duty cement concrete in flooring with metallic hardener pigmented topping 12mm thick uniform graded treated iron particles in flooring. Under layer of 38mm thick cement concrete mix 1:2:4 (1 cement: 2 sand : 4 stone aggregates 12.5 mm well graded) and top layer of 12mm thick metallic concrete of mix 1:2 (1 cement hardner mix with approved quality metallic hardening compound :2 stone aggregate 6mm nominal size) by volume including cement slurry, rounding off edges, aluminium strips etc. all complete for following (Quoted item rate shall be inclusive of providing glass joint strips)	Sqm	500	0.2452001187
34	Providing and laying 14 to16mm thick polished Granite stone of approved color and texture in flooring with brass/stainless steel strips. Under bed shall average 35mm thk of 1 cement: 2 sand: 4 stone aggregate by volume and brought to proper level. The granite stone slabs/tiles laid over under bed, pressed and tapped down with wooden mallet to the proper level, lifted and pressed again with thick cement slurry @3.3kg/sqm spread over the surface with fine joint finished including pigments, curing, grinding, granite polishing etc. all complete.	Sqm	16	0.0369390112
35	Providing and laying Heavy Duty dust pressed Ceramic Tiles of 7mm thick Designer glazed/matt/ Anti Skid finish of reputed manufacturer Simpolo,varmora or equivalent of approved finish shade and colour on walls, skirting etc.including underbed of cement mortar 1:3 with neat cement slurry etc. all			

	I I EMS				
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage	
	complete. All tiles to be used should be with appropriate % of recycled content.				
a	flooring/ Dado -300mm x300mm	Sqm	61	0.0447542525	
b	flooring-600mm x600mm	Sqm	142	0.1151333254	
	ROOFING / SIDE CLADDING				
35R	Providing and fixing 1 mm thick colour coated corrugated/semicorrugated G.I. sheet in roofs, cladding of minimum galvanisation of 275 gsm total on both sides with minimum 150mm overlapping, 8 dia G.I. hook bolts or 'J' Bolts and nuts @305 mm c/c along with G.I. and bitumen washers including cutting of sheets for opening etc. all complete.	Sqm	50	0.0488816084	
	FENCING AND GATES				
	Fencing and gates including all labour, material, equipment etc at any level as per specification, drawings and as directed by engineer – in – charge. Supplying and erecting in position 2.4				
36	m high PVC coated gavanised chain linked fencing of minimum 8 gauge (including PVC coating) of mesh size 75mm x 75mm. The diameter of the hot dip galvanised steel wire for chain link fencing excluding PVC coating shall not be less than 12 gauge. GI barbed wire fencing of height of 600 mm confirming to IS 298 at top of chain link fencing shall be provided with 4 strands of barbed wire hot dip galvanised wire of 12G comprising of 2 ply of wires with barbs of 16G spaced at 100mm. Cost to include for GI hook bolts, rings & washers, hot dip galvanised tension wires, 25X6 mm GI flat stretcher bar at end posts, accessories etc. all complete. (Structural post shall be separately under item 2007) 1. 60% Payement of supply of fencing material on prorata basis 2. 40% payment of completion of work	RM	1800	3.2622519338	

			ı	
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	on prorata basis			
37	Supply, fabrication and fixing of mild steel posts for fencing including painting etc all complete. 1. 60% Payement of supply of material on prorata basis 2. 40% payment of completion of work on prorata basis	МТ	8	0.6380301233
38	Supply, fabrication and installing in position and testing MS Gates out of channels, joists, angles, flats, plates, pipes, welded steel wire mesh & sheets including stiffners, bracings, fabricated hinges, MS Aldrops with locking arrangement, tempered steel pivot, guide track of MS Tee, bronze aluminium ball bearing arrangements, castor wheels, paintings etc. all complete. 1. 60% Payement of supply of material on prorata basis 2. 40% payment of completion of work on prorata basis	MT	8	0.7116375840
	WATER SUPPLY			
39	Providing and fixing in position tested heavy duty type chromium plated (CP) brass long neck bib cocks with flow rate less than 5 LPM (litres per minute) at 45 psi, including sockets, union, nuts etc all complete -15mm nominal bore.(Note: Flow rate of all faucets at 45 psi should be less than 5 lpm. The contractor should submit the cutsheets/ declaration from the manufacturers mentioning the same to Engineer in charge.)	Nos	8	0.0047785269
40	Providing and fixing in position heavy duty brass stop cock of approved quality including all specials etc all complete - 15mm nominal bore.	Nos	8	0.0029457501
41	Providing and fixing in position heavy duty brass full way valve with wheel of approved quality including all specials etc all complete for following sizes:			
a	25mm nominal bore.	Nos	6	0.0028489698

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
b	50mm nominal bore.	Nos	8	0.0079601790
42	Providing and fixing GI pipes class B complete for external work with GI sockets, unions, elbows, tees, nipples etc including trenching & refilling, anticorrosive paint etc all complete for following sizes:			
a	15 mm nominal bore.	Mtr	250	0.0689937628
b	20 mm nominal bore.	Mtr	125	0.0386554096
С	25 mm nominal bore.	Mtr	75	0.0266523851
d	50 mm nominal bore.	Mtr	65	0.0354344405
43	Providing and fixing 610mmx453mmx6mm thk mirror from reputed mirror manufacturer. Mirror shall be mounted with glass adjustable revolving CP brackets with CP screws etc all complete.	Nos	4	0.0036716023
44	Providing and fixing 20mm dia chromium plated M.S. pipes wall mounted towel rod with C.P. Brackets etc all complete.	Nos	3	0.0018486548
45	Providing and fixing C.P. Soap holder mounted with C.P. screws etc all complete.	Nos	5	0.0024119463
46	Providing & fixing in position P.V.C. water tank of Syntex or approved equivalent conforming to IS:12701 including making all necessary inlet & outlet pipes, fixture, ball cocks, valves etc all complete for following capacities. GI pipes shall be paid separately under ST No. 2105.			
a	500 litres capacity	Nos	1	0.0030931889
b	1000 litres capacity	Nos	3	0.0185591332
	SANITARY WORKS			
	Sanitary work including all labour, material (unless otherwise specified in BOQ/contract specification), equipment etc. at all level as per specification, drawings and as directed by engineer – in – charge.			

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
47	Supply and fixing glazed vitreous china Wash Basin of approved make conforming to IS:2556 part 4 of oval shape with R.S. or C.I. brackets painted white, 15mm chromium plated brass hot & cold faucets with nylon washers, chromium plated brass chain with rubber plug, 32mm chromium plated brass bottle trap and waste of standard pattern, 32mm dia chromium plated brass trap unions, plastic connection pipe with chromium plated nuts, fittings, cutting and making good the walls where required etc all complete.			
a	White/ Colored	Nos	4	0.0305674503
	Providing and fixing stainless steel kitchen sink of size 610x510x200mm conforming to IS: 13983 including all fittings etc. all complete.	Nos	3	0.0126842670
49	Providing and fixing colour glazed vitreous china European type water closet conforming to IS:2556 with siphon, open front solid plastic seat and plastic cover, low level 12.5 litre PVC flushing cistern (same colour as WC) with valveless fittings, necessary C.P connections etc all complete. Floor Mounted	Nos	4	0.0194800581
50	Providing and fixing white flat back glazed vitreous china urinals of size 440x265x355 mm with photo voltaic control flushing system as per IS:2556 (part 6, section 1) with flush pipes, lead pipes, gratings, traps and necessary C.P. fittings etc. all complete.	Nos	4	0.0422506462
51	Supply, laying and jointing UPVC pipes of class 3 as per IS:4985 including bends, branches and all other necessary fittings, M.S holder bats/clamps, cutting and making good the walls and floors, jointing, testing etc all complete for following.			
a	110mm dia pipes	Mtr	150	0.0533047702
b	160mm dia pipes	Mtr	150	0.0826791009

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
52	Providing, laying light duty non pressure NP2 class RCC pipes with collars jointed with stiff mixture of cement mortar 1:2 including testing of joints etc complete for following.			
a	450mm dia	RM	167	0.1606129432
b	600mm dia	RM	19	0.0214481761
53	Providing and fixing C.I Manhole heavy duty cover of size 600mmx600mm including frame from reputed manufacture confirming to IS:4111 etc all complete as per specification.	Nos	5	0.0408065028
54	Providing and fixing circular heavy duty C.I. manhole cover of 600 mm dia with frame etc. all complete.	Nos	7	0.0567903729
55	Providing and fixing square mouth S.W Gully trap grade 'A' complete with CI grating, brick masonry chamber(Clay Brickwork in 1:6 mortar, 12mm plaster in 1:6 mortar & 1:2:4 Cement Concrete) and water tight CI cover with 300x300mm (inside). The weight of cover to be not less than 4.53 Kg and frame to be not less than 2.72 Kg etc all complete for following sizes:			
a	150x100mm P or S Type.	Nos	6	0.0085151535
56	Providing and fixing 100mm heavy duty UPVC floor traps with 100 mm inlet and 100 mm outlet & C.P jalli all complete.	Nos	20	0.0232575139
	ROAD WORKS			
	Road works including all labour, material (unless otherwise specified in BOQ/contract specification), equipment etc. as per specification, drawings and as directed by engineer – in – charge.			
57	Preparation of sub grade by excavating earth to required depth for all types of soil/ rock, dressing to camber and consolidating the base including making good the undulation etc and disposal of surplus earth within a lead upto 1 km etc. all complete.	CUM	27926	1.3935726916

	11 LIVIS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
58	Providing & laying water bound macadam sub base course in layers of required thickness with crushed stone aggregates 90 to 40 mm down size (IRC 19 - grading -1), stone screening & blinding material including screening, sorting, spreading to template & consolidation with road roller including carriage, spreading & consolidation of blinding material moorum etc all complete.	CUM	19701	############
59	Providing & laying water bound macadam base course in layers of required thickness with stone aggregate 63mm to 40mm size (IRC-19 grading-1), stone screening and blinding material including screening sorting, spreading to template and consolidation with road roller including carriage, spreading and consolidation of blinding material moorum etc all complete.	CUM	2593	5.1865082320
60	Providing & Laying water bound macadam base course with stone aggregate 50mm to 20mm size stone(IRC 19 -grading 1) screening & binding material including screening, sorting, spreading to template & consolidation with road roller including carriage spreading & consolidation of blinding material moorum etc all complete.	CUM	2485	4.9703118531
	ELECTRICALS AND ILLUMINATION Work of Yard			
51	Supplying, Installation & Commissioning of LED street light fitting 150 watt of crompton or similar philips make, complete with one piece of appropriate driver (integral/non-intigral) and suitable for directly slipping over light mounting bracket made out of 40 mm OD pipe and suitable for lamps, JB, cabling & termination of items supplied (to be mounted on 9 mtr pole - item no. 53). 1. 50% Payement of supply of material on prorata basis	NOS.	220	0.6292557954

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	2. 50% payment of completion of work on prorata basis			
52	Supply and Erecting steel tubular swaged poles, 9 mtr long made of sheet steel having ultimate tensile strength 42 kg F/sq. mm conforming to BIS: 2713 (part-II) complete with 300x300x6 mm thick MS base plate for welding at site and size as per configuration given in BIS for 410 SP-28 (113 kg- pole weight) with 1.5 mtr deep exacavation, concreting in 1:4:8 ratio size 45 cms x 45 cms x 150 cms and pole plinth in 1:3:6 cement concreting having 300 mm height and 300 mm dia including double earthing of pole with suitable arrangement, duly painted with two coats of red oxide paint and one coat of aluminium paint to be applied after erection; the length of pole below ground to be painted with two coats of black bituminus paint. the pole shall be complete with JB, fuse and minor fabrication as below: i) driling 20 mm dia hole at about 2.5 mtr from ground level for wire leads from junction box to light fixture. ii) driling 15mm dia holes at about 0.7 and at 2.5 mtr from ground level and welding 12 mm nuts for using a 12 mm GI bolt for fastening earth conducters. iii) welding required holes for fixing pole cap of street light bracket. iv) welding diametrally 10 mm MS round 30 mm below pole top edge for clipping wire leads . 1. 50% Payement of supply of material on prorata basis 2. 50% payment of completion of work on prorata basis	NOS.	110	0.7177506845

	TTEMS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
53	Supply of weather proof flood light luminiaries of crompton make (FBD 1425/40 with high pressure sodium vapour lamp 1x 400 Watt along with nonintegral type control gear box having adequate number of terminal connectors for terminating two cable of 3x 10 sqmm AL and suitable for out door application) or equivalent in Bajaj, Phillips only, including supply & fixing cables between the control gear box and light luminiaries and mounting fixture with hardware for mounting of light luminiaries and control gear box on pole type 410 SP-28. 1. 50% Payement of supply of material on prorata basis 2. 50% payment of completion of work on prorata basis	NOS.	7	0.0287445028
54	Installation & commissioning of flood light luminiaries, control gear box, cabling & termination for Sl no.3 (Items supplied above)	NOS.	7	0.0027509785
55	Engineering, supply and installation of lattice type structural tower of height 15m. Tower shall be fabricated in three section of equal lenght of 5 meter each. Preparation of fabrication drawing & its approval from BHEL. Brief details are as given below; Tower shall be adequately strong to withstand heavy wind. No stay/guy ropes shall be tied with it. At top of the tower adequate size of platform shall be provided with railing around the platform for mounting of lighting luminiaries (tentatively 12 fitting on each tower) and maitenance purpose, floor of platform shall be covered with chequered plate. A ladder along with protective cage shall be provided along the height of tower. It should be painted with one coat red oxide primer and two coats of aluminium paint after installation. Each tower shall be provided with power	NOS.	7	0.6819436809

ST.				
NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	distribution box out door type and should have provision of terminating one number incoming and eight out going cable. Erecting at site including all civil works like excavation, casting of foundation of required size and depth with concrete of grade 1:2:4 with base plates, grouting of lattice structure, one earth pit as per BIS standard is to be made near the tower and earthing of the tower including supply of material etc. complete. 1. 50% Payement of supply of material on prorata basis 2. 50% payment of completion of work on prorata basis			
56	Supply, installation & commissioning of 400W LED flood light luminiaries of Bajaj, Crompton, Phillips or equivalent, with appropriate JB integral/non itegral type including cables for interconnection. (these fitting shall be mounted on lighting mast /tower, on each tower 8 such fitting shall be mounted). 1. 50% Payement of supply of material on prorata basis 2. 50% payment of completion of work on prorata basis	NOS.	56	0.3818844209
57	Supply of cables 3-1/2 core x 95 sqmm aluminium armoured PVC insulated cable (three and half core) confirming to IS 1554 (part-I) (to be used form sheds as well as open storage yard wherever required)	M	632	0.2102308866

	TILIVIS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
58	Installation of cables 3-1/2 core x 95 sqmm aluminium armoured PVC insulated cable confirming to IS 1554 (part-I) including laying of cable below ground, excavation of trench of 600 mm depth in all kind of soil, termination of cables cores with crimp type luggs, providing sand layer below/ above the cable, brick laying both side/above the above the cable and back filling etc complete. Cables are to be laid from 415 Volt AC distribution board to feeder pillar board, feeder pillar board to lighting mast / tower & for sheds.	М	632	0.0576217453
59	Supply of cables 2 core x 10 sqmm aluminium armoured PVC insulated cable confirming to IS 1554 (Part-I)	M	1320	0.1188775188
60	Installation of cables 2 core x 10 sqmm aluminium armoured PVC insulated cable confirming to IS 1554 (Part-I) including laying of cable below ground, excavation of trench of 600 mm depth in all kind of soil, termination of cables cores with crimp type luggs, providing sand layer below/ above the cable, brick laying both side /above the above the cable and back filling etc complete. Cables are to be laid from 415 Volt AC power feeder pillar board to lighting poles & pole to pole.	М	1320	0.0837428896
61	Supply of cables 3-1/2 corex 185 sqmm aluminium armoured PVC insulated cable (three and half core) confirming to IS 1554 (Part-I)	M	1605	0.7035515535
62	Installation of cables 3-1/2 corex 185 sqmm aluminium armoured PVC insulated cable confirming to IS 1554 (Part-I) including laying of cable below ground, excavation of trench of 600 mm depth in all kind of soil, termination of cables cores with crimp type luggs, providing sand layer below/ above the cable, brick laying both side /above the above the cable and back filling etc. Cables are to be laid from transformer	М	1605	0.1563505031

	11 LIVIS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	sub station to 415 Volt AC distribution board.			
63	Supply of cables 3 -1/2 corex 35 sqmm aluminium armoured PVC insulated cable (three and half core) confirming to IS 1554 (Part-I)	M	1107	0.1868917912
64	Installation of cables 3 -1/2 corex 35 sqmm aluminium armoured PVC insulated cable confirming to IS 1554 (Part-I) including laying of cable below ground, excavation of trench of 600 mm depth in all kind of soil, termination of cables cores with crimp type luggs, providing sand layer below/ above the cable, brick laying both side /above the above the cable and back filling etc. Cables are to be laid from transformer sub station to 415 Volt AC distribution board to store yard & sheds.	M	1107	0.1009292279
65	Supply & installing 3 phase metering and power distribution board complete with: (1) incoming SFU TPN 400 Amps - 1no, (2) outgoing SFU TPN 200 amps -2nos. (3) outgoing SFU TPN 100 amps -2nos. (4) outgoing SFU TPN 32 amps -2nos. 3 phase electronic energy meter - BHEL / L&T / GEC make. ammeter, voltmeter and selector switches for both - AE and Kaycee make. Phase indication lamps, HRC fuses for IC and OG feeders, cable glands, power terminals for cables termination, cable lugs and provision for doubly earthing the panel enclosur. Panel enclosure shall be made of sheet metal thichnness not less than 1.6 mm and suitable for out door installation, modular construction, hinged door with locking arrangement, base frame, should have slopped canopy, duly painted with first coat of primer and two coats of synthetic enamel paint (interior with white paint and exterior with light grey as per shade 5, is 630) internal power distribution to devices	NO	3	0.1764570701

	11 LIVIS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
	shall be with al busbars or copper flexible single core PVC cables of 1.1 Kv grade, control wiring with 1.5 sqmm, suitable stool made out of MS structure of 1.2 meter high for mounting of panel with anchoring arragement at foundation, suitable for bottom entry of cables. 1. 50% Payement of supply of material on prorata basis 2. 50% payment of completion of work on prorata basis			
66	Providing suitable foundation for mounting AC distribution board as specified in Sl. No. 15, installation & commissioning of panel.	NO	3	0.0108904548
67	Supply of 415 Volt AC, 3 phase /four wire power feeder pillar board, board shall be comprises of three number and one number aluminium bus bar for phase & neutral respectively. Bus bar rating shall be 200 amps and shall be mounted on epoxy insulator of 1.1 Kv grade, each bus bar shall have drilled hole for connecting incoming / out going cables, provision for earthing the panel enclosure. Panel enclosure shall be made of sheet metal thichnness not less than 1.6 mm and suitable for out door installation, hinged door with locking arragement, base frame, should have slopped canopy, duly painted with first coat with primer and two coats of synthetic enamel paint (interior with white paint and exterior with smoke grey as per IS), suitable stool made out of MS structure of 1.2 meter high for mounting of panel with anchoring arragement at foundation.	NO	7	0.0930910175
68	Providing suitable foundation for mounting 415 Volt AC power feeder pillar board as specified in Sl. No. 68, installation & commissioning of panel.	NO	7	0.0186162569

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
69	Supply and installation suitable electrical pump for minimum head of 10m (but not less than 2 HP) of reputed manufacturer like Suguna/ CRI/ Kiloskar/ Shakti/Sharp/ Crompton including all accessories, starter, DB, etc. and to be connected to over head tank from water storage tank below GL. Guarranty/warranty card to be submmitted to BHEL. Suction, discharge GI pipes shall be paid seperatly under relevant items.	NO	2	0.0166765309
	ELECTRICALS AND ILLUMINATION Work of 12 nos. PEB Shed, Toilet Complex,security cabin, first aid centre etc			
71	SUPPLYING & INSTALLING POWER DISTRIBUTION BOARD COMPLETE WITH: COMMON BOARD FOR ALL SHEDS. 1) INCOMING MCB TPH 100 AMPS 1 NO. 2) OUTGOING MCB TPH 32 AMPS3NOS. 3) RCCB DP 25/20 AMPS 2NOS. 4) OUTGOING MCB SP 6 AMPS - 6NOS. All RCCBs, MCBs SHALL BE MDS/INDO KOPP MAKE. DISTRIBUTION BOARDS SHALL BE SIEMENS / MDS / INDO KOPP MAKE WITH INTERNAL BUSBARS, INTERNAL WIRING, 2 NOS. EARTHING TERMINALS, EARTH CONNECTIONS, INCLUDING GLANDS, LUGS.	Set	12	0.0684815398
72	SUPPLYING & FIXING WALL MOUNTING TYPE LIGHTING PANELS, EACH WITH: (1) INCOMING MCB TPN -32 AMPS - 1NO. (2) RCCB DP 32 AMPS - 2NOS (3) MCB SP 6AMPS - 30 NOS All RCCBs, MCBs SHALL BE MDS/INDO KOPP MAKE. LIGHTING PANEL SHALL BE SIEMENS/MDS/INDO KOPP MAKE WITH INTERNAL BUSBARS, 2 NOS. EARTHING TERMINALS, EARTH CONNECTIONS, INCLUDING GLANDS, LUGS & WIRING FROM MAIN DB	Set	12	0.0684815398

	T LIVIS			
ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
73	PROVIDING AND INSTALLING WIRING USING 2.5 SQ.MM COPPER CONDUCTOR THROUGH PVC CONDUIT OF REQUIRED SIZE WITH ACCESSORIES AND FIXTURES .WIRING SHALL BE CONCEALED TYPE FOR COMPUTER ROOM, OFFICE SHED & FOR REST OF SHEDS OPEN AND WHRERVER REQUIRED IN PVC CONDUIT OF REQUIRED SIZE.	PER POINT	768	0.3785208445
74	PROVIDING AND INSTALLING WIRING FOR USING 4.0 SQ.MMCOPPER CONDUCTOR THROUGH PVC CONDUIT OF REQUIRED SIZE WITH ACCESSORIES AND FIXTURES .WIRING SHALL BE CONCEALED TYPE FOR COMPUTER ROMM, OFFICE SHED & FOR REST OF SHEDS OPEN AND WHRERVER REQUIRED IN PVC CONDUIT OF REQUIRED SIZE.	PER POINT	36	0.0228117504
75	PROVIDING AND INSTALLING WIRING FOR MAINS USING 6.00 SQ.MM COPPER CONDUCTOR OF ISI MAKE. USING CONCEALED TYPE WIRING/PVC CONDUIT OF REQUIRED SIZE.	PER POINT	36	0.0304158979
76	PROVIDING AND INSTALLATION OF PLUG POINT OF 5A SOCKET (ANCHOR OR EQUV.) OUTLET INCLUDING WIRING TERMINATION. THIS INCLUDES TUBE LIGHT FITTINGS ETC. COMPLETE.	NO	36	0.0152078336
77	PROVIDING AND INSTALLATION OF PLUG POINT OF 15A SOCKET (ANCHOR OR EQUV.) OUTLET INCLUDING WIRING TERMINATION. THIS INCLUDES TUBE LIGHT FITTINGS.	NO	36	0.0240790699
78	PROVIDING AND FIXING 20 W LED TUBELIGHT WITH FRAME OF STANDARD MANUFACTURER LIKE PHILIPS/BAJAJ OR EQUIVALENT AS APPROVED BY BHEL. THIS INCLUDES TUBE LIGHT FITTINGS ETC. COMPLETE.	NO.	360	0.2281175044
79	PROVIDING AND FIXING CEILING FAN 48" DIAMETER OF APPROVED COMPANY SUCH AS CROMTAN GREEVES OR ANY OTHER STANDARD MANUFACTURER AS DIRECTED BY BHEL. THIS INCLUDES TUBE LIGHT FITTINGS ETC. COMPLETE.	NO	72	0.1774256483
80	PROVIDING AND FIXING Exhaust FAN 12" DIAMETER OF APPROVED COMPANY SUCH AS CROMTAN GREEVES OR ANY OTHER STANDARD MANUFACTURER AS DIRECTED BY BHEL. THIS INCLUDES TUBE LIGHT FITTINGS ETC. COMPLETE.	NO.	6	0.0126732331

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
81	SUPPLY OF CABLES 2 CORE X 10 SQMM ALUMINIUM ARMOURED PVC INSULATED CABLE CONFIRMING TO IS 1554 (PART -I)	RM	600	0.0540352358
82	INSTALLATION OF CABLES 2 CORE X 10 SQMM ALUMINIUM ARMOURED PVC INSULATED CABLE CONFIRMING TO IS 1554 (PART -I) INCLUDING LAYING OF CABLE BELOW GROUND , EXCAVATION OF TRENCH OF 600 MM DEPTH IN ALL KIND OF SOIL, TERMINATION OF CABLES CORES WITH CRIMP TYPE LUGGS, PROVIDING SAND LAYER BELOW/ ABOVE THE CABLE, BRICK LAYING BOTH SIDE /ABOVE THE ABOVE THE CABLE AND BACK FILLING ETC COMPLETE. CABLES ARE TO BE LAID FROM 415 VOLT AC POWER FEEDER PILLAR BOARD BOARD TO LIGHTING POLES & POLE TO POLE	RM	600	0.0380649498
83	SUPPLY OF CABLES 3 -1/2 COREX 35 SQMM ALUMINIUM ARMOURED PVC INSULATED CABLE (THREE AND HALF CORE) CONFIRMING TO IS 1554 (PART -I)	RM	360	0.0607778183
84	INSTALLATION OF CABLES 3 -1/2 COREX 35 SQMM ALUMINIUM ARMOURED PVC INSULATED CABLE CONFIRMING TO IS 1554 (PART -I) INCLUDING LAYING OF CABLE BELOW GROUND , EXCAVATION OF TRENCH OF 600 MM DEPTH IN ALL KIND OF SOIL, TERMINATION OF CABLES CORES WITH CRIMP TYPE LUGGS, PROVIDING SAND LAYER BELOW/ ABOVE THE CABLE, BRICK LAYING BOTH SIDE /ABOVE THE ABOVE THE CABLE AND BACK FILLING ETC. CABLES ARE TO BE LAID FROM TRANSFORMER SUB STATION TO 415 VOLT AC DISTRIBUTION BOARD	RM	360	0.0328225131
85	SUPPLY OF CABLES 3 -1/2 CORE X 95 SQMM ALUMINIUM ARMOURED PVC INSULATED CABLE (THREE AND HALF CORE) CONFIRMING TO IS 1554 (PART -I)	RM	240	0.0798345139

ST. NO	DESCRIPTION OF ITEM	UNIT	QTY	% Weightage
86	INSTALLATION OF CABLES 3 -1/2 CORE X 95 SQMM ALUMINIUM ARMOURED PVC INSULATED CABLE CONFIRMING TO IS 1554 (PART -I) INCLUDING LAYING OF CABLE BELOW GROUND, EXCAVATION OF TRENCH OF 600 MM DEPTH IN ALL KIND OF SOIL, TERMINATION OF CABLES CORES WITH CRIMP TYPE LUGGS, PROVIDING SAND LAYER BELOW/ ABOVE THE CABLE, BRICK LAYING BOTH SIDE /ABOVE THE ABOVE THE CABLE AND BACK FILLING ETC COMPLETE. CABLES ARE TO BE LAID FROM 415 VOLT AC DISTRIBUTION BOARD TO FEEDER PILLAR BOARD , FEEDER PILLAR BOARD TO LIGHTING MAST / TOWER.	RM	240	0.0218816754
87	Providing and Fixing 200W LED fitting of approved make including all necessary wiring in rigid conduit and providing 15/5A flush type switch all complete	No	240	0.2534654316
88	Providing Earthing pit as per drawing with charcoal & salt, GI pipes, GI earth electrodes, GI wire, GI strips, brick chamber with covers including associated earthwork etc. all complete.	No	10	0.2013332510
89	Providing 6" dia. boring upto depth of 150 ft. with truck mounted mechanical rig machine with yield test of water.	Each	2	0.0488417019
90	Extra for boring over 150 ft. depth for every additional 10 ft. or part thereof.	Per ft	50	0.0195268208
91	Supply & fixing 6" dia pvc heavy duty (8-10 kg pressure) casing pipe of standard make (kishan/kasta or equivalent) with approval of BHEL in both the borings.	Per ft.	120	0.0131883652
92	Supply and installation of electrical submersible pump (minimum 3 HP) of standard make (Crompton Greaves/CRI pumps or equivalent) as per approval of BHEL with all accessories, console panel, pvc coated sling wire, submersible cable of required length & 1/4" dia HDPE suction pipe 120 ft. length.	Each	2	0.0240342424
93	Extra over initial length of HDPE suction pipe beyond 120 ft.	Per ft.	30	0.0028930285

'In Part Payment of any item, if purchase price of material is lesser than the % given in BOQ in such case only purchase price shall be paid by BHEL and balance payment will be done after completion of activity.

Instructions to the bidders

- 1. <u>Bidders shall quote Total Lump-sum Price for the entire scope of work in Rupees in VOL II PRICE BID at BHEL E-procurement Portal.</u> Any other entry elsewhere in the offer of the bidder shall be treated as Null and Void. The total value including value of St No. A shall be automatically calculated on E-portal
- 2. This Quoted Lump-sum Price shall be distributed based on the BHEL fixed percentage weightages w.r.t the total Total Lump-sum Price quoted by the bidder for the subject tender.
- 3. BHEL has pre-fixed the Weightage/Factor as detailed above in this chapter for deriving the Unit Rates. By multiplying BHEL pre-fixed the Weightages / Factor and the total prices derived in sl no. 2 above; unit rate of individual items shall be derived. Unit Rate/Item Rate thus arrived shall be rounded off to two decimal places.
- 4. Based on the quantities of individual item and the item rates arrived in Sl No 3 above, the total amount for individual items shall be derived. Total amount thus derived shall be rounded off to zero decimal places.
- 5. Grand Total amount for the work shall be derived by BHEL by summing up respective total amounts.
- 6. Bidders to note that this is an item rate contract. Payment shall be made for the actual quantities of work executed at the unit rate arrived at as per Sl No.3 above.
- 7. For the convenience of bidders, BHEL has issued an excel sheet with all the requisite formulae as described above. *However the referred excel sheet shall not form part of contract document. Further, this sheet should not be uploaded at the e-Portal.*