E-TENDER SPECIFICATION

No.-BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

FOR

Scope of Work: HIRING OF 10 NOS ELECTRICIANS +09 HELPERS FOR A PERIOD OF 60 DAYS AT 3 X800 MW PVUNL PATRATU PROJECT.

VOLUME I - TECHNICAL BID

THIS TENDER SPECIFICATION CONSISTS OF:

Notice Inviting Tender	
Volume-IA	Technical Conditions of Contract
Volume-IB	Special conditions of Contract
Volume-IC	General conditions of Contract
Volume-ID	Forms & Procedures
Volume-IE	Technical Specifications
Volume II	Price Bid



Bharat Heavy Electricals Limited

(A Government of India Undertaking)
Power Sector - Western Region
3X800 MW PVUNL Patratu-829119

CONTENTS				
Volume No	Description	Hosted in website bhel.com (Briefly) and detailed in BHEL e-Procurement Portal as files titled		
NIL	Tender Specification Issue Details	(Part of <u>Vol-I-A-212</u>)		
NIL	Notice Inviting Tender	(Part of <u>Vol-I-A-212</u>)		
I-A	Technical Conditions of Contract	Vol-I-A-212		
I-B	Special Conditions of Contract	Vol-I-BCD-212		
I-C	General Conditions of Contract	Vol-I-BCD-212		
I-D	Forms & Procedures	Vol-I-BCD-212		
I-E	Technical Specifications	Vol-I-E-212		
II	Price Bid Specification as specified in E-Procurement Portal	Volume-II-PRICE-BID-212		

E-TENDER SPECIFICATION

No.- BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Scope of Work: HIRING OF 10 NOS ELECTRICIANS +09 HELPERS FOR A PERIOD OF 60 DAYS AT 3 X800 MW PVUNL PATRATU PROJECT.

EARNEST MONEY DEPOSIT: Refer Notice Inviting Tender			
LAST DATE FOR Refer Notice Inviting Tender TENDER SUBMISSION .			
THESE TENDER SPECIFICATION DOCUMENTS CONTAINING VOLUME-I AND VOLUME- II ARE ISSUED TO:			
M/s			
PLEASE NOTE: THESE TENDER SPECS DOCUMENTS ARE NOT TRANSFERABLE.			
For Bharat Heavy Electricals Limited			
Sr. Manager-Purchase			
Place: 3X800 MW PVUNL Patratu Date:			

212

NOTICE INVITING TENDER

Bharat Heavy Electricals Limited



Registered Office: BHEL House, Siri Fort, New Delhi - 110 049, India

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 5 of 62

Date: 22/10/2025

NOTICE INVITING TENDER (NIT) NOTE: BIDDER MAY DOWNLOAD FROM WEB SITES

To,

Sub: NOTICE INVITING E-TENDER

Dear Sir/Madam,

Sealed offers in two part bid system are **invited through E-mail only**, for the subject job by the undersigned on the behalf of BHARAT HEAVY ELECTRICALS LIMITED as per the tender document. Following points relevant to the tender may please be noted and complied with.

1.0 Salient Features of NIT

S No.	ISSUE	DESCRIPTION			
i	TENDER NUMBER				
ii	Broad Scope of job	HIRING OF 10 NOS ELECTRICIANS +09 HELPERS FOR A PERIOD OF 60 DAYS AT 3 X800 MW PVUNL PATRATU PROJECT			
iii	DETAILS OF TENDER				
A	Volume-IA	Technical Conditions of Contract (TCC) consisting of Scope of work, Technical Specification, Drawings, Procedures, Bill of Quantities, Terms of payment, etc. Applicable			
В	Volume-IB	Special Conditions of Contract (SCC)	Applicable		
С	Volume-IC	General Conditions of Contract (GCC)	Applicable		
D	Volume-ID	Forms and Procedures	Applicable		
E	Volume-IE	TECHNICAL SPECIFICATIONS	Not Applicable		
F	Volume-II	Price Schedule (Absolute value).	Applicable		
Iv	Issue of Tender Documents	Tender documents will be provided through email as per schedule below: Start: 22/10/2025 Closes: 28/10/2025, Time: 15:00 Hrs Brief information of the tenders shall also be available at central public procurement portal. (https://eprocure.gov.in/epublish/app)	Applicable		
v	DUE DATE & TIME OF OFFER SUBMISSION	Date: 28/10/2025, Time:15:00 Hrs The bidder should submit their email only.	Applicable		
Vi	OPENING OF TENDER (Techno- Commercial Bid)	Date: 28/10/2025, Time: 16:00 Hrs Notes: (1) In case the due date of opening of tender becomes a nonworking day, then the due date & time of offer submission and opening of tenders get extended to the next working day.	Applicable		

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 6 of 62

S No.	ISSUE	DESCRIPTION		
		(2) Bidder may depute representative to witness the opening of tender. For e-Tender, Bidder may witness the opening of tender through e-Procurement portal only.		
Vii	EMD AMOUNT	NIL	Not Applicable	
Viii	COST OF TENDER	NIL	Not Applicable	
Ix	LAST DATE FOR SEEKING CLARIFICATION	One day before due date of offer submission. Along with soft version also, addressing to undersigned & to others as per contact address given below: 1) Name: Deepak Kumar Designation: Sr. Manager Deptt: Purchase Email: kumar_deepak@bhel.in 2) Name: Mallik Moazzam Designation: AGM Email: mallikmoazzam@bhel.in Address: BHEL SITE OFFICE 3X800 MW PVUNL Patratu-829119	Applicable	
X	SCHEDULE OF Pre Bid Discussion (PBD)		Not Applicable	
Xi	INTEGRITY PACT & DETAILS OF INDEPENDENT EXTERNAL MONITOR (IEM)	1) Shri Otem Dai, IAS (Retd.) 2) Shri Bishwamitra Pandey, IRAS (Retd.) 3) Shri Mukesh Mittal, IRS (Retd.)	Not Applicable	
Xii	Latest updates	Latest updates on the important dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc to Tender Specifications will be hosted in BHEL webpage (www.bhel.com>Tender Notifications → View Corrigendum), & on e-tender portal https://eprocurebhel.co.in and not in the newspapers. Bidders to keep themselves updated with all such information.		

2.0 The offer shall be submitted as per the instructions of tender document and as detailed in this NIT. Bidders to note specifically that all pages of tender document, including these NIT pages of this particular tender together with subsequent correspondences shall be submitted by them, duly signed digitally using Class III DSC & uploaded in E-Procurement Portal, as part of offer. Rates/Price including discounts/rebates, if any, mentioned anywhere/in any form in the techno-commercial offer other than the Price Bid, shall not be entertained.

3.0 Not Used

4.0 Unless specifically stated otherwise, bidder shall deposit EMD as per clause 1.9 of General Conditions of Contract.

For Electronic Fund Transfer the details are as below-:

NAME OF THE BENEFICIARY	BHARAT HEAVY ELECTRICALS LTD

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 7 of 62

ADDRESS OF THE COMPANY	5th Floor, SHREE MOHINI COMPLEX 345,	
ADDRESS OF THE COMPANT	KINGSWAY,NAGPUR	
NAME OF BANK	STATE BANK OF INDIA	
NAME OF BANK BRANCH AND BRANCH CODE	SBI,NAGPUR MAIN BRANCH ,CODE-00432	
CITY	NAGPUR	
ACCOUNT NUMBER	40227423158	
ACCOUNT TYPE	MC-C C Clean (C&I)	
IFSC CODE OF THE BENEFICIARY BANK	SBIN0000432	
BRANCH	3B1N0000432	
MICR CODE OF THE BANK BRANCH	440002002	

(Note -: In case of E-Tenders, proof of remittance of EMD should be uploaded in the E-Procurement Portal and originals, as applicable, shall be sent to the officer inviting tender within a reasonable time, failing which the offer is liable to be rejected.

(Note -: In case of E-Tenders, proof of remittance of EMD should be uploaded in the E-Procurement Portal and originals, as applicable, shall be sent to the officer inviting tender within a reasonable time, failing which the offer is liable to be rejected.

5.0 **Procedure for Submission of Tenders**:

- 1. **Bidders have to submit their offer through Email only** and following documents are required as Bidders offer:
 - I. Complete tender documents (Volume-I-Technical Bid along with No deviation certificate) signed by authorized representative (Part-I).
 - II. Password Protected Volume-II "Price Bid" as in SL No 2 (Part-II).
- 2. <u>Password Protected Price bid</u> shall be submitted through email in one of the following method on or before the due date indicated in Sl No 5. Password of the protected file shall be declared by the bidder upon specific request of BHEL at the specified time to be informed later.
 - I. Password Protected PDF file in Adobe PDF
 - II. Password Protected WinRAR
 - III. Password Protected WinZip
 - IV. Any other password protected format
- 3. The email offer shall be addressed to following mail ids:
 - i. kumar_deepak@bhel.in
 - ii. mallikmoazzam@bhel.in
- 4. Documents to be submitted along with offer:
 - a) Copy of PAN & GST

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

.....

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 8 of 62

- b) Bank Details
- c) SIGNED AND SEALED COPY OF Vol-I-A-212 NIT AND TCC
- d) SIGNED AND SEALED COPY OF Vol-I-BCD-212
- e) SIGNED AND SEALED COPY OF MANADATORY FORMATS
- f) PASSWORD PROTECTED PRICE-BID
- 5. Bidders are not required to submit any other documents other than those detailed above.
 - a. Offers are invited in two-parts only as below:
 - b. Bidders are required to submit their most competitive offer on or before 28/10/2025 by 15:00 hrs through email as detailed above.
 - c. The offers shall be opened on 28/10/2025 at 16:00 Hrs.
 - d. For any clarifications or queries regarding the captioned enquiry, bidders may contact following officials of BHEL:
 - a. Sh. Deepak Kumar / Sr. Manager BHEL Patratu (Mob: 8004939836, email: kumar_deepak@bhel.in)
 - b. Sh A. SATISH KUMAR, (Sr. Manager/TS-Patratu Site), Mob: 8600031491, email: askumar@bhel.in

Note:

- It is the responsibility of tenderer to go through the Tender document to ensure furnishing all required documents in addition to above, if any. Any deviation would result in REJECTION of tender and would not be considered at a later stage at any cost by BHEL.
- A person signing (manually or digitally) the tender form or any documents forming part of the
 contract on behalf of another shall be deemed to warrantee that he has authority to bind such
 other persons and if, on enquiry, it appears that the persons so signing had no authority to do
 so, the purchaser may, without prejudice to other civil and criminal remedies, cancel the
 contract and hold the signatory liable for all cost and damages.
- A tender, which does not fulfil any of the above requirements and/or gives evasive information/reply against any such requirement, shall be liable to be ignored and rejected.

DO NOT'S

Bidders are requested NOT to submit the hard copy of the Bid. **Also, uploading of the price bid in prequalification bid or technical bid may RESULT IN REJECTION of the tender**.

6.0

- <u>SPECIAL NOTE: All documents/ annexures to be submitted should be uploaded in respective places in the E-Tender portal as per the list mentioned given in this NIT.</u> BHEL shall not be responsible for any in-complete documents.
- 7.0 Deviation with respect to tender clauses and additional clauses/suggestions in Techno-commercial bid / Price bid shall NOT be considered by BHEL. Bidders are requested to positively comply with the same.
- 8.0 BHEL reserves the right to accept or reject any or all Offers without assigning any reasons thereof. BHEL also reserves the right to cancel the Tender wholly or partly without assigning any reason thereof. Also BHEL shall not entertain any correspondence from bidders in this matter (except for the refund of EMD).
- 9.0 Assessment of Capacity of Bidders: NOT APPLICABLE

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 9 of 62

- 10.0 Since the job shall be executed at site, bidders must visit site/ work area and study the job content, facilities available, availability of materials, prevailing site conditions including law & order situation, applicable wage structure, wage rules, etc. before quoting for this tender. They may also consult this office before submitting their offers, for any clarifications regarding scope of work, facilities available at sites or on terms and conditions.
- 11.0 For any clarification on the tender document, the bidder may seek the same in writing or through e-mail and/or through e-procurement portal https://eprocurebhel.co.in, as per specified format, within the scheduled date for seeking clarification, from the office of the undersigned. BHEL shall not be responsible for receipt of queries after due date of seeking clarification due to postal delay or any other delays. Any clarification / query received after last date for seeking clarification may not be normally entertained by BHEL and no time extension will be given.
- 12.0 BHEL may decide holding of pre-bid discussion [PBD] with all intending bidders as per date indicated in the NIT. The bidder shall ensure participation for the same at the appointed time, date and place as may be decided by BHEL. Bidders shall plan their visit accordingly. The outcome of pre-bid discussion (PBD) shall also form part of tender.
- 13.0 In the event of any conflict between requirement of any clause of this specification/documents/drawings/data sheets etc. or requirements of different codes/standards specified, the same to be brought to the knowledge of BHEL in writing for clarification before due date of seeking clarification (whichever is applicable), otherwise, interpretation by BHEL shall prevail. Any typing error/missing pages/other clerical errors in the tender documents, noticed must be pointed out before pre-bid meeting/submission of offer, else BHEL's interpretation shall prevail.
- 14.0 Unless specifically mentioned otherwise, bidder's quoted price shall deemed to be in compliance with tender including PBD.
- 15.0 Bidders shall submit Integrity Pact Agreement (Duly signed by authorized signatory who signs in the offer), if applicable, along with techno-commercial bid. This pact shall be considered as a preliminary qualification for further participation. in the names and other details of Independent External Monitor (IEM) for the subject tender is as given at point (1) above.

"Integrity Pact (IP)"

(a) IP is a tool to ensure that activities and transactions between the Company and its Bidders/ Contractors are handled in a fair, transparent and corruption free manner. Following Independent External Monitors (IEMs) on the present panel have been appointed by BHEL with the approval of CVC to oversee implementation of IP in BHEL.

Sl. No.	IEM	Email
<mark>1.</mark>	Shri Otem Dai, IAS (Retd.)	iem1@bhel.in
<mark>2.</mark>	Shri Bishwamitra Pandey, IRAS (Retd.)	<u>Iem2@bhel.in</u>
<mark>3.</mark>	Shri Mukesh Mittal, IRS (Retd.)	<u>Iem3@bhel.in</u>

(b) The IP as enclosed with the tender is to be submitted (duly signed by authorized signatory) along with techno-commercial bid (Part-I, in case of two/three part bid). Only those bidders who have entered into such an IP with BHEL would be competent to participate in the bidding. In other words, entering into this Pact would be a preliminary qualification.

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 10 of 62

(c) Please refer Section-8 of IP for Role and Responsibilities of IEMs. In case of any complaint arising out of the tendering process, the matter may be referred to any of the above IEM(s). All correspondence with the IEMs shall be done through email only.

Note:

No routine correspondence shall be addressed to the IEM (phone/ post/ email) regarding the clarifications, time extensions or any other administrative queries, etc. on the tender issued. All such clarification/ issues shall be addressed directly to the tender issuing (procurement) department's officials whose contact details are provided below:

Details of contact person(s):

Name:	Deepak Kumar/ Sr. Manager (Purchase)
Dept:	Purchase Department
Address:	BHEL SITE OFFICE, 3X800 MW PVUNL Patratu-829119
Email:	kumar_deepak@bhel.in
Phone:	8004939836

- 16.0 The Bidder has to satisfy the Pre-Qualifying Requirements stipulated for this Tender in order to be qualified. The Price Bids of only those bidders will be opened who will be qualified for the subject job on the basis of satisfying the Pre-Qualification Criteria specified in this NIT as per Annexure-I (as applicable), past performance etc. and date of opening of price bids shall be intimated to only such bidders. BHEL reserves the right not to consider offers of parties under HOLD.
- **17.0** In case BHEL decides on a 'Public Opening', the date & time of opening of the sealed PRICE BID shall be intimated to the qualified bidders and in such a case, bidder may depute one authorized representative to witness the price bid opening. BHEL reserves the right to open 'in-camera' the 'PRICE BID' of any or all Unsuccessful/Disqualified bidders under intimation to the respective bidders.
- 18.0 Validity of the offer shall be for **Six months** from the latest due date of offer submission (including extension, if any) unless specified otherwise.
- 19.0 Reverse Auction: "BHEL shall be resorting to Reverse Auction (RA) (Guidelines as available on www.bhel.com) for this tender. RA shall be conducted among the techno-commercially qualified bidders.

Price bids of all techno-commercially qualified bidders shall be opened and same shall be considered for RA. In case any bidder(s) do(es) not participate in online Reverse Auction, their sealed envelope price bid along with applicable loading, if any, shall be considered for ranking."

Notes:-

- 1. No benefits to MSE bidders w.r.t Reverse Auction Guidelines as available on www.bhel.com against works contract.
- 2. In case of enquiry through e-procurement the sealed electronic price bid (e-bid) is to be treated as sealed envelope price bid.
- 20.0 On submission of offer, further consideration will be subject to compliance to tender & qualifying requirement and customer's acceptance, as applicable.
- 21.0 In case the bidder is an "Indian Agent of Foreign Principals", 'Agency agreement has to be submitted along with Bid, detailing the role of the agent along with the terms of payment for agency commission in INR, along with supporting documents.
- 22.0 The bidders shall not enter into any undisclosed M.O.U. or any understanding amongst themselves with respect to tender.

23.0 Void

.....

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 11 of 62

- 24.0 The bidder shall submit/upload documents in support of possession of 'Qualifying Requirements' duly self-certified and stamped by the authorized signatory, indexed and properly linked in the format for PQR. In case BHEL requires any other documents/proofs, these shall be submitted immediately.
- 25.0 The bidder may have to produce original document for verification if so decided by BHEL.
- 26.0 The consultant / firm (and any of its affiliates) shall not be eligible to participate in tender(s) for the related works or services for the same project, if they were engaged for the consultancy services.
- 27.0 Guidelines/rules in respect of Suspension of Business dealings, Vendor evaluation format, Quality, Safety & HSE guidelines, Experience Certificate, etc. may undergo change from time to time and the latest one shall be followed. The abridged version of extant 'Guidelines for suspension of business dealings with suppliers/contractors' is available on www.bhel.com on "supplier registration page".
- 28.0 The offers of the bidders who are on the banned/ hold list and also the offer of the bidders, who engage the services of the banned/ hold firms, shall be rejected. The list of **banned/ hold firms** is available on BHEL web site www.bhel.com.
 - 28.1 Integrity commitment, performance of the contract and punitive action thereof:

28.1.1 Commitment by BHEL:

BHEL commits to take all measures necessary to prevent corruption in connection with the tender Process and execution of the contract. BHEL will during the tender process treat all Bidder(s) in a transparent and fair manner, and with equity.

28.1.2 Commitment by Bidder/Supplier/Contractor:

- (i) The bidder/ supplier/ contractor commit to take all measures to prevent corruption and will not directly or indirectly influence any decision or benefit which he is not legally entitled to nor will act or omit in any manner which tantamount to an offence punishable under any provision of the Indian Penal Code, 1860 or any other law in force in India.
- (ii) The bidder/ supplier/ contractor will, when presenting his bid, disclose any and all payments he has made, and is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract and shall adhere to relevant guidelines issued from time to time by Govt. of India/ BHEL.
- (iii) The bidder/ supplier/ contractor will perform/ execute the contract as per the contract terms & conditions and will not default without any reasonable cause, which causes loss of business/ money/ reputation, to BHEL.

If any bidder/ supplier/ contractor during pre-tendering/ tendering/ post tendering/ award/ execution/ post-execution stage indulges in mal-practices, cheating, bribery, fraud or and other misconduct or formation of cartel so as to influence the bidding process or influence the prices or acts or omits in any manner which tantamount to an offence punishable under any provision of the Indian Penal Code, 1860 or any other law in force in India, then, action may be taken against such bidder/ supplier/ contractor as per extent guidelines of the company available on www.bhel.com and / or under applicable legal provisions.

29.0 Micro and Small Enterprises (MSE)

Any Bidder falling under MSE category, shall furnish the following details & submit documentary evidence/ Govt. Certificate etc. in support of the same along with their techno-commercial offer.

Type under MSE	SC/ST owned	Women owned	Others (excluding SC/ ST & Women Owned)
Micro			
Small			

Note: - If the bidder does not furnish the above, offer shall be processed construing that the bidder is not falling under MSE category.

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 12 of 62

- a) MSE suppliers can avail the intended benefits in respect of the procurements related to the Goods and Services only (Definition of Goods and Services as enumerated by Govt. of India vide Office Memorandum F. No. 21(8)/2011 MA dtd. 09/11/2016 office of AS & DC, MSME) only if they submit along with the offer, attested copies of either Udyam Registration Certificate or EM-II certificate having deemed validity (five years from the date of issue of acknowledgement in EM-II) or valid NSIC certificate or Udyag Aadhar Memorandum (UAM) & Acknowledgement or EM-II Certificate along with attested copy of a CA certificate (format enclosed as Annexure 3) where deemed validity of EM-II certificate of five years has expired applicable for the relevant financial year (latest audited). Date to be reckoned for determining the deemed validity will be the last date of Technical Bid submission. Non submission of such documents will lead to consideration of their bids at par with other bidders. No benefits shall be applicable for this enquiry if the above required documents are not submitted before price bid opening. If the tender is to be submitted through e-procurement portal, then the above required documents are to be uploaded on the portal. Documents should be notarized or attested by a Gazetted officer. Documents submitted by the bidder may be verified by BHEL for rendering the applicable benefits.
- 30.0 The Bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.

31.0 PREFERENCE TO MAKE IN INDIA:

For this procurement, the local content to categorize a supplier as a Class I local supplier/ Class II local Supplier/Non-Local Supplier and purchase preferences to Class I local supplier, is as defined in Public Procurement (Preference to Make in India), Order 2017 dated 19.07.2024 issued by DPIIT. In case of subsequent orders issued by the nodal ministry, changing the definition of local content for the items of the NIT, the same shall be applicable even if issued after issue of this NIT, but before opening of Part-II bids against this NIT.

31.1 Compliance to Restrictions under Rule 144 (xi) of GFR 2017

- I. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. The Competent Authority for the purpose of this Clause shall be the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT).
- II. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- III. "Bidder from a country which shares a land border with India" for the purpose of this Clause means:
 - a. An entity incorporated established or registered in such a country; or
 - b. A subsidiary of an entity incorporated established or registered in such a country; or
 - c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - d. An entity whose beneficial owner is situated in such a country; or
 - e. An Indian (or other) agent of such an entity; or
 - f. A natural person who is a citizen of such a country; or
 - g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.
- IV. The beneficial owner for the purpose of (III) above will be as under:
 - 1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together or through one or more juridical person, has a controlling ownership interest or who exercises control through other means. Explanation

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 13 of 62

- a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company.
- b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements.
- 2. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership.
- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person has ownership of or entitlement to more than fifteen percent of the property or capital or profits of the such association or body of individuals.
- 4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- 5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- V. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- VI. The successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

Note:

- (i) The bidder shall provide undertaking for their compliance to this Clause, in the Format provided in **Annexure-11**.
- (ii) Registration of the bidder with Competent Authority should be valid at the time of submission as well as acceptance of the bids.
- 32.0 Bid should be free from correction, overwriting, using corrective fluid, etc. Any interlineation, cutting, erasure or overwriting shall be valid only if they are attested under full signature(s) of person(s) signing the bid else bid shall be liable for rejection.
 - All overwriting/cutting, etc., will be numbered by bid opening officials and announced during bid opening.
- 33.0 In the course of evaluation, if more than one bidder happens to occupy L-1 status, effective L-1 will be decided by soliciting discounts from the respective L-1 bidders.

In case more than one bidder happens to occupy the L-1 status even after soliciting discounts, the L-1 bidder shall be decided by a toss/ draw of lots, in the presence of the respective L-1 bidder(s) or their representative(s).

Ranking will be done accordingly. BHEL's decision in such situations shall be final and binding.

- 34.0 The Bidder declares that they will not enter into any illegal or undisclosed agreement or understanding, whether formal or informal with other Bidder(s). This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
 - In case, the Bidder is found having indulged in above activities, suitable action shall be taken by BHEL as per extant policies/guidelines.
- 35.0 Order of Precedence:

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 14 of 62

In the event of any ambiguity or conflict between the Tender Documents, the order of precedence shall be in the order below:

- a. Amendments/Clarifications/Corrigenda/Errata etc. issued in respect of the tender documents by BHEL
- b. Notice Inviting Tender (NIT)
- c. Price Bid
- d. Technical Conditions of Contract (TCC)—Volume-1A
- e. Special Conditions of Contract (SCC) —Volume-1B
- f. General Conditions of Contract (GCC) —Volume-1C
- g. Forms and Procedures —Volume-1D

It may please be noted that guidelines/circulars/amendments/govt. directives issued from time to time shall also be applicable.

For BHARAT HEAVY ELECTRICALS LTD

(SR. MANAGER - Purchase)

Enclosure:

- 1.0 Annexure-1: Pre Qualifying Requirements.
- 2.0 Annexure-2: Check List.
- -Annexure-3: Certificate by Chartered Accountant
- -Annexure-4: Reverse Auction Process Compliance Form
- -Annexure-5: Authorization of representative who will participate in the online Reverse Auction 5.0 -**Process**
- **Annexure 6: RA Price Confirmation and Breakup** 6.0
- 7.0 -Annexure-7: Integrity Pact
- Annexure-8: Undertaking REGARDING INSOLVENCY/ LIQUIDATION/ BANKRUPTCY PROCEEDINGS 8.0
- 9.0 Annexure-9: Declaration reg. Related Firms & their areas of Activities
- Annexure-10: Declaration regarding minimum local content 10.0
- 11.0 Annexure-11: Declaration regarding compliance to restrictions under rule 144 (xi) of GFR 2017
- Annexure-12: DECLARATION REGARDING TREATMENT OF CASES REGARDING CONFLICT OF 12.0 INTEREST
- 13.0 Annexure 13: No Deviation Certificate
- 14.0 Annexure 14: Important information.

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 **Page 15 of 62**

ANNEXURE-1

PRE QUALIFYING CRITERIA

NOT APPLICABLE

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 16 of 62

ANNEXURE-2

CHECK LIST

NOTE: - Tenderers are required to fill in the following details and no column should be left blank

1	Name and Address of the Tenderer			
2	Details about type of the Firm/Company			
3.a	Details of Contact person for this Tender	Name: Mr/Ms Designation: Telephone No: Mobile No: Email ID: Fax No:		
3.b	Details of alternate Contact person for this Tender Name : Mr/Ms Designation: Telephone No: Mobile No: Email ID: Fax No:			
4	Please tick (√)		Date : Amount: whichever applicable:- / ONLY FOR THIS TENDER	
5	Validity of Offer	TO BE VALID FO	R SIX MONTHS FROM DUE DATE	
			APPLICABILITY (BY BHEL)	ENCLOSED BY BIDDER
6	Whether the format for compliance with PRE (CRITERIA (ANNEXURE-I) is understood and fi supporting documents referenced in the specific	lled with proper	Applicable	YES / NO
7	Audited profit and Loss Account for the last the	ree years	Applicable/Not Applicable	YES/NO
8	Copy of GST & PAN Card		Applicable/ Not Applicable	YES/NO
9	Whether all pages of the Tender documents including annexures, appendices etc. are read understood and signed		Applicable/Not Applicable	YES/NO
10	Integrity Pact		Applicable/Not Applicable	YES/NO
11	Offer Forwarding Letter / Tender Submission Letter		Applicable/Not Applicable	YES/NO
12	Declaration by Authorized Signatory		Applicable/Not Applicable	YES/NO
13	No Deviation Certificate		Applicable/ Not Applicable	YES/NO

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 17 of 62

14	Declaration confirming knowledge about Site Conditions	Applicable/ Not Applicable	YES/NO
15	Declaration for relation in BHEL	Applicable/ Not Applicable	YES/NO
16	Non-Disclosure Certificate	Applicable/ Not Applicable	YES/NO
17	Bank Account Details for E-Payment	Applicable/ Not Applicable	YES/NO
18	Capacity Evaluation of Bidder for current Tender	Applicable/Not Applicable	YES/NO
19	Tie Ups/Consortium Agreement are submitted as per format	Applicable/Not Applicable	YES/ NO
20	Power of Attorney for Submission of Tender/Signing Contract Agreement	Applicable/ Not Applicable	YES/NO
	Power of Attorney of Consortium Partner.		
21	Analysis of Unit rates	Applicable/ Not Applicable	YES/NO
22	Annexure-5: Authorization of representative who will participate in the online Reverse Auction Process	Applicable/Not Applicable	YES/NO
23	Annexure-6: RA Price Confirmation and Breakup	Applicable/Not Applicable	YES/NO
24	Annexure-8: DECLARATION REGARDING INSOLVENCY/LIQUIDATION/BANKRUPTCY PROCEEDINGS	Applicable/ Not Applicable	YES/NO
25	Annexure-9: Declaration reg. Related Firms & their areas of Activities (x) Other Tender documents as per this NIT.	Applicable/ Not Applicable	YES/NO
26	Annexure-10 Declaration regarding minimum local content	Applicable/ Not Applicable	YES/NO
27	Annexure-11: Declaration regarding compliance to restrictions under rule 144 (xi) of GFR 2017	Applicable/ Not Applicable	YES/NO

NOTE: STRIKE OFF 'YES' OR 'NO', AS APPLICABLE. TENDER NOT ACCOMPANIED BY THE PRESCRIBED ABOVE **APPLICABLE DOCUMENTS** ARE LIABLE TO BE SUMMARILY REJECTED.

D	A	1	ľ	E	•	
┏.			ι.	_		

AUTHORISED SIGNATORY (With Name, Designation and Company seal)

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 18 of 62

ANNEXURE-3

NOT APPLICABLE

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 19 of 62

ANNEXURE-4

Reverse Auction Process Compliance Form

NOT APPLICABLE

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 20 of 62

ANNEXURE-5

NOT APPLICABLE

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 21 of 62

ANNEXURE-6

Reverse Auction price confirmation and breakup

NOT APPLICABLE

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 22 of 62

ANNEXURE-7

INTEGRITY PACT

NOT APPLICABLE

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 23 of 62 **ANNEXURE-8 UNDERTAKING** (To be typed and submitted in the Letter Head of the Company/Firm of Bidder) To. **MANAGER-PURCHASE** BHEL-SITE OFFICE, 3X800 MW PVUNL PATRATU-829119 Dear Sir/Madam, Sub: DECLARATION REGARDING INSOLVENCY/LIQUIDATION/BANKRUPTCY PROCEEDINGS Ref: NIT/Tender Specification No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 I/We, _____ declare that, I/We am/are not under insolvency resolution process or liquidation or Bankruptcy Code Proceedings (IBC) as on date, by NCLT or any adjudicating authority/authorities, which will render us ineligible for participation in this tender. Sign. of the AUTHORISED SIGNATORY (With Name, Designation and Company seal) Place:

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India Website: www.bhel.com

Date:

	er Spec No: BHE/PW/PUR/NIPRI/HIRING-EL		Page 24 01 62
		•	ANNEXUR
	<u>DECLA</u>	RATION	
			Date:
	ER-PURCHASE	020140	
iel Si	TE OFFICE, 3X800 MW PVUNL PATRATU-	829119	
b: D	etails of related firms and their area of	activities	
ar Sir	·/ Madam,		
ai Jil	, madin,		
	ind below details of firms owned by our fan		ng business/ registered for
me ite	em with BHEL,(NA,	if not applicable).	
1	Material Category/ Work Description		
	Name of Firm		
	Address of Firm		
	Nature of Business		
	Name of Family Member		
	Relationship		
2	Material Category/ Work Description		
	Name of Firm		
	Address of Firm		
	Nature of Business		
	Name of Family Member		
	Relationship		
	Relationship		

- ' '	PUR/NTPRT/HIRING-ELECTRICIAN/212	Page 25 of 62
DECLARATIO REVISED PUBLIC PROC 0 (To be typed and sub	N REGARDING MINIMUM LOCAL CONTE UREMENT (PREFERENCE TO MAKE IN IN 4 TH JUNE, 2020 AND SUBSEQUENT ORDE Omitted in the Letter Head of the Entity/Firm applicable)	Annexure-10 NT IN LINE WITH IDIA), ORDER 2017 DATED ER(S) In providing certificate as
To, MANAGER-PURCHASE	MW PVUNL PATRATU-829119	
Dear Sir,		
	num local content in line with Public Procureme l $04^{\rm th}$ June, 2020 and subsequent order(s).	nt (Preference to Make in India),
Ref: 1) NIT/Tender Spec N	o: BHE/PW/PUR/NTPRT/HIRING-ELECTR	ICIAN/212
2) All other pertinent i	ssues till date	
the organization here) has 'Class-I local supplier' / 'C	tems/works/services offered bya local content of % and this meets the lass II local supplier' ** as defined in Public Prion dated 04.06.2020 issued by DPIIT and subs	e local content requirement for ocurement (Preference to Make
The details of the loca 1 3 Thanking you, Yours faithfully,	tion(s) at which the local value addition 24	on is made are as follows:

(Signature, Date & Seal of Authorized Signatory of the Bidder)

** - Strike out whichever is not applicable.

Note:

- 1. Bidders to note that above format Duly filled & signed by authorized signatory, shall be submitted along with the techno-commercial offer.
- 2. In case the bidder's quoted value is in excess of Rs. 10 crores, the authorized signatory for this declaration shall necessarily be the statutory auditor or cost auditor of the company (in the case of companies) or a practising cost accountant or practicing chartered accountant (in respect of suppliers other than companies).
- 3. In the event of false declaration, actions as per the above order and as per BHEL Guidelines shall be initiated against the bidder.

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 Page 26 of 62 ANNEXURE-11 DECLARATION REGARDING COMPLIANCE TO RESTRICTIONS UNDER RULE 144 (xi) OF GFR 2017 (To be typed and submitted in the Letter Head of the Entity/Firm providing certificate as applicable) To. MANAGER-PURCHASE BHEL SITE OFFICE, 3X800 MW PVUNL PATRATU-829119 Dear Sir. Sub: Declaration regarding compliance to Restrictions under Rule 144 (xi) of GFR 2017 Ref: 1) NIT/Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212, 2) All other pertinent issues till date I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries. I certify that (specify the name of the organization here), is not from such a country a. has been registered with the Competent Authority (attach valid registration by the Competent b. Authority, i.e., the Registration Committee constituted by the Dept. for Promotion of Industry and Internal Trade (DPIIT)); and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. (attach relevant valid registration, if applicable)

I hereby certify that we fulfill all requirements in this regard and is eligible to be considered.

Thanking you, Yours faithfully,

(Signature, Date & Seal of Authorized Signatory of the Bidder)

Note: Bidders to note that in case above certification given by a bidder, whose bid is accepted, is found to be false, then this would be a ground for immediate termination and for taking further action in accordance with law and as per BHEL guidelines.

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 27 of 62

ANNEXURE-12

DECLARATION REGARDING TREATMENT OF CASES REGARDING CONFLICT OF INTEREST

(To be typed and submitted in the Letter Head of the Entity/Firm providing certificate as applicable)

To,

SR. MANAGER-PURCHASE

BHEL SITE OFFICE, 3X800 MW PVUNL PATRATU-829119

Dear Sir,

Sub: Declaration regarding Treatment of Cases Regarding Conflict of Interest

Ref: 1) NIT/Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

The bidder notes that a conflict of interest would said to have occurred in the tender process and execution of the resultant contract, in case of any of the following situations:

- If its personnel have a close personal, financial, or business relationship with any personnel of BHEL who are directly or indirectly related to the procurement or execution process of the contract, which can affect the decision of BHEL directly or indirectly;
- ii. The bidder (or his allied firm) provided services for the need assessment/ procurement planning of the Tender process in which it is participating;
- iii. Procurement of goods directly from the manufacturers/ suppliers shall be preferred. However, if the OEM/ Principal insists on engaging the services of an agent, such agent shall not be allowed to represent more than one manufacturer/ supplier in the same tender. Moreover, either the agent could bid on behalf of the manufacturer/ supplier or the manufacturer/ supplier could bid directly but not both. In case bids are received from both the manufacturer/ supplier and the agent, bid received from the agent shall be ignored. However, this shall not debar more than one Authorised distributor (with/ or without the OEM) from quoting equipment manufactured by an Original Equipment Manufacturer (OEM) in procurements under a Proprietary Article Certificate.
- iv. A bidder participates in more than one bid in this tender process. Participation in any capacity by a Bidder (including the participation of a Bidder as a partner/ JV member or sub-contractor in another bid or vice-versa) in more than one bid shall result in the disqualification of all bids in which he is a party. However, this does not limit the participation of an entity as a sub-contractor in more than one bid if he is not bidding independently in his own name or as a member of a JV.

The Bidder declares that they have read and understood the above aspects, and the bidder confirms that such conflict of interest does not exist and undertakes that they will not enter into any illegal or undisclosed agreement or understanding, whether formal or informal with other Bidder(s), in this regard. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process. In case, the Bidder is found having indulged in above activities, the same will be considered as a violation of the tender conditions, and suitable action shall be taken by BHEL as per extant policies/guidelines.

Thanking you, Yours faithfully,

(Signature, Date & Seal of Authorized Signatory of the Bidder)

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 28 of 62

ANNEXURE-13

NO DEVIATION CERTIFICATE

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

To,

SR. MANAGER-PURCHASE BHEL SITE OFFICE, 3X800 MW PVUNL PATRATU-829119

Dear Sir.

Sub: No Deviation Certificate

Ref: 1) NIT/Tender Specification No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212 2) All other pertinent issues till date

We hereby confirm that we have not changed/modified/materially altered any of the tender documents as downloaded from the website/issued by BHEL and in case of such observance at any stage, it shall be treated as null and void.

We also hereby confirm that we have neither set any Terms and Conditions and nor have we taken any deviation from the Tender conditions together with other references applicable for the above referred NIT/Tender Specification.

We further confirm our unqualified acceptance to all Terms and Conditions, unqualified compliance to Tender Conditions, Integrity Pact (if applicable) and acceptance to Reverse Auctioning process.

We confirm to have submitted offer in accordance with tender instructions and as per aforesaid references.

Thanking you,

Yours faithfully,

(Signature, date & seal of authorized representative of the bidder)

.....

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 29 of 62

ANNEXURE-14

IMPORTANT INFORMATION

E -Tender for this work is invited by BHEL PSWR 3X800 MW PVUNL PATRATU and offer shall be submitted through BHEL e-procurement portal only. All correspondences regarding this tender shall be through E-procurement portal.

Postal Address:

Sr. MANAGER/ PURCHASE BHEL SITE OFFICE, 3X800 MW PVUNL PATRATU 829119, INDIA

Following are the concerned BHEL officials to whom bidders can contact in case of any difficulty:

Sr. Manager Purchase, Email: kumar_deepak@bhel.in, Mob: 8004939836

- 1. Refer the abridged version of extant 'Guidelines for suspension of business dealings with suppliers/ contractors' which is available at www.bhel.com/sites/default/files/suspension-guidelines-abridged.pdf
- "Pradhan Mantri Kaushal Vikas Yojna: The contractor shall, at all stages of work deploy skilled/semi-skilled tradesmen who are qualified and possess certificate in particular trade from CPWD Training Institute/Industrial Training Institute/ National Institute of Construction Management and Research (NICMAR), National Academy of Construction, CIDC or any similar reputed and recognized Institute managed/certified by State/ Central Government. The number of such qualified tradesmen shall not be less than 20% of total skilled/semi-skilled workers required in each trade at any stage of work. The contractor shall submit number of man days required in respect of each trade, its scheduling and the list of qualified tradesmen along with requisite certificate from recognized Institute to Engineer in Charge for approval. Notwithstanding such approval, if the tradesmen are found to have inadequate skill to execute the work of respective trade, the contractor shall substitute such tradesmen within two days of written notice from Engineer in Charge. Failure on the part of contractor to obtain approval of Engineer in Charge or failure to deploy qualified tradesmen will attract a compensation to be paid by contractor at the rate of Rs.100 per such tradesman per day. Decision of Engineer in Charge as to whether particular tradesman possesses requisite skill and amount of compensation in case of default shall be final and binding".
- 3. All Statutory Requirements as applicable for this project shall be complied with.
- 4. Following clause shall form part of the HSE documents issued under Chapter IX of Volume IB 'Special Conditions of Contract'

"In case of any financial deduction made by Customer for lapses of safety other than what is provided elsewhere in the contract, the same shall be charged on back-to-back basis on the defaulting contractor without prejudice to any other right spelt anywhere in the tender /contract".

- 5. BHEL Fraud Prevention Policy: "The Bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice."
- 6. Acceptance of Bank Guarantee (BG)
 Revision in Acceptance of Bank Guarantee (BG) Clause no. 1.10.3 (iii) of Vol I C GCC:

Clause No. 1.10.3 (iii) of Vol IC GCC is revised as below: -

.....

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 30 of 62

"Bank Guarantee issued by:

a. Any of the BHEL consortium bank listed below:

State Bank of India

ABN Amro Bank N.V.

Bank of Baroda

Canara Bank

Citi Bank N.A.

Corporation Bank

Deutsche Bank

HDFC Bank Ltd.

The Hongkond and Shanghai Banking Corporation Ltd

ICICI Bank Ltd.

IDBI Ltd.

Punjab National Bank

Standard Chartered Bank

State Bank of Travancore

State Bank of Hyderabad

Syndicate Bank

- b. Any public sector Bank (other than consortium banks) with a clause in the text of Bank Guarantee that "It is enforceable at 3X800 MW PVUNL Patratu, Maharashtra".
- c. Any private sector banks, with a clause in the text of Bank Guarantee that "It is enforceable by being presented at any branch of the bank".

Note: "Bank Guarantees issued by Co-operative Banks are not acceptable".

7. Broad Terms & Conditions of Reverse Auction: NOT APPLICABLE

In continuation to Clause 19.0 of NIT (Notice Inviting Tender) following are the broad terms and conditions of Reverse Auction:

"BHEL shall be resorting to Reverse Auction (RA) (Guidelines as available on <u>www.bhel.com</u>) for this tender. RA shall be conducted among the techno-commercially qualified bidders.

Price bids of all techno-commercially qualified bidders shall be opened and same shall be considered for RA. In case any bidder(s) do(es) not participate in online Reverse Auction, their sealed envelope price bid along with applicable loading, if any, shall be considered for ranking."

Notes:

- i) In case of enquiry through e-procurement the sealed electronic price bid (e-bid) is to be treated as sealed envelope price bid.
- ii) Reverse Auction will be conducted if two or more bidders are techno-commercially qualified. In case of two or three qualified bidders, there shall be no elimination of H1 bidder (whose quote is highest in sealed envelope price bid).
- iii) In case more than one H-1 bidder quote the same rate, the Price Offer received last, as per the time log of the Portal, shall be removed first, on the principle of last in, first out by the system.
- iv) However, H-1 will be allowed to participate in RA in the following cases:
 - a. If number of techno-commercially qualified bidders are only 2 or 3...
 - b. For cases where there are more than 3 techno-commercially qualified bidders, if lowest bidder in sealed price bid is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII lowest bidder.
- 8. Bidder to strictly follow all the necessary guidelines issued by Customer, District Magistrate, State Government and Central government to control Pandemic/Epidemic outbreak. The related towards quarantine Centre/Medical expenses etc., if any, shall be in the bidder's scope

.....

E-Tender Spec No: BHE/PW/PUR/NTPRT/HIRING-ELECTRICIAN/212

Page 31 of 62

- 9. Following clause of Volume-I-C-General Conditions of Contract clause shall not be applicable for this contract:
 - i. Clause 1.9: EMD
 - ii. Clause 1.14: Execution of Contract Agreement
 - iii. Clause 1.10 & 1.11: Security Deposit & Return of Security Deposit
 - iv. Clause 2.7.9: LIQUIDATED DAMAGES/PENALTY
 - v. Clause 2.9: Progress Monitoring, Monthly Review and Performance Evaluation
 - vi. Clause No. 2.12: Overrun Compensation
 - vii. Clause 2.13: INTEREST BEARING RECOVERABLE ADVANCES/ SECURED RECOVERABLE ADVANCES
 - viii. Clause 2.14: Quantity Variation
 - ix. Clause 2.15: Extra Works
 - x. Clause 2.16: Supplementary Items
 - xi. Clause 2.17: Price variation Compensation
 - xii. Clause 2.22: Retention amount
 - xiii. Clause 2.24: PERFORMANCE GUARANTEE FOR WORKMANSHIP
- 10. In case of Breach of Contract is established in accordance with clause no.-2.7.2 of GCC (General Conditions of Contract), BHEL shall be entitled to recover an amount equivalent to 10% of the Contract Value for the damages on account of breach of contract committed by the Contractor. This amount shall be recovered in accordance with the methodology mentioned under clause no.-2.7.2.2 of GCC
- 11. The successful tenderer's responsibility under this contract commences from the date of issue of the Letter of Intent / work-order by Bharat Heavy Electricals Limited. The contract agreement shall be deemed to have come into force from the date of acceptance of LOI/ Work-Order by the subcontractor.

Registered Office: BHEL House, Siri Fort, New Delhi – 110 049, India

TECHNICAL CONDITIONS OF CONTRACT (TCC)

BHARAT HEAVY ELECTRICALS LIMITED



TECHNICAL CONDITIONS OF CONTRACT (TCC) CONTENTS

Sl No	DESCRIPTION	Chapter
Volume-IA	Contract specific details & Technical Specifications	
1	Project Information	Chapter-I
2	Scope of Works	Chapter-II
3	Facilities in the scope of Contractor/BHEL	Chapter-III
4	T&Ps and MMEs to be deployed by Contractor	Chapter-IV
5	T&Ps and MMEs to be deployed by BHEL on sharing basis	Chapter-V
6	Time Schedule	Chapter-VI
7	Terms of Payment	Chapter-VII
8	Taxes and Duties	Chapter-VIII
9	DRAWINGS & STANDARDS APPLICABLE	Chapter-IX
10	DETAILED TECHNICAL SPECIFICATIONS	Chapter-X
11	Bill of Quantities and % Weightage of Individual Items	Chapter-IX

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter - I: Project Information

1. Project Information

Project Name: 3x800 MW Patratu Vidut Utpadan Nigam Ltd. (PVUNL) Patratu STPP The proposed site is located near Patratu town in Ramgarh district of Jharkhand.

The latitudes and longitudes of the site are as follows:

Main Plant & Township:

Corner name	Latitude	Longitude
Top Corner	23° 39 ′ 00'' N	85° 17' 51.5" E
Bottom Corner	23° 38 '12.5" N	85° 17′ 27" E
Left Corner	23° 38 ' 22.5" N	85° 17′ 10.6'' E
Right Corner	23° 38 ' 40" N	85° 17′ 57'' E

Nearest Town : Patratu (3Km)
Nearest City : Ranchi (35Km)
Nearest Rly Station : Patratu (4Km)
Nearest Airport : Ranchi (45Km)
Nearest Seaport : Kolkata (424 Km)

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-II: Scope of Work and Technical Specifications

2.0 SCOPE OF WORK

- a) The scope of work includes calibration, checking, replacing, testing and commissioning, & post-commissioning activities using vendor's own tools and tackles and testing instruments along with the supply of all consumables like insulation tapes, HT tapes, paints, cable dressing materials, tag plates, PVC sleeves etc.
- b) The man power should be available throughout the contract period inclusive of all holidays and Sundays.
- c) During the maintenance period, Contractor shall also replace any defective items from spares at free of cost for all electrical installation. However, replacement materials / spares shall be supplied by BHEL as free issue.
- d) Contractor shall attend the break down and replace the defective components promptly.
- e) During the maintenance period, if the contractor fails to deploy adequate manpower continuously for two weeks, BHEL will make alternative arrangement and recover the cost incurred for the same along with 5% overheads. Decision of BHEL shall be final and binding on the contractor.
- f) All necessary Hand tools, multimeter, Megger, earth tester, earthing rods etc shall be in the contractor's scope.
- g) Any other special tools & tackles required to maintain the System shall be arranged by the contractor.
- h) All Safety PPE's required for testing and commissioning work shall be in the scope of contractor.

2.01

- a) Manpower deployment:10 Nos Electricians and 09 Helpers, i.e. Total 19 manpower's
- b) Contract period: 60 Days (2 Months)

2.02

Contractor shall maintain a Log Book for manpower.

TECHNICAL CONDITIONS OF CONTRACT (TCC)

Chapter-III: Facilities in the scope of Contractor/BHEL (Scope Matrix)

3.0 Facilities in the scope of Contractor/BHEL (Scope Matrix)

S. No.	Description	Scope to be taken care by		Remarks
	PART I	BHEL	Bidder	
1.3.1.1	ESTABLISHMENT			
1.3.1.1.1	FOR CONSTRUCTION PURPOSE: (Maintenance)			
1.3.1.1.1.1	Open space for office	Yes		
1.3.1.1.1.2	Open space for storage	Yes		
1.3.1.1.3	Construction of bidder's office, canteen and storage building including supply of materials and other services		Yes	
1.3.1.1.4	Bidder's all office equipment, office / store / canteen consumables		Yes	
1.3.1.1.5	Canteen facilities for the bidder's staff, supervisors and engineers etc		Yes	
1.3.1.1.6	Firefighting equipment's like buckets, extinguishers etc		Yes	
1.3.1.1.7	Fencing of storage area, office, canteen etc of the bidder		Yes	
1.3.1.1.2	FOR LIVING PURPOSES OF THE BIDDER			
1.3.1.1.2.1	Open space		Yes	
1.3.1.1.2.2	Living accommodation		Yes	
1.3.1.2	ELECTRICITY			
1.3.1.2.1	Electricity For construction purposes (to be specified whether chargeable or free)		Yes	
1.3.1.2.1.1	Single point source		Yes	
1.3.1.2.1.2	Further distribution for the work to be done which include supply of materials and execution		Yes	
1.3.1.2.2	Electricity for the office, stores, canteen etc of the bidder which include:		Yes	
1.3.1.2.2.1	Distribution from single point including supply of materials and service		Yes	
1.3.1.2.2.2	Supply, installation and connection of material of energy meter including operation and maintenance		Yes	
1.3.1.2.2.3	Duties and deposits including statutory clearances for the above		Yes	
1.3.1.2.2.4	Living facilities for office use including charges		Yes	
1.3.1.2.2.5	Demobilization of the facilities after completion of works		Yes	

Chapter-III: Facilities in the scope of Contractor/BHEL (Scope Matrix)

S. No.	Description Scope to be taken care by		Remarks	
	PART I	BHEL	Bidder	
1.3.1.2.3	Electricity for living accommodation of the			
	bidder's staff, engineers, supervisors etc on			
, i	the above lines.(in case BHEL provides this		Yes	
	facility, the scope should be given without			
	ambiguity)			
1.3.1.3.0	WATER SUPPLY			
1.3.1.3.1	For construction purposes:		Yes	
1.3.1.3.1.1	Making the water available at single point		Yes	
1.3.1.3.1.2	Further distribution as per the requirement of			
	work including supply of materials and		Yes	
	execution			
1.3.1.3.2	Water supply for bidder's office, stores,		Yes	
	canteen etc			
1.3.1.3.2.1	Making the water available at single point		Yes	
1.3.1.3.2.2	Further distribution as per the requirement of			
	work including supply of materials and		Yes	
	execution			
1.3.1.4.0	LIGHTING			
1.3.1.4.1	For construction work (supply of all the			
	necessary materials)			
	At office storage area		Yes	
	At the preassembly area			
12112	At the construction site /area			
1.3.1.4.2	For construction work (Execution of the lighting			
	work / arrangements)		Yes	
	At office storage area At the preassembly area		res	
	At the construction site /area			
1.3.1.5.0	COMMUNICATION FACILITIES for site			
1.5.1.5.0	operations of the bidder	-		
1.3.1.5.1	Telephone, Fax, internet, intranet, email etc		Yes	
1.3.1.3.1	receptione, rax, internet, intraffet, email etc		162	

SI.No	Description	Scope to be taken care by		Remarks	
	PART II	BHEL	Bidder		
1.3.2	ERECTION FACILITIES				
1.3.2.1.0	Engineering works for construction				
1.3.2.1.1	Providing the erection drawings for all the equipment's covered under this scope		Yes	N.A.	
1.3.2.1.2	Drawings for construction methods		Yes	N.A.	

Chapter-III: Facilities in the scope of Contractor/BHEL (Scope Matrix)

Sl.No	Description	Scope to be taken care by		Remarks	
	PART II	BHEL	Bidder		
1.3.2.1.3	As-built drawings – wherever deviations		Yes	N.A.	
	observed and executed and also based on the				
	decisions taken at site- example – routing of				
	small bore pipes				
1.3.2.1.4	Shipping lists etc for reference and planning the		Yes	N.A.	
	activities				
1.3.2.1.5	Preparation of site erection schedules and		Yes	N.A.	
	other input requirements				
1.3.2.1.6	Review of performance and revision of site		Yes		
	Maintenance schedules in order to achieve the				
	end dates and other commitments				
1.3.2.1.7	Weekly Maint. schedules based on		Yes		
	SI No 1.3.2.1.5				
1.3.2.1.8	Daily Maintenance/ work plan based on		Yes	For daily monitoring	
	SI No 1.3.2.1.7			meeting at site	
1.3.2.1.9	Periodic visit of the senior official of the bidder		Yes		
	to site to review the progress so that works are				
	completed as per schedule. It is suggested this				
	review by the senior official of the bidder				
	should be done once in every two months.				
1.3.2.1.10	Preparation of preassembly bay		Yes		
1.3.2.1.11	Laying of racks for gantry crane if provided by			Not applicable	
	BHEL or brought by the contractor/bidder				
	himself				

1.3.3 LAND FOR SITE OFFICE

- 1.3.3.1 To establish a temporary site office, fabrication yard and storage area at the job site, open space will be provided free of charges. Contractor has to make his own arrangements for labour colony.
- 1.3.3.2 BHEL shall not provide to the contractor any residential accommodation to any of his staff and the contractor has to make his own arrangements.
- 1.3.3.3 Contractor has to furnish along with their offer, the details of requirements of area of space for his temporary site office, stores / storage shed.
- 1.3.3.4 Location and area requirement for office / storage sheds / fabrication yard shall be discussed and mutually agreed to.

1.3.4 CONSTRUCTION WATER

1.3.4.1 Construction water to be arranged by Contractor (Bidder).

1.3.5 CONSTRUCTION POWER

1.3.5.1 Electricity for construction purpose LT power will be provided by BHEL at one single point on chargeable basis as per current rate of the state. Further distribution of electricity shall be arranged by the contractor at his cost.

Chapter-III: Facilities in the scope of Contractor/BHEL (Scope Matrix)

- 1.3.5.2 Any duty, deposit involved in getting the Electricity shall be borne by the bidder. As regards contractor's office shed also all such expenditure shall be borne by the contractor.
- 1.3.5.3 If LT power supply is not available at site during initial period, Contractor has to arrange required capacity DG set for erection & commissioning of 33kV /11kV substation and 11kV / 433 V substations LT Power may be taken from first charged substation.
- 1.3.5.4 Provision of distribution of electrical power from the given single central common point to the required places with proper distribution boards, approved cables and cable laying including supply of all materials like cables, switch boards, pipes etc., observing the safety rules laid down by electrical authority of the State / BHEL / their customer with appropriate statutory requirements shall be the responsibility of the tenderer / contractor.
- 1.3.5.5 BHEL is not responsible for any loss or damage to the contractor's equipment as a result of variations in voltage / frequency or interruptions in power supply.
- 1.3.5.6 As there are bound to be interruptions in regular power supply, power cut / load shedding in any construction sites, suitable extension of time, if found necessary only be given and contractor is not entitled for any compensation. Contractor shall make his own arrangement for alternative source of power supply through deployment of adequate number of DG sets with consumables at their cost during the power breakdown / failure to get urgent and important work to go on without interruptions. No separate payment shall be made for this contingency.

1.3.6 HT ELECTRICAL LICENCE

Contractor should possess valid "HT Electrical Contractor License" issued by JHARKHAND STATE Electricity authorities for executing 33kV, 11kV electrical works before start of work. Copy of the certificate shall be furnished to BHEL site engineer before the start of work

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-IV: T&Ps and MMEs to be deployed by Contractor

4.0 EQUIPMENT / T & P FOR MAINTENANCE:

- Digital Calibrated Insulation tester 01 no.,
- Calibrated Multi-meter 04 nos.,
- Discharge rod 02 nos.,
- Spanner set 03 sets,
- Screw driver set with tester 09 sets,
- Crimping tool 04 set,

4.1 **NOTES FOR THIS CHAPTER:**

- a. List of T & Ps and testing equipment are for illustrative purpose only. Any other T & Ps and testing equipment required for successful completion of the scope of the contract shall also be arranged by the contractor within the quoted rates.
- b. All testing instruments shall have calibration certificate issued by recognized / accredited agencies.
- c. The above instruments / equipment will be sent for testing and calibration wherever from time to time and maintained by contractor as required by BHEL.
- d. List of such agencies and periodicity of calibration with calibration certificate required for different instruments will be furnished to BHEL at site.
- e. Contractor shall maintain calibration records as per the BHEL format and produce them whenever called for by BHEL Engineers.
- f. Contractors shall arrange experienced/ qualified persons for using these calibration instruments at laboratory and also at work spot.
- g. Wherever frequent calibration is required, contractor shall arrange adequate number of instruments such that the work does not suffer for want of test instruments.
- h. Equipment, vehicles, tools and plants and materials brought to site by the contractor from his resources shall have distinctive identification marks and the contractor shall intimate the description and quantity to BHEL in writing.
- i. All construction materials brought by the contractor shall have prior approval regarding quality and quantity by BHEL. The contractor shall also provide without any extra cost necessary enclosure containers and protective materials for proper storage of materials inside while the materials are in their custody, whenever so instructed by the purchaser without any extra cost.
- j. No material or equipment or tools etc. shall be taken out of the work-site without the written consent of BHEL.
 - BHEL shall not be responsible for the safety and protection of the materials of the contractor and the contractor shall make his arrangements for proper watch and ward for his materials.

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-V: T&Ps and MMEs to be Provided by BHEL

5.0 T&Ps AND MMEs TO BE DEPLOYED BY BHEL ON SHARING BASIS:

_	4				_	٠.
5.3	1	Arc	FI20	ch:	VII	ıŧ
J.,		\neg ı c	ı ıa.	31 I	Ju	ıı.

5.2 No other T & P shall be deployed by BHEL.

BHEL-PSWR (VOL-I-A- TECHNICAL BID)

Chapter - VI: TIME SCHEDULE

6.0 Time Schedule and Mobilization:

6.1 <u>CONTRACT PERIOD</u> 60 Days

6.2 <u>COMMENCEMENT OF CONTRACT PERIOD</u>

The date of commencement of contract period shall be the mutually agreed date between the bidder and BHEL engineer to start the work. In case of discrepancy the decision of BHEL engineer is final.

Penalty on Non-deputation/Non-mobilisation: In case of NON-DEPUTATION/ NON-MOBILISATION, Penalty (subject to maximum of 10% of the contract value) shall be as per following-

Sl. No.	Item Description	Penalty
1	Skilled Manpower -Electrician	Penalty/day/Manpower= (Daily Wage/day) X1.2
2	Unskilled Manpower -Helper	Penalty/day/Manpower= (Daily Wage/day) X1.2

TECHNICAL CONDITIONS OF CONTRACT (TCC) Chapter-VII: Terms of Payment

7.0 TERMS OF PAYMENT:

- 1. Terms of payment: No advance payment will be made.
- II. Payment shall be done based on Man-days
- III. 100% Payment will be done within 45 days after successful completion of work for a period of 60 days at Patratu site and submission of Original invoice and other supporting documents.

7.1 **QUANTITY Variation:**

The quantity indicated in the BOQ is approximate only and is liable for variation. Payment will be as per actual quantity executed as certified by BHEL Engineer considering Unit rate of individual items of BOQ. Agency will not be eligible any kind of compensation on reduction of the above quantity.

7.2 Definition

One man month: 26 working days in calendar month

One man-day :1/26 man-month

One man-day : 8 hrs working time (excluding lunch time)

Working hours : 08:00 to 17:00 Normal and 17:00 to 20:00 for Over time. May change as

per site requirement.

7.3 Contact period Time extension:

Contract can be further extended for mutual agreed period after expiry.

- **7.4 Statutory compliance**: Agency has to follow all applicable site rules/regulation about labour engagement-insurance, wages, PF, safety etc. as notified by Government/PVUNL/BHEL. Unskilled labour shall be engaged from local community as per requirement.
- 7.5 Security Deposit: Not Applicable
- **7.6 EMD**: NOT APPLICABLE
- 7.7 RETENTION AMOUNT: NOT APPLICABLE

TAXES, DUTIES, LEVIES (Rev 14 dated 09/10/2020)

- 1. All taxes excluding GST, GST Cess & BOCW Cess but including, Royalties, fees, license, deposits, commission, any State or Central Levy and other charges whatsoever, if any, shall be borne by you and shall not be payable extra.
- 2. Any increase of the taxes excluding GST, GST Cess & BOCW **Cess**, at any stage during execution including extension of the contract shall have to be borne by the contractor. Quoted/accepted rates/price shall be inclusive of all such requirements. Please note that since GST on output will be paid by BHEL separately as enumerated below, your quoted rates/price should be after considering the Input Credit under GST law at your end.

3. **GST**:

The successful bidder shall furnish proof of GST registration .GST along with Cess (as applicable) legally leviable & payable by the successful bidder as per GST Law, shall be paid by BHEL. Hence Bidder shall not include GST along with Cess (as applicable) in their quoted price.

- 4. GST charged in the Tax Invoice/Debit note by the contractor shall be released separately to the contractor only after contractor files the outward supply details in GSTR-1 on GSTN portal and input tax credit of such invoice is matched with corresponding details of outward supply of the contractor and has paid the GST at the time of filing the monthly return
- 5. E-invoicing under GST has been implemented with effect from 1st October 2020 for all the taxable persons having turnover more than the threshold limit in any preceding financial year from 2017-18 onwards. Therefore, for all the taxable persons falling under the purview of E-invoice, it is mandatory to mention a valid unique Invoice Reference No. (IRN) and QR code as generated from E-Invoicing portal of the Government for the purpose of issuing a valid Tax Invoice. Only an E-invoice issued in the manner prescribed under rule 48(4) of CGST Rules shall be treated as valid invoice for reimbursement of GST amount.
 - If the successful Bidder is not falling under the purview of E-Invoicing then he has to submit a declaration in that respect along with relevant financial statements.
- 6. Bidder shall note that the GST Tax Invoice complying with GST Invoice Rules (Section 31 of GST Act & Rules referred there under) wherein the 'Bill To' details will as below:

BHEL GSTN - As per Annexure -1

NAME -- Bharat Heavy Electricals Limited

ADDRESS - Site address

7. Bidder to immediately intimate on the day of removal of Goods (in case of any supply of goods) to BHEL along with all relevant details and a scanned copy of Tax Invoice to below email ids to enable BHEL to meet its GST related compliances:-

Email id ---- to be intimated later on.

- In case of delay in submission of the abovementioned documents on the date of dispatch, BHEL may incur penalty /interest for not adhering to Invoicing Rules under GST Law. The same will be liable to be recovered from the successful bidder, if such delay is not attributable to BHEL.
- 8. In case of raising any Supplementary Tax Invoice (Debit / Credit Note) Bidder shall issue the same containing all the details as referred to in Section 34 read with Rule 53.
- 9. Bidder shall note that in case GST credit is delayed/denied to BHEL due to delayed / non receipt of goods and /or tax invoice or expiry of the timeline prescribed in GST Law for availing such ITC, or any other

reasons not attributable to BHEL, GST amount shall be recoverable from the vendor along with interest levied / leviable on BHEL, as the case may be.

- 10. Bidder shall upload the Invoices raised on BHEL in GSTR-1 within the prescribed time as given in the GST Act. Bidder shall note that in case of delay in declaring such invoice in your return and GST credit availed by BHEL is denied or reversed subsequently as per GST Law, GST amount paid by BHEL towards such ITC reversal as per GST law shall be recoverable from the bidder along with interest levied / leviable on BHEL.
- 11. Way Bill: Successful Bidder to arrange for way bill / e-waybill for any transfer of goods for the execution of the contract.
 - The Bidder has to make their own arrangement at their cost for completing the formalities, if required, with Issuing Authorities, for bringing materials, plants & machinery at site for execution of the works under this contract, Road Permit/ Way Bill, if required, shall be arranged by the contractor and BHEL will not supply any Road Permit/ Way Bill for this purpose.
- 12. **New taxes and duties**:-Any New taxes & duties, if imposed subsequent to due date of offer submission as per NIT & TCN, by statutory authority during contract period including extension, if the same is not attributable to you, shall be reimbursed by BHEL on production of relevant supporting document to the satisfaction of BHEL. However, you shall obtain prior approval from BHEL before depositing new taxes and duties.
 - Benefits and/or abolition of all existing taxes must be passed on to BHEL against new Taxes, if any, proposed to be introduced at a later date.
 - In case any new tax/levy/duty etc. becomes applicable after the date of bidder's offer but before opening of the price bid, the bidder must convey its impact on his price duly substantiated by documentary evidence in support of the same before opening of the price bids. Claim for any such impact after opening the price bid will not be considered by BHEL for reimbursement of tax or reassessment of offer.
- 13. For transportation work, bidder shall declare in his quotation whether he is registered under GST, if yes, whether he intends to claim GST on forward charge basis. In absence of this declaration, BHEL will proceed further with the assumption that bidder intends not to claim GST on forward charge basis. However, in case of GST registered transporter, the amount to the extent of goods and service tax will be retained till BHEL avails the credit of GST. Further, transporter shall issue tax invoice which inter alia includes gross weight of the consignment, name of the consigner and the consignee, registration number of vehicle in which the goods are transported, details of goods transported, details of place of origin and destination, GSTIN of the person liable for paying tax whether as consigner, consignee or goods transport agency, and also containing other information as mentioned under rule 46.
- 14. TDS under Income Tax shall be deducted at prevailing rates on gross invoice value from the running bills unless exemption certificate from the appropriate authority/ authorities is furnished.
- 15. TDS under GST shall be deducted at prevailing rates on applicable value from the running bills.
- 16. TCS under Income Tax 1961 has been implemented with effect from 1st October 2020 for every seller having turnover more than threshold limit during financial year immediately preceding financial year in which the sale of goods is carried out, who receives any amount as consideration for sale of any goods of the value or aggregate of such value exceeding threshold limit other than

export of goods or who is already covered under other provision of section 206C, collect from the buyer, TCS as per applicable rates of the sale consideration exceeding threshold limit subject to following conditions

- i. Buyer shall be as per clause (a) of section 206C- (1H)
- ii. Seller shall be as per clause (b) of section 206C- (1H)
- iii. No TCS is to be collected, if the seller is liable to collect TCS under other provision of section 206C or the buyer is liable to deduct TDS under any provision of the Act and has deducted such amount.

If Successful Bidder is falling under the purview of TCS then he has to submit a declaration in that respect along with relevant financial statements before the start of work or if bidder is falling under preview of TCS during the work in progress then bidder is compulsorily required to submit relevant financial statement in the beginning of the respective FY.

For TCS claim, vendor has to submit relevant documents required as per Income Tax Act.

17. Refer Annexure – 2 for BOCW Act & Cess Act.

ANNEXURE-1

State wise GSTIN no.s of BHEL

Sl. No	Projects under state	GSTIN
1	Andhra Pradesh	37AAACB4146P7Z8
2	Bihar	10AAACB4146P1ZU
3	Chhattisgarh	22AAACB4146P1ZP
4	Gujarat	24AAACB4146P1ZL
5	harkhand	20AAACB4146P5ZP
6	Madhya Pradesh	23AAACB4146P1ZN
7	Maharashtra	27AAACB4146P1ZF
8	Orissa	21AAACB4146P1ZR
9	Гelangana	B6AAACB4146P1ZG

ANNEXURE-2

BOCW Act & Cess Act

Bidder may please note that the sub-contractor/bidder of BHEL engaging building or construction worker in connection with building or other construction work, are required to follow the procedures enumerated below:

- 1. It shall be the sole responsibility of the contractor as employer to ensure compliance of all the statutory obligations under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder.
- 2. It shall be sole responsibility of the contractor engaging Building Workers in connection with the building or other construction works in the capacity of employer to apply and obtain registration certificate specifying the scope of work under the relevant provisions of the Building and Other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 from the appropriate Authorities.

- 3. It shall be responsibility of the contractor to furnish a copy of such Registration Certificate within a period of one month from the date of commencement of Work.
- 4. It is responsibility of the contractor to register under the Building and other Construction Workers' Welfare Cess Act, 1996 and deposit the required Cess for the purposes of the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 at such rate as the Central Government may , by notification in the Official Gazette, from time to time specify. However, before registering and deposit of Cess under the Building and other Construction Workers' Welfare Cess Act, 1996, the contractor will seek written prior approval from the Construction Manager.
- 5. It shall be sole responsibility of the contractor as employer to get registered every Building Worker, who is between the age of 18 to 60 years of age and who has been engaged in any building or other construction work for not less than ninety days during the preceding twelve months as Beneficiary under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996.
- 6. It shall be sole responsibility of the contractor as employer to maintain all the registers, records, notices and submit returns under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder.
- 7. It shall be sole responsibility of the contractor as employer to provide notice of poisoning or occupation notifiable diseases, to report of accident and dangerous occurrences to the concerned authorities under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the rules made thereunder and to make payment of all statutory payments & compensation under the Employees' Compensation Act, 1923.
- 8. It shall be the responsibility of the sub-contractor as employer to make payment/deposit of applicable cess amount on the extent of work involving building or construction workers engaged by the sub-contractor within a period of one month from the receipt of payment. It shall also be responsibility of the Contractor to furnish BHEL on monthly basis, Receipts/ Challans towards Deposit of the Cess under the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder along with following statistics:
 - (i) Number of Building Workers employed during preceding one month.
 - (ii) Number of Building workers registered as Beneficiary during preceding one month.
 - (iii)Disbursement of Wages made to the Building Workers for preceding wage month.
 - (iv) Remittance of Contribution of Beneficiaries made during the preceding month
- 9. BHEL shall reimburse the contractor the Cess amount deposited for the purposes of the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 under the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder. However, BHEL shall not reimburse the Fee paid towards the registration of establishment, fees paid towards registration of Beneficiaries and Contribution of Beneficiaries remitted.
- 10. It shall be responsibility of the Building Worker engaged by the Contractor and registered as a beneficiary under the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 to contribute to the Fund at such rate per mensem as may be specified by the State government by notification in the Official Gazette. Where such beneficiary authorizes the contractor being his employer to deduct his contribution from his monthly wages and to remit the same, the contractor shall remit such contribution to the Building and other construction Workers' Welfare Board in such manner as may be directed by the Board, within the fifteen days from such deduction.

- 11. Bidders may please note that though the quoted price is exclusive of BOCW (which will be reimbursed by BHEL as per sub-clause 9 above), however, If at any point of time during the contract period, non-compliance of the provisions of the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder is observed, BHEL reserves the right to deduct the applicable cess (1%) on the contract value and penalty (if any, imposed by Cess Authorities) from the payables on account of non-compliance.
- 12. The contractor shall declare to undertake any liability or claim arising out of employment of building workers and shall indemnify BHEL from all consequences / liabilities / penalties in case of non-compliance of the provisions of the Building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act, 1996 and the Building and other Construction Workers' Welfare Cess Act, 1996 and the rules made thereunder.

9.0 STANDARDS APPLICABLE

- 9.1 All equipment and materials shall be designed, manufactures and tested in accordance with the latest applicable Indian Standards (IS) except where modified and / or supplemented by this specification.
- 9.2 Equipment and materials conforming to any other standard which ensures equal or better quality may be accepted. In such case, copies of the English version of the standard adopted shall be submitted along with the bid.
- 9.3 The electrical installation shall meet the requirement of Indian Electricity Rules as amended up to dates, relevant IS codes of Practice and Indian Electricity Act. In addition, other rules or regulations applicable to the work shall be followed. In case of any discrepancy, the more restrictive rule shall be binding. A list of applicable standards is given below for reference.

S. No.	List of IS applicable	Description
1	IS: 10028: 1981 (Part-II & III)	Code of practice for Installation and maintenance of transformers (superseding IS: 1886)
2	IS: 10322: 1982 (Part-I)	Luminaires General Requirements
3	IS: 10322: 1982 (Part-II)	Luminaires Constructional Requirements
4	IS: 10322: 1984 (Part-III)	Luminaires Screw and screwless terminals
5	IS: 10322: 1984 (Part-IV)	Luminaires Methods of tests
6	IS: 10322: 1985 (Part-V) Sec-I	Luminaires Particular requirements Section 1 General purpose luminaires
7	IS: 10322: 1985 (Part-V) Sec-II	Luminaires Particular Requirements Section 2 Recessed Luminaires
8	IS: 10322: 1987 (Part-V) Sec-III	Luminaires Particular requirements Section 3 Luminaires for road and street lighting (superseding IS:2149)
9	IS: 10322: 1987 (Part-V) Sec-IV	Luminaires Particular requirements Section 4 Portable general purpose luminaires
10	IS: 10322: 1987 (Part-V) Sec-V	Luminaires Particular requirements Section 5 Flood light (superseding IS 1947)
11	IS: 104: 1979: (Second Revision)	Ready mixed paint, brushing, zinc chrome, priming
12	IS: 11171: 1985	Dry type power transformers
13	IS: 1180: 1989 (Part-I,II)	Outdoor type three phase distribution transformers up to and including 100kVA 11kV
14	IS: 1248: 2003 (Part I to IX)	Electrical measuring instruments and their accessories
15	IS: 1255: 1983	Code of practice for installation and maintenance of power cables up to and including 33kV rating
16	IS: 13118: 1991	Specification for High Voltage Alternating Current Circuit Breakers
17	IS: 13234: 1992	Guide for short circuit current calculation in three phase AC systems

18	IS: 13947: 2004 (Part-V)	Low voltage switchgear and control gear: Control circuit devices and switching elements
19	IS: 1445: 1977	Porcelain insulators for overhead lines with a nominal voltage up to and including 1000 V
20	IS: 15086: 2001 (Part-I)	Nonlinear resistor type gapped surge arresters for AC systems.
21	IS: 15086: 2001 (Part-V)	Surge Arresters selection and application recommendations.
22	IS: 15086: 2003 (Part-III)	Artificial Pollution Testing of Surge Arresters
23	IS: 15505: 2004	HCFC Blend- A Fire Extinguishing System
24	IS: 1554 (Part-I): 1988	PVC insulated (Heavy duty) electric cables for working voltages up to & including 1100 volts (Third Revision)
25	IS: 1554 (Part-II): 1988	PVC insulated (Heavy duty) electric cables for working voltages from 3.3kV up to & including 11kV (second Revision)
26	IS: 15652: 2006	Insulating Mats for Electrical Purposes - Specification
27	IS: 1678: 1998	Specification for pre-stressed concrete poles for overhead power, traction and telecommunication lines
28	IS: 1866: 2000	Electrical maintenance & supervision of mineral insulating oil in equipment (Third Revision)
29	IS: 1885: 1961 (Part-I)	Fundamental Definition
30	IS: 1885: 1966 (Part-XI)	Electro technical Vocabulary Electrical Measurement
31	IS: 1885: 1971 (Part- XXX)	Electro technical Vocabulary Overhead Transmission Line and distribution of electrical energy
32	IS: 1885: 1992 (Part-IX)	Electro technical Vocabulary: Electrical Relays
33	IS: 1885: 1993 (Part-LIV)	Electro technical Vocabulary Insulators
34	IS: 1885: 1993 (Part- LXXVII)	Electro technical Vocabulary Overhead Lines
35	IS: 1885: 1993 (Part- LXXXI)	Electro technical Vocabulary electrical measuring instruments
36	IS: 1885: 1993 (Part- XXVIII)	Electro technical Vocabulary Instrument Transformers
37	IS: 1885: 1993 (Part- XXXVIII)	Electro technical Vocabulary Power Transformers and Reactors
38	IS: 1885: 2008 (Part-X)	Electro technical Vocabulary Electrical power system protection
39	IS: 2026: 1977 (Part-I)	Power Transformers General
40	IS: 2026: 1977 (Part-II)	Power Transformers Temperature rise
41	IS: 2026: 1977 (Part-IV)	Power Transformers Terminal marking, tappings and connections.
42	IS: 2026: 1981 (Part-III)	Power transformers Insulation level and dielectric tests
43	IS: 2026: 1994 (Part-V)	Power Transformers/Reactor bushings minimum external clearance in air specification
44	IS: 2099: 1986	Bushings for alternating voltages above 1000 V
45	IS: 2121: 1981 (Part-I)	Conductors and earth wire accessories for overhead power lines Armour rods, binding wires and tapes for conductors

46	IS: 2121: 1981 (Part-II)	Conductors and earth wire accessories for overhead power lines Mid span joints and repair sleeves for conductors
47	IS: 2121: 1991 (Part-II)	Conductors and earth wire accessories for overhead power lines Non tension joints
48	IS: 2121: 1992 (Part-II)	Conductors and earth wire accessories for overhead power lines Accessories for earth wire
49	IS: 2171: 1976	Portable fire extinguishers, dry powder (cartridge type)
50	IS: 2486: 1974 (Part-III)	Insulator fittings for overhead power lines with nominal voltage greater than 1000V Locking Devices
51	IS: 2486: 1981 (Part-IV)	Insulator fittings for overhead power lines with nominal voltage greater than 1000V Tests for Locking Devices
52	IS: 2486: 1989 (Part-II)	Insulator fittings for overhead power lines with nominal voltage greater than 1000V Dimensional requirements
53	IS: 2486: 1993 (Part-I)	Metal fittings of insulators for overhead power lines with nominal voltage greater than 1000V General Requirements and tests.
54	IS: 2544:1973	Porcelain post insulators for systems with nominal voltage greater than 1000 Volts.
55	IS: 2675: 1983	Enclosed distribution fuse boards and cutouts for voltages not exceeding 1000 V Ac and 1200 V Dc
56	IS: 2705: 1992 (Part-I)	Current Transformers General Requirements
57	IS: 2705: 1992 (Part-II)	Current Transformers Measuring Current Transformers
58	IS: 2705: 1992 (Part-III)	Current Transformers Protective Current Transformers
59	IS: 2705: 1992 (Part-IV)	Current Transformers Protective Current Transformers for special purpose applications.
60	IS: 2878: 2004	Fire Extinguisher, Carbon Dioxide Type (Portable and Trolley Mounted) – Specification
61	IS: 2932: 2003 (First Revision)	Enamel, Synthetic, Exterior (a) Undercoating (b) Finishing – Specification
62	IS: 3043: 1987	Code of practice for earthing
63	IS: 3070: 1993	Lightning Arresters for Alternating Current Systems - Specification - Part 3 Metal Oxide Lightning Arresters Without Gaps
64	IS: 3156: 1992 (Part-I)	Voltage Transformers General Requirements
65	IS: 3156: 1992 (Part-II)	Voltage Transformers Measuring Voltage Transformers
66	IS: 3156: 1992 (Part-III)	Voltage Transformers Protective Voltage Transformers
67	IS: 3156: 1992 (Part-IV)	Voltage Transformers Capacitor Voltage Transformers
68	IS: 3188: 1980	Characteristics of String Insulator Units
69	IS: 3347: 1965	HV Porcelain Bushing for transformer
70	IS: 335: 1993	New Insulating Oils

71	IS: 3427: 1997	A.C. Metal Enclosed Switchgear and Control gear for Rated Voltages Above 1 kV and Up to and Including 52 kV
72	IS: 3637: 1966	Gas operated relays
73	IS: 3639: 1966	Specification for Fittings and Accessories for Power Transformers
74	IS: 3961: 1967 (Part-I)	Recommended current ratings for cables: Part 1 Paper insulated lead sheathed cables
75	IS: 3961: 1967 (Part-II)	Recommended current ratings for cables: Part 2 PVC insulated and PVC sheathed heavy duty cables
76	IS: 3961: 1968 (Part-III)	Recommended current ratings for cables: Part 3 Rubber insulated cables
77	IS: 3961: 1968 (Part-V)	Recommended current ratings for cables: Part 5 PVC insulated light duty cables
78	IS: 398: 1976 (Part-III)	Aluminum conductors for overhead transmission purposes: Part 3 Aluminum conductors, aluminized steel reinforced
79	IS: 398: 1994 (Part-IV)	Aluminum conductors for overhead transmission purposes: Part 4 Aluminum alloy stranded conductors (aluminum magnesium silicon type)
80	IS: 398: 1996 (Part-I)	Aluminum conductors for overhead transmission purposes: Part 1 Aluminum stranded conductors
81	IS: 398: 1996 (Part-II)	Aluminum conductors for overhead transmission purposes: Part 2 Aluminum conductors, galvanized steel reinforced
82	IS: 4012: 1967	Specification for Dust-proof Electric Lighting Fittings
83	IS: 4013: 1967	Dust-tight electric lighting fittings
84	IS: 4257: 1981 (Part-I)	Dimensions for Clamping Arrangements for Porcelain Transformer Bushings - Part 1 : For 12 kV to 52 kV Bushings
85	IS: 4770: 1991	Rubber Gloves - Electrical Purposes - Specification
86	IS: 5: 2007	Colors for Ready Mixed Paints and Enamels
87	IS: 5216: 1982 (Part-I)	Recommendations on Safety Procedures and Practices in Electrical Work - Part I General
88	IS: 5216: 1982 (Part-II)	Recommendation on Safety Procedures and Practices in Electrical Work - Part II Life Saving Techniques
89	IS: 5613: 1985 (Part-I) Sec-I	Code of Practice for Design, Installation and Maintenance of Overhead Power Lines - Part 1 Lines Up to and Including 11 kV - Section 1 Design
90	IS: 5613: 1985 (Part-I) Sec-II	Code of practice for design, installation and maintenance of overhead power lines Part 1 Lines up to and including 11 kV, Section 2 Installation and maintenance
91	IS: 5613: 1985 (Part-II) Sec-I	Code of practice for design, installation and maintenance of overhead power lines Part 2 Lines above 11 kV and up to and including 220 kV, Section 1 Design

92	IS: 5613: 1985 (Part-II) Sec-II	Code of practice for design, installation and maintenance of overhead power lines Part 2 Lines above 11 kV and up to and including 220 kV, Section 2 Installation and maintenance
93	IS: 5819: 1970	Recommended Short-circuit Ratings of High Voltage PVC Cables
94	IS: 6103: 1971	Method of test for specific resistance (resistivity) of electrical insulating liquids
95	IS: 6262: 1971	Method of Test for Power Factor and Dielectric Constant of Electrical Insulating Liquids
96	IS: 6600: 1972	Guide for loading of oil immersed transformers
97	IS: 6792: 1992	Method for Determination of Electric Strength of Insulating Oils
98	IS: 694: 1990	PVC Insulated cables for working voltages up to and including 1100 V
99	IS: 731: 1971	Porcelain insulators for overhead power lines with a nominal voltage greater than 1000 V
100	IS: 732: 1989	Code of Practice for Electrical Wiring Installations
101	IS: 800: 2007	General Construction in Steel - Code of Practice
102	IS: 8130: 1984	Conductors for insulated electric cables and flexible cords
103	IS: 8270: 1976: (Part-I)	Guide for preparation of diagrams, charts and tables for electro technology: Part 1 Definitions and classification
104	IS: 8270: 1976: (Part-II)	Guide for preparation of diagrams, charts and tables for electro technology: Part 2 Item designation
105	IS: 8270: 1976: (Part-V)	Guide for preparation of diagrams, charts and tables for electro technology: Part 5 Interconnection diagrams and tables
106	IS: 8270: 1977: (Part-III)	Guide for preparation of diagrams, charts and tables for electro technology: Part 3 General requirements for diagrams
107	IS: 8270: 1977: (Part-IV)	Guide for preparation of diagrams, charts and tables for electro technology: Part 4 Circuit diagrams
108	IS: 8270: 1983: (Part-VI)	Guide for preparation of diagrams, charts and tables for electro technology: Part 6 Unit wiring diagrams and tables
109	IS: 8623: 1993: (Part-I)	Specification for Low-Voltage Switchgear and Control gear Assemblies - Part 1 : Requirements for Type-Tested and Partially Type-Tested Assemblies
110	IS: 8623: 1993: (Part-II)	Specification for Low-voltage Switchgear and Control gear Assemblies - Part 2 : Particular Requirements for Bus bar Trunking Systems (Busway
111	IS: 8623: 1993: (Part-III)	Specification for Low-Voltage Switchgear and Control gear Assemblies - Part 3: Particular Requirements for Equipment Where Unskilled Persons have Access for Their Use
112	IS: 9920: 1982: (Part-III)	Specification for Alternating Current Switches for Voltages Above 1 000 V - Part III Design and Construction

113	IS: 9920: 1985: (Part-IV)	Specification for Alternating Current Switches for Voltages Above 1000 V - Part 4 Type Tests and Routine Tests
114	IS: 9920: 2001: (Part-II)	High-voltage Switches - Specification - Part 2 High-voltage Switches for Rated Voltages of 52 kV and Above
115	IS: 9920: 2002: (Part-I)	High Voltage Switches - Part 1 Switches for Rated Voltages Above 1 kV and Less Than 52 kV
116	IS: 9921: 1981: (Part-I)	Specification for Alternating Current Disconnectors (Isolators) and Earthing Switches for Voltages Above 1 000 V - Part I General and Definitions
117	IS: 9921: 1982: (Part-II)	Alternating current disconnectors (isolators) and earthing switches for voltages above 1000 V Part 2 Rating
118	IS: 9921: 1982: (Part-III)	Specification for Alternating Current Disconnectors (Isolators) and Earthing Switches for Voltages Above 1000 V - Part III Design and Construction
119	IS: 9921: 1985: (Part-IV)	Specification for Alternating Current Disconnectors (isolators) and Earthing Switches for Voltages Above 1000 V - Part 4 Type Tests and Routine Tests
120	IS: 9921: 1985: (Part-V)	Specification for Alternating Current Disconnectors (Isolators) and Earthing Switches for Voltages Above 1 000 V - Part 5 Information to be Given with Tenders, Enquiries and Orders
121	IS: 9974: 1981: (Part-I)	High pressure sodium vapour lamps - Part 1 General requirements and tests
122	IS: 9974: 1981: (Part-II)	High pressure sodium vapour lamps - Part 2 Standard lamp data sheets

- 9.4 In addition to the standards mentioned above, all works shall conform to the requirements of the following rules and regulations.
 - a. Indian Electricity Act and Rules framed thereunder
 - b. Fire insurance regulations
 - c. Regulations laid down by the Chief Electrical Inspector of State and CEA
 - d. Regulations laid down by the Factory Inspector of State
 - e. Any other regulations laid down by the authorities.

In case any clause of contradictory nature arises between standards and this specification, the latter shall prevail.

10.0 DETAILED TECHNICAL SPECIFICATIONS

10.1 GENERAL

- 10.1.1 Scope of work covered under this specification requires quality workmanship, engineering and construction management. The contractor shall ensure timely completion of work. The contractor shall have adequate tools, measuring instruments, calibrating equipment etc. in his possession. He shall also have adequate trained, qualified and experienced engineers, supervisory staff and skilled personnel. The manpower deployment identified by contractor shall match with above scope of works.
- 10.1.2 It is not the intent to specify herein all details of material. Any item related to this work, not covered by this scope but necessary to complete the system will be deemed to have been included in the scope of the work.
- 10.1.3 Deployment of skilled/ unskilled manpower, engineers/ supervisors, Tools & Plants (T & P), Material handling equipment, testing instruments, returning of un-used materials/ items to BHEL stores.
- 10.1.4 The contractor shall carry out testing, pre-commissioning, commissioning and trial run of the connected equipment under overall guidance of BHEL and shall locate any cause of malfunction and rectify the same for proper operation. Testing shall also include any additional tests, which the Engineer feels necessary because of site conditions and also to meet system specification.
- 10.1.5 The work shall be executed under the usual conditions without affecting power plant construction and in conjunction with other operations and contracting agencies at site. The contractor and his personnel shall co-operate with the personnel of other agencies, co-ordinate his work with others and proceed in a manner that shall not delay or hinder the progress of work as a whole.
- 10.1.6 All the work shall be carried out as per instructions of BHEL engineer. BHEL engineer's decision regarding the correctness of the work and method of working shall be final and binding on the contractor.
- 10.1.7 The contractor will be responsible for the safe custody and proper accounting of all materials in connection with the work. If the contractor has drawn materials in excess of design requirements, recoveries will be effected for such excess drawls at the market rate.
- 10.1.8 After completing all the works, contractor shall hand over all remaining extra materials with proper identification tags in a packed condition to BHEL stores. In case of any use over actual design requirements, BHEL reserves the right to recover the cost of material used in excess or misused. Decision of BHEL engineer in this regard will be final and binding on the contractor.
- 10.1.9 Contractor shall, transport all materials to site and unload at site / working area, or pre-assembly yard for inspection and checking. All material handling equipment required shall be arranged by the contractor.
- 10.1.10 The contractor must obtain the signature and permission of the security personnel of the customer for bringing any of their materials inside the site premises. Without the Entry Gate Pass these materials will not be allowed to be taken outside.
- 10.1.11 Contractor shall retain all T&P / Testing instrument / Material handling equipment's etc at site as per advice of BHEL engineer and same shall be taken out from site only after getting the clearances from engineer in charge.
- 10.1.12 The contractor at his cost shall arrange necessary security measures for adequate protection of his machinery, equipment, tools, materials etc. BHEL shall not be responsible for any loss or damage to the contractor's construction equipment and materials. The contractor may consult

the Engineer-in-Charge on the arrangements made for general site security for protection of his machinery equipment tools etc.

- 10.1.13 Wherever work sequences are furnished by BHEL, the contractor shall follow the same sequence. If required by BHEL, the contractor shall change the sequence of his operation so that work on priority sectors can be completed within the projects schedule. The contractor shall afford maximum assistance to BHEL in this connection without causing delay to agreed completion date.
- 10.1.14 Contractor has to work in close co-ordination with other agencies at site. BHEL engineer will co-ordinate area clearance. In a project of such magnitude, it is possible that the area clearance may be less / more at a particular given time. Activities and erection program have to be planned in such a way that the milestones are achieved as per schedule/ plans. Contractor shall arrange & augment the resources accordingly.
- 10.1.15 Contractor shall remove all scrap materials periodically generated from his working area in and around power station and collect the same at one place earmarked for the same. Failure to collect the scrap is likely to lead to accidents and as such BHEL will make alternative arrangement and recover the cost incurred for the same along with 5% overheads. Decision of BHEL shall be final and binding on the contractor. All the package materials, including special transporting frames, etc. shall be returned to the BHEL stores / customer's stores by the contractor.
- 10.1.16 The contractor is strictly prohibited from using BHEL's regular components like angles, channels, beams, plates, pipe / tubes, and handrails etc. for any temporary supporting or scaffolding works. Contractor shall arrange himself all such materials. In case of such misuse of BHEL materials, a sum as determined by BHEL engineer will be recovered from the contractor's bill. The decision of BHEL engineer is final and binding on the contractor.
- 10.1.17 No member of the already erected structure / platform, pipes, grills, platform, other component and auxiliaries should be cut without specific approval of BHEL engineer.
- 10.1.18 For other agencies, such as piping, Boiler, ESP, instrumentation, insulation etc., to commence their work from / on the equipment's coming under this scope, Contractor has to clear the front, expeditiously and promptly as instructed by BHEL Engineer. Some time it may be required to reschedule the activities to enable other agencies to commence/ continue the work so as to keep the overall project schedule.
- 10.1.19 The terminal points decided by BHEL are final and binding on the contractor for deciding the scope of work and effecting the payment for the work done up to the terminals.
- On Completion of work, all the temporary buildings, structures, pipe lines, cable etc. shall be dismantled and levelled and debris shall be removed as per instruction of BHEL by the contractor at his own cost. In the event of his failure to do so, the expenditure towards clearance of the same will be recovered from the contractor. The decision of BHEL Engineer in this regard is final.
- 10.1.21 It is the responsibility of the contractor to do the alignment, checking, etc. if necessary, repeatedly to satisfy BHEL Engineer / Customer Engineers with all the necessary tools and tackles, manpower etc. without any extra cost. The alignment will be completed only when jointly certified so, by the BHEL Engineer & Customer. Also the contractor should ensure that the alignment is not disturbed afterwards.
- 10.1.22 The contractor shall ensure that his premises are always kept clean and tidy to the extent possible. Any untidiness noted on the part of the contractor shall be brought to the attention of the contractor's site representative who shall take immediate action to clean the surroundings to the satisfaction of the Engineer-in-Charge.

10.2 SITE INSPECTION

- 10.3.1 The owner / employer or his authorized agents may inspect various stages of work during the currency of the contract awarded to him. The contractor shall make necessary arrangements for such inspection and carry out the rectification pointed out by the owner / employer without any extra cost to the owner / employer. No cost whatsoever for such duplication of inspection of work will be entertained.
- 10.3.2 BHEL / Customer will have full power and authority to inspect the works at any time, either on the site or at the contractor's premises. The contractor shall arrange every facility and assistance to carry out such inspection. On no account will the contractor be allowed to proceed with work of any type unless such work has been inspected and entries are made in the site inspection register by customer / BHEL.
- 10.3.3 Wherever the performance of work by the contractor is not satisfactory in respect of workmanship, deployment of sufficient labour or equipment, delay in execution of work or any other matter, BHEL shall have the right to engage labour at normal ruling rates and get the work executed through other agency and debit the cost to the contractor and the contractor shall have no right to claim compensation thereof. In such a case, BHEL shall have the right to utilize the materials and tools brought by the contractors for the same work.

10.3 MANPOWER REQUIREMENT

- 10.4.1 The contractor shall provide to the satisfaction of BHEL, sufficient and qualified staff for the execution of works. If and whenever any of the contractor's staff is found guilty of any misconduct or be incompetent or insufficiently qualified in the performance of his duties the contractor shall remove them from site as directed by Site Engineer.
- 10.4.2 Supervisor should have a minimum qualification of Diploma in Engineering or any graduate with minimum 05 years of experience in Thermal Power Station.
- 10.4.3 The Site in charge shall be provided with PCs and good communication facilities like telephone, fax, email etc. at the cost and expense of the contractor. Lack of communication facilities will not be an excuse for extension of completion date.
- 10.4.4 All instructions from BHEL / Customer will be directed to the contractor through the Site In-charge and he shall be responsible for all the contractor's activities at site. The contractor shall name his authorized representative prior to or immediately on commencement of operations at site
- 10.4.5 The Site In-charge shall be present at site during all normal working hours and his contact address after normal working hours shall be made available to BHEL so that if any emergency arises, the presence of the contractor's site Representative at site can be called for.
- The contractor shall not change the site Representative without the consent of BHEL. Should BHEL require the replacement of the contractor's site Representative for justifiable reasons (including inadequate progress of work) the contractor shall ensure that replacement is made as soon as possible and work is not allowed suffering delay on this account.
- 10.4.7 The contractor shall ensure that all his supervisor's staff and workmen conduct themselves in a proper manner. They shall all be persons who are familiar with and skilled at the jobs allocated to them. Any misconduct / inefficiency noted on the part of the contractor's personnel shall be brought to the attention of the contractor's site representative who shall immediately take such action as necessary including the removal of such misconducting / inefficient persons, if so required by the Engineer-in-Charge.

10.4 MATERIAL HANDLING AND SITE STORAGE

10.7.1 SCOPE OF STORAGE / TRANSPORT OF CONTRCTOR SUPPLIED ITEMS

- a) Contractor shall make his own arrangement for transporting the materials to site from BHEL stores/ yards. Necessary material handling equipment for transporting to site/ stores and also for taking delivery from stores to work place shall be arranged at his cost.
- b) Any excess materials supplied for which payment has not been made can be taken back by the contractor as per customer procedure. Incoming material gate pass shall be made for any material supplied by the contractor.
- c) Contractor shall unload, transport, store, erect, test and commission the equipment as per instructions of the manufacturer's recommendation.
- d) Contractor shall be responsible for examining all the shipment immediately for any damage, shortage, discrepancy etc. for the purpose of Purchaser's information only. However, the Contractor shall be solely responsible for any shortages or damages in transit, handling and/or in storage and erection of the equipment at Site.

10.7.2 COLLECTION OF BHEL SCOPE OF SUPPLY MATERIALS

- a) Contractor shall take delivery of BHEL supplied materials from the / stores storage yard / sheds of BHEL / customer, which is within the plant premises after getting approval of engineer / customer in the prescribed indent forms of BHEL / customer. He shall also make arrangements for safe custody, watch and ward of equipment after it has been handed over to him till they are fully erected / commissioned. The contractor shall transport materials to erection site by the prescribed route without disturbing and damaging other's works in the most professional manner and the materials shall be stored in appropriate manner as per BHEL's instructions.
- b) Loading at BHEL / Customer stores and storage yard, transport to site, unloading at site / working area of equipment placement on respective foundation / location, fabrication yard, pre-assembly bay or at working area are in the scope of work of the contractor. The scope includes taking materials / Equipment's from customer stores / storage yard also. Contractors Quoted / Accepted rate shall be inclusive of the same. Required cranes, tractors, trailer or trucks / slings / tools and tackles / labour including operators Fuel lubricants etc. for loading & unloading of materials will be in the scope of contractor.
- c) BHEL shall issue materials covered in BHEL scope from their stores at site. The contractor shall collect such materials from BHEL stores and transport to site of work at his cost.
- d) The equipment / materials from the storage yard shall be moved in sequence to the actual location at the appropriate time as per the direction of BHEL Engineer so as to avoid damage / loss of such equipment at site.
- e) The contractor shall inspect such materials as soon as received by the contractor and shall bring to the attention of the Engineer-in-Charge any shortage / damage or other defects noticed before taking over the materials. Materials once taken over will be deemed to have been received in good condition and in correct quantities except for intrinsic defects which cannot be observed by visual and dimensional inspection and weighing.
- f) Upon receipt by the contractor the responsibility for any loss, damage and / or misuse of such materials shall rest with the contractor.
- g) All materials issued by BHEL shall be properly stored and systematic records of receipts, issue and disposal will be maintained. Periodic inventory shall be made available to BHEL Engineer-in-Charge.
- h) All materials issued by BHEL shall be utilized as directed by Engineer-in-Charge or most economically in the absence of such direction. The contractor shall be responsible for the return of all surplus material to BHEL Stores, as determined by the Engineer-in-Charge.

- i) If the materials issued by BHEL are lost, damaged or unaccounted, the cost of such items shall be recovered from payments to the contractor. However, the contractor shall raise FIR and inform BHEL all details.
- j) Sometimes it may become necessary for the contractor to handle certain unrequired components at Customer's / BHEL's stores in order to take out the required materials. The contractor has to take this contingency also into account. No extra payment is payable for such contingencies.

10.7.3 STORAGE

- a) The contractor shall provide any fixtures, concrete blocks & wooden sleepers, which are required for temporary supporting / storage of the components and equipment at site.
- b) The equipment should be preferably in its original package and should not be unpacked until it is absolutely necessary for its installation. The equipment should be best protected in its cases. It should be arranged away from walls.
- c) The wooden pallet provided for packing itself can be retained for raised platform to protect equipment from ground damps, sinking into around and to circulate air under the stored equipment. This will also help in lifting the packing with fork lift truck.
- d) Periodic inspection of silica gel placed inside the equipment is necessary. It has to be replaced when decolonization takes place or regenerated. BHEL shall supply the material and contractor shall replace.
- e) Due care should be taken to ensure that the equipment is not exposed to fumes, gases etc. which can affect electrical contacts of relays and terminal boards.
- f) The storage room and the equipment should be checked at regular interval of three months to ensure protection from termites, mould growth, condensation of water etc. which can damage the equipment.
- g) Contractor shall keep BHEL informed about such problem and try to rectify the problem at his own cost.
- h) All the instrument, materials and goods kept in the store room should be identified and registered in a book. Inspection report should be recorded. Any discrepancy observed should be communicated to site immediately to the Engineer in Charge.
- i) The loose items supplied for the main equipment falls into various categories like tools, modules, prefabricated cables, console inserts, recorders, modules and display units, printers, sensors and transducers, PCs, monitors, cable glands, cable ducts, frames etc. are to be categorized and stored separately.

10.5 PROGRESS OF WORK

- a) BHEL uses SDD (Site Data Digitization), IPMS (Integrated Project Management System) etc. for work progress and the same shall be utilized for planning and review. Necessary help and coordination shall be given by the vendor for the same.
- b) The progress reports shall indicate the progress achieved against plan, indicating reasons for delays, if any. The report shall also give remedial actions which the contractor intends to make good the slippage or lost time so that further works can proceed as per the original plan and the slippages do not accumulate and affect the overall programme.
- c) It is the responsibility of the contractor to provide all relevant information on a regular basis regarding erection progress, labour availability, equipment deployment, testing, etc.

- d) Contractor is required to draw mutually agreed monthly programs in consultation with BHEL well in advance. Contractor shall ensure achievement of agreed program and shall also timely arrange additional resources considered necessary at no extra cost to BHEL.
- e) Progress review meetings will be held at site during which actual progress during the week vis-a-vis scheduled program shall be discussed for actions to be taken for achieving targets. Contractor shall also present the program for subsequent week. The contractor shall constantly update / revise his work program to meet the overall requirement. All quality problems shall also be discussed during the above review meetings. Necessary preventive and corrective action shall be discussed and decided upon in such review meetings and shall be implemented by the contractor in a time bound manner so as to eliminate the cause of nonconformities.
- f) The contractor shall submit daily, weekly and monthly progress reports, manpower reports, materials reports, consumables (gases / electrodes / ferrules / lugs) report, cranes availability report and other reports as per Performa considered necessary by the Engineer as per the BHEL formats.
- g) The contractor shall submit weekly / fortnightly / monthly statement report regarding consumption of all consumables for cost analysis purposes.
- h) The manpower reports shall clearly indicate the manpower deployed, category wise specifying also the activities in which they are engaged.
- i) The monthly report shall be submitted at the end of every month as a booklet and shall contain the following details:
 - i. Colour Progress photographs of executed jobs etc.
 - ii. Erection progress in terms of tonnage, percentage of work completion, welding joints, radiography, stress relieving, etc. completed as relevant to the respective work areas against planned.
 - iii. Site Organization chart of engineers & supervisors as on the last day of the month with further mobilization plan.
 - iv. Category-wise man hours engaged during the previous month under the categories of fitters, welders, riggers, khalasis, grinder-men, gas-cutters, electricians, crane operations, store keepers, lab technician's helpers, security etc. Data shall be split up under the work areas like Boiler (pressure parts, structures) Rotating machines, Electrostatic precipitator, Insulation, Piping, Steam turbine, Condenser, Generator etc.
 - v. Consumables report giving consumption of all types of gases and electrodes during the previous month.
 - vi. Availability report of cranes
 - vii. Safety implementation report in the format
 - viii. Pending material and any other inputs required from BHEL for activities planned during the subsequent month.
 - ix. The contractor to reflect actual progress achieved during the month and will be submitted to BHEL, so that slippages can be observed and necessary action taken in order to ensure that the situation does not get out of control and will update the construction schedule forming part of this contract each month.

Chapter-XI: Bill of Quantities and % Weightage of Individual Items

This Chapter consists of Part A & Part B of Volume II "Price bid":

<u>CONTENTS</u>				
Description	Remarks			
PART A: Instructions to the Bidders	Instructions			
PART B: % weightage for amount of individual	BOQ and % weightage for amount of			
items of Schedule of quantity	individual items of Schedule of quantity			
PART C: Total Lump Sum Price for entire scope of	1			
Work	portal entitled as "Part-C of Vol-II Price Bid".			

Part A: Instructions to the Bidders

- 1. Vendor has to quote LUMPSUM CHARGES FOR PROVIDING MANPOWER (10 Nos. Electricians +09 Helpers) at 3X800MW PVUNL Project Patratu for a Period of 60 Days.
- 2. All the expenses like to & fro charges, incidentals, boarding & lodging at site are to be borne by vendor.
- 3. QUOTED CHARGES shall be inclusive of all the expenses like to & fro charges, incidentals, boarding & lodging at site.
- 4. BHEL has fixed the % weightages as in "Part-B" for the amount of individual items of Schedule of Quantity w.r.t. the total price of Price Bid Vol-II.
- 5. Based on the pre-fixed % weightages, amount of individual items shall be derived by BHEL. This amount shall not be rounded off.
- 6. Based on the quantities of individual item and the amount arrived in Sl No 3 above, item rate of individual items shall be derived by BHEL. This item rate shall be rounded off up to two decimal places and shall be used to calculate the total amount of an item.
- 7. For the convenience of bidders, BHEL has issued an excel sheet with all requisite formulae as detailed above. *However, this excel sheet shall not form part of contract document.*
- 8. Bidders to note that this is an '<u>Item rate contract'</u>. Payment shall be made for the actual quantities of work executed at the Unit rate arrived at as per serial no 4 above.
- **9.** Price mentioned elsewhere in the offer of the bidder shall be treated as Null and Void.

Chapter-XI: Bill of Quantities and % Weightage of Individual Items

PART B: % weightage for amount of individual items of Schedule of quantity w.r.t. the total price (as quoted by the bidder in "Part C of Vol-II-Price Bid") for Package are given in following table-

S.N.	Description of Work	Man-power Classification as per Minimum wages	Unit	No. of manpower	No. of Days	Total Man- Days	Weightage of Amount w.r.t Total Amount
1	ELECTRICIAN	Skilled	Man-Days	10	60	600	0.609
2	HELPER	Unskilled	Man-Days	9	60	540	0.391
TOTAL							1.00