भारत हेवी इलेक्ट्रिकल्स लिमिटेड पावर सेक्टर- पश्चिमी क्षेत्र श्रीमोहिनी काम्पलेक्स, 345 - किंग्सवे नागपुर- 440 001



Bharat Heavy Electricals Limited Power Sector-Western Region Shreemohini complex, 345 - Kingsway Nagpur-440 001

फोन / Phone 0712-3048600 TO 604 फैक्स FAX: 0712-3048698-699/3048605 www.bhelpswr.co.in

PUR-F 31/01 Page 1 OF 12

#### **PURCHASE ENQUIRY**

То	Our E-mail : smb@	<u>Dbhelpswr.co.in</u>
M/s	<b>ENQUIRY No:</b>	BHE/PW/PUR/X048 E
	ENQ.DATE	17.02.11
	DUE DATE	10.03.11

Dear Sir,

Kindly submit your sealed quotation by Speed Post / Registered Post / Courier / Air Mail in **two bids viz. (1)**Technical cum Commercial Bid & (2) Price Bid for the material indicated below confirming acceptance to the terms and conditions enclosed, so as to reach our office on or before 2.00 PM on the due date. Quotation may be sent by Fax only if asked so by BHEL / with prior permission of BHEL.

S.No.	Description of Material	Unit	Qty	Delivery Schedule	Material Required at (Destination)
01	SUPPLY OF MICRO OHM METER AS PER ANNEXURE-I	Nos.	01	Scriedule	REGIONAL SERVICE CENTRE 568/1, PARPIA COMPOUND, R.C. DUTT ROAD,
02	SUPPLY OF AUTOMATIC OIL BREAK DOWN VOLTAGE TEST KIT AS PER ANNEXURE-II	Nos.	01	WITHIN 6 WEEKS FROM PO. DATE	VADODARA-390 007 (GUJARAT)
03	SUPPLY OF EARTH RESISTANCE TESTER AS PER ANNEXURE-III	Nos.	01	7 27.12	

#### A) GENERAL TERMS AND CONDITIONS OF CONTRACT

Cl. No.	DESCRIPTION
01	Each tender should be sent in a double cover, inner cover should be sealed with tenderer's distinctive seal. The outer cover should bear the address of this office and superscribed with correct Enquiry No. and Due Date. Bidders should indicate the item SI. No. for which they have quoted on outer cover. Tender should be free from CORRECTION AND ERASURES. Corrections, if any must be attested. All amounts shall be indicated both in words as well as in figures. Where there is difference between amount in figures and words, amount quoted in words shall prevail.
02	Technical cum Commercial bid will be opened at 3.00 PM on Due Date. The Technical cum Commercial bid should accompany copy of documents like authorized dealership certificate, earlier supply order details of similar equipment and their performance feedback from customers, company profile and present status, product catalogue of the models offered, technical specifications of the product, commercial Terms & Conditions and other relevant documents etc.
03	Price bid of technically accepted bidders only will be opened. No revision of prices will be entertained after Tenders are opened, unless mentioned in our enquiry / asked so by BHEL.
04	Manufacturer's name, Trade Mark or Patent No. if any, shall be specified in the Technical cum Commercial Bid
05	Please mention the relevant national / international standard code of the product quoted for in the Technical cum Commercial bid.
06	The purchaser shall be under no obligation to accept the lowest or any other tender and shall be entitled to accept or reject any tender in part or full without assigning any reason whatsoever.
07	Late tenders (received after Due Date) will be rejected.
08	Price quoted shall be valid for 90 days from the date of opening
09	Price shall be quoted as per enclosed 'Price Format' only. Quotations not accompanying filled in 'Price Format' are likely to be rejected. Please fill in all the columns of all formats

### BHARAT HEAVY ELECTRICALS LIMITED PS-WR:HQ:NAGPUR

PUR-F31/01 Page 2 OF 12 DUE DATE: 10.03.11

	Page 2 OF 12
ENQU	IRY NO. X048 E DT.17.02.11 DUE DATE: 10.03.11
	The price quoted should be as applicable to DGS & D (Govt. of India) and other Govt. Organizations. In
10	case DGS & D rate / Running Contract is not existing, but a contract is in vogue with any BHEL Unit,
	reference of the same shall be furnished and same may be applicable to this contract.
4.4	SECURITY DEPOSIT: The supplier shall have to furnish Security Deposit (Cash/DD/Bank Guarantee from
11	a Scheduled Bank) if so specified in the tender under Special Terms & Conditions.
	PACKING AND MARKING: The supplier shall arrange for secure protective packing of the goods suitable
	for tropical conditions to avoid loss, damage, atmospheric action during handling and transit. The packing
	standards will comply with relevant national standard/carrier's conditions of packing or established practice.
	If any damage is sustained and the carrier or underwriter attributes it to improper packing, the seller shall be
12	liable to replace the material or reimburse the value of the loss notwithstanding any transit insurance
12	arranged by him or not. The following marking shall be made on each package in black bold letters. NAME
	& ADDRESS OF CONSIGNEE, DIMENSION OF PACKAGE, WEIGHT DETAILS: GROSS, TARE & NETT
	These markings should be stenciled or written in bold letters on the package. Should the package be small,
	suitable cards/metal tags giving these details may be tagged or nailed
	INSPECTION: Final inspection will be carried out the destination/site/Purchaser's works by the authorized
	inspecting Officer, if so specified in the tender under Special Terms & Conditions. Whenever preliminary or
13	stage inspection is to be carried out at supplier's works the same is subject to final acceptance after receipt
13	
	of the material at the destination/Purchasers works and the decision of the purchaser shall be final. The
	propriety of goods shall not pass until final acceptance by the purchaser
	REJECTION: The seller shall intimate the purchaser in writing within 15 days (after being intimated about
14	rejection of goods) regarding disposal action of the rejected material. If no advice is received within this time
14	the purchaser shall be at liberty to return the material at the cost and risk of the seller after receiving the
	cost if any paid by the Purchaser including inward freight and other incidental charges. The Purchaser will
	not be responsible for the rejected material thereafter and no claim will rest on him.
	Delivery: Purchaser shall not be liable to receive and pay for any supply made after delivery date stipulated
45	in the order unless the delivery date is formally extended by the purchaser. Wherever the terms of delivery
15	of the order is other than F.O.R. destination, delivery date will be reckoned as the date of dispatch or the
	date of readiness after inspection of the material where the Purchaser has agreed for inspection or
	collection.
	Test certificate: The seller shall carry out such tests as prescribed by the purchaser / as required in accordance to the relevant national or international standards, in his works and/or and other places as
16	
10	stipulated in the order. Necessary test certificate shall be submitted with delivery of materials. The seller
	shall also provide at no extra cost the required number of catalogues, drawing and other manuals related to
	materials under this order.
	TERMS OF PAYMENT: Payment will normally be made within a month of receipt of material in good
	condition at destination. Any other payment terms have to be mutually agreed. The seller shall send
	dispatch documents, invoice etc. in such quantum and a manner as provided in the order.
	(I) It is expressly understood that in the event of rejection of the materials for which payment has been made
	against document's through bank the Purchaser reserves the right to claim from the seller the amount paid
17	and the incidental charged incurred in the same manner i.e. negotiating return dispatch documents, through
''	Bank and the Seller shall honour such claim and retire the documents from the Bank.
	(ii) Bank charges for any payment claimed through Bank shall be borne by the seller and the seller shall
	also agree to bear any demurrage or other charges arising out of any delay in retirements or documents
	from Bank due to delayed, insufficient incorrect information furnished.
	(iii) The seller shall also ensure that the Carriers do not delay dispatch of the consignment once the carrier's
	receipt is obtained.
40	GUARANTEE WARRANTY: The materials shall be warranted for design material and workmanship and
18	also for performance warranty as specially stipulated by the purchaser in the order in its annexure.
	INSURANCE: Wherever specifically agreed to and directed, the supplier will insure the goods for all transit
	risks upto delivery of the goods at the final destination. In all other cases supplier must furnish particulars of
19	dispatch for each consignment immediately after the dispatch of goods. Failure to do this will make the
13	supplier responsible for making good any loss, which otherwise might have been recovered from
	underwriters.
	T direct millions

### BHARAT HEAVY ELECTRICALS LIMITED PS-WR:HQ:NAGPUR

PUR-F31/01 Page 3 OF 12

	Paç	ge 3 OF 12
<b>ENQUIF</b>	RY NO. X048 E DT.17.02.11 DUE DATE:	10.03.11
20	DELIVERY FAILURE, TERMINATION & LIQUIDATED DAMAGE: The parties hereto agree that dispatch/delivery and completion of the other schedules as stipulated in order/contract shall be the ess Order/Contract. If the seller/contractor fails to complete the dispatch/ delivery and other schedules within the stipulated in the order/contract, or within any extension of time granted by the purchaser, it shall be la purchaser to recover damages for the breach of order/contract without prejudice to any other rights and provided for, in order/contract and hereunder.  The purchaser reserves the right to recover from the Seller/Contractor, as agreed liquidated damages and of penalty, a sum equivalent to half percent {½% of the total contract price per week part thereof, subject to of ten percent @ 10%} of the total contract price excluding elements of taxes, duties and freight, if seller/contailed to deliver any part of the goods within the period stipulated in the Order/Contract.  The purchaser reserves the right to purchase from elsewhere on account of and at the risk and cost /contractor without notice to the seller /contractor of goods not so delivered or their equivalent, without order/contract in respect of the goods not yet due for delivery.  The purchaser reserves the right to cancel the order/contract or a portion thereof for the goods not so del risk and cost of the seller/contractor and the seller/contractor shall be liable to the purchaser for any extension.	sence of the e time period awful for the lor remedies.  I not by way a maximum ontractor has of the seller canceling the livered at the
21	RISK PURCHASE: In the event the supplier has failed to deliver or dispatch whole of the goods within the time stipulated or if the same were not available in his stock, the best and the neare substitute thereof may be purchased/arranged by purchaser from elsewhere at the risk and the seller. The purchaser at his option will be entitled to terminate the contract and seller shall be list loss which the purchaser may sustain by reason of such risk purchases in addition to penalty mentioned in clause 20 above.	est available cost of the able for any
22	PREFERENTIAL DELIVERY: It should be noted that if an Order is placed on a higher tenderer of this invitation to tender, in preference to the lowest acceptable offer in consideration of delivery, the seller will be liable to pay the purchaser the difference between the contract rate and lowest acceptable tender on the basis of final price F.O.R. destination including all elements of free tax, duties and other incidentals in case of failure to complete supplies in terms of such contract date of delivery specified in the tender and contract.	the earlier d that of the reight, sales ct within the
23	Purchaser reserves its right to the Public Enterprises price preference facilities as admissible Govt. of India policy from time to time.	under the
24	This order or any part thereof shall not be sub-contracted without the purchaser's consent.	
25	METRIC SYSTEM: Supplier is requested to indicate metric system measurements in all documer	
26	INDEMNITY: The Seller shall indemnify the Purchaser against any claim due to any breach negligence, defective material or injury to seller or his agent.	•
27	In the event of any reduction in the price, due to change of Govt. duties after award to the work delivery commencement, purchaser is entitled to such reduction and may negotiate fresh discretion.	price at its
28	GENERAL: The purchaser reserves the right to split up the tender and place orders for individ different suppliers and also increase or decrease the quantity.	
29	DISPUTES & ARBITRATION: All cases of disputes will be resolved according to the Indian Art 1940	oitration Act
30	FORCE MAJEUR: Acts of God, Acts of Government, War, Sabotage, Riots, Civil commotion, Policy Revolution, Natural Calamities, Epidemic and other similar causes over which the supplier has will amount to Force Majeur. Delay attributable to Force Majeur will be condoned; however to the light of the condoned of	no control,

In case of any contradictions between General and special terms and conditions, the provisions in Special

establishing the reason of delay lies with the Supplier.

Terms & Conditions will prevail.

31

### BHARAT HEAVY ELECTRICALS LIMITED PS-WR:HQ:NAGPUR

PUR-F31/01 Page 4 OF 12 DUE DATE: 10.03.11

ENQUIRY NO. X048 E DT.17.02.11

B) SPECIAL TERMS AND CONDITIONS OF CONTRACT

Čl	Description
No.	
1	Tender should be submitted in two parts (1) Technical bid comprising product catalogue, copy of relevant Indian Standards and Commercial Terms and conditions as enclosed. And (2) Price bid in prescribed price format in a separate sealed envelope. (Split up of Basic rate, Excise Duty/CVD, Sales tax / VAT must be furnished in the price bid)  Tenders received as single bid indicating the price will be rejected.
2	<b>Evaluation of Total Price:</b> Evaluation shall be carried out by considering the input credit of ED/CVD offered by the vendor. (i.e. total landed cost including taxes, duties and freight minus ED/CVD paid for the same).
3	Bidder must confirm whether Excise/CVD Invoice shall be given or not. In case bidder confirms that excise/CVD invoice shall be given, then the evaluation of bid shall be on the basis landed cost to BHEL excluding Excise Duty/CVD.
4	Item wise evaluation of the offer will be carried out.
5	<b>Payment Terms:</b> 90% BASIC+100% TAXES AND DUTIES WITHIN 60 DAYS AGAINST SUBMISSION OF DISPATCH DOCUMENTS AT PSWR, NAGPUR OFFICE. BALANCE 10% AGAINST SUBMISSION OF PERFORMANCE BG EQUAL TO THE WARRANTY PERIOD AND AMOUNT.
6	Following details are to be furnished by you pertaining to your Bank Accounts where proceeds will be transferred through our Banker:  Name of the Company Name of Bank Name of Bank Branch & Branch Code City Account Number Account type IFSC code of the Bank Branch MICR Code of the Bank Branch NOTE:- ABOVE DETAILS SHOULD BE DULY SIGNED AND CERTIFIED BY YOUR BANKER
7	OCTROI AT DESTINATION WILL BE PAID BY BHEL.

Thanking you,

Yours faithfully, For BHARAT HEAVY ELECTRICALS LTD.

Sr. Engineer (PURCHASE)

### BHARAT HEAVY ELECTRICALS LIMITED PSWR: HQ: NAGPUR

#### TECHNO-COMMERCIAL TERMS & CONDITIONS: (PART OF TECHNICAL CUM COMMERCIAL BID)

DUE DATE: 10.03.11 ENQUIRY NO. X048 E DT.17.02.11 **TERMS & CONDITIONS AS QUOTED IN THIS TENDER** SN **DESCRIPTION OF T & C** 01 **DELIVERY TERMS** F.O.R. DESTINATION ONLY REGIONAL SERVICE CENTRE, 568/1, PARPIA COMPOUND, R.C. DUTT ROAD, 02 PLACE OF DELIVERY VADODARA (GUJARAT) **DELIVERY PERIOD FROM THE** 03 Within 06 WEEKS from the P.O. date. DATE OF ORDER INR 04 CURRENCY OF PAYMENT **PACKING & FORWARDING** Included @ % (or) Extra@ % (or) NA 05 **CHARGES** 06 EXCISE DUTY/CVD (% RATE) Included @ \_% (or) Extra@\_ % (or) NA WILL BE PROVIDED/ NOT PROVIDED 07 **EXCISE /CVD INVOICES** CST/ VAT Included @\_\_\_\_\_\_% (or) Extra@\_\_\_\_\_ 08 WITHOUT CONCESSIONAL FORMS "C" / "D" ( % RATE) NO "C" OR "D" FORM WILL BE ISSUED BY BHEL OCTROI / ENTRY TAX AT Extra, if applicable shall be paid by BHEL on submission of original receipt. 09 DESTINATION Included @\_\_\_\_\_\_% (or) Extra@\_\_\_ % (or) NA **FREIGHT CHARGES UP TO** 10 **DESTINATION** Included @ % (or) Extra@ % (or) NA 11 INSTALLATION CHARGES Included @\_\_\_\_\_\_% (or) Extra@\_\_\_\_ % (or) NA SERVICE TAX FOR 12 INSTALLATION BY BHEL. SUPPLIER HAS TO INTIMATE THE DISPATCH DETAILS TO BHEL'S TRANSIT INSURANCE CHARGES 13 UNDERWRITERS AS SOON AS THE MATERIAL DISPATCHED. (AMOUNT TO BE SPECIFIED IN THE PRICE FORMAT) ANY OTHER CHARGES (please specify here the nature of 14 charge) 90% BASIC+100% TAXES AND DUTIES AGAINST SUBMISSION OF DISPATCH **PAYMENT TERMS (Specify** DOCUMENTS DIRECTLY TO BHEL NAGPUR WITHIN 60 DAYS. BALANCE 10% scope of Banker's Charges at AGAINST SUBMISSION OF PERFORMANCE BG EQUAL TO THE WARRANTY PERIOD 15 both ends / Demand Draft AND AMOUNT. PAYMENT WILL BE RELEASED THROUGH RTGS/EFT (ELECTRONIC FUND TRANSFER) MODE ONLY (PL REF SPECIAL TERMS AND CONDITIONS). NO Charges) **DD/CHEQUE PAYMENT.** BY ROAD / RAIL / SHIP / AIR / CARGO COURIER / SPECIAL MESSENGER / HAND 16 MODE OF DISPATCH DELIVERY NAME OF THE GOODS 17 MANUFACTURER / PRINCIPALS TRADE NAME / MODEL 18 NUMBER OF GOODS CERTIFICATE OF MANUFACTURER/PRINCIPALS: ENCLOSED/ **AUTHORIZED DEALERSHIP** 19 **CERTIFICATE** NOT ENCLOSED WARRANTY / GUARANTEE 20 **CONDITIONS** PRODUCT CATALOGUE / WRITE **ENCLOSED / NOT ENCLOSED** 21 UP CONTACT PERSON'S NAME, E-22

MAIL ID, PHONE NO

ENQUIRY NO. X048 E DT.17.02.11 DUE DATE: 10.03.11

# ANNEXURE-I TECHNICAL SPECIFICATION FOR MICRO OHM METER

SI NO.	SPECIFICATION				BIDDER'S CONFIRMATION
1	Measurement	Resistive as well as Inductive Loads.			
2	Resistance range	4 range 199.9 milliohms, 1999 micro ohms, 19.99 milliohms			
3	Test Current	Multiplier setting	3		
		low	med	High	
	200,100,50,20	199.9micro	1999micro	19.99milli	
	10,5	1999micro	19.99milli	199.9milli	
4	Resolution	0.1 micro ohms ii	n 0-199.9micro	ohms range.	
		1 micro in 0-1999	micro ohm rar	nge.	
		10micro in 0-199	.99milli range.		
		100 micro in 0-19	99.9milli.		
5	Accuracy	± 1% of Reading :	± 5 DIGITS on al	l ranges.	
6	Measuring Current	100A DC 3min ON – 15min OFF.			
		50ADC 6min ON – 15min OFF.			
7	Displays & continuous	5 to 20 A DC continuous.  3½ panel meter to show resistance & current			
,	Displays & Continuous	through switch.			
		Warning indicato	Warning indicator for over range of current.		
		Over Temp. trip i	ndicator.		
		Milli /micro ohm	indicator.		
		DC current Amp i	ndicator.		
8	Control & Switch	Switch to select resistance /Current.			
		Switch to select range for resistance.			
		Power on indicator.			
		Switch to select.			
		Fuse on front par	nel.		
		Independent curi	rent & potentia	l terminals.	

ENQUIRY NO. X048 E DT.17.02.11 DUE DATE: 10.03.11

9	Open Circuit	Measuring Voltage 8V DC.	
		Operating Temperature 0 to 45°C.	
		Power 230V.	
10	Power cord, Instruction manual & measurement cord.		
11	Calibration Certificate of instrument.		
12	Guarantee/ Warranty certificate.		

**NOTE:** Bidders should submit the signed copy of this technical sheet as token of acceptance.

ENQUIRY NO. X048 E DT.17.02.11 DUE DATE: 10.03.11

#### **ANNEXURE-II**

#### TECHNICAL SPECIFICATION FOR AUTOMATIC OIL BREAKDOWN VOLTAGE TEST SET

SI NO.	SI	BIDDER'S CONFIRMATION	
1	Power Supply	200V 264V (47 Hz 63 Hz)	
2	Output Voltage	0 100 kV <sub>eff</sub>	
3	For insulating liquids with tan $\delta$ values	< 4.5 or specific resistance $\rho$ > 30M $\Omega$ m	
4	Voltage slew rate	0.5 10 kV/s	
5	Switch-off time	< 10 μs	
6	Voltage control	Real Breakdown Monitoring	
7	Internal Temperature recording of the oil sample	0 99°C	
8	Temperature resolution	1°C	
9	Display	LCD color display	
10	Accuracy	0 100kV ± 1kV	
11	Resolution	0.1 kV	
12	Pre-programmed standards	ASTMD1816041mm, ASTMD1816042mm, ASTMD 877/2002 PA, ASTMD 877/2002 PB, BSEN60156, CEIEN60156, CSSRRVHP/85, IEC60156/199505, IRAM2341/72, JISC2101/1999, PN77/E04408, PASEVEN60156, UNEEN60156, NFEN 60156, SABSEN60156, VDE0370Part5/96, ASI767.2.1, Single measurement	
13	Programmable test sequences	10	
14	Interface	USB 2.0	
15	Printer	Matrix printer, 24charecters, 57mm Normal paper, Bult-in-alphanumeric printer. Time & dated result With standard deviation printed.	
16	Ambient Temperature	-10 +55°C	
17	Storage Temperature	-20 +60°C	
18	Relative humidity	Non condensing	
19	Weight without options	less than 36Kg	
20	Protection class	IP 32	
21	Designed & manufactured in acc. with the following standards	IEC 61010-1, EN 61010-1, VDE0411 Part 1	

ENQUIRY NO. X048 E DT.17.02.11 DUE DATE: 10.03.11

22	Accessories	Test vessel (1), magnetic oil stirrer, Lifting stick for magnetic stirrer, setting gauge, Mains connection cable, user manual
23	Options	Transport case, Dust cover, setting gauges 1/2/2.5/4/5mm, Ring nut wrench for disassembling the test vessel
24	Calibration	The instrument should be calibrated at NABL Acc. lab before delivery & Calibration certificate Shall be send with instruments.
25	Guarantee/Warranty	Certificate required
26	Manual	Instruction manual required

**NOTE:** Bidders should submit the signed copy of this technical sheet as token of acceptance.

ENQUIRY NO. X048 E DT.17.02.11 DUE DATE: 10.03.11

#### **ANNEXURE-III**

#### **TECHNICAL SPECIFICATION OF EARTH RESISTANCE TESTER**

SI NO.		BIDDER'S CONFIRMATION	
1	Ingress protection	IP54	
2	C stake, P stake and Noise check	Automatic	
3	Noise Rejection	40 V pk to pk	
4	2-wire, 3-wire, 4-wire test	Yes, no shorting links required	
5	No disconnect testing (ART)	Yes, with ICLAMP	
6	Stakeless measurement	Yes, with ICLAMP and VCLAMP	
7	Istrument output	Voltage:±25V or ±50V at 94Hz, 105Hz, 111Hz & 128Hz Current:4.5mA or 0.45mA or 0.045mA	
8	Ground current range with clamp	0.5mA to 19.9mA or better	
9	Ground current accuracy	5% ±3 digits or better	
10	Ground Voltage range	0 to 100V ac or better	
11	Ground Voltage accuracy	2% ±2V or better	
12	Resistance range	$0.01\Omega$ to $200k\Omega$	
13	Resistance accuracy	2P measurements: 2% ±3 digits or better, 3P measurements: 2% ±3 digits or better, 42P measurements: 2% ±3 digits or better, ART measurements: 5% ±3 digits or better, Stakeless measurements: 7% ±3 digits or better	
14	Maximum probe resistance	Rp limit: 200Ω	
15	Disply	3½ digit high contrast liquid crystal, backlit	
16	Battery Type	DET4TC2: 8 off AA (LR6) cells DET4TCR2: 8 off AA (LR6) NiMH rechargeable cells	
17	Operating temperature Range	-15°C to + 55°C / 5°F to 131°F	
18	Storage temperature Range	-40°C to + 70°C / -40 °F to 158°F	
19	Safety	Complies with the requirements of EN61010-1 100V CAT IV between terminal pairs	

ENQUIRY NO. X048 E DT.17.02.11 DUE DATE: 10.03.11

20	EMC	In accordance with IEC61326 including amendment No.1	
21	Standards Compliance	Complies with requirements of KEMA K85BComplies with the following part of EN61557, "Electrical safety in low voltage distribution systems up to 1000V ac and 1500 V dc – Equipments for testing, measuring or monitoring of protective measures". Part 1 – General requirements Part 5 – Resistance to earth	
22	Weight	less than 1 kg	
23	Calibration	The instrument should be calibrated at NABL Acc. lab before delivery & Calibration certificate shall be sent with instruments.	
24	Guarantee/Warranty	Certificate required	
25	Manual	Instruction manual required	

**NOTE:** Bidders should submit the signed copy of this technical sheet as token of acceptance.

#### PRICE FORMAT

# BHARAT HEAVY ELECTRICALS LIMITED POWER SECTOR: WESTERN REGION: NAGPUR

NAME OF THE TENDERER:		
SELLER'S REF. No	DATE :	
ENQUIRY No.: X048 E	DATED: 17.02.11	DUE DATE: 10.03.11

SL.	DESCRIPTION	PRODUCT-1	PRODUCT-2	PRODUCT-3	PRODUCT-4	PRODUCT-5	
A.	ITEM DESCRIPTION AS PER ENQUIRY (PLEASE QUOTE THE BRAND NAME AND MODEL NUMBER)						
В.	QTY OFFERED						
C.	UNIT RATE						
D.	CURRENCY						
E.	DISCOUNT (%AGE & AMOUNT)						
F.	DISCOUNTED UNIT RATE						
G.	DISCOUNTED BASIC PRICE (G = B x F)						
Н.	PACKING & FORWARDING CHARGES						
I.	INSTALLATION CHARGES						
J.	SERVICE TAX FOR INSTALLATION (PERCENTAGE AND AMOUNT)						
K.	EXCISE DUTY /CVD (PERCENTAGE AND AMOUNT)						
L.	IMPORT DUTY (PERCENTAGE & AMOUNT)						
M.	SALES TAX AS APPLI. WITHOUT C-FORM (PERCENTAGE & AMOUNT)						
N.	FREIGHT UPTO DESTINATION						
О.	TRANSIT INSURANCE		BY BHEL				
P.	OCTROI CHARGES / ENTRY TAX AT DESTINATION	Extra, i	Extra, if applicable at actual on production of original receipt.				
Q.	TOTAL PRICE AT DESTINATION ( SUM of 'G' to 'P')						

#### NOTES:

- PLEASE USE ADDITIONAL SHEETS IF NECESSARY
- FURNISH FURTHER BREAK UP OF PRICE IF NECESSARY